

Supplementary Table 1: Heritability of PSA variation in European ancestry individuals without prostate cancer

Phenotype	Method	Genetic Relatedness Matrix Parameters				h^2	(95% CI)
		Kinship	LD r^2	INFO	(N_{SNP})		
UKB median log(PSA) n=26,491	GCTA	0.025	0.80	0.80	(2,109,931)	0.405	(0.353 - 0.456)
			0.80	Typed	(563,257)	0.372	(0.326 - 0.418)
	LDAK	0.025	0.80	0.80	(2,109,931)	0.302	(0.266 - 0.339)
			0.98	0.95	(2,629,389)	0.244	(0.213 - 0.276)
	GCTA	0.05	0.80	0.80	(2,109,931)	0.408	(0.359 - 0.457)
			0.80	Typed	(563,257)	0.376	(0.332 - 0.420)
LDAK	0.05	0.80	0.80	(2,109,931)	0.296	(0.261 - 0.331)	
		0.98	0.95	(2,629,389)	0.239	(0.209 - 0.269)	
UKB random intercept n=26,491	GCTA	0.025	0.80	0.80	(2,109,931)	0.351	(0.300 - 0.402)
			0.80	Typed	(563,257)	0.327	(0.280 - 0.373)
	LDAK	0.025	0.80	0.80	(2,109,931)	0.270	(0.233 - 0.307)
			0.98	0.95	(2,629,389)	0.210	(0.179 - 0.242)
	GCTA	0.05	0.80	0.80	(2,109,931)	0.358	(0.309 - 0.407)
			0.80	Typed	(563,257)	0.333	(0.289 - 0.377)
LDAK	0.05	0.80	0.80	(2,109,931)	0.259	(0.224 - 0.294)	
		0.98	0.95	(2,629,389)	0.207	(0.178 - 0.237)	
			0.98	Typed	(563,257)	0.251	(0.220 - 0.283)
Summary Statistics	Method	Reference Panel		INFO	(N_{SNP})	h^2	(95% CI)
		Variants	LD Dataset				
UKB median log(PSA) n=26,491	LDAK	HapMap3	UKB GBR	0.30	(1,127,342)	0.385	(0.310 - 0.460)
				0.30	(1,127,337) ¹	0.349	(0.275 - 0.424)
				0.95	(1,118,359) ¹	0.350	(0.275 - 0.425)
	HDL	HapMap3	UKB GBR	0.30	(1,029,876)	0.252	(0.207 - 0.298)
LDSR	HapMap3	1000G EUR	0.30	(1,133,218)	0.206	(0.154 - 0.257)	
Meta-analysis log(PSA) n=85,824	LDAK	HapMap3	UKB GBR	0.30	(1,168,859)	0.332	(0.307 - 0.357)
				0.30	(1,168,854) ¹	0.300	(0.287 - 0.311)
	HDL	HapMap3	UKB EUR	0.30	(1,029,876)	0.195	(0.157 - 0.233)
LDSR	HapMap3	1000G EUR	0.30	(1,136,374)	0.188	(0.151 - 0.225)	

¹ Excluding variants with large effect, using cutoff=0.01 for maximum variance explained

Abbreviations:

INFO Minimum imputation quality

HDL High-definition likelihood method, as described in Ning et al. (PMID: 32601477)

GBR British white individuals

LDSR LD score regression

Supplementary Table 2: Genome-wide significant variants associated with PSA levels in the UK Biobank cohort (N=26,491). Lead variants were identified using LD-based clumping at $r^2 < 0.01$ in ± 10 Mb windows

Region	Position (b37)	Nearest Gene	Variant ID	EA	OA	EAF	β^1	(SE)	P	P _{RI}
1p22.3	88197017	<i>PKN2-AS1</i>	rs12731909	C	T	0.484	0.041	(0.007)	9.12E-10	3.81E-09
2p21	43594483	<i>THADA</i>	rs79625619	T	A	0.100	-0.063	(0.011)	1.27E-08	3.48E-08
2p16.1	60762502	<i>BCL11A</i>	rs2556378	T	G	0.161	0.058	(0.009)	1.45E-10	3.56E-10
2p15	63277843	<i>OTX1</i>	rs58235267	G	C	0.484	0.038	(0.007)	1.50E-08	5.41E-07
3q27.3	186754957	<i>ST6GAL1</i>	rs3936289	C	T	0.242	0.041	(0.008)	1.58E-07	7.07E-09
5p15.33	1341101	<i>CLPTM1L</i>	rs31487	C	G	0.444	-0.064	(0.007)	1.78E-21	6.11E-17
6p21.32	32682812	<i>HLA-DQB1-AS1</i>	rs9275602	A	C	0.191	-0.048	(0.009)	1.83E-08	9.64E-07
6p21.1	43710381	<i>POLR1C</i>	rs10807290	C	T	0.475	0.045	(0.007)	2.21E-11	1.13E-07
7p15.2	27989768	<i>JAZF1</i>	rs739704	A	G	0.253	-0.043	(0.008)	2.02E-08	1.26E-04
8p21.2	23535219	<i>NKX3-1</i>	rs13262167	C	A	0.414	0.067	(0.007)	1.01E-22	1.26E-19
8q24.21	128318755	<i>CASC8 – PCAT1</i>	rs10107982	C	T	0.277	-0.053	(0.008)	1.23E-12	6.15E-09
8q24.21	128413305	<i>CASC8</i>	rs6983267	T	G	0.481	-0.054	(0.007)	8.70E-16	2.45E-14
10q11.22	51549496	<i>MSMB</i>	rs10993994	T	C	0.386	0.087	(0.007)	1.06E-36	4.87E-26
10q26.12	122633607	<i>WDR11</i>	rs7080550	G	C	0.365	0.049	(0.007)	1.54E-12	2.91E-10
10q26.12	123048008	<i>LINC01153</i>	rs10886900	G	A	0.231	0.103	(0.008)	1.75E-38	2.49E-32
10q26.13	123186164	<i>RN7SKP167</i>	rs201552570	C	CA	0.052	-0.118	(0.015)	7.02E-15	4.56E-13
10q26.13	123349324	<i>FGFR2</i>	rs45631563	T	A	0.046	0.090	(0.016)	2.62E-08	3.30E-05
11p13	34770077	<i>EHF – APIP</i>	rs10742324	C	G	0.291	-0.054	(0.007)	3.54E-13	8.78E-10
12q24.21	115094260	<i>TBX3</i>	rs11067228	G	A	0.451	-0.045	(0.007)	1.65E-11	2.46E-09
13q14.3	51130374	<i>DLEU1</i>	rs35681675	TC	T	0.389	0.042	(0.007)	1.37E-09	1.29E-08
17q12	36097775	<i>HNF1B</i>	rs11263761	G	A	0.481	-0.062	(0.007)	4.32E-20	8.87E-15
18q23	76765837	<i>SALL3</i>	rs6506878	T	G	0.320	-0.041	(0.007)	1.35E-08	6.75E-07
19q13.33	51323947	<i>KLK1</i>	rs2659104	A	G	0.317	0.055	(0.007)	3.39E-14	9.62E-10
19q13.33	51340794	<i>KLK15</i>	rs2659053	A	G	0.394	0.082	(0.007)	5.38E-33	1.83E-27
19q13.33	51360768	<i>KLK3</i>	rs266877	A	G	0.048	-0.094	(0.016)	2.29E-09	3.49E-09
19q13.33	51361757	<i>KLK3</i>	rs17632542	C	T	0.077	-0.375	(0.012)	1.69E-202	4.16E-155
19q13.33	51399496	<i>KLKP1</i>	rs2659110	T	C	0.114	-0.076	(0.011)	6.39E-13	9.41E-15
20q11.21-q11.22	32127671	<i>CBFA2T2</i>	rs2150165	T	A	0.104	0.069	(0.011)	3.60E-10	4.72E-07
Xp22.11	24065653	<i>EIF2S3 – KLHL15</i>	rs12389566	T	C	0.331	0.033	(0.005)	1.73E-10	8.78E-08
Xq13.1	70117073	<i>TEX11</i>	rs186347618	T	A	0.368	0.039	(0.005)	7.89E-15	6.66E-13

¹ Per allele change in log(PSA)

Abbreviations:

EA Effect allele for which the change in log(PSA) is modelled

OA Other allele

EAF Effect allele frequency

P_{RI} P-value from the analysis of random intercepts extracted from fitted linear mixed models

Supplementary Table 3: Genome-wide significant variants associated with PSA levels in the multi-ancestry meta-analysis (N=95,768). A total of 128 lead variants were identified using LD-based clumping at $r^2 < 0.01$ within ± 10 Mb windows.

Region	Position (b37)	Variant ID	Effect Allele	Other Allele	Fixed-effects Meta-analysis (METAL)					Meta-Regression (MR-MEGA)			New ²
					EAF	β^1	SE	P_{METAL}	$P_{\text{Het-Q}}$	P_{MEGA}	$P_{\text{Het-Anc}}$	$P_{\text{Het-Res}}$	
1p32.3	51237409	rs12569177	C	G	0.428	0.026	(0.004)	3.2E-13	0.89	3.5E-11	0.59	0.80	yes
1p22.3	88199778	rs12131120	T	A	0.493	0.033	(0.004)	1.6E-19	0.38	3.9E-18	0.12	0.36	no
1p13.2	112264274	rs2076591	C	T	0.216	0.032	(0.004)	2.6E-13	0.094	4.9E-12	0.10	0.77	yes
1q21.3	154868055	rs4845681	T	G	0.412	0.022	(0.004)	7.7E-09	0.15	5.3E-07	0.74	0.13	yes
1q25.3	184191716	rs12046452	C	T	0.622	0.021	(0.004)	9.0E-09	0.95	8.7E-07	0.95	0.19	yes
1q32.1	205632217	rs71152447	G	GGCCGAC AGCCCTTC TGCTGGCT CGGTGGG GCCCAGC	0.047	0.163	(0.024)	9.9E-12	0.27	1.2E-09	0.80	0.025	no
1q32.1	205636334	rs4951018	C	A	0.230	0.032	(0.004)	2.7E-13	0.52	2.5E-12	0.058	0.092	no
1q41	219694903	rs12034581	C	A	0.495	0.025	(0.004)	2.5E-12	0.074	3.5E-11	0.14	0.49	yes
1q41	219954267	rs6664688	G	A	0.216	0.025	(0.005)	3.9E-08	0.025	1.9E-07	0.084	1.2E-03	yes
2p24.2	18911674	rs12710685	G	C	0.105	0.033	(0.006)	2.3E-08	0.26	1.7E-06	0.73	0.57	yes
2p24.1	20880833	rs10193919	T	C	0.345	0.031	(0.004)	1.5E-15	0.84	3.7E-13	0.95	0.25	yes
2p23.3	25463871	rs734693	T	C	0.715	0.023	(0.004)	3.9E-08	0.054	7.4E-08	0.040	0.37	yes
2p21	43072828	rs1123695	G	C	0.659	0.031	(0.004)	3.3E-16	0.80	6.7E-14	0.89	0.81	yes
2p21	43618819	rs11899863	C	T	0.902	0.045	(0.006)	1.7E-13	0.48	2.2E-11	0.56	0.078	yes
2p16.1	60759747	rs2556375	G	T	0.176	0.057	(0.005)	1.8E-32	0.33	5.2E-30	0.54	0.42	no
2p15	63277843	rs58235267	G	C	0.482	0.026	(0.004)	4.9E-13	0.014	1.1E-12	0.016	0.57	yes
2p13.2	72059504	rs11679946	T	C	0.674	0.022	(0.004)	2.6E-08	0.23	1.3E-06	0.79	0.35	yes
2q33.1	198929083	rs34388051	A	G	0.671	0.022	(0.004)	2.2E-08	0.62	1.4E-06	0.65	0.52	yes
3q13.2	113290793	rs4682495	A	C	0.573	0.021	(0.004)	2.9E-09	0.12	1.6E-07	0.40	0.081	no
3q21.3	128067275	rs11709611	C	T	0.120	0.036	(0.006)	2.0E-10	0.97	2.7E-08	0.98	0.90	yes
3q23	141115219	rs1582874	C	T	0.442	0.030	(0.004)	1.0E-16	0.36	1.1E-14	0.37	0.79	no
3q25.33	160130592	rs10673842	TTATC	T	0.522	0.023	(0.004)	2.2E-08	0.11	2.9E-07	0.15	0.46	yes

3q27.2	185246981	rs4012714	A	G	0.579	0.025	(0.004)	1.1E-08	0.11	7.7E-08	0.11	0.81	yes
3q27.3	186746994	rs12629450	C	G	0.171	0.031	(0.005)	2.6E-10	0.65	2.2E-08	0.58	0.69	yes
3q28	189482770	rs6765473	T	C	0.881	0.037	(0.006)	3.2E-10	0.31	6.0E-09	0.23	0.73	yes
4p15.2	24410024	rs4276269	G	A	0.263	0.023	(0.004)	2.0E-08	0.91	1.5E-06	0.82	0.59	yes
4q31.22	146890261	rs9968429	G	A	0.370	0.032	(0.004)	6.3E-18	0.061	1.0E-16	0.056	0.29	no
4q32.1	157497921	rs13115840	A	G	0.355	0.031	(0.004)	4.3E-17	0.70	2.7E-14	0.86	0.56	no
5p15.33	1285974	rs7705526	A	C	0.331	0.023	(0.004)	1.2E-08	0.46	6.0E-07	0.47	0.97	no
5p15.33	1322087	rs401681	C	T	0.560	0.059	(0.004)	7.0E-54	0.47	1.5E-52	0.12	0.84	no
5q14.3	92052005	rs7732515	A	T	0.227	0.033	(0.004)	3.5E-14	0.52	5.3E-12	0.86	0.46	yes
5q35.2	172945918	rs889017	C	A	0.230	0.024	(0.004)	2.6E-08	0.081	1.3E-07	0.074	0.19	yes
6p22.3	15463139	rs926309	T	G	0.374	0.026	(0.004)	1.6E-12	0.81	1.4E-10	0.69	0.88	yes
6p22.3	16515154	rs236961	T	C	0.353	0.026	(0.004)	8.6E-12	0.10	7.6E-11	0.10	0.44	yes
6p22.1	29915061	rs2248162	C	T	0.666	0.025	(0.004)	3.6E-10	0.26	9.7E-09	0.24	0.36	yes
6p21.31	34212537	rs551980123	TG	T	0.043	0.069	(0.011)	1.6E-10	0.14	2.1E-08	0.91	0.14	yes
6p21.1	43711981	rs1535507	T	C	0.164	0.048	(0.005)	1.5E-22	0.063	1.4E-22	1.8E-03	0.044	no
6q22.33	129168057	rs73583119	A	T	0.929	0.193	(0.035)	3.5E-08	0.12	-	-	-	yes
7p15.3	20909622	rs204592	G	A	0.517	0.022	(0.004)	1.2E-09	0.24	1.9E-08	0.21	0.45	yes
7p15.3	21839896	rs6956349	T	C	0.427	0.021	(0.004)	8.6E-09	0.78	6.1E-07	0.67	0.56	yes
7p15.2	27281792	rs17437810	A	G	0.021	0.077	(0.013)	8.0E-09	0.98	8.5E-07	0.96	0.55	yes
7p15.2	27483166	rs10250340	A	G	0.321	0.023	(0.004)	2.0E-09	0.047	1.4E-08	0.073	0.030	yes
7p15.2	27975919	rs67152137	G	C	0.740	0.048	(0.004)	8.6E-31	0.29	1.9E-28	0.13	0.78	no
8p21.2	23437981	rs2928681	C	A	0.413	0.031	(0.004)	3.5E-18	0.10	5.7E-17	0.045	0.66	no
8p21.2	23529521	rs1160267	G	A	0.430	0.070	(0.004)	6.3E-83	0.89	9.6E-78	0.78	0.69	no
8q12.1	57138676	rs36112366	T	G	0.886	0.037	(0.006)	7.3E-11	0.73	6.9E-09	0.60	0.84	yes
8q12.1	57834357	rs4738555	C	T	0.434	0.031	(0.004)	3.2E-17	0.22	2.1E-16	0.028	0.76	no
8q21.13	81811566	8:81811566_CA_C	CA	C	0.590	0.024	(0.004)	7.6E-11	0.13	9.1E-10	0.090	0.54	yes
8q23.1	108849527	rs1494920	T	C	0.604	0.020	(0.004)	4.8E-08	0.84	1.7E-06	0.46	0.55	yes
8q24.21	127817460	rs7843726	G	C	0.145	0.030	(0.005)	1.7E-08	0.073	2.0E-07	0.14	0.24	yes
8q24.21	128093297	rs1016343	T	C	0.205	0.035	(0.004)	3.6E-15	0.67	9.2E-13	0.94	0.80	yes

8q24.21	128318755	rs10107982	T	C	0.728	0.046	(0.004)	4.1E-30	0.85	6.9E-27	0.98	0.25	no
8q24.21	128413305	rs6983267	G	T	0.512	0.051	(0.004)	2.6E-45	0.49	7.1E-43	0.45	0.31	no
9q22.32	99146751	rs7020681	C	T	0.214	0.027	(0.005)	1.4E-09	6.1E-03	8.2E-10	5.6E-03	0.74	yes
9q33.1	118258080	rs150402584	T	TG	0.129	0.035	(0.006)	9.0E-10	0.14	1.6E-08	0.17	0.37	yes
9q33.1	120475302	rs4986790	A	G	0.942	0.065	(0.008)	7.1E-17	0.51	6.7E-15	0.51	0.73	no
9q33.2	123643426	rs59482735	T	TAA	0.321	0.032	(0.005)	2.9E-12	0.23	2.2E-10	0.44	0.087	no
10p12.31	22363979	rs3011633	C	T	0.221	0.040	(0.004)	5.9E-20	0.71	1.1E-17	0.36	0.81	no
10p12.2	23398448	rs1857279	C	G	0.662	0.025	(0.004)	3.9E-11	0.90	5.3E-09	0.71	0.41	yes
10p12.1	28096754	rs2815506	A	G	0.804	0.036	(0.005)	4.9E-15	0.55	3.2E-13	0.50	0.44	no
10q11.23	51549496	rs10993994	T	C	0.402	0.086	(0.004)	7.3E-87	0.16	3.0E-84	0.20	0.68	no
10q25.2	111991733	rs562417881	G	GT	0.840	0.035	(0.006)	5.6E-09	0.21	2.5E-07	0.43	0.36	yes
10q26.12	122631067	rs9325569	A	G	0.340	0.051	(0.004)	9.9E-41	0.40	1.2E-38	0.39	0.72	no
10q26.12	123049264	rs10886902	C	T	0.231	0.099	(0.004)	8.2E-118	0.92	6.2E-116	0.83	0.58	no
10q26.13	123135200	rs10788173	C	T	0.403	0.021	(0.004)	2.9E-08	0.27	4.5E-07	0.19	0.86	yes
10q26.13	123185303	rs10749415	A	G	0.920	0.108	(0.008)	1.8E-45	0.72	1.7E-42	0.75	0.42	no
10q26.13	123349324	rs45631563	T	A	0.045	0.089	(0.009)	7.9E-23	0.28	4.5E-20	0.97	0.082	no
10q26.13	126737579	rs3012065	C	T	0.320	0.022	(0.004)	2.2E-08	0.70	1.6E-06	0.76	0.99	yes
11p15.5	197557	rs7103852	G	A	0.878	0.041	(0.007)	1.2E-09	0.86	7.2E-08	0.64	0.60	yes
11p13	34718279	rs553481604	G	GT	0.697	0.031	(0.005)	1.7E-11	0.59	5.4E-10	0.21	7.4E-03	no
11p13	34780936	rs10466455	C	T	0.397	0.038	(0.004)	8.0E-26	0.19	2.0E-23	0.20	0.80	no
11q13.5	76153279	rs58015965	G	A	0.688	0.021	(0.004)	4.0E-08	0.84	1.9E-06	0.49	0.78	yes
11q22.2	102396607	rs12285347	C	T	0.452	0.038	(0.004)	2.6E-25	0.17	5.5E-24	0.13	0.98	no
11q22.2	102438778	rs7129424	A	G	0.559	0.024	(0.004)	2.5E-11	0.42	1.8E-09	0.54	0.52	yes
12p13.31	9222286	rs1805664	T	C	0.334	0.022	(0.004)	9.2E-09	0.12	1.1E-07	0.18	0.96	yes
12q14.3	66393756	rs74097857	T	C	0.872	0.033	(0.006)	1.2E-09	0.75	8.7E-08	0.54	0.24	yes
12q21.31	84994000	rs61928422	T	C	0.169	0.027	(0.005)	1.1E-08	0.027	9.6E-09	0.015	0.27	yes
12q24.21	115099805	rs10774760	G	A	0.504	0.042	(0.004)	2.4E-30	0.98	3.3E-27	0.84	0.78	no
12q24.21	115155460	rs11067251	G	T	0.584	0.022	(0.004)	1.9E-09	0.10	1.4E-08	0.077	0.96	yes
12q24.23	118855432	rs1045542	G	A	0.907	0.047	(0.006)	1.2E-13	0.69	1.8E-11	0.76	0.47	yes

13q14.3	51087443	rs202346	A	C	0.253	0.044	(0.004)	1.8E-27	0.38	4.0E-26	0.025	0.53	no
13q14.3	51165912	rs12869529	A	G	0.960	0.064	(0.009)	9.4E-12	0.80	9.6E-10	0.69	0.031	yes
13q14.3	51445360	rs9563006	A	G	0.443	0.024	(0.004)	5.6E-11	0.81	1.9E-10	0.034	0.78	no
13q22.1	74055303	rs1361057	C	T	0.261	0.023	(0.004)	3.3E-08	0.30	1.6E-06	0.53	0.43	yes
13q32.1	95799006	rs61965887	A	G	0.062	0.059	(0.008)	3.7E-14	0.74	2.5E-12	0.51	0.57	yes
14q13.3	37240591	rs712329	G	A	0.432	0.021	(0.004)	2.0E-08	0.031	1.2E-07	0.083	0.22	yes
14q32.13	94838142	rs112635299	G	T	0.979	0.106	(0.013)	1.2E-15	0.26	3.4E-14	0.19	0.36	yes
14q32.13	95104745	rs72695000	C	T	0.825	0.054	(0.005)	7.4E-28	0.76	4.5E-26	0.19	0.12	no
15q22.31	66941399	rs8038722	G	A	0.499	0.020	(0.004)	3.2E-08	0.68	3.9E-06	1.00	0.65	yes
16p13.3	4318206	rs251739	G	A	0.506	0.033	(0.004)	6.6E-20	0.13	2.0E-17	0.46	0.13	no
16p13.13	11201428	rs9933507	C	T	0.430	0.023	(0.004)	3.8E-10	0.84	5.2E-08	0.90	0.74	yes
16q23.1	77507275	rs7206309	C	T	0.316	0.039	(0.004)	1.6E-22	0.53	3.5E-20	0.54	0.56	no
16q24.1	86554784	rs13334022	T	C	0.109	0.042	(0.006)	3.4E-11	0.17	5.7E-10	0.14	0.45	yes
17p13.3	1994071	rs3760230	C	G	0.433	0.020	(0.004)	2.8E-08	0.63	1.7E-06	0.58	0.56	yes
17p13.1	7571752	rs78378222	G	T	0.012	0.112	(0.018)	2.8E-10	0.90	3.6E-08	0.86	0.85	yes
17p13.1	7793367	rs34009884	C	CTG	0.104	0.035	(0.006)	1.1E-08	0.20	1.7E-07	0.26	0.29	yes
17p12	12320741	rs7219536	T	C	0.495	0.025	(0.004)	5.7E-12	0.23	2.0E-10	0.30	0.60	yes
17p12	12556260	rs9889266	C	A	0.574	0.023	(0.004)	8.9E-10	0.62	4.4E-08	0.65	0.97	yes
17q12	36099952	rs10908278	A	T	0.525	0.052	(0.004)	2.1E-46	0.017	2.8E-44	0.16	0.017	no
18q23	76777252	rs71279357	A	T	0.725	0.035	(0.005)	1.8E-12	0.80	1.3E-10	0.57	0.97	yes
19q12	32055024	rs11084590	C	T	0.691	0.035	(0.004)	3.4E-18	0.39	2.4E-16	0.48	0.91	no
19q13.32	46229711	rs6509234	G	T	0.822	0.028	(0.005)	7.7E-09	0.066	1.0E-07	0.18	0.28	yes
19q13.33	49206462	rs681343	T	C	0.483	0.020	(0.004)	4.4E-08	0.70	2.4E-06	0.65	0.70	yes
19q13.33	51225544	rs890863	G	A	0.656	0.023	(0.004)	1.1E-08	0.44	3.1E-07	0.43	0.22	yes
19q13.33	51323501	rs1054713	A	G	0.324	0.037	(0.004)	4.8E-22	5.9E-04	2.1E-22	8.7E-04	0.076	no
19q13.33	51340794	rs2659053	A	G	0.405	0.078	(0.004)	5.4E-94	0.035	2.3E-92	5.2E-03	0.031	no
19q13.33	51349841	rs113920094	C	T	0.007	0.144	(0.025)	6.5E-09	0.072	3.4E-08	0.076	0.98	yes
19q13.33	51360398	rs374546878	GA	G	0.762	0.165	(0.023)	1.7E-12	0.12	-	-	-	yes
19q13.33	51361757	rs17632542	T	C	0.924	0.368	(0.007)	3.2e-638	0.21	7.0e-641	2.8E-15	4.4E-09	no

19q13.33	51365466	rs2735837	G	A	0.871	0.098	(0.006)	7.2E-58	1.5E-12	6.7E-67	3.6E-12	0.51	no
19q13.33	51373744	rs12983994	T	C	0.050	0.071	(0.008)	1.1E-17	1.3E-03	3.2E-19	2.0E-04	0.32	no
19q13.33	51378275	rs112103380	C	G	0.008	0.212	(0.024)	1.7E-18	0.89	5.3E-16	0.88	0.38	yes
19q13.33	51383072	rs198978	G	T	0.642	0.044	(0.004)	8.4E-31	1.5E-03	5.1E-30	0.034	0.077	yes
19q13.41	51421334	rs141135092	C	G	0.976	0.091	(0.015)	1.2E-09	0.11	1.9E-09	0.025	0.43	yes
19q13.41	51441425	rs80122351	G	T	0.804	0.030	(0.005)	1.2E-10	0.37	5.2E-09	0.56	7.5E-03	no
20q11.21	31950845	rs291671	G	A	0.114	0.053	(0.006)	1.2E-18	0.23	1.3E-16	0.31	3.1E-03	yes
21q22.2	40289167	rs2836750	T	G	0.401	0.027	(0.004)	1.6E-12	0.46	4.3E-11	0.22	0.97	yes
22q13.31	45996298	rs13268	A	G	0.976	0.080	(0.013)	1.6E-10	0.45	1.4E-08	0.69	0.43	yes
Xp22.31	8912815	rs112062538	C	T	0.261	0.029	(0.003)	4.7E-19	0.57	5.8E-18	0.10	0.71	yes
Xp22.2	16844831	rs62586587	G	A	0.614	0.031	(0.003)	3.6E-25	0.56	1.9E-23	0.054	0.027	no
Xp22.13	17831188	rs200615037	TTG	T	0.950	0.066	(0.007)	3.5E-22	0.87	2.8E-20	0.34	0.021	no
Xp22.11	24109619	rs7065158	A	G	0.311	0.036	(0.003)	1.1E-29	0.080	1.6E-27	0.099	0.25	no
Xp11.22	51242364	rs5987424	A	G	0.384	0.017	(0.003)	2.1E-08	0.16	3.4E-07	0.15	0.41	yes
Xp11.21	55936822	rs10855058	A	G	0.322	0.019	(0.003)	7.6E-09	0.054	2.5E-08	0.048	0.20	yes
Xq13.1	68996186	rs2520386	G	A	0.735	0.023	(0.003)	4.2E-11	0.64	1.3E-09	0.18	0.50	yes
Xq13.1	70125103	rs62608084	A	G	0.334	0.032	(0.003)	1.7E-24	0.43	4.8E-25	3.8E-03	0.089	yes
Xq26.2	132935739	rs4829762	T	C	0.704	0.024	(0.003)	5.9E-12	0.59	3.7E-10	0.35	0.90	yes
Xq26.3	133703924	rs5930651	T	C	0.665	0.017	(0.003)	1.0E-08	0.62	4.3E-07	0.43	0.99	yes

¹ Per allele change in log(PSA)

² Variants that were independent of previously reported PSA associations at LD $r^2 < 0.01$ within ± 10 Mb were considered novel

Abbreviations:

EAF Effect allele frequency

Note: MR-MEGA results are not available for variants that were present in too few studies

Supplementary Table 4: Population-specific effect estimates for the 128 genome-wide significant lead PSA variants identified in the multi-ancestry meta-analysis. For each variant associations are reported from the fixed effect meta-analysis conducted within each ancestry group.

Region	Position (b37)	Variant ID	Effect Allele	Other Allele	EUR (N=85,824)			AFR (N=3,509)			HIS/LAT (N=3,098)			EAS (N=3,337)			New ²
					EAf	β^1	P _{METAL}	EAf	Effect	P _{METAL}	EAf	β^1	P _{METAL}	EAf	β^1	P _{METAL}	
1p32.3	51237409	rs12569177	C	G	0.431	0.027	2.78E-12	0.565	0.023	0.21	0.362	0.036	0.088	0.215	0.011	0.62	yes
1p22.3	88199778	rs12131120	T	A	0.478	0.033	2.13E-18	0.862	0.018	0.50	0.565	0.025	0.24	0.923	0.089	0.011	no
1p13.2	112264274	rs2076591	C	T	0.207	0.028	1.45E-09	0.398	0.050	8.07E-03	0.177	0.064	0.019	0.184	0.078	1.58E-03	yes
1q21.3	154868055	rs4845681	T	G	0.393	0.023	1.84E-09	0.533	0.014	0.45	0.535	-0.024	0.24	0.852	0.023	0.39	yes
1q25.3	184191716	rs12046452	C	T	0.622	0.021	4.05E-08	0.797	0.026	0.26	0.639	0.030	0.17	0.503	0.013	0.50	yes
1q32.1	205632217	rs71152447	G	GGCCGACA GCCCTTCT GCTGGCTC GGTGGGG CCCAGC	0.013	0.112	5.05E-03	0.010	0.071	0.65	0.051	0.228	3.42E-06	0.078	0.176	5.46E-06	no
1q32.1	205636334	rs4951018	C	A	0.224	0.033	5.03E-13	0.132	0.007	0.82	0.321	0.036	0.099	0.340	0.008	0.70	no
1q41	219694903	rs12034581	C	A	0.477	0.025	6.82E-11	0.821	0.013	0.60	0.622	0.005	0.80	0.655	0.073	2.49E-04	yes
1q41	219954267	rs6664688	G	A	0.185	0.019	7.72E-05	0.393	0.041	0.028	0.277	0.073	1.36E-03	0.454	0.057	2.89E-03	yes
2p24.2	18911674	rs12710685	G	C	0.098	0.037	6.92E-09	0.135	0.008	0.76	0.118	-0.019	0.55	0.178	0.026	0.31	yes
2p24.1	20880833	rs10193919	T	C	0.347	0.031	2.07E-14	0.118	0.010	0.73	0.327	0.043	0.047	0.437	0.029	0.13	yes
2p23.3	25463871	rs734693	T	C	0.745	0.023	2.68E-07	0.504	-0.015	0.42	0.691	0.059	8.65E-03	0.352	0.042	0.041	yes
2p21	43072828	rs1123695	G	C	0.662	0.030	4.07E-14	0.824	0.031	0.19	0.725	0.048	0.036	0.442	0.043	0.026	yes
2p21	43618819	rs11899863	C	T	0.900	0.044	6.10E-12	0.910	0.075	0.021	0.935	0.070	0.086	0.995	-0.097	0.46	yes
2p16.1	60759747	rs2556375	G	T	0.172	0.058	8.88E-30	0.172	0.058	0.020	0.221	0.080	1.36E-03	0.221	0.019	0.43	no
2p15	63277843	rs58235267	G	C	0.476	0.029	6.68E-14	0.453	-0.022	0.24	0.512	-0.009	0.67	0.679	0.045	0.030	yes
2p13.2	72059504	rs11679946	T	C	0.680	0.022	4.67E-08	0.764	0.024	0.28	0.718	-0.021	0.37	0.431	0.040	0.039	yes
2q33.1	198929083	rs34388051	A	G	0.679	0.021	3.04E-07	0.820	0.042	0.10	0.594	0.008	0.71	0.470	0.038	0.052	yes
3q13.2	113290793	rs4682495	A	C	0.580	0.024	5.95E-10	0.571	0.012	0.52	0.612	-0.024	0.24	0.339	0.008	0.69	no
3q21.3	128067275	rs11709611	C	T	0.116	0.036	1.25E-09	0.192	0.036	0.12	0.109	0.042	0.19	0.011	-0.013	0.90	yes
3q23	141115219	rs1582874	C	T	0.440	0.031	2.00E-16	0.796	0.042	0.063	0.405	0.013	0.52	0.233	-0.003	0.90	no
3q25.33	160130592	rs10673842	TTATC	T	0.530	0.025	2.41E-08	0.579	-0.019	0.37	0.460	0.048	0.028	0.271	0.001	0.97	yes

3q27.2	185246981	rs4012714	A	G	0.574	0.028	8.53E-10	0.560	-0.018	0.43	0.589	0.016	0.51	0.730	-0.009	0.73	yes
3q27.3	186746994	rs12629450	C	G	0.169	0.032	3.92E-10	0.139	0.020	0.48	0.185	0.034	0.23	0.231	0.003	0.91	yes
3q28	189482770	rs6765473	T	C	0.881	0.034	9.06E-09	0.967	0.117	0.040	0.845	0.070	0.017	0.986	0.086	0.45	yes
4p15.2	24410024	rs4276269	G	A	0.265	0.023	8.32E-08	0.255	0.010	0.65	0.255	0.031	0.19	0.222	0.028	0.22	yes
4q31.22	146890261	rs9968429	G	A	0.361	0.030	2.25E-14	0.438	0.078	2.49E-05	0.358	0.014	0.51	0.506	0.039	0.037	no
4q32.1	157497921	rs13115840	A	G	0.355	0.031	3.01E-15	0.172	0.051	0.040	0.363	0.013	0.54	0.457	0.035	0.063	no
5p15.33	1285974	rs7705526	A	C	0.334	0.024	5.30E-08	0.200	-0.008	0.74	0.309	0.023	0.30	0.386	0.045	0.052	no
5p15.33	1322087	rs401681	C	T	0.562	0.059	2.19E-49	0.417	0.078	2.35E-05	0.581	0.053	9.58E-03	0.672	0.033	0.13	no
5q14.3	92052005	rs7732515	A	T	0.224	0.034	2.45E-13	0.331	0.045	0.023	0.184	0.004	0.89	0.020	0.099	0.23	yes
5q35.2	172945918	rs889017	C	A	0.213	0.022	1.59E-06	0.550	0.020	0.28	0.189	0.029	0.27	0.162	0.091	5.38E-04	yes
6p22.3	15463139	rs926309	T	G	0.385	0.027	4.98E-12	0.275	0.037	0.080	0.290	0.012	0.60	0.187	0.014	0.56	yes
6p22.3	16515154	rs236961	T	C	0.347	0.028	5.18E-12	0.415	-0.020	0.29	0.442	0.025	0.23	0.367	0.035	0.079	yes
6p22.1	29915061	rs2248162	C	T	0.659	0.025	1.14E-09	0.700	0.022	0.27	0.782	0.042	0.092	0.956	-0.061	0.19	yes
6p21.31	34212537	rs551980123	TG	T	0.044	0.067	8.96E-10	0.023	0.017	0.81	0.019	0.240	2.96E-03	0.015	0.004	0.97	yes
6p21.1	43711981	rs1535507	T	C	0.156	0.051	6.93E-22	0.067	-0.016	0.66	0.155	-0.005	0.85	0.325	0.059	4.24E-03	no
6q22.33	129168057	rs73583119	A	T	6E-04	-	-	0.926	0.181	3.98E-07	0.995	0.452	7.66E-03	1E-04	-	-	yes
7p15.3	20909622	rs204592	G	A	0.532	0.020	1.47E-07	0.269	0.027	0.19	0.493	0.041	0.041	0.350	0.056	4.82E-03	yes
7p15.3	21839896	rs6956349	T	C	0.438	0.021	4.41E-08	0.117	0.018	0.53	0.298	0.029	0.18	0.027	0.077	0.18	yes
7p15.2	27281792	rs17437810	A	G	0.021	0.077	1.21E-08	0.006	0.045	0.80	0.015	0.086	0.33	NA	NA	NA	yes
7p15.2	27483166	rs10250340	A	G	0.323	0.024	3.00E-09	0.353	0.053	6.51E-03	0.284	-0.011	0.63	0.277	-0.017	0.44	yes
7p15.2	27975919	rs67152137	G	C	0.764	0.049	2.56E-28	0.707	0.011	0.60	0.601	0.051	0.012	0.154	0.063	0.017	no
8p21.2	23437981	rs2928681	C	A	0.418	0.033	4.82E-18	0.443	-0.009	0.64	0.338	0.012	0.59	0.282	0.048	0.024	no
8p21.2	23529521	rs1160267	G	A	0.424	0.069	2.53E-72	0.696	0.085	2.55E-05	0.448	0.070	9.02E-04	0.315	0.073	4.22E-04	no
8q12.1	57138676	rs36112366	T	G	0.884	0.038	2.64E-10	0.971	0.028	0.61	0.894	0.058	0.080	0.914	0.005	0.89	yes
8q12.1	57834357	rs4738555	C	T	0.445	0.032	1.28E-16	0.325	0.045	0.023	0.401	0.021	0.31	0.223	-0.013	0.56	no
8q21.13	81811566	8:81811566_CA_C	CA	C	0.588	0.022	2.25E-08	0.732	0.059	4.97E-03	0.468	0.015	0.45	0.619	0.053	6.25E-03	yes
8q23.1	108849527	rs1494920	T	C	0.619	0.019	1.02E-06	0.513	0.035	0.059	0.569	0.027	0.20	0.372	0.024	0.23	yes
8q24.21	127817460	rs7843726	G	C	0.139	0.031	2.98E-08	0.036	-0.097	0.074	0.126	0.063	0.047	0.261	0.015	0.50	yes

8q24.21	128093297	rs1016343	T	C	0.201	0.035	4.99E-14	0.215	0.047	0.036	0.155	0.004	0.89	0.289	0.032	0.12	yes
8q24.21	128318755	rs10107982	T	C	0.720	0.046	5.80E-28	0.874	0.055	0.049	0.790	0.031	0.22	0.908	0.066	0.048	no
8q24.21	128413305	rs6983267	G	T	0.508	0.052	1.49E-42	0.865	0.037	0.17	0.569	0.071	5.77E-04	0.384	0.030	0.12	no
9q22.32	99146751	rs7020681	C	T	0.196	0.032	1.93E-11	0.543	-0.026	0.17	0.166	0.002	0.95	0.041	-0.050	0.30	yes
9q33.1	118258080	rs150402584	T	TG	0.100	0.037	3.91E-09	0.163	0.003	0.90	0.133	-0.014	0.63	0.381	0.054	5.67E-03	yes
9q33.1	120475302	rs4986790	A	G	0.942	0.068	4.77E-17	0.925	0.015	0.66	0.958	0.053	0.29	0.992	0.110	0.37	no
9q33.2	123643426	rs59482735	T	TAA	0.326	0.029	1.86E-09	0.250	0.038	0.14	0.296	0.073	2.22E-03	0.263	0.057	0.026	no
10p12.31	22363979	rs3011633	C	T	0.224	0.041	1.81E-19	0.061	0.018	0.65	0.212	0.016	0.52	0.198	0.033	0.18	no
10p12.2	23398448	rs1857279	C	G	0.672	0.024	1.70E-09	0.708	0.028	0.18	0.639	0.041	0.054	0.393	0.026	0.18	yes
10p12.1	28096754	rs2815506	A	G	0.823	0.036	2.13E-13	0.718	0.059	3.78E-03	0.810	0.021	0.43	0.596	0.023	0.24	no
10q11.23	51549496	rs10993994	T	C	0.391	0.085	2.66E-76	0.600	0.065	3.12E-03	0.377	0.077	6.52E-04	0.493	0.132	6.74E-09	no
10q25.2	111991733	rs562417881	G	GT	0.856	0.038	3.19E-09	0.934	0.082	0.094	0.712	-0.004	0.87	0.706	0.013	0.61	yes
10q26.12	122631067	rs9325569	A	G	0.339	0.053	4.42E-40	0.147	0.014	0.59	0.420	0.040	0.049	0.413	0.038	0.051	no
10q26.12	123049264	rs10886902	C	T	0.231	0.099	6.5E-110	0.064	0.100	9.36E-03	0.247	0.087	2.33E-04	0.264	0.109	6.06E-07	no
10q26.13	123135200	rs10788173	C	T	0.397	0.023	9.00E-09	0.580	0.017	0.43	0.407	0.003	0.88	0.391	-0.015	0.47	yes
10q26.13	123185303	rs10749415	A	G	0.944	0.104	2.93E-34	0.789	0.130	1.02E-08	0.850	0.115	6.13E-05	0.969	0.130	0.049	no
10q26.13	123349324	rs45631563	T	A	0.046	0.089	2.66E-22	0.013	0.120	0.20	0.042	0.022	0.68	0.009	0.293	0.038	no
10q26.13	126737579	rs3012065	C	T	0.321	0.022	1.28E-07	0.331	0.024	0.24	0.319	0.004	0.85	0.262	0.041	0.066	yes
11p15.5	197557	rs7103852	G	A	0.914	0.041	2.10E-08	0.597	0.043	0.029	0.912	0.022	0.56	0.959	0.093	0.22	yes
11p13	34718279	rs553481604	G	GT	0.703	0.030	1.27E-09	0.741	0.032	0.20	0.626	0.061	7.30E-03	0.612	0.022	0.35	no
11p13	34780936	rs10466455	C	T	0.400	0.040	9.24E-26	0.387	0.004	0.84	0.305	0.024	0.27	0.380	0.023	0.24	no
11q13.5	76153279	rs58015965	G	A	0.679	0.021	1.18E-07	0.785	0.011	0.61	0.771	0.036	0.15	0.871	0.005	0.85	yes
11q22.2	102396607	rs12285347	C	T	0.455	0.039	6.15E-25	0.552	-0.002	0.90	0.373	0.050	0.016	0.095	0.053	0.12	no
11q22.2	102438778	rs7129424	A	G	0.547	0.023	3.16E-09	0.735	0.031	0.13	0.560	0.050	0.015	0.779	0.046	0.043	yes
12p13.31	9222286	rs1805664	T	C	0.341	0.020	9.17E-07	0.202	0.044	0.056	0.340	0.057	7.18E-03	0.089	0.067	0.047	yes
12q14.3	66393756	rs74097857	T	C	0.870	0.033	3.59E-09	0.957	0.065	0.16	0.912	0.012	0.74	0.995	0.126	0.41	yes
12q21.31	84994000	rs61928422	T	C	0.166	0.027	1.50E-07	0.203	0.005	0.84	0.224	0.006	0.80	0.151	0.100	1.76E-04	yes
12q24.21	115099805	rs10774760	G	A	0.498	0.042	1.50E-27	0.811	0.034	0.15	0.477	0.039	0.057	0.462	0.047	0.017	no
12q24.21	115155460	rs11067251	G	T	0.573	0.022	6.83E-09	0.816	-0.019	0.43	0.565	0.019	0.37	0.864	0.074	8.65E-03	yes

12q24.23	118855432	rs1045542	G	A	0.907	0.049	7.35E-14	0.981	-0.003	0.97	0.887	0.023	0.48	0.991	-0.027	0.85	yes
13q14.3	51087443	rs202346	A	C	0.254	0.042	2.07E-22	0.296	0.070	4.36E-04	0.233	0.051	0.033	0.146	0.073	6.78E-03	no
13q14.3	51165912	rs12869529	A	G	0.961	0.065	5.11E-11	0.944	0.079	0.053	0.953	0.032	0.51	0.998	-0.110	0.67	yes
13q14.3	51445360	rs9563006	A	G	0.443	0.024	2.58E-10	0.506	0.012	0.53	0.436	0.027	0.19	0.054	0.054	0.21	no
13q22.1	74055303	rs1361057	C	T	0.254	0.022	6.42E-07	0.225	0.029	0.20	0.249	-0.003	0.89	0.430	0.052	6.87E-03	yes
13q32.1	95799006	rs61965887	A	G	0.063	0.060	1.94E-14	0.016	0.010	0.90	0.035	0.035	0.53	0.004	-0.114	0.58	yes
14q13.3	37240591	rs712329	G	A	0.444	0.020	1.69E-07	0.324	0.010	0.60	0.329	0.002	0.92	0.138	0.101	4.41E-04	yes
14q32.13	94838142	rs112635299	G	T	0.979	0.103	7.78E-15	0.997	0.423	0.076	0.990	0.211	0.056	8E-04	-	-	yes
14q32.13	95104745	rs72695000	C	T	0.821	0.054	4.10E-27	0.943	0.030	0.46	0.887	0.067	0.033	0.982	-0.011	0.89	no
15q22.31	66941399	rs8038722	G	A	0.502	0.019	3.55E-07	0.337	0.016	0.42	0.465	0.044	0.032	0.632	0.017	0.39	yes
16p13.3	4318206	rs251739	G	A	0.506	0.033	2.67E-17	0.358	0.048	0.013	0.488	0.063	1.86E-03	0.719	-0.006	0.81	no
16p13.13	11201428	rs9933507	C	T	0.431	0.022	6.58E-09	0.519	0.026	0.16	0.374	0.015	0.46	0.344	0.039	0.052	yes
16q23.1	77507275	rs7206309	C	T	0.286	0.041	5.52E-22	0.445	0.018	0.35	0.480	0.034	0.093	0.761	0.021	0.36	no
16q24.1	86554784	rs13334022	T	C	0.089	0.039	1.04E-08	0.307	0.076	2.11E-04	0.097	0.043	0.20	0.048	-0.031	0.54	yes
17p13.3	1994071	rs3760230	C	G	0.423	0.020	3.79E-07	0.518	0.021	0.27	0.363	0.012	0.56	0.725	0.047	0.030	yes
17p13.1	7571752	rs78378222	G	T	0.012	0.112	4.08E-10	0.001	-	-	0.004	0.133	0.44	8E-04	-	-	yes
17p13.1	7793367	rs34009884	C	CTG	0.106	0.038	1.49E-09	0.025	-0.056	0.37	0.057	-0.029	0.52	0.011	-0.035	0.79	yes
17p12	12320741	rs7219536	T	C	0.509	0.024	3.05E-10	0.262	0.048	0.023	0.461	0.055	7.92E-03	0.094	-0.006	0.84	yes
17p12	12556260	rs9889266	C	A	0.590	0.024	8.26E-10	0.489	0.027	0.14	0.430	0.011	0.61	0.381	0.000	0.98	yes
17q12	36099952	rs10908278	A	T	0.513	0.051	9.85E-42	0.688	0.008	0.71	0.552	0.102	8.41E-07	0.713	0.058	6.32E-03	no
18q23	76777252	rs71279357	A	T	0.729	0.035	1.31E-11	0.769	0.012	0.64	0.733	0.047	0.062	0.602	0.031	0.20	yes
19q12	32055024	rs11084590	C	T	0.682	0.036	6.87E-19	0.894	-0.013	0.68	0.775	0.020	0.41	0.926	0.020	0.60	no
19q13.32	46229711	rs6509234	G	T	0.817	0.029	1.18E-08	0.940	0.056	0.18	0.866	0.060	0.047	0.897	-0.050	0.13	yes
19q13.33	49206462	rs681343	T	C	0.488	0.019	5.94E-07	0.489	0.036	0.051	0.380	0.033	0.11	0.024	-0.008	0.90	yes
19q13.33	51225544	rs890863	G	A	0.663	0.023	3.92E-08	0.879	0.062	0.043	0.632	0.001	0.96	0.389	0.026	0.22	yes
19q13.33	51323501	rs1054713	A	G	0.330	0.040	1.38E-22	0.256	0.003	0.90	0.275	0.070	2.37E-03	0.226	-0.046	0.050	no
19q13.33	51340794	rs2659053	A	G	0.391	0.082	4.35E-92	0.449	0.042	0.026	0.547	0.049	0.018	0.615	0.046	0.049	no
19q13.33	51349841	rs113920094	C	T	0.007	0.144	1.28E-08	0.002	1.008	0.011	0.009	0.038	0.79	0.001	-	-	yes
19q13.33	51360398	rs374546878	GA	G	0.999	0.150	0.17	0.988	-0.089	0.42	0.992	0.215	0.082	0.728	0.177	1.58E-12	yes

19q13.33	51361757	rs17632542	T	C	0.923	0.366	1.1E-605	0.982	0.341	3.30E-06	0.954	0.463	3.83E-22	0.994	0.267	0.083	no
19q13.33	51365466	rs2735837	G	A	0.915	0.080	5.26E-31	0.830	0.074	3.20E-03	0.827	0.158	3.13E-09	0.579	0.227	4.73E-32	no
19q13.33	51373744	rs12983994	T	C	0.048	0.069	6.53E-15	0.071	0.015	0.68	0.046	0.030	0.54	0.056	0.216	1.39E-07	no
19q13.33	51378275	rs112103380	C	G	0.008	0.210	7.27E-18	0.002	0.244	0.49	0.005	0.299	0.10	7E-04	-	-	yes
19q13.33	51383072	rs198978	G	T	0.650	0.040	1.01E-23	0.362	0.045	0.020	0.646	0.108	4.47E-07	0.759	0.095	1.64E-05	yes
19q13.41	51421334	rs141135092	C	G	0.976	0.091	1.67E-09	0.995	-0.341	0.092	0.984	0.211	0.042	0.996	-0.013	0.95	yes
19q13.41	51441425	rs80122351	G	T	0.800	0.031	6.08E-11	0.938	0.016	0.70	0.863	-0.002	0.95	0.989	0.194	0.11	no
20q11.21	31950845	rs291671	G	A	0.100	0.049	4.46E-14	0.048	0.093	0.028	0.077	0.046	0.23	0.299	0.089	2.04E-05	yes
21q22.2	40289167	rs2836750	T	G	0.380	0.026	1.51E-10	0.524	0.053	5.27E-03	0.548	0.018	0.40	0.774	0.041	0.080	yes
22q13.31	45996298	rs13268	A	G	0.975	0.078	8.33E-10	0.992	0.173	0.13	0.986	0.158	0.099	0.999	-0.368	0.35	yes
Xp22.31	8912815	rs112062538	C	T	0.263	0.028	4.40E-17	0.271	0.034	0.041	0.185	0.052	7.38E-03	0.247	0.017	0.34	yes
Xp22.2	16844831	rs62586587	G	A	0.631	0.030	5.80E-21	0.544	0.051	7.33E-04	0.470	0.033	0.041	0.252	0.037	0.067	no
Xp22.13	17831188	rs200615037	TTG	T	0.954	0.068	3.69E-21	0.897	0.055	0.027	0.960	0.039	0.33	0.989	0.074	0.62	no
Xp22.11	24109619	rs7065158	A	G	0.318	0.037	6.75E-28	0.138	0.040	0.15	0.250	0.003	0.85	0.150	0.086	1.32E-03	no
Xp11.22	51242364	rs5987424	A	G	0.394	0.018	5.99E-09	0.287	0.010	0.54	0.267	-0.009	0.62	0.132	-0.029	0.30	yes
Xp11.21	55936822	rs10855058	A	G	0.317	0.017	7.13E-07	0.310	0.061	3.17E-04	0.448	0.028	0.071	0.304	0.004	0.83	yes
Xq13.1	68996186	rs2520386	G	A	0.730	0.022	8.09E-10	0.911	0.048	0.20	0.820	0.037	0.069	0.979	0.067	0.22	yes
Xq13.1	70125103	rs62608084	A	G	0.342	0.033	4.91E-25	0.195	0.017	0.35	0.212	0.009	0.64	0.019	0.076	0.20	yes
Xq26.2	132935739	rs4829762	T	C	0.725	0.025	1.63E-11	0.522	0.026	0.092	0.795	0.007	0.73	0.462	0.008	0.58	yes
Xq26.3	133703924	rs5930651	T	C	0.679	0.018	3.97E-08	0.292	-0.004	0.84	0.610	0.017	0.31	0.653	0.028	0.087	yes

¹ Per allele change in log(PSA)

² Variants that were independent of previously reported PSA associations at LD $r^2 < 0.01$ within ± 10 Mb were considered novel

Abbreviations:

EAF Effect allele frequency

Supplementary Table 5: Genome-wide significant variants associated with PSA levels in the multi-ancestry meta-regression analysis using MR-MEGA. A total of 119 lead variants were identified using LD-based clumping at $r^2 < 0.01$ within ± 10 Mb windows.

Region	Position (b37)	Variant ID	Effect Allele	Other Allele	Meta-Regression (MR-MEGA)							Meta-analysis
					EAF _{MEGA}	P _{MEGA}	P _{Het-Anc}	P _{Het-Res}	N	N _{study}	Direction	
1p32.3	51021867	rs147696085	A	G	0.088	2.62E-09	0.51	0.16	95768	12	+++ ++++++	1.75E-11
1p32.3	51480258	rs7555006	G	A	0.439	7.11E-11	0.25	0.68	95768	12	++++-+++++	6.64E-13
1p22.3	88182718	rs10493801	G	A	0.511	4.41E-20	0.016	0.16	69277	11	+---?-+--+	6.11E-21
1p13.2	112264274	rs2076591	C	T	0.212	1.86E-11	0.18	0.70	95768	12	+++++++ +	2.64E-13
1q32.1	205632217	rs71152447	GGCCGACAGC CCTTCTGCTG GCTCGGTGGG GCCCAGC	G	0.980	4.24E-10	0.19	0.11	44597	8	?-?-?+?----	9.91E-12
1q32.1	205636334	rs4951018	C	A	0.227	7.05E-12	0.081	0.077	95768	12	++++-+++++	2.75E-13
1q41	219694903	rs12034581	A	C	0.500	1.38E-10	0.24	0.39	95768	12	+-----+---	2.46E-12
2p24.1	20878153	rs9306895	C	T	0.353	4.15E-13	0.67	0.32	95768	12	++++-+++++	1.79E-15
2p23.3	25463871	rs734693	T	C	0.720	4.72E-08	0.018	0.66	95768	12	++++-+++++	3.88E-08
2p21	43072828	rs1123695	C	G	0.338	2.87E-13	0.95	0.73	95768	12	-----+--	3.25E-16
2p21	43618819	rs11899863	T	C	0.095	8.79E-11	0.71	0.050	95768	12	+-----++	1.72E-13
2p16.1	60759747	rs2556375	T	G	0.825	1.67E-29	0.47	0.45	95768	12	-----+--	1.75E-32
2p16.1	60790985	rs1510478	A	G	0.161	2.82E-13	0.22	0.47	95768	12	+-----+---	2.22E-15
2p15	63277843	rs58235267	G	C	0.483	2.88E-12	0.024	0.56	95768	12	-++++-+++++	4.92E-13
3q23	141115219	rs1582874	C	T	0.444	5.11E-14	0.53	0.70	95768	12	+++++++--+	1.01E-16
3q27.3	186763665	rs59663889	A	T	0.194	4.31E-08	0.45	0.19	95768	12	+++++++--+	4.50E-10
3q28	189482770	rs6765473	C	T	0.114	1.26E-08	0.25	0.78	94949	11	+-----?	3.25E-10
3q28	191387768	rs114388981	T	A	0.983	4.40E-08	1.29E-08	0.14	38447	8	?+??+--+	0.78
4q31.22	146890261	rs9968429	G	A	0.369	2.12E-16	0.053	0.34	95768	12	+++++++--+	6.34E-18
4q32.1	157491375	rs17034927	T	C	0.356	8.03E-14	0.96	0.46	95768	12	+++++++ +	1.22E-16
5p15.33	1287194	rs2853677	A	G	0.584	2.29E-22	0.56	0.87	95768	12	-----+---	7.91E-25
5p15.33	1322087	rs401681	T	C	0.437	1.17E-51	0.20	0.78	95768	12	-----	6.98E-54

5p15.33	1366007	rs152133	A	G	0.368	1.21E-12	0.19	0.65	95768	12	+++++--++++	8.33E-15
5q14.3	92052005	rs7732515	A	T	0.221	7.56E-12	0.56	0.62	94949	11	+++++++--+??	3.53E-14
5q15	96727294	rs291812	T	C	0.468	1.00E-08	2.24E-04	0.99	95768	12	+++++---++++	9.30E-07
6p22.3	15230743	rs112266013	A	G	0.132	4.90E-10	6.20E-04	0.88	95768	12	-----	9.85E-09
6p22.3	16515154	rs236961	T	C	0.353	1.84E-10	0.12	0.43	95768	12	+++++--+++++	8.57E-12
6p22.1	29915061	rs2248162	C	T	0.675	2.08E-08	0.26	0.36	95768	12	-++++++--++	3.60E-10
6p21.31	34237109	rs575339229	C	G	0.976	1.64E-09	0.040	0.57	69887	7	?-?---?-?-?	2.79E-10
6p21.1	43710348	rs6920449	C	T	0.839	1.63E-22	1.29E-03	0.054	95768	12	-----++++-	8.05E-22
7p15.3	20909622	rs204592	G	A	0.515	3.82E-08	0.22	0.47	95768	12	+++++++--+++++	1.18E-09
7p15.2	27483166	rs10250340	A	G	0.321	4.66E-08	0.13	0.018	95768	12	+++++++--+---	2.03E-09
7p15.2	27975919	rs67152137	C	G	0.264	8.12E-28	0.16	0.78	95768	12	-----++----	8.57E-31
8p21.2	23470583	rs7004327	A	G	0.440	1.25E-18	0.70	0.27	95768	12	-----+-----+	7.77E-22
8p21.2	23529521	rs1160267	A	G	0.569	9.76E-77	0.89	0.58	95768	12	-----	6.29E-83
8q12.1	57132317	rs145612921	G	GC	0.108	1.79E-08	0.62	0.73	94949	11	-----+-----?	1.18E-10
8q12.1	57834357	rs4738555	T	C	0.569	9.74E-16	0.058	0.67	95768	12	-----++-	3.20E-17
8q21.13	81811566	8:81811566_ CA_C	C	CA	0.409	3.37E-09	0.16	0.44	95768	12	+-----+--+	7.64E-11
8q24.21	128093297	rs1016343	T	C	0.203	1.90E-12	0.75	0.88	95768	12	+++++++ +	3.59E-15
8q24.21	128228847	rs74631227	G	A	0.040	1.87E-09	0.055	0.029	94949	11	-----+---??	2.02E-10
8q24.21	128318755	rs10107982	C	T	0.266	1.94E-27	0.17	0.78	95768	12	-----+--	4.07E-30
8q24.21	128413305	rs6983267	T	G	0.481	5.42E-42	0.62	0.22	95768	12	-----+-----	2.55E-45
8q24.21	128455167	rs28645077	T	A	0.354	4.50E-09	0.64	0.60	95768	12	+++++++--+++++	1.23E-11
9q22.32	99146751	rs7020681	C	T	0.203	2.71E-09	0.012	0.68	95768	12	+++++-----+-	1.40E-09
9q33.1	118258187	rs9409165	G	A	0.119	1.57E-08	0.050	0.55	95768	12	+++++--+----	2.46E-09
9q33.1	120473180	rs10983756	T	C	0.057	1.46E-15	2.30E-03	0.88	94949	11	+----+++---?	3.55E-15
9q33.2	123642351	rs1609810	T	C	0.658	1.41E-10	0.10	0.24	95768	12	+--+-----+-	8.89E-12
10p12.31	21855753	rs141268071	G	T	0.019	1.97E-08	0.011	0.63	91496	9	+++++++?+---??	2.23E-08
10p12.31	22308015	rs10828285	A	G	0.713	3.76E-12	0.53	0.96	95768	12	-----+-----	2.21E-14
10p12.31	22363979	rs3011633	C	T	0.217	3.96E-17	0.43	0.80	95768	12	+++++++--+++++-	5.92E-20

10p12.31	22590653	rs79800006	A	T	0.022	2.56E-11	2.08E-03	0.032	93960	10	++++++?+--?	1.01E-10
10p12.1	28096754	rs2815506	A	G	0.811	8.67E-13	0.50	0.44	95768	12	+++++++--+	4.88E-15
10q11.23	51549496	rs10993994	T	C	0.402	2.31E-83	0.26	0.66	69887	7	?+?+++?+?+?	7.31E-87
10q11.23	51551900	rs57592785	C	CG	0.846	1.67E-08	0.23	0.57	69887	7	?+?+++?+?+?	5.00E-10
10q26.12	122667022	rs1530116	G	T	0.337	7.75E-38	0.47	0.65	95768	12	+++++++----	1.07E-40
10q26.12	122926366	rs59421178	A	G	0.163	2.64E-08	3.58E-03	0.12	95768	12	+++--++---	8.51E-08
10q26.12	122933134	rs12354663	T	C	0.098	1.00E-14	0.44	0.79	95768	12	+++++++--	2.87E-17
10q26.12	123009023	rs144869102	A	G	0.015	1.91E-09	0.43	0.91	94014	10	++++++?---?	1.35E-11
10q26.12	123025352	rs61872992	C	A	0.422	1.16E-21	0.93	0.51	95768	12	-----+	3.15E-25
10q26.12	123049264	rs10886902	C	T	0.227	5.53E-115	0.82	0.54	95768	12	+++++++ +	8.16E-118
10q26.12	123095366	rs7914065	T	C	0.253	8.09E-24	4.69E-03	0.46	95768	12	+++++--+++	5.01E-24
10q26.13	123185303	rs10749415	A	G	0.937	1.28E-41	0.87	0.32	95768	12	+++++++--	1.83E-45
10q26.13	123349324	rs45631563	T	A	0.043	3.42E-20	0.37	0.20	94949	11	+++++++--?	7.94E-23
11p13	34676842	rs896856	T	G	0.475	6.99E-18	0.33	0.059	95768	12	-++++-++++	2.34E-20
11p13	34780936	rs10466455	C	T	0.396	1.10E-22	0.33	0.71	95768	12	+++++--+++	8.02E-26
11q22.2	102396607	rs12285347	C	T	0.443	1.68E-23	0.14	1.00	95768	12	+++++++----	2.61E-25
11q22.2	102438778	rs7129424	A	G	0.563	3.67E-09	0.50	0.54	95768	12	+++++++--	2.50E-11
12q21.31	84994000	rs61928422	T	C	0.169	3.34E-08	0.031	0.20	95768	12	-++++-++---	1.11E-08
12q24.21	115094260	rs11067228	G	A	0.441	2.69E-27	0.19	0.99	95768	12	-----	1.25E-29
12q24.21	115136391	rs1463888	G	T	0.337	7.38E-14	1.43E-03	0.79	95768	12	-----++-	2.66E-13
12q24.23	118601003	rs35506792	C	T	0.093	3.12E-11	0.081	0.70	94949	11	+---++---?	2.01E-12
13q14.3	51087443	rs202346	A	C	0.251	1.37E-25	0.034	0.54	95768	12	+++++++ +	1.82E-27
13q14.3	51165912	rs12869529	G	A	0.039	3.42E-09	0.81	0.018	94949	11	---+---+???	9.40E-12
13q14.3	51194405	rs573666	T	C	0.340	3.17E-17	0.16	0.12	95768	12	-++++-++++	8.44E-19
13q14.3	51446114	rs12429206	G	A	0.651	2.04E-10	1.53E-03	0.48	95768	12	-----++-	2.01E-09
13q32.1	95799006	rs61965887	A	G	0.059	7.89E-12	0.58	0.53	94949	11	+++++--++?	3.69E-14
14q13.3	37240591	rs712329	A	G	0.575	4.42E-08	0.022	0.56	95768	12	---+---+---	2.01E-08
14q32.13	94838142	rs112635299	T	G	0.020	9.68E-14	0.23	0.33	90125	7	-----??-???	1.21E-15

14q32.13	95097556	rs8023057	G	A	0.166	1.00E-28	0.19	0.062	68458	10	---?+---+?	3.23E-31
14q32.13	95138671	rs12891726	C	T	0.571	3.81E-11	0.63	0.38	95768	12	++++++-+++++	9.05E-14
16p13.3	4304905	rs2386890	T	A	0.334	1.05E-10	0.52	0.59	95768	12	-+++++++--+	3.11E-13
16p13.3	4318206	rs251739	G	A	0.507	7.24E-18	0.092	0.41	95768	12	-+++++++--+	6.63E-20
16q23.1	77320605	rs12921392	G	A	0.590	1.52E-08	0.42	0.90	95768	12	-----	1.89E-10
16q23.1	77507275	rs7206309	T	C	0.685	1.44E-19	0.61	0.51	95768	12	-----+---	1.61E-22
16q24.1	86547001	rs56404456	T	C	0.350	1.43E-09	0.58	0.071	69277	11	++++?++++--+	5.93E-12
17p12	12296124	rs28444256	G	C	0.122	1.70E-08	1.42E-03	0.53	95768	12	-+++++++--+	2.10E-07
17p12	12323258	rs2721828	A	G	0.502	4.33E-11	0.017	0.74	95768	12	-----++	1.81E-11
17q12	36099840	rs11651755	C	T	0.491	6.54E-44	0.025	0.016	95768	12	----+-----	3.94E-45
18q23	76777252	rs71279357	A	T	0.726	4.66E-10	0.71	0.94	69887	7	?+?+++?+?+?	1.83E-12
19q12	32059290	rs7252125	T	C	0.339	3.18E-13	0.013	0.79	95768	12	-----+++-	1.74E-13
19q12	32104979	rs11084596	C	T	0.386	1.14E-25	0.52	0.92	69277	11	---?+-----	4.17E-29
19q13.32	46229711	rs6509234	G	T	0.826	2.22E-08	0.030	0.79	95768	12	-+++++++--+	7.70E-09
19q13.33	51264558	rs183959820	A	C	0.021	1.13E-38	1.37E-03	1.78E-04	91442	9	-----+?+??	1.16E-38
19q13.33	51280907	rs1122124	G	C	0.420	1.08E-11	0.24	0.057	95768	12	++++-+----+	1.63E-13
19q13.33	51326106	rs2659058	T	C	0.681	4.63E-27	1.66E-04	0.028	95768	12	----+----++	1.28E-25
19q13.33	51349090	rs266849	A	G	0.794	7.39e-316	1.44E-05	0.035	95768	12	+++++++ +	5.70e-319
19q13.33	51349781	rs112343212	T	C	0.026	2.09E-28	0.026	0.72	93960	10	+++++++?+~?	1.07E-29
19q13.33	51356929	rs193199179	T	C	0.008	3.34E-12	0.039	0.62	92643	8	+++++++??+?~?	3.86E-13
19q13.33	51361382	rs61752561	A	G	0.037	7.51E-51	0.35	0.18	94949	11	-----+?	2.12E-54
19q13.33	51361757	rs17632542	C	T	0.072	4.1e-641	1.02E-16	1.82E-07	94949	11	-----?	3.15E-638
19q13.33	51364649	rs17632611	C	A	0.065	9.10E-63	0.59	0.88	95768	12	+++++++ +	1.05E-66
19q13.33	51383072	rs198978	T	G	0.357	2.77E-29	0.062	0.054	95768	12	-----	8.38E-31
19q13.33	51399309	rs112035754	G	A	0.103	1.26E-17	0.060	0.022	95768	12	-----+---+	3.79E-19
19q13.41	51401797	rs8104538	G	A	0.309	1.13E-08	0.16	0.84	95768	12	----+---+--	7.21E-10
19q13.41	51440765	rs2739403	A	T	0.179	1.02E-10	0.11	4.06E-03	94949	11	+-----+++~?	2.53E-12
20q11.21	31950845	rs291671	A	G	0.896	2.98E-16	0.28	2.87E-03	95768	12	-----+---	1.19E-18

20q11.21	31966698	rs2065703	T	C	0.146	3.76E-11	0.45	0.23	95768	12	+-----+--	2.72E-13
20q11.22	32397556	rs117119427	T	C	0.078	1.12E-10	0.14	0.040	94949	11	-+++++++---+?	4.00E-12
21q22.2	40289167	rs2836750	G	T	0.595	1.73E-10	0.35	0.94	95768	12	-----	1.59E-12
22q13.31	45996298	rs13268	G	A	0.023	3.82E-08	0.74	0.37	94949	11	+-----+?	1.63E-10
Xp22.31	8912815	rs112062538	C	T	0.235	1.10E-17	0.086	0.84	95768	12	+++++++ +	4.74E-19
Xp22.2	16864303	rs5969728	A	G	0.378	1.01E-23	0.012	0.33	95768	12	-----+--	4.09E-24
Xp22.13	17831188	rs200615037	T	TTG	0.043	1.35E-19	0.47	0.012	94567	10	-----?-?	3.54E-22
Xp22.11	23996164	rs2520225	A	G	0.538	9.67E-10	0.046	0.31	95768	12	----+--+---	1.98E-10
Xp22.11	24109619	rs7065158	G	A	0.635	9.49E-27	0.18	0.18	95768	12	-----+---	1.11E-29
Xq13.1	69025920	rs2804355	T	A	0.612	1.74E-09	2.87E-03	0.52	95768	12	+++++---+--	6.91E-09
Xq13.1	69767264	rs5936916	T	A	0.478	2.55E-08	0.12	0.48	95768	12	-----+--	2.75E-09
Xq13.1	70125103	rs62608084	A	G	0.293	2.84E-24	9.37E-03	0.054	94949	11	+++++++---+?	1.66E-24
Xq26.2	132942023	rs1908817	C	G	0.665	5.49E-10	0.35	0.69	95768	12	+++++++---+?	6.19E-12

Abbreviations:

EAF_{MEGA} Average effect allele frequency weighted by the sample size of each input file

Supplementary Table 6: Population-specific effect estimates for PSA-associated variants that reached genome-wide significance in the multi-ancestry MR-MEGA meta-regression analysis, but not the multi-ancestry fixed effects meta-analysis using METAL.

Regional position	Variant ID	Effect Allele	Other Allele	EUR (N=85,824)			AFR (N=3,509)			HIS/LAT (N=3,098)			EAS (N=3,337)			New ²	
				EAF	β^1	P _{METAL}	EAF	β^1	P _{METAL}	EAF	β^1	P _{METAL}	EAF	β^1	P _{METAL}		
3q28	191387768	rs114388981	A	T	0.003	-0.031	0.62	0.126	-0.019	0.49	0.011	-0.453	3.9E-06	0.029	0.225	1.0E-04	yes
5q15	96727294	rs291812	T	C	0.486	0.016	2.3E-05	0.133	-0.026	0.35	0.474	0.010	0.64	0.350	0.097	1.2E-06	yes
10q26.12	122926366	rs59421178	A	G	0.162	0.028	1.7E-07	0.159	-0.045	0.080	0.170	0.020	0.47	0.210	0.067	5.5E-03	yes
17p12	12296124	rs28444256	C	G	0.891	-0.029	3.0E-06	0.697	-0.034	0.095	0.859	-0.108	2.4E-04	0.746	0.018	0.42	yes

¹ Per allele change in log(PSA)

² Variants that were independent of previously reported PSA associations, including those identified in the fixed-effects meta-analysis, at LD $r^2 < 0.01$ were considered novel

Abbreviations:

EAF Effect allele frequency

Supplementary Table 8: Associations with prostate cancer risk for 128 PSA lead variants obtained from summary statistics from the PRACTICAL consortium GWAS by Conti & Darst et al. (2021). Original GWAS estimates are presented for the European ancestry meta-analysis (85,554 cases and 91,972 controls) and multi-ancestry meta-analysis (107,247 cases and 127,006) alongside estimates corrected for index event bias using the Dudbridge method.

Region	Position (b37)	Variant ID	PSA-increasing Allele	P _{PSA}	Prostate Cancer (European Ancestry)				Prostate Cancer (Multi-Ancestry)			
					Original GWAS		Bias Corrected ¹		Original GWAS		Bias Corrected ²	
					OR	P	OR _{adj}	P _{adj}	OR	P	OR _{adj}	P _{adj}
1p32.3	51237409	rs12569177	C	3.2E-13	1.04	3.6E-07	1.01	0.33	1.03	4.5E-05	1.00	0.87
1p22.3	88199778	rs12131120	T	1.6E-19	1.04	1.7E-08	1.00	0.62	1.04	2.0E-09	1.01	0.49
1p13.2	112264274	rs2076591	C	2.6E-13	1.02	0.012	0.99	0.23	1.02	0.031	0.98	0.056
1q21.3	154868055	rs4845681	T	7.7E-09	1.05	2.5E-12	1.03	9.6E-04	1.05	8.5E-11	1.02	9.2E-03
1q25.3	184191716	rs12046452	C	9.0E-09	1.04	3.2E-06	1.01	0.15	1.03	9.9E-06	1.01	0.36
1q32.1	205632217	rs71152447	G	9.9E-12	1.00	0.96	0.83	6.2E-04	1.02	0.51	0.86	4.9E-04
1q32.1	205636334	rs4951018	C	2.7E-13	1.05	6.2E-07	1.01	0.40	1.05	1.1E-10	1.02	0.096
1q41	219694903	rs12034581	C	2.5E-12	1.00	0.91	0.97	1.1E-03	1.00	0.56	0.98	2.3E-03
1q41	219954267	rs6664688	G	3.9E-08	0.97	5.9E-03	0.95	5.1E-07	0.99	0.26	0.96	1.0E-04
2p24.2	18911674	rs12710685	G	2.3E-08	1.00	0.94	0.96	9.3E-03	1.01	0.39	0.97	0.025
2p24.1	20880833	rs10193919	T	1.5E-15	1.07	1.4E-19	1.04	5.8E-05	1.08	4.3E-30	1.05	2.1E-08
2p23.3	25463871	rs734693	T	3.9E-08	1.01	0.16	0.99	0.20	1.01	0.46	0.98	0.029
2p21	43072828	rs1123695	G	3.3E-16	1.04	5.3E-08	1.01	0.42	1.04	1.4E-09	1.01	0.32
2p21	43618819	rs11899863	C	1.7E-13	1.06	1.0E-05	1.01	0.72	1.05	9.9E-06	1.00	0.81
2p16.1	60759747	rs2556375	G	1.8E-32	0.98	0.079	0.92	2.3E-12	0.98	0.029	0.92	4.3E-15
2p15	63277843	rs58235267	G	4.9E-13	1.12	6.6E-54	1.09	9.8E-24	1.12	5.4E-72	1.09	8.5E-31
2p13.2	72059504	rs11679946	T	2.6E-08	1.01	0.088	0.99	0.26	1.01	0.16	0.99	0.093
2q33.1	198929083	rs34388051	A	2.2E-08	1.00	0.71	0.98	0.022	1.01	0.22	0.99	0.078
3q13.2	113290793	rs4682495	A	2.9E-09	1.09	1.7E-28	1.06	5.7E-12	1.08	2.6E-28	1.05	1.7E-10
3q21.3	128067275	rs11709611	C	2.0E-10	1.10	4.1E-18	1.06	1.2E-05	1.10	1.6E-19	1.05	1.2E-05
3q23	141115219	rs1582874	C	1.0E-16	1.05	1.8E-09	1.01	0.21	1.04	1.6E-10	1.01	0.19
3q25.33	160130592	rs10673842	TTATC	2.2E-08	1.03	9.6E-06	1.01	0.46	1.03	6.2E-05	1.00	0.83

3q27.2	185246981	rs4012714	A	1.1E-08	1.02	0.021	0.99	0.30	1.02	0.032	0.99	0.19
3q27.3	186746994	rs12629450	C	2.6E-10	1.01	0.32	0.98	0.039	1.01	0.27	0.98	0.024
3q28	189482770	rs6765473	T	3.2E-10	1.01	0.61	0.97	0.013	1.01	0.51	0.97	0.017
4p15.2	24410024	rs4276269	G	2.0E-08	0.99	0.24	0.96	3.1E-04	0.98	0.041	0.96	4.7E-06
4q31.22	146890261	rs9968429	G	6.3E-18	1.02	0.011	0.98	0.058	1.03	6.0E-05	0.99	0.28
4q32.1	157497921	rs13115840	A	4.3E-17	1.01	0.061	0.98	0.018	1.02	5.9E-03	0.98	0.056
5p15.33	1285974	rs7705526	A	1.2E-08	0.94	1.6E-12	0.92	5.3E-19	0.94	1.3E-16	0.92	1.5E-23
5p15.33	1322087	rs401681	C	7.0E-54	1.04	4.0E-06	0.97	4.2E-04	1.02	0.011	0.95	1.9E-09
5q14.3	92052005	rs7732515	A	3.5E-14	1.02	0.084	0.98	0.040	1.02	0.024	0.98	0.071
5q35.2	172945918	rs889017	C	2.6E-08	1.04	6.0E-05	1.01	0.40	1.03	1.2E-04	1.00	0.72
6p22.3	15463139	rs926309	T	1.6E-12	1.01	0.41	0.98	9.1E-03	1.01	0.13	0.98	0.024
6p22.3	16515154	rs236961	T	8.6E-12	0.97	3.0E-05	0.94	5.3E-12	0.97	5.1E-06	0.94	1.1E-13
6p22.1	29915061	rs2248162	C	3.6E-10	1.04	2.9E-06	1.01	0.35	1.03	3.9E-06	1.01	0.45
6p21.31	34212537	rs551980123	TG	1.6E-10	1.01	0.74	0.93	1.4E-03	1.01	0.68	0.93	1.6E-03
6p21.1	43711981	rs1535507	T	1.5E-22	1.05	4.8E-07	1.00	0.72	1.05	1.1E-07	0.99	0.50
6q22.33	129168057	rs73583119	A	3.5E-08	-	-	-	-	-	-	-	-
7p15.3	20909622	rs204592	G	1.2E-09	1.05	9.8E-11	1.02	6.7E-03	1.05	2.5E-13	1.02	1.9E-03
7p15.3	21839896	rs6956349	T	8.6E-09	1.03	8.9E-05	1.01	0.55	1.03	5.6E-06	1.01	0.26
7p15.2	27281792	rs17437810	A	8.0E-09	1.06	0.037	0.97	0.26	1.06	0.035	0.97	0.30
7p15.2	27483166	rs10250340	A	2.0E-09	1.02	2.9E-03	1.00	0.78	1.02	1.2E-03	1.00	0.73
7p15.2	27975919	rs67152137	G	8.6E-31	1.15	3.2E-53	1.08	8.9E-16	1.14	2.0E-63	1.08	5.5E-18
8p21.2	23437981	rs2928681	C	3.5E-18	1.05	3.2E-10	1.01	0.18	1.04	8.5E-11	1.01	0.29
8p21.2	23529521	rs1160267	G	6.3E-83	1.14	2.0E-68	1.05	1.8E-09	1.16	3.3E-112	1.07	2.1E-20
8q12.1	57138676	rs36112366	T	7.3E-11	1.02	0.045	0.98	0.18	1.02	0.074	0.98	0.099
8q12.1	57834357	rs4738555	C	3.2E-17	1.02	0.017	0.98	0.071	1.02	5.6E-03	0.99	0.072
8q21.13	81811566	8:81811566_CA_C	CA	7.6E-11	0.99	0.072	0.96	2.4E-06	0.99	0.047	0.96	6.0E-07
8q23.1	108849527	rs1494920	T	4.8E-08	1.02	0.041	0.99	0.44	1.01	0.063	0.99	0.23
8q24.21	127817460	rs7843726	G	1.7E-08	1.05	7.8E-06	1.01	0.26	1.06	1.7E-08	1.02	0.057
8q24.21	128093297	rs1016343	T	3.6E-15	1.25	2.4E-138	1.20	6.1E-72	1.25	5.9E-181	1.20	5.1E-88

8q24.21	128318755	rs10107982	T	4.1E-30	1.15	4.6E-64	1.09	1.6E-20	1.15	1.3E-69	1.09	1.7E-22
8q24.21	128413305	rs6983267	G	2.6E-45	1.23	2.8E-164	1.16	2.6E-65	1.22	2.1E-198	1.16	1.7E-77
9q22.32	99146751	rs7020681	C	1.4E-09	1.02	0.052	0.99	0.26	1.02	0.026	0.99	0.26
9q33.1	118258080	rs150402584	T	9.0E-10	1.01	0.35	0.97	0.038	1.02	0.12	0.98	0.079
9q33.1	120475302	rs4986790	A	7.1E-17	1.04	0.012	0.97	0.068	1.05	8.8E-04	0.98	0.19
9q33.2	123643426	rs59482735	T	2.9E-12	1.03	3.3E-04	0.99	0.47	1.03	1.1E-04	0.99	0.53
10p12.31	22363979	rs3011633	C	5.9E-20	1.01	0.21	0.97	9.5E-04	1.01	0.31	0.97	2.2E-04
10p12.2	23398448	rs1857279	C	3.9E-11	1.02	0.010	0.99	0.36	1.03	9.9E-05	1.00	0.92
10p12.1	28096754	rs2815506	A	4.9E-15	1.03	1.7E-03	0.99	0.32	1.03	5.8E-04	0.99	0.19
10q11.23	51549496	rs10993994	T	7.3E-87	1.23	9.1E-165	1.11	2.8E-33	1.21	8.9E-192	1.10	3.1E-34
10q25.2	111991733	rs562417881	G	5.6E-09	1.03	0.014	0.99	0.34	1.03	0.014	0.99	0.28
10q26.12	122631067	rs9325569	A	9.9E-41	1.02	0.052	0.96	1.9E-06	1.01	0.19	0.95	7.9E-09
10q26.12	123049264	rs10886902	C	8.2E-118	0.94	5.4E-11	0.84	4.9E-65	0.94	7.0E-13	0.85	4.3E-72
10q26.13	123135200	rs10788173	C	2.9E-08	1.00	0.85	0.98	5.6E-03	1.00	0.72	0.98	1.6E-03
10q26.13	123185303	rs10749415	A	1.8E-45	1.10	3.2E-08	0.97	0.14	1.11	5.2E-16	0.99	0.51
10q26.13	123349324	rs45631563	T	7.9E-23	1.06	9.4E-04	0.96	0.044	1.07	1.9E-04	0.97	0.10
10q26.13	126737579	rs3012065	C	2.2E-08	1.04	1.1E-07	1.02	0.047	1.04	1.1E-06	1.01	0.20
11p15.5	197557	rs7103852	G	1.2E-09	1.00	0.98	0.95	4.7E-03	1.00	0.70	0.95	5.0E-04
11p13	34718279	rs553481604	G	1.7E-11	1.00	0.56	0.96	6.9E-05	1.00	0.94	0.97	2.1E-04
11p13	34780936	rs10466455	C	8.0E-26	1.01	0.23	0.97	9.7E-05	1.00	0.49	0.96	1.9E-06
11q13.5	76153279	rs58015965	G	4.0E-08	1.06	8.3E-12	1.03	8.8E-04	1.05	3.6E-13	1.03	4.6E-04
11q22.2	102396607	rs12285347	C	2.6E-25	0.93	4.0E-21	0.89	3.6E-40	0.93	5.4E-25	0.89	2.1E-45
11q22.2	102438778	rs7129424	A	2.5E-11	0.98	1.8E-03	0.95	3.5E-09	0.97	2.8E-05	0.95	3.1E-12
12p13.31	9222286	rs1805664	T	9.2E-09	1.01	0.42	0.98	0.042	1.01	0.42	0.98	0.033
12q14.3	66393756	rs74097857	T	1.2E-09	1.05	2.1E-06	1.02	0.24	1.05	7.4E-06	1.01	0.35
12q21.31	84994000	rs61928422	T	1.1E-08	1.02	0.031	0.99	0.40	1.02	0.016	0.99	0.37
12q24.21	115099805	rs10774760	G	2.4E-30	1.03	8.1E-04	0.98	0.013	1.03	1.8E-04	0.98	0.012
12q24.21	115155460	rs11067251	G	1.9E-09	1.01	0.39	0.98	0.046	1.01	0.48	0.98	0.024
12q24.23	118855432	rs1045542	G	1.2E-13	1.00	0.89	0.95	2.2E-04	1.00	0.74	0.95	1.1E-04

13q14.3	51087443	rs202346	A	1.8E-27	1.04	5.3E-06	0.99	0.21	1.04	2.9E-08	0.99	0.38
13q14.3	51165912	rs12869529	A	9.4E-12	1.03	0.17	0.96	0.053	1.02	0.39	0.95	9.0E-03
13q14.3	51445360	rs9563006	A	5.6E-11	1.03	2.3E-05	1.01	0.51	1.03	2.4E-06	1.01	0.38
13q22.1	74055303	rs1361057	C	3.3E-08	1.02	0.026	0.99	0.52	1.02	0.012	0.99	0.50
13q32.1	95799006	rs61965887	A	3.7E-14	0.95	1.2E-03	0.89	1.4E-10	0.95	2.5E-03	0.89	6.3E-10
14q13.3	37240591	rs712329	G	2.0E-08	1.01	0.11	0.99	0.21	1.01	0.21	0.99	0.078
14q32.13	94838142	rs112635299	G	1.2E-15	1.14	1.7E-06	1.01	0.65	1.14	1.7E-06	1.02	0.56
14q32.13	95104745	rs72695000	C	7.4E-28	1.04	2.8E-04	0.98	0.049	1.04	8.5E-05	0.98	0.088
15q22.31	66941399	rs8038722	G	3.2E-08	1.01	0.049	0.99	0.35	1.03	4.4E-06	1.01	0.29
16p13.3	4318206	rs251739	G	6.6E-20	1.03	1.2E-05	0.99	0.55	1.03	1.4E-06	1.00	0.55
16p13.13	11201428	rs9933507	C	3.8E-10	1.00	0.54	0.97	5.1E-04	1.00	0.94	0.97	1.2E-03
16q23.1	77507275	rs7206309	C	1.6E-22	1.00	0.86	0.96	8.3E-06	1.00	0.88	0.96	1.1E-06
16q24.1	86554784	rs13334022	T	3.4E-11	1.00	0.86	0.95	2.0E-03	1.01	0.30	0.97	0.013
17p13.3	1994071	rs3760230	C	2.8E-08	1.00	0.69	0.98	0.026	1.01	0.45	0.98	0.033
17p13.1	7571752	rs78378222	G	2.8E-10	1.25	4.8E-11	1.10	0.013	1.25	4.7E-11	1.11	8.9E-03
17p13.1	7793367	rs34009884	C	1.1E-08	1.10	1.2E-12	1.06	3.2E-04	1.10	1.5E-13	1.06	1.1E-04
17p12	12320741	rs7219536	T	5.7E-12	1.01	0.24	0.98	0.035	1.01	0.090	0.98	0.072
17p12	12556260	rs9889266	C	8.9E-10	1.02	0.039	0.99	0.27	1.01	0.21	0.98	0.040
17q12	36099952	rs10908278	A	2.1E-46	1.23	2.7E-161	1.16	1.1E-63	1.22	1.1E-194	1.15	5.8E-75
18q23	76777252	rs71279357	A	1.8E-12	1.09	8.0E-21	1.04	4.3E-05	1.08	1.2E-20	1.04	1.8E-04
19q12	32055024	rs11084590	C	3.4E-18	1.00	0.69	0.96	4.7E-06	1.00	0.52	0.96	1.4E-06
19q13.32	46229711	rs6509234	G	7.7E-09	1.01	0.36	0.98	0.038	1.01	0.53	0.97	0.014
19q13.33	49206462	rs681343	T	4.4E-08	1.01	0.47	0.98	0.048	1.00	0.91	0.98	9.4E-03
19q13.33	51225544	rs890863	G	1.1E-08	1.00	0.78	0.97	2.2E-03	0.99	0.26	0.97	7.7E-05
19q13.33	51323501	rs1054713	A	4.8E-22	1.02	5.1E-03	0.98	0.026	1.02	9.2E-04	0.98	0.032
19q13.33	51340794	rs2659053	A	5.4E-94	1.06	9.8E-15	0.97	1.2E-03	1.05	2.7E-12	0.96	2.7E-06
19q13.33	51349841	rs113920094	C	6.5E-09	1.11	0.083	0.94	0.35	1.11	0.083	0.95	0.40
19q13.33	51360398	rs578067733	GA	1.7E-12	1.06	0.61	0.88	0.30	1.10	0.025	0.92	0.081
19q13.33	51361757	rs17632542	T	3.2E-638	1.35	8.3E-90	0.89	2.7E-12	1.35	3.9E-93	0.90	1.7E-10

19q13.33	51365466	rs2735837	G	7.2E-58	1.06	1.3E-04	0.94	2.1E-04	1.08	3.2E-14	0.97	0.017
19q13.33	51373744	rs12983994	T	1.1E-17	1.02	0.28	0.94	1.9E-03	1.01	0.40	0.94	1.4E-04
19q13.33	51378275	rs112103380	C	1.7E-18	1.15	3.6E-03	0.90	0.059	1.15	3.6E-03	0.91	0.080
19q13.33	51383072	rs198978	G	8.4E-31	1.00	0.55	0.95	9.1E-10	1.00	0.73	0.95	3.3E-10
19q13.41	51421334	rs141135092	C	1.2E-09	1.05	0.097	0.95	0.14	1.06	0.050	0.96	0.25
19q13.41	51441425	rs80122351	G	1.2E-10	1.01	0.33	0.97	0.019	1.00	0.60	0.97	6.2E-03
20q11.21	31950845	rs291671	G	1.2E-18	1.03	0.015	0.97	0.047	1.03	2.4E-03	0.97	0.038
21q22.2	40289167	rs2836750	T	1.6E-12	1.04	3.5E-06	1.01	0.48	1.04	6.7E-07	1.01	0.47
22q13.31	45996298	rs13268	A	1.6E-10	1.02	0.47	0.93	8.8E-03	1.02	0.48	0.93	0.010
Xp22.31	8912815	rs112062538	C	4.7E-19	1.02	2.5E-03	0.99	0.035	1.02	4.7E-03	0.98	8.8E-03
Xp22.2	16844831	rs62586587	G	3.6E-25	1.02	1.2E-03	0.98	8.0E-03	1.02	4.3E-04	0.98	6.6E-03
Xp22.13	17831188	rs200615037	TTG	3.5E-22	1.06	1.2E-04	0.98	0.26	1.06	1.9E-05	0.98	0.19
Xp22.11	24109619	rs7065158	A	1.1E-29	1.01	0.10	0.97	1.0E-05	1.01	0.15	0.97	3.4E-06
Xp11.22	51242364	rs5987424	A	2.1E-08	1.11	1.1E-78	1.09	2.4E-37	1.10	4.6E-84	1.08	4.1E-39
Xp11.21	55936822	rs10855058	A	7.6E-09	1.02	5.7E-04	1.00	1.00	1.02	8.3E-05	1.00	0.89
Xq13.1	68996186	rs2520386	G	4.2E-11	1.02	0.025	0.99	0.16	1.01	0.060	0.99	0.089
Xq13.1	70125103	rs62608084	A	1.7E-24	1.04	1.4E-14	1.01	0.37	1.04	4.6E-14	1.00	0.49
Xq26.2	132935739	rs4829762	T	5.9E-12	1.02	3.8E-03	0.99	0.23	1.01	0.012	0.99	0.056
Xq26.3	133703924	rs5930651	T	1.0E-08	1.01	0.13	0.99	0.14	1.01	0.14	0.99	0.077

¹ Bias-corrected estimated were obtained as follows: $\beta^{adj} = \beta - b * \beta_{PSA}$ and the corresponding $OR^{adj} = \exp(\beta^{adj})$

² Bias-corrected multi-ancestry effects should be interpreted with caution since the bias correction factor (b) was estimated from variants that were LD-pruned ($r^2 < 0.10$) based on 1000G EUR. The same set of pruned variants was used for European and multi-ancestry bias analyses. For the multi-ancestry analysis SNP effects on PSA and prostate cancer were obtained from multi-ancestry GWAS summary statistics.

Abbreviations:

EAF Effect allele frequency

Supplementary Table 9: Comparison of estimates of index event bias (b), where PSA variation corresponds to the selection trait and prostate cancer is the outcome trait, using the Dudbridge method and SlopeHunter.

Method	GWAS	P_{thresh}^1	b	SE_b	(95% CI) ²
Dudbridge	EUR	-	1.1436	2.91×10^{-4}	(1.1431 – 1.1442)
	Multi-ancestry ³	-	1.1039	1.49×10^{-4}	(1.1037 – 1.1043)
SlopeHunter	EUR	0.1	0.382	0.096	(0.195 – 0.570)
		0.05	0.368	0.036	(0.298 – 0.439)
		0.01	0.322	0.157	(0.014 – 0.630)
		0.001	0.476	0.135	(0.213 – 0.740)
		0.005	0.333	0.134	(0.070 – 0.595)
		5.0×10^{-4}	0.452	0.106	(0.245 – 0.659)

¹ P-value threshold for SNP-incidence associations. Associations with p-values larger than P_{thresh} are excluded prior to fitting the main model-based clustering in SlopeHunter. The default recommended setting is 0.001. This parameter is only applicable to SlopeHunter, no thresholding or clustering is performed in the Dudbridge method.

² Bootstrapped 95% confidence intervals estimated based on 1500 replicates are expected to have better coverage than empirical 95% confidence intervals based on SE_b when the normal approximation for outcome effect sizes may be inappropriate.

³ Multi-ancestry results should be interpreted with caution because they were estimated using the same set of variants as for the European ancestry analysis, selected by LD-pruning ($r^2 < 0.10$) 1000G EUR. Effect estimates for the reference panel variants were obtained from multi-ancestry GWAS meta-analyses for PSA and prostate cancer and used as inputs to estimate bias (b)

Supplementary Table 10: Associations for 209 prostate cancer index variants selected from European ancestry (85,554 cases and 91,972 controls) summary statistics from the PRACTICAL consortium GWAS by Conti & Darst et al. (2021). Original GWAS estimates are presented alongside estimates corrected for index event bias using the Dudbridge method.

Region	Position (b37)	Index variant ID ¹	Prostate Cancer Alleles		PSA Estimates		Prostate Cancer Estimates			
			Risk	Other	β_{PSA}^2	P_{PSA}	Original GWAS		Bias Corrected ³	
							OR	P	OR _{adj}	P _{adj}
1p36.22	10561604	rs6658216	T	C	0.005	0.20	1.05	4.47E-08	1.04	4.40E-05
1p36.13	16380393	rs35708002	A	G	0.016	2.99E-03	1.06	3.06E-08	1.04	9.56E-04
1p22.3	88224230	rs305423	T	C	0.032	1.55E-10	1.06	2.80E-09	1.02	0.062
1q21.3	150609429	rs116173394	A	G	-0.002	0.83	1.10	1.72E-08	1.10	6.79E-07
1q21.3	150868102	rs78132593	A	C	0.007	0.13	1.08	3.26E-16	1.07	3.58E-10
1q21.3	150930926	rs114908993	C	T	-0.018	0.11	1.16	3.49E-12	1.18	1.57E-11
1q21.3	153923276	rs10127983	T	C	0.013	2.38E-03	1.07	1.38E-16	1.05	2.31E-08
1q21.3	154980351	rs56103503	T	C	0.026	6.27E-08	1.07	3.16E-17	1.04	2.27E-04
1q22	155552910	rs61812109	G	A	0.037	3.04E-03	1.23	9.04E-12	1.18	9.09E-07
1q22	155668846	rs190811727	G	A	-0.003	0.85	1.17	1.54E-08	1.18	3.25E-07
1q32.1	204029748	rs4593892	T	C	0.000	0.99	1.05	5.38E-10	1.05	8.19E-08
1q32.1	204518842	rs4245739	A	C	0.014	1.39E-03	1.09	2.61E-26	1.08	1.97E-14
1q32.1	205738302	rs823137	G	A	0.012	1.20E-03	1.05	3.84E-09	1.03	4.87E-04
2p25.1	8597123	rs62106670	T	C	-0.005	0.31	1.05	5.98E-09	1.06	8.34E-08
2p25.1	10094526	rs73913932	G	A	-0.004	0.58	1.09	2.14E-09	1.09	4.52E-08
2p25.1	10781975	rs1990613	T	C	0.003	0.49	1.07	1.87E-19	1.07	7.87E-14
2p24.3	16024757	rs12611818	T	G	0.001	0.78	1.05	1.01E-08	1.05	8.64E-07
2p24.1	20878105	rs9306894	G	A	0.030	1.53E-14	1.08	1.21E-21	1.04	1.25E-05
2p21	43148487	rs4952948	G	A	0.010	0.015	1.04	2.86E-08	1.03	3.32E-04
2p21	43637998	rs7591218	A	G	0.015	3.45E-04	1.08	2.54E-24	1.07	3.54E-12
2p15	62792689	rs13008096	A	C	0.001	0.84	1.05	2.51E-11	1.05	1.51E-08
2p15	63301164	rs6545977	G	A	0.026	4.25E-12	1.12	7.06E-50	1.08	8.93E-21
2p15	63982690	rs72808211	G	A	0.016	0.11	1.15	2.85E-11	1.12	3.80E-07
2p14	66652885	rs74702681	T	C	0.010	0.45	1.17	9.89E-11	1.16	2.29E-07
2p11.2	85764960	rs1446668	G	T	-0.014	3.95E-04	1.09	2.51E-28	1.10	6.18E-30
2q13	111893096	rs11691517	T	G	0.007	0.10	1.07	1.33E-13	1.06	2.73E-08
2q13	111906762	rs1877330	A	C	0.004	0.60	1.11	6.85E-12	1.10	1.32E-08
2q31.1	173287607	rs11686909	G	A	0.001	0.80	1.05	4.66E-10	1.05	1.48E-07
2q31.1	173303031	rs28485589	A	G	0.019	0.020	1.27	5.01E-48	1.25	2.56E-31
2q33.1	202126615	rs1861270	G	A	0.005	0.28	1.05	2.81E-09	1.05	3.53E-06
2q33.3	208118301	rs12621900	C	T	0.006	0.17	1.05	3.45E-08	1.05	2.69E-05
2q37.3	238440449	rs11891348	G	T	0.014	2.04E-03	1.07	2.39E-13	1.05	2.39E-06
2q37.3	242135265	rs77559646	A	G	0.047	4.96E-04	1.27	1.59E-21	1.21	2.64E-10

2q37.3	242139600	rs77482050	G	A	0.057	0.012	1.48	1.45E-22	1.39	6.61E-12
2q37.3	242157241	rs76832527	A	G	0.007	0.16	1.10	5.00E-22	1.09	3.18E-14
3p24.3	23153062	rs7618603	A	C	0.019	1.15E-04	1.06	3.08E-08	1.03	3.69E-03
3p21.31	49626306	rs6446285	G	A	0.005	0.30	1.06	1.12E-08	1.05	1.06E-05
3p14.1	64920084	rs55821157	G	A	0.010	0.24	1.11	6.87E-09	1.10	7.07E-06
3p13	70874997	rs7622519	G	A	0.017	7.72E-06	1.04	2.46E-08	1.02	7.87E-03
3p12.1	87184311	rs6770433	T	C	0.005	0.16	1.12	1.32E-50	1.11	1.94E-34
3p11.2	87395326	rs114423020	G	A	0.014	0.19	1.16	4.41E-13	1.14	1.88E-08
3q13.12	106962305	rs1283105	G	C	0.000	0.94	1.05	3.71E-11	1.05	1.34E-08
3q13.2	113290450	rs13092681	T	C	0.023	1.15E-09	1.09	2.24E-29	1.06	2.12E-11
3q21.3	127898501	rs2811476	C	A	0.024	1.79E-08	1.10	4.59E-32	1.07	4.23E-13
3q21.3	128275459	rs4857906	C	T	0.010	0.036	1.06	2.74E-11	1.05	2.59E-06
3q23	141140968	rs9846396	T	C	0.030	4.68E-15	1.05	2.91E-10	1.01	0.13
3q25.1	152004202	rs182314334	T	C	-0.013	0.075	1.09	1.08E-11	1.11	3.05E-11
3q26.2	170074517	rs78416326	G	C	0.017	4.31E-04	1.18	4.06E-68	1.16	3.40E-41
4q13.3	74326647	rs113573136	T	C	0.005	0.49	1.06	2.50E-10	1.05	2.78E-05
4q13.3	74442349	rs17804499	G	C	0.016	0.047	1.17	9.68E-19	1.15	4.02E-12
4q22.3	95547467	rs7679542	A	G	0.006	0.11	1.09	5.03E-27	1.08	1.84E-17
4q24	106065308	rs10007915	C	G	0.011	5.96E-03	1.13	5.22E-55	1.11	7.46E-34
4q31.1	140915940	rs13148756	T	G	-0.006	0.35	1.05	4.50E-08	1.06	2.23E-06
5p15.33	1228166	rs114674839	T	C	0.043	1.10E-05	1.12	3.78E-09	1.07	3.78E-03
5p15.33	1272074	rs138895564	T	C	0.101	7.29E-06	1.27	1.75E-08	1.13	0.013
5p15.33	1280028	rs2242652	G	A	0.011	0.031	1.16	5.75E-51	1.15	6.29E-33
5p15.33	1292118	rs71595003	A	G	-0.023	0.059	1.19	1.73E-15	1.22	1.00E-14
5p15.33	1895829	rs12653946	T	C	0.010	9.17E-03	1.08	2.57E-22	1.07	1.24E-12
5q31.1	133836209	rs10793821	T	C	0.005	0.17	1.06	2.26E-14	1.05	2.54E-09
5q35.2	172959030	rs9686557	C	A	0.016	2.42E-05	1.04	4.69E-09	1.03	3.03E-03
5q35.3	177891551	rs2672843	G	A	0.006	0.15	1.05	4.19E-09	1.04	1.08E-05
6p24.2	11217897	rs2018336	T	C	0.012	6.10E-03	1.07	1.51E-12	1.05	1.61E-06
6p22.3	22314766	rs112292679	C	T	-0.001	0.93	1.11	2.02E-08	1.11	8.66E-07
6p21.33	30611676	rs1140809	C	A	0.011	4.85E-03	1.05	1.01E-09	1.03	1.27E-04
6p21.33	31329386	rs2596546	A	G	0.019	2.58E-06	1.07	4.71E-16	1.04	4.07E-06
6p21.32	32604795	rs9272390	T	C	0.007	0.22	1.06	1.62E-11	1.06	1.27E-06
6p21.31	34793124	rs9469899	A	G	0.022	1.34E-08	1.05	1.64E-09	1.02	0.017
6p21.1	41538545	rs913074	C	T	0.010	0.046	1.09	3.68E-24	1.07	2.22E-12
6q14.1	76479489	rs6907476	T	C	0.009	0.093	1.06	6.51E-09	1.05	3.06E-05
6q21	109295293	rs2038542	C	T	0.005	0.41	1.08	5.49E-13	1.07	7.33E-09
6q22.1	117200434	rs339351	C	A	0.011	7.84E-03	1.09	2.48E-27	1.08	7.00E-16
6q23.2	134300641	rs6919121	T	C	0.007	0.061	1.05	4.04E-09	1.04	1.74E-05
6q25.2	153430868	rs63739861	A	C	0.002	0.60	1.08	5.55E-22	1.07	4.99E-16

6q25.3	160184600	rs144384356	G	A	0.018	0.071	1.13	2.31E-10	1.11	5.70E-06
6q25.3	160255934	rs73030808	A	G	0.014	0.011	1.08	1.52E-12	1.06	1.42E-06
6q25.3	160560845	rs628031	A	G	0.004	0.32	1.07	2.83E-19	1.07	3.20E-13
6q25.3	160584693	rs7749378	A	G	0.013	0.26	1.14	4.28E-09	1.12	6.86E-06
6q25.3	160584841	rs116910573	G	A	0.000	0.97	1.13	8.54E-10	1.13	9.59E-08
6q25.3	160628128	rs117648937	C	T	0.000	0.99	1.29	1.47E-11	1.29	3.68E-09
6q25.3	160822675	rs3105751	G	A	0.018	2.33E-05	1.11	6.02E-39	1.09	1.76E-19
7p21.1	20444081	rs6973059	T	C	-0.001	0.76	1.05	8.67E-09	1.05	2.85E-07
7p15.3	20999211	rs9655205	C	A	0.028	4.43E-07	1.09	2.22E-24	1.06	7.46E-08
7p15.3	21800369	rs10281087	T	G	0.014	3.53E-04	1.04	2.38E-08	1.03	2.39E-03
7p15.2	27220831	rs6461992	G	A	0.006	0.43	1.09	7.43E-10	1.09	9.08E-07
7p15.2	27976563	rs10486567	G	A	0.049	2.42E-28	1.15	2.48E-53	1.08	4.91E-15
7p14.1	40875192	rs17621345	A	C	0.021	1.91E-06	1.07	1.96E-14	1.05	1.19E-05
7p12.3	47482829	rs4724578	C	A	0.002	0.61	1.06	2.40E-13	1.05	1.11E-09
7p12.3	47506994	rs2964944	C	T	0.015	3.93E-04	1.05	2.61E-08	1.03	1.44E-03
7p12.3	47627603	rs112289173	C	T	0.002	0.67	1.07	4.13E-08	1.07	3.19E-06
7q21.3	97688440	rs4727386	A	G	0.015	1.11E-03	1.10	6.50E-40	1.09	1.10E-19
8p21.3	22879734	rs4871844	T	C	0.020	5.87E-05	1.04	4.75E-08	1.02	0.029
8p21.2	23443320	rs11996109	C	A	0.045	1.93E-13	1.06	1.14E-13	1.00	0.63
8p21.2	23533623	rs11135766	C	T	0.069	2.27E-72	1.14	4.17E-69	1.05	1.39E-09
8p21.2	25892142	rs11135910	T	C	0.006	0.24	1.08	2.23E-13	1.07	6.73E-09
8q24.21	127855936	rs4870985	T	C	-0.009	0.036	1.08	1.88E-24	1.09	6.26E-22
8q24.21	127906604	rs13282012	G	A	-0.004	0.27	1.10	2.92E-39	1.11	9.19E-33
8q24.21	128018466	rs73351629	C	G	0.009	0.020	1.15	9.42E-69	1.14	6.91E-45
8q24.21	128077146	rs77541621	A	G	0.048	2.05E-04	1.83	1.13E-174	1.73	1.16E-98
8q24.21	128103979	rs5013678	T	C	0.009	0.047	1.20	1.87E-79	1.18	1.07E-54
8q24.21	128108418	rs111724742	G	T	0.039	0.066	1.61	3.15E-43	1.54	6.87E-25
8q24.21	128117736	rs143368544	T	C	0.050	2.51E-04	1.25	2.48E-17	1.18	5.35E-08
8q24.21	128151672	rs17446776	G	C	0.007	0.58	1.25	9.43E-22	1.24	2.48E-15
8q24.21	128228233	rs79125478	T	C	0.006	0.52	1.11	1.18E-11	1.10	2.66E-07
8q24.21	128294091	rs283713	G	T	0.009	0.16	1.09	1.64E-12	1.08	8.84E-08
8q24.21	128324147	rs382434	C	T	0.036	1.98E-14	1.15	1.80E-72	1.11	6.24E-26
8q24.21	128376862	rs117627785	T	C	0.040	5.35E-03	1.23	1.36E-13	1.18	6.42E-07
8q24.21	128413305	rs6983267	G	T	0.052	1.49E-42	1.23	2.84E-164	1.15	3.71E-63
8q24.21	128514011	rs74592433	T	C	0.020	0.13	1.23	8.17E-10	1.20	6.44E-07
8q24.21	128532137	rs10090154	T	C	0.012	0.055	1.44	4.15E-225	1.42	4.10E-146
8q24.21	128582965	rs73709253	G	A	0.013	0.30	1.14	8.74E-09	1.13	8.58E-06
9p22.1	18556233	rs951227	A	G	0.001	0.80	1.05	6.68E-10	1.05	1.84E-07
9p22.1	19055965	rs1048169	C	T	0.007	0.085	1.06	2.81E-14	1.05	1.19E-08
9p21.3	22041998	rs17694493	G	C	-0.001	0.88	1.08	3.37E-13	1.08	2.27E-10

9p13.3	33935073	rs307651	A	C	0.010	0.010	1.05	3.24E-11	1.04	9.30E-06
9q21.31	82087596	rs9314679	T	A	-0.011	0.052	1.07	1.02E-08	1.08	2.88E-09
9q31.2	110290217	rs143655302	G	A	0.064	5.48E-06	1.27	2.29E-14	1.18	2.63E-06
9q34.11	132576060	rs1182	A	C	0.006	0.23	1.06	5.65E-11	1.05	4.42E-07
10p15.3	890714	rs34318754	A	G	0.014	5.99E-03	1.08	9.23E-13	1.06	1.17E-06
10q11.21	45854778	rs11511618	G	A	0.023	2.58E-06	1.06	1.66E-10	1.04	1.22E-03
10q11.22	47671874	rs34583261	C	T	0.019	0.11	1.09	3.52E-08	1.06	2.55E-03
10q11.23	51549496	rs10993994	T	C	0.085	2.66E-76	1.23	9.11E-165	1.11	2.35E-32
10q23.31	90195149	rs1935581	C	T	-0.006	0.12	1.05	6.36E-09	1.05	6.85E-09
10q24.32	104408272	rs12241712	C	A	0.015	2.86E-04	1.07	5.24E-18	1.06	1.35E-08
10q25.2	114715598	rs2104598	A	G	0.007	0.069	1.05	3.70E-09	1.04	2.68E-05
10q26.12	122787452	rs12245671	G	A	0.001	0.81	1.06	7.05E-14	1.06	2.13E-10
10q26.12	123034391	rs4468286	C	A	-0.086	1.82E-89	1.06	2.08E-10	1.17	1.02E-53
10q26.13	123190200	rs17101982	C	G	0.101	1.19E-31	1.11	5.40E-09	0.99	0.48
10q26.13	126697114	rs4962419	A	G	0.021	6.08E-07	1.06	3.19E-11	1.03	1.23E-03
11p15.5	1507512	rs1881502	T	C	0.003	0.54	1.06	3.04E-09	1.05	1.37E-06
11p15.5	2233797	rs10840603	A	G	0.018	2.61E-04	1.18	1.04E-68	1.15	1.06E-38
11p15.4	7547587	rs61890184	A	G	-0.004	0.45	1.08	2.73E-10	1.08	6.35E-09
11q12.3	61908440	rs2277283	C	T	0.006	0.12	1.05	1.61E-10	1.05	1.34E-06
11q13.2	66951965	rs12785905	C	G	0.015	0.075	1.12	5.10E-10	1.10	3.32E-06
11q13.3	68912221	rs3018667	G	A	-0.001	0.90	1.06	5.04E-15	1.06	7.74E-12
11q13.3	68981359	rs12275055	G	A	0.015	3.49E-03	1.25	2.76E-111	1.23	2.00E-70
11q13.3	69071624	rs11228619	G	A	0.012	0.14	1.10	5.33E-10	1.09	5.79E-06
11q13.3	69456000	rs55911137	C	G	0.030	0.014	1.20	4.32E-14	1.16	1.25E-07
11q13.5	76251818	rs17749618	A	G	0.021	2.32E-07	1.06	8.08E-13	1.03	3.02E-04
11q22.2	102396607	rs12285347	T	C	-0.039	6.15E-25	1.08	4.01E-21	1.12	5.79E-40
11q22.3	108357137	rs74911261	A	G	0.037	1.95E-03	1.15	1.05E-08	1.11	3.98E-04
11q23.2	113807181	rs11214775	G	A	0.008	0.063	1.07	1.88E-16	1.06	3.21E-10
11q24.2	125144426	rs117015177	G	A	0.058	2.38E-04	1.20	1.69E-08	1.13	1.40E-03
11q25	134266372	rs878987	G	A	-0.002	0.68	1.07	1.87E-10	1.07	7.37E-09
12p13.1	12871099	rs2066827	T	G	0.011	0.040	1.05	4.42E-09	1.04	1.64E-04
12p13.1	14416918	rs10845938	G	A	0.001	0.74	1.06	2.60E-15	1.06	2.19E-11
12q13.11	48419618	rs80130819	A	C	-0.004	0.52	1.10	1.05E-11	1.10	5.71E-10
12q13.12	49676010	rs10875943	C	T	0.000	0.99	1.08	1.49E-19	1.08	9.20E-15
12q13.13	53312612	rs73110464	T	C	0.009	0.13	1.18	4.82E-51	1.17	3.95E-33
12q14.2	65012824	rs7968403	T	C	-0.003	0.52	1.06	7.22E-14	1.06	1.05E-11
12q21.33	90192866	rs4842503	G	A	0.004	0.39	1.06	3.78E-12	1.05	2.60E-08
12q24.21	114666202	rs10774740	G	T	0.013	1.36E-03	1.08	3.77E-22	1.06	1.23E-11
12q24.33	133067989	rs7295014	G	A	0.015	4.68E-04	1.05	1.69E-09	1.03	8.67E-04
13q22.1	73719777	rs9543236	T	C	0.012	0.015	1.07	1.55E-11	1.05	2.59E-06

13q22.1	73995877	rs7336001	G	C	0.038	5.88E-08	1.10	2.27E-11	1.06	1.07E-03
14q11.2	23305649	rs1004030	T	C	0.006	0.15	1.05	8.17E-10	1.04	4.31E-06
14q13.3	37137280	rs12893199	C	T	0.007	0.072	1.06	4.27E-13	1.05	8.33E-08
14q22.1	53375302	rs7141054	A	C	0.011	0.023	1.09	6.27E-18	1.07	2.00E-10
14q24.1	69027523	rs34882439	G	A	0.004	0.31	1.06	1.11E-10	1.05	3.93E-07
14q24.1	69134264	rs767127	G	A	0.003	0.52	1.05	2.69E-12	1.05	1.03E-08
14q24.2	71091142	rs11158871	C	T	-0.003	0.40	1.05	1.23E-08	1.05	7.15E-08
15q13.3	33417586	rs1902149	G	A	-0.004	0.32	1.04	4.84E-08	1.05	1.97E-07
15q15.1	40922915	rs4924487	C	G	0.015	3.18E-03	1.07	3.03E-10	1.05	7.48E-05
15q21.3	56385868	rs33984059	A	G	-0.008	0.51	1.19	1.62E-09	1.20	1.16E-08
15q22.31	66705043	rs80326387	A	G	0.004	0.35	1.05	2.13E-09	1.05	2.16E-06
16q12.2	54473072	rs1420285	C	T	0.006	0.13	1.05	1.47E-08	1.04	2.82E-05
16q21	57654576	rs11863709	C	T	-0.002	0.86	1.15	1.43E-11	1.16	2.40E-09
16q21	57693055	rs16958674	C	T	0.013	0.011	1.06	2.14E-09	1.04	1.75E-04
16q23.3	82166181	rs8052913	C	T	0.017	1.27E-05	1.04	3.71E-08	1.02	0.011
17p13.3	618965	rs684232	C	T	0.008	0.053	1.09	1.77E-26	1.08	2.26E-16
17p13.1	7571752	rs78378222	G	T	0.112	4.08E-10	1.25	4.78E-11	1.10	0.013
17p13.1	7803118	rs28441558	C	T	0.042	3.34E-07	1.16	3.51E-19	1.11	1.05E-07
17q11.2	30098749	rs142444269	C	T	0.010	0.096	1.07	1.45E-11	1.06	2.18E-06
17q12	36047417	rs3110641	A	G	0.011	0.025	1.07	1.24E-12	1.05	8.73E-07
17q12	36074979	rs11649743	G	A	0.014	3.21E-03	1.13	7.16E-38	1.11	2.58E-22
17q12	36103565	rs11263763	A	G	0.049	3.13E-38	1.23	3.63E-162	1.16	5.06E-65
17q12	36229129	rs8081051	A	C	0.007	0.22	1.05	1.35E-08	1.04	9.01E-05
17q21.32	45993959	rs199905768	A	C	0.020	0.51	1.19	3.79E-09	1.17	8.14E-04
17q21.32	46546346	rs12944450	T	C	-0.025	0.18	1.14	7.44E-09	1.17	3.14E-07
17q21.32	46820676	rs117576373	T	C	0.009	0.34	1.21	4.88E-24	1.20	8.71E-17
17q21.33	47451749	rs9893373	G	A	-0.003	0.58	1.05	1.93E-08	1.05	5.65E-07
17q21.33	47455752	rs73324348	A	G	0.011	0.13	1.11	5.81E-14	1.10	8.02E-09
17q22	56456120	rs2680708	G	A	0.014	3.57E-04	1.05	5.64E-09	1.03	1.07E-03
17q24.3	69115358	rs9911515	A	G	0.002	0.53	1.17	7.26E-100	1.17	8.68E-73
18q21.2	51771322	rs8089411	C	T	0.015	6.59E-05	1.04	1.98E-08	1.03	3.83E-03
18q21.2	53230859	rs28607662	C	T	0.010	0.14	1.07	2.68E-08	1.06	5.14E-05
18q21.32	56744666	rs12327532	G	T	0.013	1.70E-03	1.04	4.38E-08	1.03	1.66E-03
18q21.33	60998567	rs2850766	C	G	-0.004	0.53	1.05	3.83E-08	1.05	6.16E-06
18q22.3	73036165	rs10460109	T	C	0.001	0.78	1.04	1.56E-08	1.04	1.85E-06
18q23	76770820	rs9959454	A	G	0.025	3.29E-09	1.08	7.09E-22	1.05	9.76E-08
19p13.11	17214073	rs11666569	C	T	0.009	0.033	1.05	3.61E-09	1.04	4.23E-05
19q13.13	38555154	rs35486025	T	C	-0.0004	0.94	1.06	8.95E-10	1.06	7.83E-08
19q13.2	38744733	rs12610267	A	G	0.010	0.010	1.10	1.24E-36	1.09	5.04E-22
19q13.2	41985931	rs11673591	T	A	-0.005	0.28	1.09	1.32E-23	1.10	2.88E-20

19q13.33	51340794	rs2659053	A	G	0.082	4.35E-92	1.06	9.76E-15	0.97	2.37E-04
19q13.33	51362715	rs76765083	T	G	0.366	6.0E-604	1.35	4.99E-90	0.89	7.21E-12
20q11.22	34003073	rs142570322	C	T	0.023	3.49E-04	1.04	2.60E-08	1.02	0.096
20q13.13	49548807	rs73909841	T	C	0.019	8.71E-03	1.11	3.28E-12	1.08	1.88E-06
20q13.2	52455205	rs6091758	G	A	0.009	0.15	1.07	1.59E-17	1.06	1.09E-07
20q13.33	61015240	rs34585497	A	C	0.015	4.87E-04	1.04	2.05E-08	1.03	3.30E-03
20q13.33	62272248	rs2259797	T	C	0.025	5.78E-04	1.08	1.74E-08	1.05	1.77E-03
20q13.33	62310240	rs62207046	C	A	0.007	0.41	1.09	3.73E-09	1.08	2.23E-05
20q13.33	62374389	rs1058319	C	T	0.016	5.10E-03	1.12	1.82E-23	1.10	1.74E-13
21q22.3	42866332	rs61735792	A	G	0.006	0.75	1.26	6.95E-14	1.26	9.43E-10
21q22.3	42889410	rs112714648	A	G	-0.002	0.67	1.06	1.66E-13	1.07	3.41E-11
22q11.21	19749525	rs1978060	G	A	0.009	0.080	1.06	1.05E-11	1.04	1.26E-05
22q12.1	28888939	rs9625483	A	G	0.023	0.087	1.14	3.82E-09	1.11	7.42E-05
22q13.1	40499103	rs34419824	T	A	0.001	0.80	1.08	2.54E-15	1.07	2.41E-11
22q13.2	43500212	rs5759167	G	T	0.007	0.058	1.15	3.38E-78	1.14	4.15E-53
22q13.2	43502152	rs2007886	T	C	0.016	0.011	1.10	2.51E-14	1.08	4.48E-08

¹ Index variants were selected using LD-based clumping: $r^2 < 0.01$ within ± 10 Mb

² Per allele change in log(PSA)

³ Bias-corrected estimated were obtained as follows: $\beta^{adj} = \beta - b * \beta_{PSA}$ and the corresponding $OR^{adj} = \exp(\beta^{adj})$

Supplementary Table 11: Associations between the PSA polygenic score (PGS_{PSA}) comprised of 128 variants and the 269-variant prostate cancer genetic risk score (PGS_{269}), as described in Conti & Darst et al. (2021). Associations were estimated in a subset of European ancestry UK Biobank (UKB) participants excluded from the PSA GWAS. Estimates are compared between PGS_{269} fit using original risk allele weights and re-fit using weights corrected for index event bias (PGS_{269}^{adj}).

UKB Sample	N	Original weights			Bias-corrected weights		
		β^1	(SE)	P	β^2	(SE)	P
Combined	164,452	0.2860	(0.0023)	$<10^{-700}$	0.0584	(0.0025)	3.20×10^{-124}
Cases	11,568	0.2445	(0.0088)	4.16×10^{-163}	0.0397	(0.0091)	1.18×10^{-5}
Controls	152,884	0.2833	(0.0025)	$<10^{-700}$	0.0468	(0.0026)	6.08×10^{-73}

- ¹ Effect of a standard deviation increase of PGS_{269} on PGS_{PSA} , estimated using a linear regression model with adjustment genetic ancestry principal components and genotyping array
- ² Effect of a standard deviation increase of PGS_{269}^{adj} , fit using bias-corrected risk allele weights, on PGS_{PSA} , estimated using a linear regression model with adjustment for the top 10 genetic ancestry principal components and genotyping array

Supplementary Table 12: Associations with prostate cancer, overall and stratified by Gleason score, for the 269-variant prostate cancer genetic risk score (PGS₂₆₉), as described in Conti & Darst et al. (2021), and a version of this score calculated with weights corrected for index event bias (PGS₂₆₉^{adj}). Associations were estimated in Genetic Epidemiology Research in Adult Health and Aging (GERA) cases (n=3673) and controls (n=2363) of European ancestry who underwent a prostate biopsy.

	Predictor	Association Estimates					
		OR ^{1,2}	(95% CI)	P	AUC ³	(95% CI)	P _{AUC} ⁴
All cases	PGS ₂₆₉	2.71	(2.28 – 3.21)	2.85×10 ⁻³⁰	0.677	(0.634 – 0.719)	3.91×10 ⁻³
	PGS ₂₆₉ ^{adj}	3.63	(3.01 – 4.37)	4.87×10 ⁻⁴²	0.685	(0.643 – 0.727)	
Gleason score <7	PGS ₂₆₉	3.00	(2.49 – 3.61)	1.42×10 ⁻³⁰	0.680	(0.629 – 0.731)	0.064
	PGS ₂₆₉ ^{adj}	3.78	(3.09 – 4.63)	5.08×10 ⁻³⁸	0.686	(0.635 – 0.736)	
Gleason score ≥7	PGS ₂₆₉	2.36	(1.92 – 2.91)	1.15×10 ⁻¹⁵	0.678	(0.619 – 0.736)	1.91×10 ⁻³
	PGS ₂₆₉ ^{adj}	3.58	(2.87 – 4.47)	8.53×10 ⁻³⁰	0.692	(0.634 – 0.750)	

¹ Odds ratios (OR) were estimated for a dichotomized PGS comparing the top decile to the rest

² Logistic regression models were adjusted for the top 10 genetic ancestry principal components and a combined variable for genotyping array and DNA collection kit (chip-kit)

³ AUC estimates and bootstrapped confidence intervals were obtained using 10-fold cross-validation

⁴ P-values based on paired Wilcoxon rank sum test comparing AUC distributions across 10 folds

Supplementary Table 13: Case-only associations with Gleason score PSA polygenic score (PGS_{PSA}), the 269-variant prostate cancer genetic risk score (PGS₂₆₉) as described in Conti & Darst et al. (2021) and the bias-corrected PGS₂₆₉^{adj}. Associations were estimated in 4584 prostate cancer cases of European ancestry from the Genetic Epidemiology Research in Adult Health and Aging (GERA) cohort.

	N	(%)	Predictor	Continuous PGS ^{1,2}			Dichotomized PGS ^{2,3}		
				OR	(95% CI)	P	OR	(95% CI)	P
Gleason score ≤6	2798	(61.0)		1.00	-	-	1.00	-	-
			PGS _{PSA}	0.80	(0.75 – 0.86)	3.97×10 ⁻¹⁰	0.69	(0.56 – 0.85)	3.94×10 ⁻⁴
Gleason score = 7	1366	(29.8)	PGS ₂₆₉	0.98	(0.91 – 1.05)	0.52	0.99	(0.85 – 1.17)	0.94
			PGS ₂₆₉ ^{adj}	1.03	(0.97 – 1.11)	0.35	1.05	(0.86 – 1.23)	0.58
Gleason score ≥8	420	(9.2)	PGS _{PSA}	0.77	(0.69 – 0.86)	4.45×10 ⁻⁶	0.75	(0.53 – 1.05)	0.095
			PGS ₂₆₉	0.87	(0.77 – 0.97)	0.011	0.72	(0.54 – 0.96)	0.024
			PGS ₂₆₉ ^{adj}	0.95	(0.85 – 1.06)	0.34	0.93	(0.71 – 1.22)	0.61

¹ Each PGS was standardized to have a mean of 0 and standard deviation (SD) of 1 in the full GERA cohort, including cases and controls. Odds ratio (OR) were estimated per SD increase in PGS

² Associations were estimated using multinomial logistic regression with Gleason score as the outcome, operationalized as a three-level ordinal variable. Models for each PGS were adjusted for the top 10 genetic ancestry principal components and a combined variable for genotyping array and DNA collection kit

³ Odds ratios (OR) were estimated for a dichotomized PGS comparing those in the top decile to the rest of the PGS distribution

Supplementary Table 14: Associations between the PSA polygenic score (PGS_{PSA}) and baseline PSA in cancer-free participants from the Prostate Cancer Prevention Trial (PCPT) and Selenium and Vitamin E Cancer Prevention Trial (SELECT).

Study	Ancestry ¹	N	Median Age	Variation (%)	PGS Associations		
					$\beta_{\text{PGS}}^{2,3}$	(SE)	P
PCPT	All	5,883	63.0	7.16	0.1682	(0.0078)	2.19×10^{-98}
	EUR	5,725	63.0	7.33	0.1695	(0.0079)	5.29×10^{-98}
	All	25,917	62.0	7.99	0.2071	(0.0043)	8.19×10^{-503}
	EUR	22,173	62.0	8.78	0.2128	(0.0045)	4.24×10^{-478}
SELECT	AFR/EUR	1,763	62.0	3.32	0.1389	(0.0174)	3.00×10^{-15}
	AFR	1,173	62.0	3.45	0.1369	(0.0208)	8.22×10^{-11}
	EAS	257	62.0	2.45	0.1097	(0.0431)	0.012

¹ Individuals were assigned to a global ancestry cluster if their ancestry score exceeded 0.80 for a single group. Intermediate ancestry populations were designated to groups with an imputed ancestry score greater than 0.20 and less than 0.80.

² Effect of a standard deviation increase in the standardized PGS_{PSA} on baseline log(PSA), adjusted for age at PSA measurement and the top 10 population-specific genetic ancestry principal components. For ancestry-specific analyses PGS_{PSA} was standardized within each ancestry group.

³ Global genetic ancestry proportions were included as additional adjustment covariates when all samples were analyzed together

Supplementary Table 15: Summary of re-classification for European ancestry prostate cancer cases and who underwent a biopsy in the Genetic Epidemiology Research in Adult Health and Aging (GERA) cohort. Re-classification of biopsy eligibility based on genetically corrected PSA values compared to observed PSA values is summarized with respect to age-specific PSA cut-points used to guide biopsy referral in the Kaiser Permanente health system.

	PGS _{PSA} ¹	PSA (ng/mL) ²	Re-classification Status						Total N	NRI ³ (%)
			Eligible		Ineligible		Unchanged			
			N	(%)	N	(%)	N	(%)		
Cases	0.271	10.43	92	(2.50)	481	(13.10)	3100	(84.40)	3673	(-10.59)
Gleason score <7	0.346	7.65	45	(2.21)	319	(15.67)	1672	(82.12)	2036	(-13.46)
Gleason score ≥7	0.115	14.37	38	(2.77)	130	(9.48)	1204	(87.76)	1372	(-6.71)
Gleason score missing	0.238	11.35	9	(3.40)	32	(12.08)	224	(84.53)	265	(-8.68)
Age at biopsy <65 years	0.362	8.07	13	(1.07)	187	(15.33)	1020	(83.61)	1220	(-14.26)
Controls	0.461	7.19	41	(1.74)	463	(19.59)	1859	(78.67)	2363	(17.86)
Age at biopsy <65 years	0.531	6.32	7	(0.74)	196	(20.83)	738	(78.43)	941	(20.09)
Controls without biopsy	-0.042	1.54	-	-	-	-	-	-	-	-

¹ Mean values of the standardized PGS_{PSA} were calculated in each subset of participants. PGSPSA was transformed to a z-score with mean equal to 0 and standard deviation equal to 1 based on the full GERA cohort. Therefore, a value of ~0.5 is equivalent to a PGS value approximately half SD above the mean

² For each participant who underwent a biopsy PSA values closest to the time of biopsy were selected. For controls who did not have a biopsy we first summarized all available PSA values for each participant by taking the median and then calculated the mean PSA value across participants

³ Net re-classification index (NRI) was calculated separately for cases as: NRI = eligible(%) – ineligible(%) and controls as NRI = ineligible(%) – eligible(%)

Supplementary Table 16: Comparison of nested logistic regression models for risk of prostate cancer (323 cases and 5415 controls) in participants of predominantly European ancestry from the Prostate Cancer Prevention Trial (PCPT). Models are indexed to facilitate comparisons of AUC estimates. For each model the odds ratios are only reported for the PSA and polygenic score (PGS) variables of interest.

Model ¹	Predictor	Association Estimates					
		OR ²	(95% CI)	P	AUC	(95% CI)	P _{AUC} ³
0 Baseline age + RCT arm	-	-	-	-	0.5893	(0.5574 – 0.6212)	-
1 Baseline age + RCT arm + baseline PSA	log(PSA)	1.88	(1.55 – 2.29)	1.82×10 ⁻¹⁰	0.6388	(0.6091 – 0.6686)	-
2 Baseline age + RCT arm + baseline PSA ^G	log(PSA ^G)	1.93	(1.59 – 2.34)	3.58×10 ⁻¹¹	0.6503	(0.6211 – 0.6795)	vs M ₁ = 0.14
3 Baseline age + RCT arm + PGS _{PSA}	PGS _{PSA}	0.98	(0.88 – 1.09)	0.71	0.6055	(0.5743 – 0.6367)	-
4 Baseline age + RCT arm + PGS ₂₆₉	PGS ₂₆₉	1.53	(1.36 – 1.72)	4.59×10 ⁻¹³	0.6550	(0.6251 – 0.6848)	-
5 Baseline age + RCT arm + PGS ₂₆₉ ^{adj}	PGS ₂₆₉ ^{adj}	1.57	(1.40 – 1.76)	1.92×10 ⁻¹⁴	0.6584	(0.6282 – 0.6885)	vs M ₄ = 0.49
6 Baseline age + RCT arm + PGS ₂₆₉ + baseline PSA	PGS ₂₆₉ log(PSA)	1.48 1.77	(1.32 – 1.66) (1.45 – 2.15)	4.22×10 ⁻¹¹ 1.56×10 ⁻⁸	0.6817	(0.6531 – 0.7104)	vs M ₂ = 6.42×10 ⁻³ vs M ₄ = 1.93×10 ⁻³
7 Baseline age + RCT arm + PGS ₂₆₉ + baseline PSA ^G	PGS ₂₆₉ log(PSA ^G)	1.54 1.97	(1.37 – 1.73) (1.61 – 2.40)	2.55×10 ⁻¹³ 2.03×10 ⁻¹¹	0.6904	(0.6621 – 0.7187)	vs M ₄ = 2.63×10 ⁻⁴ vs M ₆ = 0.032
8 Baseline age + RCT arm + PGS ₂₆₉ ^{adj} + baseline PSA ^G	PGS ₂₆₉ ^{adj} log(PSA ^G)	1.55 1.88	(1.38 – 1.74) (1.55 – 2.29)	1.38×10 ⁻¹³ 2.23×10 ⁻¹⁰	0.6887	(0.6602 – 0.7172)	vs M ₅ = 7.37×10 ⁻⁴ vs M ₇ = 0.66

¹ Models with genetic predictors (PSA^G, PGS₂₆₉, PGS₂₆₉^{adj}, and PGS_{PSA}) were additionally adjusted for the top 10 genetic ancestry principal components

² PGS₂₆₉ and PGS_{PSA} were standardized to have a mean of 0 and a standard deviation (SD) of 1, with odds ratios estimated per SD increase in each score

³ P-values based on De Long's test for two correlated ROC curves

Supplementary Table 17: Comparison of nested logistic regression models for risk of aggressive prostate cancer (71 cases and 5415 controls) in participants of predominantly European ancestry from the Prostate Cancer Prevention Trial (PCPT). Models are indexed to facilitate comparisons of AUC estimates. For each model the odds ratios are only reported for the PSA and polygenic score (PGS) variables of interest.

Model ¹	Predictor	Association Estimates					
		OR ²	(95% CI)	P	AUC	(95% CI)	P _{AUC} ³
0 Baseline age + RCT arm	-	-	-	-	0.5805	(0.5154 – 0.6457)	-
1 Baseline age + RCT arm + baseline PSA	log(PSA)	2.80	(1.81 – 4.31)	3.17×10 ⁻⁶	0.6840	(0.6232 – 0.7449)	-
2 Baseline age + RCT arm + baseline PSA ^G	log(PSA ^G)	3.04	(1.98 – 4.65)	3.34×10 ⁻⁷	0.7161	(0.6589 – 0.7733)	vs M ₁ = 0.040
3 Baseline age + RCT arm + PGS _{PSA}	PGS _{PSA}	0.92	(0.73 – 1.15)	0.46	0.6149	(0.5575 – 0.6723)	-
4 Baseline age + RCT arm + PGS ₂₆₉	PGS ₂₆₉	1.45	(1.14 – 1.83)	2.21×10 ⁻³	0.6453	(0.5819 – 0.7087)	-
5 Baseline age + RCT arm + PGS ₂₆₉ ^{adj}	PGS ₂₆₉ ^{adj}	1.54	(1.22 – 1.96)	2.95×10 ⁻⁴	0.6572	(0.5941 – 0.7203)	vs M ₄ = 0.22
6 Baseline age + RCT arm + PGS ₂₆₉ + baseline PSA	PGS ₂₆₉ log(PSA)	1.36 2.66	(1.08 – 1.73) (1.72 – 4.13)	0.010 1.14×10 ⁻⁵	0.7093	(0.6471 – 0.7715)	vs M ₂ = 0.14 vs M ₄ = 6.27×10 ⁻³
7 Baseline age + RCT arm + PGS ₂₆₉ + baseline PSA ^G	PGS ₂₆₉ log(PSA ^G)	1.46 3.12	(1.15 – 1.85) (2.02 – 4.80)	1.65×10 ⁻³ 2.72×10 ⁻⁷	0.7316	(0.6715 – 0.7918)	vs M ₄ = 3.40×10 ⁻⁴ vs M ₆ = 0.041
8 Baseline age + RCT arm + PGS ₂₆₉ ^{adj} + baseline PSA ^G	PGS ₂₆₉ ^{adj} log(PSA ^G)	1.51 2.98	(1.19 – 1.91) (1.94 – 4.57)	6.06×10 ⁻⁴ 6.03×10 ⁻⁷	0.7338	(0.6737 – 0.7938)	vs M ₅ = 4.99×10 ⁻⁴ vs M ₇ = 0.69

¹ Models with genetic predictors (PSA^G, PGS₂₆₉, PGS₂₆₉^{adj}, and PGS_{PSA}) were additionally adjusted for the top 10 genetic ancestry principal components

² PGS₂₆₉ and PGS_{PSA} were standardized to have a mean of 0 and a standard deviation (SD) of 1, with odds ratios estimated per SD increase in each score

³ P-values based on De Long's test for two correlated ROC curves

Supplementary Table 18: Association estimates from case-only nested logistic regression models comparing risk of aggressive prostate cancer (n=71) to non-aggressive disease (n=252) in participants of predominantly European ancestry from the Prostate Cancer Prevention Trial (PCPT). Models are indexed to facilitate comparisons of AUC estimates. For each model the odds ratios are only reported for the PSA and polygenic score (PGS) variables of interest.

Model ¹	Predictor	Association Estimates						
		OR ²	(95% CI)	P	AUC	(95% CI)	P _{AUC} ³	
0	Baseline age + RCT arm	-	-	-	0.5142	(0.4380 – 0.5904)	-	
1	Baseline age + RCT arm + baseline PSA	log(PSA)	1.81	(1.07 – 3.05)	0.026	0.5924	(0.5156 – 0.6692)	-
2	Baseline age + RCT arm + baseline PSA ^G	log(PSA ^G)	2.06	(1.21 – 3.48)	7.35×10 ⁻³	0.6293	(0.5556 – 0.7029)	vs M ₁ = 0.22
3	Baseline age + RCT arm + PGS _{PSA}	PGS _{PSA}	0.88	(0.67 – 1.17)	0.38	0.5824	(0.5048 – 0.6601)	-
4	Baseline age + RCT arm + PGS ₂₆₉	PGS ₂₆₉	0.90	(0.67 – 1.21)	0.50	0.5787	(0.5016 – 0.6558)	-
5	Baseline age + RCT arm + PGS ₂₆₉ ^{adj}	PGS ₂₆₉ ^{adj}	0.97	(0.73 – 1.29)	0.84	0.5740	(0.4954 – 0.6526)	vs M ₄ = 0.63
6	Baseline age + RCT arm + PGS ₂₆₉ + baseline PSA	PGS ₂₆₉ log(PSA)	0.87 1.87	(0.65 – 1.18) (1.10 – 3.17)	0.38 0.020	0.6159	(0.5397 – 0.6920)	vs M ₂ = 0.13 vs M ₄ = 0.29
7	Baseline age + RCT arm + PGS ₂₆₉ + baseline PSA ^G	PGS ₂₆₉ log(PSA ^G)	0.92 2.04	(0.68 – 1.24) (1.20 – 3.45)	0.58 7.92×10 ⁻³	0.6282	(0.5561 – 0.7002)	vs M ₄ = 0.17 vs M ₅ = 0.48
8	Baseline age + RCT arm + PGS ₂₆₉ ^{adj} + baseline PSA ^G	PGS ₂₆₉ ^{adj} log(PSA ^G)	0.95 2.06	(0.71 – 1.27) (1.22 – 3.49)	0.74 7.08×10 ⁻³	0.6282	(0.5551 – 0.7012)	vs M ₅ = 0.13 vs M ₇ = 1

¹ Models with genetic predictors (PSA^G, PGS₂₆₉, PGS₂₆₉^{adj}, and PGS_{PSA}) were additionally adjusted for the top 10 genetic ancestry principal components

² PGS₂₆₉ and PGS_{PSA} were standardized to have a mean of 0 and a standard deviation (SD) of 1, with odds ratios estimated per SD increase in each score

³ P-values based on De Long's test for two correlated ROC curves

Supplementary Table 19: Comparison of nested logistic regression models for risk of aggressive prostate cancer (85 cases and 21,795 controls) in participants of predominantly European ancestry from the Selenium and Vitamin E Cancer Prevention Trial (SELECT). Models are indexed to facilitate comparisons of AUC estimates. For each model the odds ratios are only reported for the PSA and polygenic score (PGS) variables of interest.

Model ¹	Predictor	Association Estimates						
		OR ²	(95% CI)	P	AUC	(95% CI)	P _{AUC} ³	
0	Baseline age + RCT arm	-	-	-	0.6042	(0.5439 – 0.6644)	-	
1	Baseline age + RCT arm + baseline PSA	log(PSA)	3.40	(2.34 – 4.93)	1.10×10 ⁻¹⁰	0.7415	(0.6933 – 0.7897)	-
2	Baseline age + RCT arm + baseline PSA ^G	log(PSA ^G)	3.38	(2.35 – 4.83)	3.35×10 ⁻¹¹	0.7751	(0.7292 – 0.8210)	vs M ₁ = 0.044
3	Baseline age + RCT arm + PGS _{PSA}	PGS _{PSA}	1.05	(0.85 – 1.31)	0.63	0.6771	(0.6196 – 0.7347)	-
4	Baseline age + RCT arm + PGS ₂₆₉	PGS ₂₆₉	1.81	(1.43 – 2.28)	7.43×10 ⁻⁷	0.7264	(0.6709 – 0.7818)	-
5	Baseline age + RCT arm + PGS ₂₆₉ ^{adj}	PGS ₂₆₉ ^{adj}	1.81	(1.45 – 2.25)	1.29×10 ⁻⁷	0.7301	(0.6753 – 0.7849)	vs M ₄ = 0.58
6	Baseline age + RCT arm + PGS ₂₆₉ + baseline PSA	PGS ₂₆₉ log(PSA)	1.61 3.20	(1.28 – 2.02) (2.19 – 4.67)	3.71×10 ⁻⁵ 1.54×10 ⁻⁹	0.7956	(0.7501 – 0.8410)	vs M ₂ = 0.13 vs M ₄ = 3.39×10 ⁻⁴
7	Baseline age + RCT arm + PGS ₂₆₉ + baseline PSA ^G	PGS ₂₆₉ log(PSA ^G)	1.74 3.43	(1.39 – 2.18) (2.37 – 4.95)	1.11×10 ⁻⁶ 5.25×10 ⁻¹¹	0.8029	(0.7572 – 0.8487)	vs M ₄ = 1.13×10 ⁻⁴ vs M ₅ = 0.23
8	Baseline age + RCT arm + PGS ₂₆₉ ^{adj} + baseline PSA ^G	PGS ₂₆₉ ^{adj} log(PSA ^G)	1.74 3.26	(1.40 – 2.16) (2.27 – 4.68)	7.08×10 ⁻⁷ 1.35×10 ⁻¹⁰	0.8031	(0.7577 – 0.8484)	vs M ₅ = 8.27×10 ⁻⁵ vs M ₇ = 0.97

¹ Models with genetic predictors (PSA^G, PGS₂₆₉, PGS₂₆₉^{adj}, and PGS_{PSA}) were additionally adjusted for the top 10 genetic ancestry principal components

² PGS₂₆₉ and PGS_{PSA} were standardized to have a mean of 0 and a standard deviation (SD) of 1, with odds ratios estimated per SD increase in each score

³ P-values based on De Long's test for two correlated ROC curves

Supplementary Table 20: PSA Field codes used to extra PSA values from linked GP records in the UK Biobank cohort

HES Field code	Description
X80QD	Prostate specific antigen
XE25C	Prostate-specific antigen level
XabAM	Serum prostate specific antigen level
XaPqN	Total prostate specific antigen level
XaQ9n	Ultra-sensitive prostate specific antigen level

Supplementary Table 21: Study-specific GWAS analytic approach and adjustment covariates

Study	GWAS Phenotype	Analysis	Covariates
UKB	Median log(PSA)	Linear regression	Age at PSA measurement, baseline BMI, baseline smoking status (never, current, former smokers), diagnosed with benign prostatic hyperplasia (BPH) or prostatitis (1=ever, 0=never), time between median PSA and BPH or prostatitis diagnosis (coded as 0 for those without a corresponding diagnosis), finasteride use (1=ever, 0=never), genotyping array (UK BiLEVE vs. UKB Affymetrix Axiom), PC1-PC15
	Random Intercept	Linear mixed model	Age at each observation, baseline BMI, baseline smoking status (never, current, former smokers), diagnosed with benign prostatic hyperplasia (BPH) or prostatitis (1=ever, 0=never), finasteride use (1=ever, 0=never), genotyping array (UK BiLEVE vs. UKB Affymetrix Axiom), PC1-PC15
GERA	Random Intercept	Linear mixed model	Age at each observation, composite variable for DNA collection kit and genotyping array (chip-kit), PC1-PC10
PLCO	Baseline log(PSA)	Linear mixed model	Age at PSA measurement, baseline BMI, baseline smoking status (never, current, former smokers), benign prostatic hyperplasia (surgically-treated BPH, BPH without surgery, none) and ancestry-specific PC1-PC10. Residuals and models were created and run separately by ancestry, genotype array, and imputation batch.
BioVU	Median log(PSA)	Linear regression	Median age of PSA measurements, median BMI, diagnosed with BPH (1=ever, 0=never), testosterone use (1=ever, 0=never), finasteride use (1=ever, 0=never), PC1-PC10
MDCS	Baseline log(PSA)	Linear regression	Age at blood draw for PSA measurement, genotyping batch, PC1-PC10