1 2 3	
4	TITLE PAGE
5	
6 7	The trends in the uninsured rates among non-elderly adult patients hospitalized with acute pancreatitis in the US during 2004-2019.
8	
9 10	Kumar, Vivek MD 1; Barkoudah, Ebrahim MD MPH 1; Jin, David X MD MPH 2; Banks, Peter 2 MD; McNabb-Baltar, Julia MD MPH 2*.
11	
12	
13	
14 15	1Department of General Internal Medicine, Brigham and Women's Hospital, Boston, Massachusetts, USA
16 17	2Division of Gastroenterology, Hepatology, and Endoscopy, Center for Pancreatic Disease Brigham and Women's Hospital, Boston, Massachusetts, USA
18	*Corresponding Author
19	
20	
21	
21	Correspondence
22	
23	Dr. Julia McNabb-Baltar MD MPH
24 25	Division of Gastroenterology, Hepatology, and Endoscopy, Center for Pancreatic Disease, Brigham and Women's Hospital, 75 Francis Street, Boston, Massachusetts, USA 02115
26	Assistant Professor Harvard Medical School, Boston, Massachusetts, USA.
27	Email: Jmcnabb-baltar@bwh.harvard.edu
28	

29	Disclosures:
30	
31	Guarantor of the article: Kumar, Vivek & McNabb-Baltar, Julia
32	
33 34	Specific author contributions:
35 36	Kumar, Vivek: Study concept and design; acquisition of data; analysis and interpretation of data; drafting of the manuscript
37 38	Barkoudah, Ebrahim: Interpretation of data, Critical revision of the manuscript for important intellectual content
39	Jin, David X: Critical revision of the manuscript for important intellectual content
40	Banks, Peter: Critical revision of the manuscript for important intellectual content
41 42	McNabb-Baltar, Julia: Study concept and design; drafting of the manuscript; critical revision of the manuscript for important intellectual content; study supervision
43	
44	Financial support: None
45	Potential competing interests
46	Kumar, Vivek: None
47 48 49 50 51	Barkoudah, Ebrahim: Dr. Barkoudah reports research support payments from National Institutes of Health/National Heart, Lung, and Blood Institute, Bristol Myers Squibb and Janssen, payments made to Brigham and Women's Hospital for performing clinical endpoints sponsored by various entities and Advisory Board fees from Bristol Myers Squibb, Janssen, Novartis, Pfizer and Portola, and travel expenses from Alexion.
52	Jin, David X: None
53	Banks, Peter: None
54	McNabb-Baltar, Julia: None
55	
56	

57 Abstract

5	8
-	-

59

60 Background and Aim:

The impact of health reforms such as affordability care act (ACA) and Medicaid extension
program on health insurance coverage among acute pancreatitis (AP) patients in the United
States (US) is unknown. We report the trends and forecasts for the uninsured rates among acute
pancreatitis (AP) patients in the US.

65

Methods: We included non-elderly adult patients (aged 18 -64 years), hospitalized with AP in
the nationwide inpatient sample database years 2004- 2019. We calculated the percentage of
uninsured and Medicaid patients for each year and applied joinpoint (JP) regression model to
study the trends.

70

71 **Results** The uninsured rates among patients hospitalized with AP were almost twice compared to 72 the national average rates for all hospitalized patients. Uninsured rates were higher among 73 Hispanic and African American races, rural location, lower income quartiles and in the southern 74 US regions. A statistically significant decline was observed during 2013-2016 with an APC of -75 12.23 (-20- -4); p < 0.01). The decline was apparent among all racial groups, locations and 76 income groups but not in the southern region where gap in the uninsured rates worsened 77 compared to other geographical regions. The trends reversed more recently, and the uninsured 78 rates surged in 2018 for the first time after 2010. In 2019, 12.5% AP patients were uninsured 79 compared to 11.6% in 2017.

80

81 Conclusions: The ACA and Medicaid extension programs had a positive impact on the health

82	insurance coverage among patients hospitalized with AP including racial minorities and low-
83	income groups. However, the positive impact of ACA on the uninsured rates has decreased in
84	most recent years (2017-2019) and may disappear completely in the coming years.
85	
86	
87	
88	
89	
90	
91	
92	
93	
94	
95	
96	
97	
98	
99	
100	
101	
102	
103	
104	

105 Acute pancreatitis (AP) is one of the leading gastrointestinal causes of hospitalizations in the 106 United States (US) with its incidence increasing¹. In the year 2015, AP led to more than one million hospitalization days in the US, resulting in more than \$2.5 billion in hospitalization charges². A 107 108 previous study has reported a higher incidence of uninsured patients in the year 2009-2012 compared to 2002-2005¹. So far, no study has reported the trends in the rates of uninsured patients 109 110 among AP patients. The lack of insurance has been associated with poor access to healthcare and subsequent adverse outcomes³. In the US, the number of uninsured patients decreased after health 111 112 reforms such as the Affordability Care Act (ACA) and Medicaid extension programs⁴. However, 113 the impact of ACA among patients with AP is still unknown. The non-elderly (aged 18-64 years 114 old) AP patients in the US are unique due to higher rates of alcohol and substance use, lower 115 income groups, and a higher fraction of minority races; all these factors are also associated with a 116 lack of health insurance in the US⁵. In this study, we aim to analyze the trends in the uninsured 117 rates among patients hospitalized with a principal diagnosis of AP in the last 15 years, emphasizing 118 the most recent trend changes. We examined the disparities in the health coverage among AP 119 patients by geographical regions, race, rural/urban status, and income levels. We also project the 120 uninsured rates among these patients for the next 4 years after adjusting for unemployment rates. 121 For this study, we included non-elderly adult patients, hospitalized with AP using discharge data 122 from the National Inpatient Sample and the Nationwide Inpatient Sample (NIS), Healthcare Cost 123 and Utilization Project (HCUP), Agency for Healthcare Research and Quality for the years 2004-124 2019¹². We collected data on uninsured and Medicaid patients, race, rural/urban residence, income, 125 and geographical regions for each year. We calculated the percentage of uninsured and Medicaid patients for an individual year and applied Joinpoint (JP) regression model to study the trends⁶. 126 127 This program enables us to test whether an apparent change in the trend is statistically significant

128 by using Monte Carlo Permutation method as the test of significance. The location of JP was not 129 known prior and was estimated by the program. Annual percent change (APC) and average annual 130 percent change (AAPC) were calculated with 'p' values to test if apparent changes in the trends 131 were statistically significant. For forecasting, we applied vector autoregression (VAR) model, a 132 multivariate time series model, and adjusted uninsured rates with the unemployment rates in the 133 US. The unemployment rates were obtained from the US Bureau of Labor Statistics of the US department of labor ⁷. Statistical analysis was conducted using National Cancer Institute's 134 Joinpoint regression software and 'R'. 135

136 The uninsured rates among patients hospitalized with AP were almost twice the national average rates for all hospitalized patients (Fig 1a). Uninsured rates were higher among Hispanic and 137 138 African American races, rural locations, lower-income quartiles, and southern US regions (Fig 2a 139 & 2b). The trends in the uninsured rates among AP patients mirrored the changes in the national 140 rates, but the gap persisted (Fig 1a). Overall, the change in the uninsured rate from 2004 to 2019 was not statistically significant with an AAPC of -1 (-5.8-4.1); p=0.7). But a statistically 141 142 significant decline was observed during 2013-2016 with an APC of -12.23 (-20--4); p<0.01). A 143 simultaneous increase in Medicaid coverage was also noticed (fig 1b). The decline was apparent 144 among all racial groups, locations, income groups and geographical regions, however uninsured 145 rates in the southern region remained considerably higher (Fig 2a). Unfortunately, trends reversed 146 more recently, and the uninsured rates surged in 2017 for the first time after 2010. In 2019, 12.5% 147 AP patients were uninsured compared to 11.7% in 2017. After adjusting for unemployment rates, 148 the uninsured rates are anticipated to increase drastically in the year 2020 to 16.04% (12.8-19.3), 149 followed by some decline in the following years 13.9(10.7-17.13) in 2021, 13.97 (10.7-17.2) in 150 2022 and 13.5(10.3-16.8) in 2023.

151 The higher uninsured rates among AP patients are due to these patients' unique characteristics, as mentioned previously. On Joinpoint regression, we noted several periods with changes in the 152 uninsured rates. The most prominent was a decline in the years 2013-2016. In the US, a major 153 154 factor affecting the lack of insurance among the non-elderly population is unemployment⁸. While 155 the pattern in the uninsured rates during the initial years of the study was parallel to the 156 unemployment rates, the decline during the years 2013-2016 was out of proportion to what could 157 be explained by declining unemployment rates alone. In fact, this corresponded to the rollout of 158 ACA and Medicaid expansion in the US. By 2016, 33 out of 50 states had implemented 159 Medicaid expansion. The Medicaid expansion was lower in the southern region, where only 7 out of 16 states had implemented Medicaid expansion by the year 2016⁹. This observation also 160 161 explains the absence of a sharp decline among uninsured patients in the southern region, unlike 162 other regions in the US. The higher rates of uninsured among Hispanics and African American is due to higher rates of unemployment and poverty, which is consistent with the overall rates of 163 uninsured in the USA^{10} . 164 165 Unfortunately, we noted a rising trend in the uninsured in the years 2017-2019. This trend was

165 Unfortunately, we noted a rising trend in the uninsured in the years 2017-2019. This trend was 166 despite the declining rates of unemployment in the US during this time and is most likely the 167 result of several changes made in the year 2017 to roll back ACA. These changes included 168 waiving or delaying the features of ACA that imposed financial or regulatory burden, reduction 169 in the funding for ACA outreach and education program. Besides, there was also discontinuation 170 of cost-sharing reduction to insurers which led to the loss of incentives to purchase the coverage 171 and increased the uncertainty among the eligible individuals resulting in loss of health insurance 172 coverage ¹¹.

173 To forecast the uninsured rates for the next three years, we adjusted for the unemployment rates. Due to the pandemic, the unemployment rates increased drastically in the US in 2020 to 6.7, 174 175 almost double of 3.6 in 2019. As unemployment is a major driving factor for insurance among 176 the non-elderly population in the US, we anticipated a drastic rise in the uninsured rates, which 177 was found to be true. The projected rates are similar to the rates prior to implementing ACA 178 reforms which implies that we will probably lose most of the gains in terms of health coverage that were achieved due to ACA if there are no significant changes in the policy. 179 180 The limitations of this study include the use of an administrative database using ICD-9 and ICD-181 10 codes which is subject to misclassification bias. Besides unemployment other factors such as patient preference may also affect the uninsured rates, which could not be analyzed due to the 182 183 limitations of the database. Nevertheless, we conclude that the ACA and Medicaid extension 184 programs positively impacted the health insurance coverage among patients hospitalized with 185 AP, specifically on racial minorities and low-income groups. The impact was less apparent in the 186 southern US, where many states did not implement these reforms. Despite the strong US 187 economy and declining unemployment rates during 2017-2019, there was a surge in uninsured patients, likely due to the changes made in the Medicaid policies. This surge is projected to 188 189 continue for the next few years. Therefore, new policies and reforms are warranted for the 190 communities at the highest risk of losing coverage-ethnic minorities and lower-income groups. 191 192 193 194 195 196 197

198 References

199

Krishna SG, Kamboj AK, Hart PA, Hinton A, Conwell DL. The changing epidemiology of
 acute pancreatitis hospitalizations: a decade of trends and the impact of chronic pancreatitis.
 Pancreas. 2017;46(4):482.

Peery AF, Crockett SD, Murphy CC, et al. Burden and cost of gastrointestinal, liver, and
 pancreatic diseases in the United States: update 2018. *Gastroenterology*. 2019;156(1):254-272.
 e11.

Michael McWilliams J. Health consequences of uninsurance among adults in the United
 States: recent evidence and implications. *The Milbank Quarterly*. 2009;87(2):443-494.

Guth M, Garfield R, Rudowitz R. The effects of Medicaid expansion under the ACA: Studies
 from January 2014 to January 2020. *Kaiser Family Foundation*. 2020;

Substance Abuse and Mental Health Services Administration CfBHSaQF, 2014). The TEDS
 Report: Health Insurance Status of Adult Substance Abuse Treatment Admissions Aged 26 or
 Older: 2011. Rockville, MD. <u>https://www.samhsa.gov/data/sites/default/files/sr134-health-</u>
 insurance-2014/sr134-health-insurance-2014/sr134-health-insurance-2014.htm

Joinpoint Regression Program, Version 4.9.0.1 - February 2022; Statistical Methodology
 and Applications Branch, Surveillance Research Program, National Cancer Institute.
 https://surveillance.cancer.gov/joinpoint/

217 7. US BUREAU OF LABOR STATISTICS <u>https://data.bls.gov/timeseries/LNS14000000</u>

2188.Broaddus M. Research note: Medicaid enrollment decline among adults and children too219large to be explained by falling unemployment. Center on Budget and Policy Priorities.; 2019.

Courtemanche C, Fazlul I, Marton J, Ukert B, Yelowitz A, Zapata D. The Affordable Care
 Act's Coverage Impacts in the Trump Era. *INQUIRY: The Journal of Health Care Organization, Provision, and Financing*. 2021;58:00469580211042973.

10. Gonzales S, Sommers BD. Intra-ethnic coverage disparities among Latinos and the effects
of health reform. *Health services research*. 2018;53(3):1373-1386.

225 11. Keith K. Uninsured rate rose in 2018, says Census Bureau report. *Health Aff*. 2019;

12. HCUP National Inpatient Sample (NIS). Healthcare Cost and Utilization Project (HCUP). 2004 2019. Agency for Healthcare Research and Quality, Rockville, MD. <u>www.hcup-</u>
 <u>us.ahrq.gov/nisoverview.jsp</u>

- 229
- 230
- 231
- 232
- 233
- 234

Fig 1. Trends in the rates of uninsured patients hospitalized with acute pancreatitis

1a. Overall, among all hospitalized patients vs AP patients. 1b. Uninsured and Medicaid
 insurance among patients with acute pancreatitis

238



239 240 241



242 243

244 Fig 2. Trends in the rates of uninsured patients hospitalized with acute pancreatitis

245 2a. geographical regions and income groups
2b. stratified by race, and rural-urban
246 location.



247

248



249