

SUPPLEMENTAL MATERIAL

Supplemental Methods

Genomic variants identification

We trimmed the adapter contamination of the sequencing reads using Cutadapt (ver. 1.9.1) with a forward adapter ('GATCGGAAGAGCACACGTCTGAACTCCAGTCAC') and reverse adapter ('GATCGGAAGAGCGTCGTGTAGGGAAAGAGTGT') and with a minimum read length of 50 bp after trimming.¹ Then, the trimmed reads were mapped to the human genome reference, hg38 using BWA-MEM (ver. 0.7.16a) with the “-M” option and alt-aware mode.² We sorted the mapped BAM files by coordination using Picard (“Picard Toolkit.” 2019. Broad Institute, GitHub Repository. <https://broadinstitute.github.io/picard/>; Broad Institute) (ver. 2.14.0) with the Sortsam module. Duplicated reads were marked using Picard (ver. 2.14.0) with the MarkDuplicates module. We recalibrated the mapping quality using BaseRecalibrator tool in the Genome Analysis Tool Kit (GATK) (ver. 4.1.3).³ gVCF files of the individuals were generated by HaplotypeCaller in GATK with the “--genotyping-mode DISCOVERY -stand-call-conf 30 -ERC GVCF” option.³ We merged gVCF files of all individuals per chromosome using CombineGVCFs in GATK. SNVs and indels were jointly genotyped from the merged gVCF files by GenotypeGVCFs in GATK. We annotated variant qualities by VariantQualityScoreRecalibration (VQSR) in GATK. All variants were annotated using the Ensembl VEP (ver. 92.1) and ANNOVAR.^{4,5}

Batch effect removal

Each sample was labeled in accordance with its sequencing year. Two technical batches were identified. The batch effect was assessed via PCA, using PLINK (ver. 1.9b),⁶ using variants in accordance with the following criteria (Figure S3-5):

1. Biallelic SNVs with a MAF of $\geq 1\%$
2. *P* values of the Hardy-Weinberg Equilibrium (HWE) test > 0.000001
3. Genotype missing rate of < 0.01 .

Thereafter, the filtered variants were pruned on the basis of linkage disequilibrium (LD), using PLINK (ver. 1.9b) ⁶ with ‘--indep-pairwise 200 4 0.1’ option.

We filtered out the variants according to the following criteria:

1. SNVs which fail Variant Quality Score Recalibration (VQSR)
2. Heterozygous SNVs which deviate \pm standard deviation (SD) from their mean of allele balance (AB) were removed from the dataset.

Allele balance (AB) denotes the fraction of reads supporting the alternative allele in a focal position (AB = alternative read count/total read count at focal position).⁷

Individual and variant filtering for GWAS

1,159 individuals and 7,869,081 variants were selected in accordance with the following criteria:

For individuals:

1. Individuals whose rate of genotype missingness is less than 10%
2. Individuals who don't deviate \pm 3 SD from the samples' heterozygosity rate mean
3. Individuals who deviate \pm 4 Z-score of identity-by-state (IBS) distance of 1-5th nearest neighbor
4. Individuals who have no kinship
5. Individuals who are not ancestry outliers


For variants:

1. SNVs and indels having bi-allele
2. SNVs and indels having a MAF \geq 1%
3. SNVs and indels having an HWE $P > 10^{-6}$
4. SNVs and indels having a missing genotype rate of < 0.01

Protein-Protein Interaction (PPI)


Protein-Protein Interaction network was constructed by the suggestive loci associated with early-onset AMI. We utilized STRING database (ver. 11.5) that contains the information of interactions including both physical and functional associations.⁸ Functional enrichment test was conducted in the PPI network using REACTOME and KEGG pathway database.

Supplemental Figures




Supplementary Figure 1. QQplot for the GWAS of the early-onset AMI.

X-axis indicates expected $-\log_{10} P$ -value. Y-axis indicates observed $-\log_{10} P$ -value.




Supplementary Figure 2. Minor allele frequency distribution for 29 suggestive loci between early-onset AMI and healthy subjects

X-axis indicates the group. Case and control represent early-onset AMI and healthy subjects, respectively. Y-axis indicates minor allele frequency.




Supplementary Figure 3. Protein-Protein Interaction (PPI) network of the suggestive loci

PPI network plot of the suggestive loci associated with early-onset AMI. Edges denote protein-protein associations. Colors of circle represent biological pathways to which the protein belongs. PPI network is based on STRING database (ver. 11.5).⁸




Supplementary Figure 4. P-value distribution of 85 suggestive variants compared to GWAS results for myocardial infarction from Japanese and UK biobank

X-axis indicates the P-value of GWAS results for myocardial infarction from (A) UK biobank and (B) biobank of Japan. Y-axis indicates the number of variants.




Supplementary Figure 5. Comparison of effect size of the novel loci for early-onset AMI

X-axis indicates the effect size (beta) of the novel loci. Error bar denotes 95% confidence interval (CI). Y-axis indicates the GWAS dataset. KGP, Korean Genome Project; BBJ, Biobank of Japan; UKBB, UK biobank.




Supplementary Figure 6. Heatmap of eQTL mapping to the suggestive variants for early-onset AMI

Rows show the tissue. Columns show the novel loci and the genes affected by the loci. Colors represent the signed $-\log_{10} P$ -value from the eQTL results.




Supplementary Figure 7. PCA using variants before VQSR and AB filtering

Pairs plot of the top ten dimensions of the PCA. Colors denote technical batches. Red and blue indicate samples sequenced in 2018 and 2019, respectively.



Supplementary Figure 8. Allele balance distribution for heterozygous variants

X-axis indicates allele balance (AB). It denotes the fraction of reads supporting the alternative allele in a focal position (AB = alternative read count/total read count at focal position)⁷. Y-axis indicates the number of variants.



Supplementary Figure 9. PCA using variants after VQSR and AB filtering

Pairs plot of the top ten dimensions of the PCA. Colors denote technical batches. Red and blue indicate samples sequenced in 2018 and 2019, respectively.

Supplemental Tables

Supplementary Table 1. Suggestive variants for early-onset AMI compared to European and Japanese MI studies

Gene	Chromosome	Position	rs ID	REF	ALT	Effect allele	Korean Genome Project (early-onset AMI in Korean)		BBJ (MI in Japanese)		UK biobank (MI in European)	
							Odds ratio	P	BETA	P	BETA	P
FRG1CP-FRG1DP	20	28,772,995	rs1277393322	G	A	A	5.713	3.36E-18	NA	NA	NA	NA
ADAMTSL1	9	18,523,845	rs10810978	C	A	C	0.451	1.94E-14	NA	NA	NA	NA
NA	3	164,704,630	rs1351282285	TTAAATG	T	T	0.239	5.67E-10	NA	NA	NA	NA
MUC4	3	195,788,126	rs1560389462	GGGTGGTGTGACCTGTGGAA TACTGAGGAAGGTGCGG ACAGGAGAGAGGTGGG TGACTGTGTGTGATCTGAGG AAGTGTGGTGCACAGGAA GAGGGGTGTGTGTGCTT GGATACTGAGGAAGGTGCG GTGACAGGAGAGAA	G	G	0.256	1.31E-08	NA	NA	NA	NA
PDE1C	7	32,082,944	rs10235820	A	G	A	0.497	2.21E-08	NA	NA	NA	NA
LINC02005-CNTN3	3	73,926,364	rs2323404	A	G	A	1.606	1.98E-07	0.012243	3.68E-01	-0.000594	2.32E-01
LINC02005-CNTN3	3	73,923,420	rs7641082	T	C	T	1.585	4.08E-07	0.014099	2.99E-01	-0.000572	2.49E-01
LINC00520-PELI2	14	55,900,262	rs8009869	A	G	G	1.653	4.49E-07	NA	NA	NA	NA
LINC02005-CNTN3	3	73,921,969	rs1405402	G	A	G	1.579	4.81E-07	NA	NA	-0.000640	2.01E-01
LINC02005-CNTN3	3	73,927,087	rs1918101	G	T	G	1.576	5.47E-07	0.011962	3.80E-01	-0.000582	2.47E-01
LINC02005-CNTN3	3	73,923,383	rs7641013	T	C	T	1.574	5.92E-07	0.014116	2.99E-01	-0.000537	2.78E-01
KMT2C	7	152,231,944	rs10232190	G	A	A	1.980	6.24E-07	-0.019416	3.96E-01	NA	NA
GOLGA8T-LINC02249	15	30,175,826	rs200715251	A	G	G	1.840	6.56E-07	NA	NA	NA	NA
LINC02005-CNTN3	3	73,927,219	rs1918100	T	A	T	1.764	7.45E-07	0.004968	7.62E-01	-0.000365	2.58E-01
LINC02005-CNTN3	3	73,925,188	rs9855437	A	G	A	1.754	9.60E-07	0.005191	7.52E-01	-0.000395	2.20E-01
LINC02005-CNTN3	3	73,925,641	rs941068	C	T	C	1.748	1.08E-06	0.004697	7.75E-01	-0.000392	2.24E-01

LINC02005-CNTN3	3	73,927,363	rs6770247	G	A	G	1.7 48	1.08 E-06	0.00 4966	7.62 E-01	- 0.00 0358	2.67 E-01
LINC02005-CNTN3	3	73,927,320	rs1526719	A	G	G	1.7 45	1.20 E-06	0.00 3641	8.26 E-01	0.00 0368	2.54 E-01
LINC00520-PELI2	14	55,906,845	rs80334730	T	C	C	1.6 15	1.22 E-06	0.01 0474	4.45 E-01	0.00 0632	6.51 E-01
LINC00520-PELI2	14	55,907,084	rs77800378	G	A	A	1.6 15	1.22 E-06	0.01 0474	4.45 E-01	0.00 0591	6.72 E-01
LINC02005-CNTN3	3	73,919,134	rs12487132	A	C	A	1.7 47	1.26 E-06	0.00 9700	5.54 E-01	- 0.00 0347	2.82 E-01
LINC02005-CNTN3	3	73,925,782	rs9873508	G	A	G	1.7 40	1.33 E-06	0.00 4959	7.63 E-01	- 0.00 0392	2.24 E-01
LINC02005-CNTN3	3	73,918,804	rs1526708	G	A	G	1.7 44	1.34 E-06	0.01 0012	5.40 E-01	- 0.00 0349	2.79 E-01
LINC00520-PELI2	14	55,908,821	rs1958821	G	C	C	1.6 14	1.44 E-06	0.00 8646	5.28 E-01	0.00 0581	6.78 E-01
TTK	6	80,038,900	rs591012	G	A	G	0.5 83	1.47 E-06	0.01 3298	4.28 E-01	0.00 0187	5.73 E-01
LINC02005-CNTN3	3	73,918,900	rs1526709	C	A	C	1.7 36	1.59 E-06	0.00 9565	5.59 E-01	- 0.00 0344	2.88 E-01
C9orf170-DAPK1	9	87,414,203	rs200514416	T	C	C	1.9 48	1.78 E-06	NA	NA	NA	NA
LINC00520-PELI2	14	55,905,697	rs111432322	C	T	T	1.6 01	1.83 E-06	0.01 0860	4.28 E-01	0.00 0673	6.29 E-01
LINC02005-CNTN3	3	73,924,589	rs34330766	A	G	A	1.7 31	1.88 E-06	0.00 7019	6.71 E-01	- 0.00 0386	2.31 E-01
LINC02005-CNTN3	3	73,923,365	rs7638747	A	G	A	1.7 28	1.97 E-06	0.00 8631	5.99 E-01	- 0.00 0400	2.15 E-01
NA	14	55,905,174	rs10589173	ATATAT	A	A	1.5 98	2.02 E-06	0.01 0768	4.32 E-01	0.00 0456	7.49 E-01
LINC02005-CNTN3	3	73,919,588	rs12639020	C	T	C	1.7 22	2.19 E-06	0.00 9621	5.57 E-01	- 0.00 0380	2.39 E-01
LINC02005-CNTN3	3	73,919,636	rs12639023	C	T	C	1.7 22	2.19 E-06	NA	NA	0.00 0375	2.45 E-01
TTK	6	80,021,249	rs239576	G	A	G	0.5 89	2.41 E-06	0.01 3177	4.32 E-01	0.00 0186	5.73 E-01
TTK-BCKDHB	6	80,062,270	rs7759915	C	T	T	0.5 89	2.41 E-06	0.01 4708	3.81 E-01	- 0.00 0193	5.59 E-01
SMG1P2-SPN	16	29,655,837	rs372341820	G	A	A	0.1 80	2.75 E-06	NA	NA	NA	NA
PLAUR-IRGC	19	43,676,115	rs78631167	T	C	C	0.4 73	2.93 E-06	NA	NA	0.00 0327	8.02 E-01
CNN2	19	1,029,328	rs527249040	G	C	C	0.2 92	3.20 E-06	NA	NA	0.00 1111	7.53 E-01
MIR3937-MIR1587	X	39,788,017	rs184610791	C	G	G	0.2 34	3.23 E-06	NA	NA	NA	NA
ERN2-CHP2	16	23,747,804	rs1614576	A	G	G	1.6 46	3.41 E-06	0.00 3445	8.44 E-01	0.00 0026	9.44 E-01
ERN2-CHP2	16	23,747,877	rs1657538	G	A	A	1.6 46	3.41 E-06	0.00 3137	8.57 E-01	0.00 0046	9.06 E-01
ERN2-CHP2	16	23,748,316	rs1657545	A	G	G	1.6 46	3.41 E-06	0.00 3101	8.59 E-01	0.00 0056	8.86 E-01
TTK	6	80,007,571	rs240224	G	T	G	0.5 94	3.45 E-06	0.01 3210	4.31 E-01	0.00 0194	5.59 E-01
LOC644669-NONE	18	15,377,667	rs7232479	G	A	A	1.7 63	3.82 E-06	NA	NA	NA	NA
LINC02005-CNTN3	3	73,923,060	rs13099537	T	C	T	1.6 96	4.17 E-06	0.00 8677	5.97 E-01	- 0.00 0398	2.17 E-01
CHP2	16	23,754,252	rs152042	A	G	G	1.6 35	4.52 E-06	0.00 4041	8.15 E-01	0.00 0082	8.33 E-01

DUXAP8-CCT8L2	22	16,400,343	rs131570	T	C	C	0.5 44	4.66 E-06	NA	NA	NA	NA
ERN2-CHP2	16	23,741,456	rs7191762	G	A	A	1.6 59	4.82 E-06	0.00 3865	8.26 E-01	0.00 0296	4.81 E-01
OR2T8	1	247,921,552	rs4584426	A	G	G	1.5 38	4.83 E-06	NA	NA	NA	NA
CHP2	16	23,754,034	rs152041	G	C	C	1.6 32	4.93 E-06	0.00 3935	8.20 E-01	0.00 0099	7.98 E-01
ERN2-CHP2	16	23,748,912	rs11649332	C	T	T	1.6 32	4.98 E-06	NA	NA	0.00 0090	8.17 E-01
IZUMO3-TUSC1	9	25,189,022	rs147169123	A	AT	A	0.5 23	5.14 E-06	0.01 1244	5.95 E-01	0.00 0003	9.95 E-01
NA	16	23,771,655	rs55819522	TAA	T	T	1.6 24	6.41 E-06	0.00 5604	7.44 E-01	0.00 0087	8.22 E-01
LINC00520-PELI2	14	55,904,081	rs6573071	G	A	A	1.5 31	6.72 E-06	0.00 9769	4.70 E-01	0.00 0646	6.44 E-01
ERN2-CHP2	16	23,742,273	rs12447763	G	T	T	1.6 61	7.60 E-06	0.00 3303	8.54 E-01	0.00 0251	5.39 E-01
CHP2-PRKCB	16	23,784,944	rs2520017	G	A	A	1.6 16	7.94 E-06	0.00 7308	6.71 E-01	0.00 0095	8.06 E-01
CHP2-PRKCB	16	23,785,567	rs2520019	T	C	C	1.6 16	7.94 E-06	0.00 7296	6.71 E-01	0.00 0101	7.94 E-01
CHP2-PRKCB	16	23,786,091	rs11642116	A	C	C	1.6 16	7.94 E-06	0.00 7194	6.76 E-01	0.00 0055	8.88 E-01
CHP2-PRKCB	16	23,786,294	rs7196602	C	T	T	1.6 16	7.94 E-06	0.00 7304	6.71 E-01	0.00 0109	7.77 E-01
CHP2-PRKCB	16	23,787,611	rs2334246	A	T	T	1.6 16	7.94 E-06	0.00 7250	6.73 E-01	0.00 0107	7.82 E-01
CHP2-PRKCB	16	23,788,500	rs194817	G	A	A	1.6 16	7.94 E-06	0.00 7240	6.74 E-01	0.00 0107	7.82 E-01
CHP2-PRKCB	16	23,789,042	rs168974	T	A	A	1.6 16	7.94 E-06	0.00 7150	6.78 E-01	0.00 0108	7.80 E-01
CHP2-PRKCB	16	23,789,509	rs183172	T	C	C	1.6 16	7.94 E-06	0.00 7168	6.77 E-01	0.00 0118	7.61 E-01
RYR2	1	237,214,855	rs2152884	G	A	A	1.5 30	8.02 E-06	0.01 5869	2.55 E-01	0.00 0728	4.58 E-02
TM2D1	1	61,717,206	rs141073026	A	C	C	1.6 73	8.13 E-06	NA	NA	NA	NA
LINC02444-LOC100507377	12	73,222,956	rs200261514	G	GTAA T	GTAA T	2.6 44	8.25 E-06	0.01 1721	7.76 E-01	NA	NA
APOA1-AS	11	116,836,867	rs5072	A	G	A	1.5 45	8.61 E-06	0.01 1949	3.82 E-01	0.00 0046	9.41 E-01
CHP2	16	23,757,389	rs109592	C	T	T	1.6 09	8.63 E-06	0.00 4518	7.93 E-01	0.00 0087	8.23 E-01
CHP2	16	23,759,927	rs56265975	T	G	G	1.6 09	8.63 E-06	0.00 5109	7.66 E-01	0.00 0082	8.32 E-01
MIR4510-C15orf41	15	36,119,067	rs12438548	G	A	G	0.6 09	8.72 E-06	0.00 4081	8.14 E-01	0.00 0343	3.30 E-01
LINC01243-ACO1	9	32,154,607	rs199830494	G	A	G	0.6 31	8.77 E-06	NA	NA	NA	NA
CHP2-PRKCB	16	23,761,303	rs113612782	G	A	A	1.6 10	8.92 E-06	0.00 5446	7.51 E-01	0.00 0076	8.45 E-01
CHP2-PRKCB	16	23,767,186	rs187748	G	A	A	1.6 10	8.92 E-06	0.00 5659	7.40 E-01	0.00 0089	8.17 E-01
CHP2-PRKCB	16	23,768,995	rs174217	A	G	G	1.6 10	8.92 E-06	0.00 5719	7.38 E-01	0.00 0087	8.22 E-01
CHP2-PRKCB	16	23,769,092	rs2520009	C	T	T	1.6 10	8.92 E-06	0.00 5791	7.35 E-01	0.00 0090	8.17 E-01
CHP2-PRKCB	16	23,769,518	rs194797	T	C	C	1.6 10	8.92 E-06	0.00 5732	7.37 E-01	0.00 0087	8.22 E-01
PIK3C2G	12	18,556,791	rs117684941	T	C	C	0.2 49	8.95 E-06	0.00 8694	8.35 E-01	NA	NA
LINC00520-PELI2	14	55,901,317	rs4901620	G	A	A	1.5 23	8.96 E-06	0.00 9618	4.76 E-01	0.00 0396	5.50 E-01

RBFOX1	16	7,002,773	rs12921822	C	T	C	1.6 01	9.05 E-06	- 0.01 8229	2.43 E-01	- 0.00 0056	8.63 E-01
CHP2- PRKCB	16	23,763,247	rs194800	T	C	C	1.6 11	9.09 E-06	0.00 7239	6.72 E-01	0.00 0082	8.31 E-01
CHP2- PRKCB	16	23,790,378	rs10852254	T	C	C	1.6 05	9.12 E-06	0.00 7414	6.66 E-01	0.00 0125	7.48 E-01
CHP2- PRKCB	16	23,790,834	rs194815	A	G	G	1.6 05	9.12 E-06	0.00 7345	6.69 E-01	0.00 0132	7.34 E-01
CHP2- PRKCB	16	23,791,390	rs194813	T	C	C	1.6 05	9.12 E-06	0.00 7373	6.67 E-01	0.00 0139	7.19 E-01
CHP2- PRKCB	16	23,791,599	rs174219	T	C	C	1.6 05	9.12 E-06	0.00 7367	6.68 E-01	0.00 0144	7.11 E-01
LINC02530- PHACTR1	6	12,693,654	rs9357455	C	T	C	0.6 66	9.73 E-06	0.01 2942	3.34 E-01	0.00 0479	3.12 E-01

Supplementary Table 2. List of variants covered by SNP chip among 29 novel genomic loci

rsID	Gene	SNP_chip_name	Probe_ID
rs591012	TTK	Human_610_Quad	rs591012- 131_T_F_1864142653
rs2152884	RYR2	Affymetrix	SNP_A-8604630
rs12921822	RBFOX1	Affymetrix	SNP_A-1782059
rs9357455	LINC02530- PHACTR1	Human_610_Quad	rs9357455- 131_B_F_1865055879

Supplementary Table 3. List of variants covered by SNP chip among 85 suggestive variants

rsID	Gene	SNP_chip_name	Probe_ID
rs1405402	LINC02005-CNTN3	Human_610_Quad	rs1405402- 131_T_R_1857575286
rs1918101	LINC02005-CNTN3	Human_610_Quad	rs1918101- 131_T_F_1864051902
rs1918101	LINC02005-CNTN3	Affymetrix	SNP_A-1869023
rs9855437	LINC02005-CNTN3	Affymetrix	SNP_A-4224890
rs941068	LINC02005-CNTN3	Affymetrix	SNP_A-2101678
rs6770247	LINC02005-CNTN3	Affymetrix	SNP_A-1973279
rs12487132	LINC02005-CNTN3	Human_610_Quad	rs12487132- 131_B_R_1864233132
rs1958821	LINC00520-PELI2	Affymetrix	SNP_A-8422803
rs591012	TTK	Human_610_Quad	rs591012-131_T_F_1864142653
rs1526709	LINC02005-CNTN3	Human_610_Quad	rs1526709- 131_B_R_1857613674
rs12639020	LINC02005-CNTN3	Affymetrix	SNP_A-2292511
rs239576	TTK	Affymetrix	SNP_A-8669525
rs152041	CHP2	Affymetrix	SNP_A-2169720
rs12447763	ERN2-CHP2	Affymetrix	SNP_A-1836328
rs11642116	CHP2-PRKCB	Human_610_Quad	rs11642116- 131_B_R_1864207348
rs2334246	CHP2-PRKCB	Affymetrix	SNP_A-2245767
rs2152884	RYR2	Affymetrix	SNP_A-8604630
rs109592	CHP2	Affymetrix	SNP_A-4279623
rs12921822	RBFOX1	Affymetrix	SNP_A-1782059
rs9357455	LINC02530- PHACTR1	Human_610_Quad	rs9357455- 131_B_F_1865055879

Supplementary Table 4. List of variants associated with myocardial infarction in *PHACTR1* gene

Study	Variant	Nearest Gene	MAF	P-value	Effect size
Early-onset AMI associated variant in Korean Genome Project	rs9357455	LINC02530- PHACTR1	0.428	9.73E-06	0.6658 (OR)
Early-onset AMI associated variant in MI consortium	rs12526453	PHACTR1	NA	1.30E-09	1.12 (OR)
MI associated variant in BBJ	rs9349379	PHACTR1	0.35	4.00E-33	0.19 (BETA)
AMI associated variant in UK biobank	rs9349379	PHACTR1	0.5994	1.84E-06	-0.001266 (BETA)

Supplementary Table 5. Functional enrichments in PPI network of the suggestive loci

Pathway description	Pathway ID	Pathway Database	false discovery rate	matching proteins in your network (labels)
Dissolution of Fibrin Clot	HSA-75205	REACTOME	0.0304	SERPINE1,PLG,PLAUR
Complement and coagulation cascades	hsa04610	KEGG	0.0093	SERPINE1,VTN,PLG,PLAUR
Cholesterol metabolism	hsa04979	KEGG	0.0275	APOC3,APOA1,LCAT
HDL remodeling	HSA-8964058	REACTOME	0.0304	APOC3,APOA1,LCAT
RUNX1 regulates genes involved in megakaryocyte differentiation and platelet function	HSA-8936459	REACTOME	0.0391	KMT2C,RBBP5,ASH2L,WDR5
PKMTs methylate histone lysines	HSA-3214841	REACTOME	0.0304	KMT2C,RBBP5,ASH2L,WDR5

Supplementary Table 6. GWAS result belonging to complement and coagulation cascades pathway (hsa04610) in PPI network of the suggestive loci

Gene	rsID	P
PLAUR	rs78631167	2.93E-06
VTN	rs181125638	0.002132
PLG	rs679814	0.003374
SERPINE1	rs150154382	0.04715

Supplementary Table 7. GWAS result belonging to cholesterol metabolism pathway (hsa04979) in PPI network of the suggestive loci

Gene	rsID	P
APOA1	rs5072	8.61E-06
APOC3	rs5142	4.67E-05
LCAT	rs58117942	0.006333

Supplementary Table 8. eQTL of the genetic loci for early-onset AMI based on GTEx database

rsID	Gene	Gene affected by eQTL	Tissue	Beta	P
rs10232190	KMT2C	LINC01003	Heart_Atrial_Appendage	-0.614472	1.00E-06
rs10232190	KMT2C	LINC01003	Whole_Blood	-0.326114	1.16E-06
rs200715251	GOLGA8T-LINC02249	CTD-3092A11.3	Adipose_Visceral_Omentum	-0.486517	1.78E-05
rs200715251	GOLGA8T-LINC02249	CTD-3092A11.3	Thyroid	-0.419616	6.20E-05
rs200715251	GOLGA8T-LINC02249	CTD-3092A11.3	Whole_Blood	-0.322737	8.54E-05
rs200715251	GOLGA8T-LINC02249	RP11-540B6.6	Brain_Cerebellar_Hemisphere	-0.407464	9.32E-06
rs200715251	GOLGA8T-LINC02249	RP11-540B6.6	Brain_Cerebellum	-0.405055	7.04E-05
rs200715251	GOLGA8T-LINC02249	HERC2P10	Brain_Cerebellum	-0.557554	4.43E-05
rs200715251	GOLGA8T-LINC02249	RP11-932O9.10	Skin_Not_Sun_Exposed_Suprapubic	0.318915	0.000113
rs200715251	GOLGA8T-LINC02249	RP11-261B23.1	Testis	-0.533758	6.92E-05
rs591012	TTK	ELOVL4	Artery_Coronary	-0.2847	1.61E-05
rs591012	TTK	ELOVL4	Adipose_Visceral_Omentum	-0.231959	2.38E-07
rs591012	TTK	ELOVL4	Artery_Tibial	-0.29627	4.34E-17
rs591012	TTK	ELOVL4	Breast_Mammary_Tissue	-0.193601	4.63E-06
rs591012	TTK	ELOVL4	Adipose_Subcutaneous	-0.263821	9.42E-15
rs591012	TTK	ELOVL4	Cells_Cultured_fibroblasts	-0.14587	1.11E-05
rs591012	TTK	ELOVL4	Esophagus_Muscularis	-0.243759	7.86E-08
rs591012	TTK	ELOVL4	Artery_Aorta	-0.315488	4.08E-14
rs591012	TTK	ELOVL4	Lung	-0.190903	1.96E-06
rs591012	TTK	ELOVL4	Muscle_Skeletal	-0.165418	0.000137
rs591012	TTK	ELOVL4	Nerve_Tibial	-0.33485	6.90E-17
rs591012	TTK	ELOVL4	Spleen	-0.363117	1.26E-06

rs591012	TTK	TTK	Adipose_Subcutaneous	-0.16204	1.14E-05
rs591012	TTK	TTK	Cells_Cultured_fibroblasts	-0.066961	1.19E-05
rs591012	TTK	RP11-250B2.5	Skin_Not_Sun_Exposed_Suprapubic	0.130621	0.000323
rs1614576	ERN2-CHP2	PRKCB	Artery_Tibial	0.305911	2.75E-14
rs1614576	ERN2-CHP2	PRKCB	Colon_Sigmoid	0.304845	1.31E-08
rs1614576	ERN2-CHP2	PRKCB	Adipose_Subcutaneous	-0.125373	0.000133
rs1614576	ERN2-CHP2	PRKCB	Colon_Transverse	0.163531	2.48E-05
rs1614576	ERN2-CHP2	PRKCB	Esophagus_Gastroesophageal_Junction	0.293643	1.18E-08
rs1614576	ERN2-CHP2	PRKCB	Esophagus_Muscularis	0.378902	3.33E-18
rs1614576	ERN2-CHP2	PRKCB	Artery_Aorta	0.306525	1.22E-09
rs5072	APOA1-AS	RP11-109L13.1	Artery_Coronary	-0.976779	8.80E-12
rs5072	APOA1-AS	RP11-109L13.1	Heart_Left_Ventricle	-0.927041	1.67E-13
rs5072	APOA1-AS	RP11-109L13.1	Adrenal_Gland	-0.834243	1.09E-08
rs5072	APOA1-AS	RP11-109L13.1	Adipose_Visceral_Omentum	-0.839566	8.57E-14
rs5072	APOA1-AS	RP11-109L13.1	Artery_Tibial	-0.965368	9.71E-26
rs5072	APOA1-AS	RP11-109L13.1	Breast_Mammary_Tissue	-0.992114	1.99E-15
rs5072	APOA1-AS	RP11-109L13.1	Colon_Sigmoid	-1.02263	4.83E-15
rs5072	APOA1-AS	RP11-109L13.1	Brain_Cerebellum	-0.919718	8.11E-06
rs5072	APOA1-AS	RP11-109L13.1	Brain_Cortex	-0.829108	8.89E-06
rs5072	APOA1-AS	RP11-109L13.1	Brain_Hypothalamus	-1.1296	9.62E-08
rs5072	APOA1-AS	RP11-109L13.1	Brain_Nucleus_accumbens_basal_ganglia	-0.993106	3.40E-07

rs5072	APOA1-AS	RP11-109L13.1	Adipose_Subcutaneous	-1.03097	2.60E-25
rs5072	APOA1-AS	RP11-109L13.1	Cells_Cultured_fibroblasts	-0.870145	1.06E-16
rs5072	APOA1-AS	RP11-109L13.1	Cells_EBV-transformed_lymphocytes	-1.02561	5.25E-07
rs5072	APOA1-AS	RP11-109L13.1	Colon_Transverse	-0.756891	5.99E-11
rs5072	APOA1-AS	RP11-109L13.1	Esophagus_Gastroesophageal_Junction	-0.856053	9.24E-11
rs5072	APOA1-AS	RP11-109L13.1	Esophagus_Mucosa	-0.862108	1.65E-16
rs5072	APOA1-AS	RP11-109L13.1	Esophagus_Muscularis	-0.995614	1.15E-21
rs5072	APOA1-AS	RP11-109L13.1	Artery_Aorta	-0.856398	4.75E-14
rs5072	APOA1-AS	RP11-109L13.1	Heart_Atrial_Appendage	-1.04877	3.68E-16
rs5072	APOA1-AS	RP11-109L13.1	Lung	-0.968593	1.56E-20
rs5072	APOA1-AS	RP11-109L13.1	Minor_Salivary_Gland	-1.08636	7.51E-08
rs5072	APOA1-AS	RP11-109L13.1	Muscle_Skeletal	-0.881122	3.64E-26
rs5072	APOA1-AS	RP11-109L13.1	Nerve_Tibial	-1.00538	2.62E-22
rs5072	APOA1-AS	RP11-109L13.1	Ovary	-0.759525	9.55E-06
rs5072	APOA1-AS	RP11-109L13.1	Pituitary	-1.0436	1.19E-09
rs5072	APOA1-AS	RP11-109L13.1	Prostate	-0.855753	3.68E-08
rs5072	APOA1-AS	RP11-109L13.1	Skin_Not_Sun_Exposed_Suprapubic	-0.891247	1.96E-18

rs5072	APOA1-AS	RP11-109L13.1	Skin_Sun_Exposed_Lower_leg	-1.03835	1.12E-29
rs5072	APOA1-AS	RP11-109L13.1	Small_Intestine_Terminal_Ileum	-0.884315	2.97E-05
rs5072	APOA1-AS	RP11-109L13.1	Stomach	-0.757493	6.84E-10
rs5072	APOA1-AS	RP11-109L13.1	Testis	-1.11959	4.98E-15
rs5072	APOA1-AS	RP11-109L13.1	Thyroid	-0.861599	6.88E-20
rs5072	APOA1-AS	RP11-109L13.1	Vagina	-0.854392	2.16E-06
rs5072	APOA1-AS	RP11-109L13.1	Liver	-0.74007	2.19E-06
rs5072	APOA1-AS	RP11-109L13.1	Pancreas	-0.955849	7.68E-14
rs5072	APOA1-AS	RP11-109L13.1	Spleen	-0.877279	6.71E-09
rs5072	APOA1-AS	RP11-109L13.1	Whole_Blood	-0.858641	1.92E-23
rs5072	APOA1-AS	AP000892.6	Heart_Left_Ventricle	0.390127	1.93E-07
rs5072	APOA1-AS	AP000892.6	Adipose_Visceral_Omentum	0.329449	3.04E-09
rs5072	APOA1-AS	AP000892.6	Artery_Tibial	0.485151	4.52E-17
rs5072	APOA1-AS	AP000892.6	Colon_Sigmoid	0.353027	5.96E-06
rs5072	APOA1-AS	AP000892.6	Adipose_Subcutaneous	0.418755	6.38E-15
rs5072	APOA1-AS	AP000892.6	Cells_Cultured_fibroblasts	0.255656	1.61E-05
rs5072	APOA1-AS	AP000892.6	Colon_Transverse	0.251488	9.82E-07
rs5072	APOA1-AS	AP000892.6	Esophagus_Mucosa	0.423246	5.35E-10
rs5072	APOA1-AS	AP000892.6	Esophagus_Muscularis	0.419377	3.47E-08
rs5072	APOA1-AS	AP000892.6	Artery_Aorta	0.560885	1.22E-13
rs5072	APOA1-AS	AP000892.6	Heart_Atrial_Appendage	0.50339	2.24E-10
rs5072	APOA1-AS	AP000892.6	Lung	0.371691	2.73E-10
rs5072	APOA1-AS	AP000892.6	Muscle_Skeletal	0.341494	2.71E-15
rs5072	APOA1-AS	AP000892.6	Nerve_Tibial	0.593742	4.54E-18

rs5072	APOA1-AS	AP000892.6	Pituitary	0.484116	3.12E-05
rs5072	APOA1-AS	AP000892.6	Prostate	0.34573	7.47E-06
rs5072	APOA1-AS	AP000892.6	Skin_Not_Sun_Exposed_S uprapubic	0.434041	4.58E-11
rs5072	APOA1-AS	AP000892.6	Skin_Sun_Exposed_Lower _leg	0.480958	1.75E-21
rs5072	APOA1-AS	AP000892.6	Stomach	0.325936	3.83E-08
rs5072	APOA1-AS	AP000892.6	Testis	0.731808	2.32E-12
rs5072	APOA1-AS	AP000892.6	Thyroid	0.39329	9.55E-14
rs5072	APOA1-AS	AP000892.6	Liver	0.635195	9.45E-09
rs5072	APOA1-AS	AP000892.6	Spleen	0.434425	1.81E-06
rs5072	APOA1-AS	AP000892.6	Whole_Blood	0.204766	1.09E-09
rs5072	APOA1-AS	PAFAH1B2	Cells_Cultured_fibroblasts	0.119835	0.000168
rs5072	APOA1-AS	PCSK7	Cells_Cultured_fibroblasts	-0.224947	3.96E-11
rs5072	APOA1-AS	PCSK7	Lung	-0.157533	8.54E-05
rs5072	APOA1-AS	PCSK7	Skin_Sun_Exposed_Lower _leg	-0.230749	7.50E-07
rs5072	APOA1-AS	SIDT2	Lung	0.301122	2.71E-08
rs5072	APOA1-AS	SIDT2	Nerve_Tibial	0.173301	0.00012
rs5072	APOA1-AS	SIDT2	Thyroid	0.244384	6.78E-07
rs5072	APOA1-AS	SIDT2	Whole_Blood	0.405449	1.76E-13
rs5072	APOA1-AS	AP006216.5	Testis	0.457587	1.80E-07
rs5072	APOA1-AS	TAGLN	Testis	0.3	1.72E-05
rs5072	APOA1-AS	TAGLN	Whole_Blood	0.55822	3.42E-14

Supplementary Table 9. sQTL of the genetic loci for early-onset AMI based on GTEx database

rsID	Gene	Gene affected by sQTL	Tissue	Beta	<i>P</i>
rs591012	TTK	TTK	Cells_Cultured_fibroblasts	0.416946	2.12E-15
rs591012	TTK	TTK	Cells_EBV-transformed_lymphocytes	1.00092	6.65E-14
rs5072	APOA1-AS	TAGLN	Adipose_Visceral_Omentum	0.605286	1.39E-08
rs5072	APOA1-AS	TAGLN	Adrenal_Gland	0.62809	8.28E-06
rs5072	APOA1-AS	TAGLN	Heart_Left_Ventricle	0.553836	2.43E-06
rs5072	APOA1-AS	TAGLN	Cells_Cultured_fibroblasts	0.586946	4.54E-12
rs5072	APOA1-AS	TAGLN	Esophagus_Mucosa	0.448777	6.25E-07
rs5072	APOA1-AS	TAGLN	Lung	0.510228	1.14E-09
rs5072	APOA1-AS	TAGLN	Heart_Atrial_Appendage	0.789882	4.34E-12
rs5072	APOA1-AS	TAGLN	Skin_Not_Sun_Exposed_Suprapubic	-0.336996	1.29E-05
rs5072	APOA1-AS	TAGLN	Skin_Sun_Exposed_Lower_leg	-0.336166	9.54E-08
rs5072	APOA1-AS	PAFAH1B2	Testis	-0.58628	2.01E-06
rs5072	APOA1-AS	TAGLN	Testis	-0.712932	1.14E-07
rs5072	APOA1-AS	TAGLN	Thyroid	0.54182	4.27E-10

Supplementary Table 10. mQTL of the genetic loci for early-onset AMI based on mQTLdb

rsID	Gene	CpG	Gene affected by mQTL	Life stage based on mQTLdb	Beta	<i>P</i>	FDR
rs2323404	LINC02005-CNTN3	cg08015278	None	adolescence	-0.722257	5.99E-28	2.07E-21
rs2323404	LINC02005-CNTN3	cg08015278	None	birth	-0.601274	4.88E-18	1.19E-11
rs2323404	LINC02005-CNTN3	cg08015278	None	childhood	-0.696064	9.02E-25	2.66E-18
rs2323404	LINC02005-CNTN3	cg08015278	None	middle aged	-0.703125	1.03E-24	4.38E-18
rs2323404	LINC02005-CNTN3	cg08015278	None	pregnancy	-0.709891	1.58E-23	6.12E-17
rs10232190	KMT2C	cg27406678	NKX6-1	pregnancy	0.771899	7.41E-08	0.043642
rs591012	TTK	cg24433016	TTK	adolescence	-0.663543	1.07E-62	1.14E-55
rs591012	TTK	cg08355045	None	adolescence	-0.47803	2.38E-30	6.99E-24
rs591012	TTK	cg19323245	TTK	adolescence	0.354854	5.04E-29	1.42E-22
rs591012	TTK	cg01684562	TTK	adolescence	-0.314705	6.92E-15	7.72E-09
rs591012	TTK	cg21329085	TTK	adolescence	-0.308465	4.81E-14	4.98E-08
rs591012	TTK	cg24433016	TTK	birth	-0.471394	5.22E-30	2.18E-23
rs591012	TTK	cg08355045	None	birth	-0.473387	2.56E-28	1.03E-21
rs591012	TTK	cg19323245	TTK	birth	0.246831	3.88E-14	5.79E-08
rs591012	TTK	cg01684562	TTK	birth	-0.279309	1.86E-11	2.11E-05
rs591012	TTK	cg21329085	TTK	birth	-0.336553	2.56E-15	4.29E-09
rs591012	TTK	cg24433016	TTK	childhood	-0.560705	6.58E-44	4.61E-37
rs591012	TTK	cg08355045	None	childhood	-0.526377	1.06E-34	3.39E-28
rs591012	TTK	cg19323245	TTK	childhood	0.272421	4.21E-19	6.01E-13
rs591012	TTK	cg01684562	TTK	childhood	-0.241488	7.07E-10	0.000493
rs591012	TTK	cg21329085	TTK	childhood	-0.415765	1.80E-25	4.00E-19
rs591012	TTK	cg24433016	TTK	middle aged	-0.606547	2.23E-54	2.28E-47
rs591012	TTK	cg08355045	None	middle aged	-0.476405	1.02E-28	3.92E-22
rs591012	TTK	cg19323245	TTK	middle aged	0.280078	1.47E-17	2.42E-11
rs591012	TTK	cg01684562	TTK	middle aged	-0.372291	3.22E-18	5.61E-12

rs591012	TTK	cg21329085	TTK	middle aged	-0.370949	4.47E-17	7.07E-11
rs591012	TTK	cg24433016	TTK	pregnancy	-0.585921	2.77E-43	1.86E-36
rs591012	TTK	cg08355045	None	pregnancy	-0.467062	5.01E-25	1.48E-18
rs591012	TTK	cg19323245	TTK	pregnancy	0.271854	1.96E-14	2.36E-08
rs591012	TTK	cg01684562	TTK	pregnancy	-0.30438	1.94E-13	2.15E-07
rs591012	TTK	cg21329085	TTK	pregnancy	-0.320726	6.86E-14	7.85E-08
rs1614576	ERN2- CHP2	cg26685404	PRKCB	adolescence	0.433301	6.66E-24	1.25E-17
rs1614576	ERN2- CHP2	cg24250393	PRKCB	adolescence	-0.340804	1.97E-14	2.27E-08
rs1614576	ERN2- CHP2	cg26685404	PRKCB	birth	0.487009	1.60E-24	4.51E-18
rs1614576	ERN2- CHP2	cg26685404	PRKCB	childhood	0.427774	7.91E-22	1.34E-15
rs1614576	ERN2- CHP2	cg24250393	PRKCB	childhood	-0.326391	1.01E-12	9.57E-07
rs1614576	ERN2- CHP2	cg26685404	PRKCB	middle aged	0.41328	1.02E-21	2.14E-15
rs1614576	ERN2- CHP2	cg24250393	PRKCB	middle aged	-0.414914	2.64E-17	4.22E-11
rs1614576	ERN2- CHP2	cg26685404	PRKCB	pregnancy	0.479934	4.67E-23	8.97E-17
rs5072	APOA1-AS	cg11861562	TAGLN	adolescence	-0.781143	9.40E-21	5.42E-15
rs5072	APOA1-AS	cg10130564	TAGLN	adolescence	-0.721764	1.77E-18	9.12E-13
rs5072	APOA1-AS	cg26566898	TAGLN	adolescence	-0.726552	2.32E-18	1.18E-12
rs5072	APOA1-AS	cg15534755	TAGLN	adolescence	-0.579174	3.76E-14	1.39E-08
rs5072	APOA1-AS	cg16524733	TAGLN	adolescence	-0.604314	1.31E-12	4.25E-07
rs5072	APOA1-AS	cg20608306	SIK3	adolescence	-0.494754	1.50E-12	4.82E-07
rs5072	APOA1-AS	cg05256304	SIK3	adolescence	-0.421261	1.12E-09	0.000271
rs5072	APOA1-AS	cg11861562	TAGLN	birth	-0.639393	4.57E-14	2.33E-08
rs5072	APOA1-AS	cg10130564	TAGLN	birth	-0.674137	2.49E-15	1.40E-09
rs5072	APOA1-AS	cg26566898	TAGLN	birth	-0.733155	3.53E-17	2.31E-11
rs5072	APOA1-AS	cg15534755	TAGLN	birth	-0.719382	2.38E-18	1.65E-12
rs5072	APOA1-AS	cg16524733	TAGLN	birth	-0.567948	2.37E-11	8.88E-06

rs5072	APOA1-AS	cg19299755	None	birth	0.435344	5.56E-08	0.013574
rs5072	APOA1-AS	cg11861562	TAGLN	childhood	-0.830234	8.96E-24	5.71E-18
rs5072	APOA1-AS	cg10130564	TAGLN	childhood	-0.866268	4.49E-27	3.38E-21
rs5072	APOA1-AS	cg26566898	TAGLN	childhood	-0.818775	8.76E-23	5.36E-17
rs5072	APOA1-AS	cg15534755	TAGLN	childhood	-0.771681	4.05E-24	2.64E-18
rs5072	APOA1-AS	cg16524733	TAGLN	childhood	-0.701469	4.12E-17	1.82E-11
rs5072	APOA1-AS	cg20608306	SIK3	childhood	-0.450305	3.97E-11	1.04E-05
rs5072	APOA1-AS	cg11861562	TAGLN	middle aged	-0.739044	1.21E-15	6.68E-10
rs5072	APOA1-AS	cg10130564	TAGLN	middle aged	-0.781847	1.85E-18	1.35E-12
rs5072	APOA1-AS	cg26566898	TAGLN	middle aged	-0.776034	3.79E-17	2.35E-11
rs5072	APOA1-AS	cg15534755	TAGLN	middle aged	-0.667174	1.91E-15	1.04E-09
rs5072	APOA1-AS	cg16524733	TAGLN	middle aged	-0.643574	2.78E-12	1.04E-06
rs5072	APOA1-AS	cg20608306	SIK3	middle aged	-0.396527	1.40E-08	0.003402
rs5072	APOA1-AS	cg11861562	TAGLN	pregnancy	-0.795328	4.43E-19	3.05E-13
rs5072	APOA1-AS	cg10130564	TAGLN	pregnancy	-0.767414	2.47E-18	1.61E-12
rs5072	APOA1-AS	cg26566898	TAGLN	pregnancy	-0.787396	6.83E-19	4.64E-13
rs5072	APOA1-AS	cg15534755	TAGLN	pregnancy	-0.703124	1.58E-17	9.67E-12
rs5072	APOA1-AS	cg16524733	TAGLN	pregnancy	-0.691381	2.14E-15	1.14E-09
rs5072	APOA1-AS	cg05256304	SIK3	pregnancy	-0.522113	8.76E-11	2.72E-05
rs12921822	RBFOX1	cg06271387	A2BP1	middle aged	0.292434	1.64E-09	0.003242
rs12921822	RBFOX1	cg06271387	A2BP1	pregnancy	0.28483	1.54E-09	0.002841

References

1. Martin M. Cutadapt removes adapter sequences from high-throughput sequencing reads. *EMBnet journal*. 2011;17:10-12.
2. Li H and Durbin R. Fast and accurate short read alignment with Burrows–Wheeler transform. *bioinformatics*. 2009;25:1754-1760.
3. Poplin R, Ruano-Rubio V, DePristo MA, Fennell TJ, Carneiro MO, Van der Auwera GA, Kling DE, Gauthier LD, Levy-Moonshine A and Roazen D. Scaling accurate genetic variant discovery to tens of thousands of samples. *BioRxiv*. 2017:201178.
4. McLaren W, Gil L, Hunt SE, Riat HS, Ritchie GR, Thormann A, Flicek P and Cunningham F. The ensembl variant effect predictor. *Genome biology*. 2016;17:1-14.
5. Wang K, Li M and Hakonarson H. ANNOVAR: functional annotation of genetic variants from high-throughput sequencing data. *Nucleic acids research*. 2010;38:e164-e164.
6. Purcell S, Neale B, Todd-Brown K, Thomas L, Ferreira MA, Bender D, Maller J, Sklar P, De Bakker PI and Daly MJ. PLINK: a tool set for whole-genome association and population-based linkage analyses. *The American journal of human genetics*. 2007;81:559-575.
7. Muyas F, Bosio M, Puig A, Susak H, Domènech L, Escaramis G, Zapata L, Demidov G, Estivill X and Rabionet R. Allele balance bias identifies systematic genotyping errors and false disease associations. *Human mutation*. 2019;40:115-126.
8. Szklarczyk D, Gable AL, Lyon D, Junge A, Wyder S, Huerta-Cepas J, Simonovic M, Doncheva NT, Morris JH and Bork P. STRING v11: protein–protein association networks with increased coverage, supporting functional discovery in genome-wide experimental datasets. *Nucleic acids research*. 2019;47:D607-D613.