

## Supplemental Information

Table 1

Generalized linear models with spousal support predicting epigenetic aging.

Models	Horvath			Hannum			PhenoAge			GrimAge			Dunedin PoAm		
	<i>B</i>	<i>SE</i>	<i>95% CI</i>	<i>B</i>	<i>SE</i>	<i>95% CI</i>	<i>B</i>	<i>SE</i>	<i>95% CI</i>	<i>B</i>	<i>SE</i>	<i>95% CI</i>	<i>B</i>	<i>SE</i>	<i>95% CI</i>
1. Support with spouse	0.03	0.23	-0.43, 0.49	-0.38	0.18	-0.75, -0.01	<b>-0.61</b>	<b>0.25</b>	<b>-1.11, -0.11</b>	<b>-0.34</b>	<b>0.12</b>	<b>-0.59, -0.09</b>	<b>-0.008</b>	<b>0.003</b>	<b>-0.015, -0.002</b>
Age	0.76	0.02	0.72, 0.79	0.80	0.01	0.77, 0.82	0.79	0.02	0.74, 0.83	0.78	0.01	0.76, 0.80	0.001	0.000	0.000, 0.001
Female sex	-0.69	0.28	-1.25, -0.13	-1.82	0.24	-2.30, -1.33	-1.12	0.38	-1.89, -0.35	-3.25	0.24	-3.73, -2.77	-0.020	0.004	-0.029, -0.011
Race/ethnicity															
Non-Hispanic Black	0.27	0.50	-0.73, 1.27	-1.52	0.44	-2.40, -0.64	0.65	0.69	-0.74, 2.04	1.68	0.34	1.00, 2.37	0.028	0.009	0.011, 0.046
Hispanic	-1.33	0.55	-2.43, -0.23	0.06	0.36	-0.65, 0.77	-0.06	0.39	-0.85, 0.72	0.17	0.36	-0.55, 0.89	0.009	0.008	-0.007, 0.025
Non-Hispanic other race	0.85	0.65	-0.47, 2.16	-0.30	0.52	-1.35, 0.74	-0.47	1.03	-2.53, 1.60	-0.08	0.60	-1.28, 1.13	0.021	0.015	-0.010, 0.052
<i>N</i> = 2,714															
2. Support with spouse	0.03	0.22	-0.42, 0.47	-0.34	0.17	-0.69, 0.01	-0.53	0.25	-1.03, -0.03	-0.10	0.12	-0.35, 0.15	-0.005	0.003	-0.011, 0.002
Age	0.77	0.02	0.73, 0.81	0.80	0.01	0.78, 0.83	0.80	0.02	0.75, 0.84	0.81	0.01	0.79, 0.83	0.001	0.000	0.001, 0.002
Female sex	-0.56	0.26	-1.08, -0.04	-1.77	0.25	-2.28, -1.26	-1.00	0.41	-1.82, -0.17	-2.78	0.21	-3.20, -2.37	-0.013	0.004	-0.021, -0.006
Race/ethnicity															
Non-Hispanic Black	0.31	0.51	-0.72, 1.33	-1.64	0.47	-2.58, -0.69	0.44	0.73	-1.03, 1.92	1.19	0.33	0.52, 1.87	0.021	0.008	0.005, 0.038
Hispanic	-1.22	0.53	-2.29, -0.15	-0.10	0.40	-0.91, 0.70	-0.54	0.46	-1.46, 0.38	-0.47	0.33	-1.13, 0.20	0.001	0.008	-0.016, 0.018
Non-Hispanic other race	0.96	0.65	-0.37, 2.28	-0.33	0.54	-1.42, 0.76	-0.40	0.94	-2.31, 1.51	0.26	0.57	-0.90, 1.41	0.026	0.015	-0.005, 0.056
Educational attainment															
Less than high school	-0.63	0.42	-1.48, 0.22	0.02	0.44	-0.86, 0.90	0.99	0.64	-0.29, 2.28	1.73	0.27	1.19, 2.28	0.020	0.006	0.008, 0.032
High school diploma/GED	-0.23	0.36	-0.97, 0.51	0.04	0.29	-0.54, 0.62	0.25	0.46	-0.68, 1.18	1.15	0.23	0.69, 1.62	0.011	0.005	0.002, 0.021
Some college	-0.41	0.41	-1.23, 0.42	-0.30	0.34	-0.99, 0.40	0.25	0.40	-0.55, 1.06	0.94	0.27	0.41, 1.48	0.009	0.005	-0.002, 0.019
BMI category															
Overweight ( $\geq 25$ to $< 30$ )	-0.35	0.38	-1.11, 0.42	-0.19	0.34	-0.87, 0.49	-0.32	0.46	-1.24, 0.61	0.13	0.24	-0.36, 0.61	-0.001	0.005	-0.010, 0.009
Obese I ( $\geq 30$ to $< 35$ )	0.43	0.42	-0.41, 1.28	0.41	0.36	-0.31, 1.13	0.48	0.44	-0.42, 1.38	0.80	0.28	0.24, 1.37	0.009	0.004	0.000, 0.018
Obese II ( $\geq 35$ )	1.04	0.54	-0.04, 2.13	1.11	0.37	0.36, 1.87	1.39	0.59	0.20, 2.57	1.76	0.26	1.23, 2.28	0.032	0.006	0.020, 0.045
Smoking status															
Current	0.01	0.59	-1.18, 1.20	0.58	0.43	-0.29, 1.44	1.16	0.63	-0.11, 2.43	7.25	0.32	6.60, 7.89	0.125	0.008	0.108, 0.142
Former	0.38	0.31	-0.23, 1.00	0.11	0.26	-0.41, 0.64	0.26	0.30	-0.34, 0.87	1.94	0.16	1.62, 2.26	0.027	0.004	0.020, 0.035
Alcohol use															
1-4 drinks per day	-0.13	0.34	-0.82, 0.55	-0.32	0.25	-0.84, 0.19	-0.05	0.39	-0.83, 0.74	-0.24	0.16	-0.57, 0.09	-0.004	0.004	-0.011, 0.004
5+ drinks per day	1.86	1.11	-0.39, 4.10	0.85	0.75	-0.66, 2.36	2.38	0.85	0.65, 4.10	1.51	0.72	0.07, 2.96	0.005	0.013	-0.021, 0.031
<i>N</i> = 2,714															

Note. PoAm = Pace of Aging methylation; *CI* = confidence interval. Bold font denotes statistically significant association following false discovery rate correction.

Table 2

Generalized linear models with spousal strain predicting epigenetic aging.

Models	Horvath			Hannum			PhenoAge			GrimAge			Dunedin PoAm		
	<i>B</i>	<i>SE</i>	<i>95% CI</i>	<i>B</i>	<i>SE</i>	<i>95% CI</i>	<i>B</i>	<i>SE</i>	<i>95% CI</i>	<i>B</i>	<i>SE</i>	<i>95% CI</i>	<i>B</i>	<i>SE</i>	<i>95% CI</i>
1. Strain with spouse	0.01	0.22	-0.43, 0.46	0.35	0.14	0.06, 0.63	0.17	0.21	-0.26, 0.60	-0.15	0.14	-0.42, 0.13	0.003	0.003	-0.003, 0.010
Age	0.76	0.02	0.72, 0.80	0.80	0.01	0.77, 0.83	0.79	0.02	0.75, 0.83	0.78	0.01	0.76, 0.80	0.001	0.000	0.000, 0.001
Female sex	-0.69	0.28	-1.24, -0.13	-1.73	0.24	-2.21, -1.26	-1.01	0.38	-1.78, -0.24	-3.21	0.23	-3.67, -2.74	-0.018	0.005	-0.027, -0.009
Race/ethnicity															
Non-Hispanic Black	0.22	0.52	-0.82, 1.26	-1.42	0.43	-2.29, -0.55	0.84	0.71	-0.59, 2.28	1.75	0.35	1.05, 2.45	0.030	0.008	0.013, 0.047
Hispanic	-1.38	0.55	-2.49, -0.28	0.12	0.35	-0.59, 0.83	0.06	0.39	-0.72, 0.84	0.27	0.36	-0.44, 0.99	0.010	0.008	-0.006, 0.026
Non-Hispanic other race	0.81	0.65	-0.50, 2.11	-0.36	0.52	-1.40, 0.69	-0.34	1.01	-2.37, 1.68	0.05	0.59	-1.13, 1.23	0.023	0.015	-0.008, 0.054
<i>N</i> = 2,699															
2. Strain with spouse	-0.03	0.22	-0.47, 0.42	0.30	0.14	0.02, 0.57	0.11	0.22	-0.33, 0.55	-0.21	0.12	-0.44, 0.03	0.002	0.003	-0.004, 0.009
Age	0.77	0.02	0.73, 0.81	0.81	0.01	0.78, 0.83	0.80	0.02	0.76, 0.85	0.81	0.01	0.79, 0.83	0.001	0.000	0.001, 0.002
Female sex	-0.55	0.26	-1.07, -0.02	-1.69	0.24	-2.18, -1.20	-0.89	0.40	-1.70, -0.08	-2.78	0.20	-3.19, -2.37	-0.013	0.004	-0.021, -0.005
Race/ethnicity															
Non-Hispanic Black	0.27	0.52	-0.79, 1.33	-1.55	0.46	-2.47, -0.62	0.60	0.76	-0.93, 2.14	1.18	0.35	0.48, 1.88	0.022	0.008	0.006, 0.039
Hispanic	-1.24	0.53	-2.32, -0.17	-0.07	0.38	-0.84, 0.71	-0.46	0.46	-1.39, 0.48	-0.46	0.34	-1.14, 0.23	0.001	0.009	-0.016, 0.019
Non-Hispanic other race	0.93	0.65	-0.39, 2.25	-0.39	0.54	-1.48, 0.71	-0.29	0.92	-2.16, 1.57	0.29	0.55	-0.83, 1.41	0.026	0.015	-0.004, 0.057
Educational attainment															
Less than high school	-0.66	0.44	-1.54, 0.22	0.07	0.43	-0.80, 0.93	1.09	0.66	-0.24, 2.42	1.85	0.25	1.34, 2.36	0.021	0.006	0.009, 0.033
High school diploma/GED	-0.23	0.37	-0.96, 0.51	0.02	0.28	-0.54, 0.59	0.29	0.47	-0.66, 1.23	1.17	0.24	0.69, 1.64	0.012	0.005	0.002, 0.021
Some college	-0.37	0.41	-1.21, 0.47	-0.28	0.34	-0.97, 0.41	0.31	0.40	-0.49, 1.11	0.96	0.26	0.44, 1.48	0.009	0.005	-0.001, 0.020
BMI category															
Overweight ( $\geq 25$ to $< 30$ )	-0.33	0.38	-1.09, 0.44	-0.19	0.34	-0.88, 0.51	-0.29	0.47	-1.24, 0.66	0.15	0.23	-0.33, 0.62	0.000	0.005	-0.010, 0.009
Obese I ( $\geq 30$ to $< 35$ )	0.46	0.42	-0.39, 1.31	0.40	0.37	-0.34, 1.14	0.49	0.44	-0.41, 1.39	0.81	0.28	0.24, 1.37	0.009	0.004	0.000, 0.018
Obese II ( $\geq 35$ )	1.13	0.55	0.02, 2.24	1.13	0.37	0.39, 1.88	1.48	0.58	0.32, 2.64	1.81	0.27	1.27, 2.36	0.032	0.006	0.019, 0.045
Smoking status															
Current	0.05	0.59	-1.15, 1.25	0.61	0.43	-0.26, 1.48	1.21	0.63	-0.06, 2.48	7.22	0.31	6.59, 7.86	0.125	0.008	0.109, 0.142
Former	0.40	0.31	-0.23, 1.02	0.16	0.27	-0.38, 0.70	0.31	0.29	-0.28, 0.90	1.95	0.16	1.64, 2.27	0.028	0.004	0.020, 0.035
Alcohol use															
1-4 drinks per day	-0.13	0.34	-0.81, 0.55	-0.37	0.26	-0.89, 0.16	-0.07	0.39	-0.86, 0.73	-0.27	0.16	-0.60, 0.06	-0.004	0.004	-0.011, 0.003
5+ drinks per day	1.87	1.10	-0.36, 4.10	0.80	0.76	-0.74, 2.34	2.30	0.86	0.56, 4.03	1.45	0.71	0.01, 2.89	0.004	0.013	-0.022, 0.030
<i>N</i> = 2,699															

Note. PoAm = Pace of Aging methylation; *CI* = confidence interval. Bold font denotes statistically significant association following false discovery rate correction.

Table 3

Generalized linear models with support with children predicting epigenetic aging.

Models	Horvath			Hannum			PhenoAge			GrimAge			Dunedin PoAm		
	<i>B</i>	<i>SE</i>	<i>95% CI</i>	<i>B</i>	<i>SE</i>	<i>95% CI</i>	<i>B</i>	<i>SE</i>	<i>95% CI</i>	<i>B</i>	<i>SE</i>	<i>95% CI</i>	<i>B</i>	<i>SE</i>	<i>95% CI</i>
1. Support with children	-0.16	0.21	-0.59, 0.27	-0.15	0.16	-0.46, 0.17	<b>-0.47</b>	<b>0.20</b>	<b>-0.87, -0.06</b>	<b>-0.39</b>	<b>0.12</b>	<b>-0.63, -0.15</b>	<b>-0.008</b>	<b>0.003</b>	<b>-0.013, -0.003</b>
Age	0.75	0.02	0.72, 0.78	0.79	0.01	0.77, 0.81	0.78	0.02	0.75, 0.82	0.78	0.01	0.76, 0.80	0.001	0.000	0.001, 0.001
Female sex	-0.92	0.26	-1.44, -0.39	-1.83	0.21	-2.25, -1.42	-1.23	0.35	-1.93, -0.53	-3.18	0.21	-3.60, -2.75	-0.018	0.004	-0.026, -0.009
Race/ethnicity															
Non-Hispanic Black	0.04	0.40	-0.77, 0.84	-1.67	0.35	-2.38, -0.96	0.71	0.52	-0.33, 1.76	1.84	0.27	1.29, 2.40	0.034	0.007	0.020, 0.048
Hispanic	-1.38	0.44	-2.26, -0.50	0.19	0.27	-0.36, 0.74	0.06	0.33	-0.61, 0.73	0.14	0.30	-0.47, 0.75	0.010	0.007	-0.005, 0.024
Non-Hispanic other race	0.93	0.58	-0.24, 2.10	-0.19	0.47	-1.14, 0.75	0.58	1.00	-1.42, 2.58	0.25	0.53	-0.81, 1.32	0.024	0.014	-0.004, 0.053
<i>N</i> = 3,306															
2. Support with children	-0.13	0.22	-0.56, 0.31	-0.10	0.16	-0.42, 0.22	-0.39	0.20	-0.80, 0.02	-0.25	0.11	-0.46, -0.03	-0.006	0.002	-0.010, -0.001
Age	0.76	0.02	0.72, 0.79	0.79	0.01	0.77, 0.82	0.79	0.02	0.76, 0.83	0.80	0.01	0.78, 0.82	0.001	0.000	0.001, 0.002
Female sex	-0.89	0.26	-1.42, -0.36	-1.89	0.21	-2.32, -1.47	-1.20	0.37	-1.94, -0.45	-2.97	0.18	-3.33, -2.60	-0.016	0.004	-0.024, -0.009
Race/ethnicity															
Non-Hispanic Black	-0.01	0.41	-0.84, 0.81	-1.85	0.38	-2.61, -1.09	0.45	0.56	-0.69, 1.59	1.35	0.27	0.80, 1.90	0.026	0.007	0.012, 0.040
Hispanic	-1.38	0.44	-2.26, -0.49	-0.02	0.31	-0.65, 0.61	-0.45	0.45	-1.36, 0.45	-0.49	0.29	-1.09, 0.10	0.001	0.007	-0.014, 0.016
Non-Hispanic other race	0.97	0.58	-0.20, 2.15	-0.28	0.50	-1.28, 0.72	0.61	0.93	-1.26, 2.48	0.57	0.51	-0.46, 1.60	0.029	0.014	0.000, 0.057
Educational attainment															
Less than high school	-0.18	0.45	-1.09, 0.72	0.13	0.43	-0.74, 1.00	1.08	0.62	-0.18, 2.34	1.76	0.22	1.31, 2.21	0.022	0.005	0.012, 0.032
High school diploma/GED	-0.14	0.35	-0.84, 0.56	-0.01	0.26	-0.54, 0.52	0.27	0.41	-0.55, 1.09	1.16	0.17	0.82, 1.51	0.014	0.005	0.005, 0.024
Some college	-0.32	0.34	-1.00, 0.37	-0.41	0.30	-1.02, 0.21	0.27	0.40	-0.53, 1.08	1.01	0.21	0.59, 1.42	0.011	0.004	0.003, 0.019
BMI category															
Overweight ( $\geq 25$ to $< 30$ )	-0.31	0.35	-1.02, 0.40	-0.16	0.33	-0.84, 0.51	-0.21	0.41	-1.03, 0.62	0.08	0.23	-0.38, 0.55	-0.001	0.004	-0.010, 0.008
Obese I ( $\geq 30$ to $< 35$ )	0.35	0.39	-0.42, 1.13	0.29	0.36	-0.45, 1.02	0.41	0.43	-0.45, 1.27	0.52	0.27	-0.02, 1.06	0.009	0.004	0.001, 0.017
Obese II ( $\geq 35$ )	0.99	0.51	-0.03, 2.01	1.09	0.38	0.32, 1.86	1.64	0.62	0.39, 2.88	1.54	0.27	1.00, 2.07	0.032	0.005	0.022, 0.043
Smoking status															
Current	0.17	0.52	-0.88, 1.22	0.58	0.38	-0.19, 1.35	1.11	0.55	-0.01, 2.23	7.46	0.32	6.82, 8.10	0.126	0.007	0.111, 0.140
Former	0.24	0.26	-0.29, 0.77	0.01	0.23	-0.46, 0.47	0.37	0.28	-0.19, 0.93	1.99	0.13	1.72, 2.26	0.024	0.003	0.017, 0.031
Alcohol use															
1-4 drinks per day	-0.10	0.25	-0.61, 0.40	-0.50	0.22	-0.94, -0.07	-0.21	0.35	-0.93, 0.50	-0.38	0.13	-0.64, -0.11	-0.006	0.003	-0.013, 0.000
5+ drinks per day	1.13	0.99	-0.86, 3.12	0.66	0.71	-0.78, 2.10	2.56	0.84	0.87, 4.25	0.83	0.54	-0.26, 1.92	-0.007	0.011	-0.028, 0.015
<i>N</i> = 3,306															

Note. PoAm = Pace of Aging methylation; *CI* = confidence interval. Bold font denotes statistically significant association following false discovery rate correction.

Table 4

Generalized linear models with strain with children predicting epigenetic aging.

Models	Horvath			Hannum			PhenoAge			GrimAge			Dunedin PoAm		
	<i>B</i>	<i>SE</i>	<i>95% CI</i>	<i>B</i>	<i>SE</i>	<i>95% CI</i>	<i>B</i>	<i>SE</i>	<i>95% CI</i>	<i>B</i>	<i>SE</i>	<i>95% CI</i>	<i>B</i>	<i>SE</i>	<i>95% CI</i>
1. Strain with children	0.21	0.19	-0.16, 0.59	0.16	0.15	-0.14, 0.47	0.49	0.28	-0.07, 1.06	0.32	0.14	0.05, 0.59	0.006	0.003	0.001, 0.011
Age	0.75	0.02	0.72, 0.78	0.79	0.01	0.77, 0.82	0.78	0.02	0.75, 0.82	0.78	0.01	0.76, 0.79	0.001	0.000	0.001, 0.001
Female sex	-0.97	0.26	-1.50, -0.44	-1.88	0.21	-2.30, -1.45	-1.35	0.36	-2.07, -0.62	-3.28	0.21	-3.70, -2.87	-0.020	0.004	-0.028, -0.011
Race/ethnicity															
Non-Hispanic Black	0.02	0.40	-0.79, 0.83	-1.71	0.34	-2.39, -1.03	0.62	0.50	-0.39, 1.63	1.81	0.27	1.26, 2.36	0.033	0.007	0.019, 0.047
Hispanic	-1.36	0.44	-2.25, -0.48	0.13	0.27	-0.41, 0.68	0.04	0.33	-0.63, 0.70	0.10	0.30	-0.51, 0.71	0.009	0.007	-0.005, 0.023
Non-Hispanic other race	0.90	0.59	-0.28, 2.09	-0.21	0.48	-1.17, 0.74	0.51	0.99	-1.48, 2.50	0.20	0.55	-0.89, 1.30	0.024	0.015	-0.006, 0.053
<i>N</i> = 3,314															
2. Strain with children	0.16	0.19	-0.22, 0.55	0.09	0.14	-0.21, 0.38	0.38	0.29	-0.21, 0.96	0.06	0.11	-0.16, 0.29	0.002	0.002	-0.003, 0.007
Age	0.76	0.02	0.72, 0.79	0.79	0.01	0.77, 0.82	0.79	0.02	0.76, 0.83	0.80	0.01	0.78, 0.82	0.001	0.000	0.001, 0.002
Female sex	-0.94	0.26	-1.47, -0.40	-1.92	0.22	-2.36, -1.49	-1.29	0.38	-2.06, -0.53	-3.03	0.18	-3.39, -2.67	-0.018	0.004	-0.025, -0.010
Race/ethnicity															
Non-Hispanic Black	-0.02	0.41	-0.84, 0.81	-1.89	0.36	-2.62, -1.15	0.37	0.55	-0.74, 1.48	1.34	0.27	0.79, 1.89	0.025	0.007	0.011, 0.039
Hispanic	-1.37	0.44	-2.25, -0.48	-0.09	0.31	-0.73, 0.54	-0.47	0.45	-1.37, 0.43	-0.52	0.28	-1.09, 0.06	0.001	0.007	-0.014, 0.015
Non-Hispanic other race	0.95	0.59	-0.24, 2.14	-0.29	0.50	-1.31, 0.72	0.55	0.92	-1.31, 2.42	0.55	0.52	-0.50, 1.60	0.028	0.014	-0.001, 0.057
Educational attainment															
Less than high school	-0.18	0.44	-1.08, 0.71	0.16	0.44	-0.72, 1.05	1.09	0.62	-0.18, 2.35	1.78	0.22	1.33, 2.23	0.022	0.005	0.012, 0.033
High school diploma/GED	-0.15	0.35	-0.86, 0.55	0.00	0.27	-0.54, 0.54	0.26	0.41	-0.56, 1.08	1.17	0.17	0.83, 1.52	0.014	0.005	0.005, 0.024
Some college	-0.33	0.34	-1.01, 0.35	-0.39	0.31	-1.02, 0.23	0.25	0.40	-0.55, 1.06	1.01	0.21	0.59, 1.43	0.011	0.004	0.003, 0.019
BMI category															
Overweight ( $\geq 25$ to $< 30$ )	-0.31	0.35	-1.01, 0.39	-0.14	0.33	-0.80, 0.52	-0.21	0.40	-1.03, 0.61	0.08	0.23	-0.39, 0.54	-0.001	0.004	-0.010, 0.008
Obese I ( $\geq 30$ to $< 35$ )	0.35	0.39	-0.43, 1.14	0.32	0.36	-0.40, 1.04	0.44	0.43	-0.42, 1.29	0.53	0.27	-0.02, 1.08	0.009	0.004	0.001, 0.017
Obese II ( $\geq 35$ )	0.97	0.51	-0.05, 2.00	1.11	0.37	0.36, 1.87	1.62	0.62	0.37, 2.86	1.54	0.26	1.00, 2.07	0.032	0.005	0.022, 0.042
Smoking status															
Current	0.16	0.52	-0.89, 1.21	0.59	0.38	-0.18, 1.35	1.11	0.55	-0.01, 2.22	7.47	0.31	6.83, 8.10	0.126	0.007	0.111, 0.140
Former	0.23	0.27	-0.31, 0.77	0.01	0.23	-0.45, 0.47	0.36	0.28	-0.20, 0.92	2.00	0.14	1.73, 2.28	0.024	0.004	0.017, 0.031
Alcohol use															
1-4 drinks per day	-0.10	0.25	-0.61, 0.40	-0.49	0.21	-0.92, -0.06	-0.20	0.36	-0.91, 0.52	-0.37	0.13	-0.64, -0.11	-0.006	0.003	-0.013, 0.000
5+ drinks per day	1.15	0.98	-0.83, 3.13	0.68	0.71	-0.75, 2.11	2.60	0.83	0.91, 4.28	0.84	0.55	-0.27, 1.94	-0.007	0.010	-0.028, 0.014
<i>N</i> = 3,314															

Note. PoAm = Pace of Aging methylation; *CI* = confidence interval. Bold font denotes statistically significant association following false discovery rate correction.

Table 5

Generalized linear models with support with other family members predicting epigenetic aging.

Models	Horvath			Hannum			PhenoAge			GrimAge			Dunedin PoAm		
	<i>B</i>	<i>SE</i>	<i>95% CI</i>	<i>B</i>	<i>SE</i>	<i>95% CI</i>	<i>B</i>	<i>SE</i>	<i>95% CI</i>	<i>B</i>	<i>SE</i>	<i>95% CI</i>	<i>B</i>	<i>SE</i>	<i>95% CI</i>
1. Support with other family	0.03	0.14	-0.25, 0.31	-0.16	0.12	-0.40, 0.07	0.00	0.14	-0.27, 0.27	-0.24	0.11	-0.46, -0.01	<b>-0.006</b>	<b>0.002</b>	<b>-0.010, -0.002</b>
Age	0.74	0.02	0.70, 0.77	0.78	0.01	0.76, 0.81	0.78	0.02	0.74, 0.81	0.77	0.01	0.76, 0.79	0.001	0.000	0.000, 0.001
Female sex	-0.89	0.27	-1.42, -0.36	-1.76	0.20	-2.16, -1.36	-1.22	0.31	-1.84, -0.59	-3.25	0.21	-3.68, -2.82	-0.017	0.004	-0.025, -0.009
Race/ethnicity															
Non-Hispanic Black	-0.10	0.38	-0.86, 0.66	-1.71	0.32	-2.36, -1.06	0.83	0.48	-0.13, 1.80	1.85	0.25	1.35, 2.35	0.034	0.007	0.021, 0.048
Hispanic	-1.45	0.45	-2.35, -0.56	0.07	0.27	-0.47, 0.61	0.10	0.36	-0.62, 0.83	0.12	0.30	-0.48, 0.73	0.007	0.007	-0.006, 0.021
Non-Hispanic other race	0.56	0.55	-0.54, 1.66	-0.28	0.50	-1.28, 0.72	0.35	0.91	-1.48, 2.17	0.33	0.49	-0.66, 1.32	0.030	0.013	0.003, 0.056
<i>N</i> = 3,570															
2. Support with other family	0.07	0.14	-0.21, 0.34	-0.13	0.11	-0.36, 0.11	0.06	0.14	-0.22, 0.34	-0.19	0.08	-0.35, -0.02	<b>-0.005</b>	<b>0.002</b>	<b>-0.008, -0.002</b>
Age	0.74	0.02	0.71, 0.78	0.79	0.01	0.77, 0.81	0.78	0.02	0.75, 0.82	0.80	0.01	0.78, 0.81	0.001	0.000	0.001, 0.002
Female sex	-0.91	0.26	-1.43, -0.40	-1.84	0.20	-2.24, -1.43	-1.22	0.33	-1.88, -0.56	-2.96	0.19	-3.35, -2.57	-0.014	0.003	-0.020, -0.007
Race/ethnicity															
Non-Hispanic Black	-0.14	0.38	-0.91, 0.63	-1.91	0.35	-2.61, -1.21	0.53	0.52	-0.52, 1.57	1.28	0.23	0.82, 1.74	0.025	0.006	0.013, 0.038
Hispanic	-1.41	0.43	-2.28, -0.53	-0.15	0.33	-0.81, 0.51	-0.43	0.45	-1.34, 0.47	-0.46	0.28	-1.02, 0.10	0.001	0.007	-0.014, 0.015
Non-Hispanic other race	0.66	0.55	-0.44, 1.77	-0.33	0.52	-1.38, 0.73	0.41	0.85	-1.31, 2.12	0.58	0.45	-0.34, 1.49	0.033	0.013	0.007, 0.059
Educational attainment															
Less than high school	-0.21	0.42	-1.05, 0.63	0.27	0.40	-0.54, 1.09	1.29	0.55	0.17, 2.40	1.77	0.25	1.26, 2.27	0.018	0.005	0.008, 0.028
High school diploma/GED	0.10	0.34	-0.58, 0.79	0.22	0.27	-0.33, 0.78	0.68	0.42	-0.17, 1.53	1.31	0.18	0.94, 1.68	0.014	0.005	0.005, 0.023
Some college	-0.07	0.30	-0.67, 0.54	-0.09	0.27	-0.64, 0.46	0.68	0.38	-0.10, 1.46	1.13	0.22	0.68, 1.58	0.011	0.004	0.002, 0.020
BMI category															
Overweight ( $\geq 25$ to $< 30$ )	-0.58	0.35	-1.28, 0.12	-0.11	0.31	-0.74, 0.51	-0.29	0.42	-1.13, 0.56	0.07	0.20	-0.34, 0.48	0.001	0.004	-0.007, 0.010
Obese I ( $\geq 30$ to $< 35$ )	0.07	0.41	-0.76, 0.89	0.22	0.35	-0.49, 0.93	0.31	0.44	-0.57, 1.20	0.48	0.23	0.03, 0.94	0.010	0.004	0.003, 0.018
Obese II ( $\geq 35$ )	0.58	0.50	-0.43, 1.59	1.02	0.35	0.31, 1.73	1.67	0.52	0.61, 2.73	1.53	0.24	1.05, 2.01	0.033	0.005	0.023, 0.043
Smoking status															
Current	0.25	0.51	-0.78, 1.29	0.69	0.34	0.01, 1.37	0.99	0.46	0.07, 1.92	7.48	0.31	6.85, 8.10	0.123	0.007	0.110, 0.137
Former	0.27	0.28	-0.30, 0.84	-0.03	0.24	-0.51, 0.45	0.23	0.28	-0.33, 0.79	1.91	0.14	1.62, 2.19	0.025	0.003	0.018, 0.031
Alcohol use															
1-4 drinks per day	-0.15	0.27	-0.69, 0.38	-0.40	0.21	-0.83, 0.02	-0.13	0.33	-0.81, 0.54	-0.35	0.13	-0.62, -0.07	-0.006	0.003	-0.013, 0.001
5+ drinks per day	1.10	0.81	-0.54, 2.74	0.37	0.64	-0.92, 1.66	2.35	0.78	0.78, 3.92	1.37	0.53	0.30, 2.44	0.004	0.011	-0.018, 0.026
<i>N</i> = 3,570															

Note. PoAm = Pace of Aging methylation; *CI* = confidence interval. Bold font denotes statistically significant association following false discovery rate correction.

Table 6

Generalized linear models with strain with other family members predicting epigenetic aging.

Models	Horvath			Hannum			PhenoAge			GrimAge			Dunedin PoAm		
	<i>B</i>	<i>SE</i>	<i>95% CI</i>	<i>B</i>	<i>SE</i>	<i>95% CI</i>	<i>B</i>	<i>SE</i>	<i>95% CI</i>	<i>B</i>	<i>SE</i>	<i>95% CI</i>	<i>B</i>	<i>SE</i>	<i>95% CI</i>
1. Strain with other family	0.14	0.24	-0.35, 0.62	0.21	0.17	-0.13, 0.54	-0.01	0.24	-0.50, 0.48	0.22	0.15	-0.08, 0.52	0.005	0.003	-0.002, 0.011
Age	0.74	0.02	0.71, 0.78	0.79	0.01	0.76, 0.81	0.78	0.02	0.74, 0.81	0.77	0.01	0.76, 0.79	0.001	0.000	0.000, 0.001
Female sex	-0.91	0.26	-1.44, -0.38	-1.82	0.21	-2.23, -1.40	-1.21	0.32	-1.86, -0.57	-3.31	0.21	-3.74, -2.88	-0.019	0.004	-0.027, -0.011
Race/ethnicity															
Non-Hispanic Black	-0.12	0.39	-0.90, 0.65	-1.78	0.33	-2.44, -1.13	0.84	0.48	-0.13, 1.80	1.77	0.25	1.27, 2.27	0.032	0.007	0.019, 0.046
Hispanic	-1.46	0.45	-2.37, -0.55	0.01	0.26	-0.51, 0.53	0.10	0.36	-0.62, 0.82	0.05	0.30	-0.55, 0.64	0.005	0.007	-0.009, 0.019
Non-Hispanic other race	0.56	0.55	-0.55, 1.66	-0.31	0.50	-1.31, 0.69	0.35	0.91	-1.48, 2.18	0.30	0.50	-0.71, 1.30	0.028	0.013	0.001, 0.055
<i>N</i> = 3,569															
2. Strain with other family	0.10	0.24	-0.38, 0.58	0.15	0.17	-0.19, 0.49	-0.11	0.26	-0.63, 0.41	0.02	0.12	-0.23, 0.27	0.001	0.003	-0.005, 0.007
Age	0.74	0.02	0.71, 0.78	0.79	0.01	0.77, 0.81	0.78	0.02	0.75, 0.82	0.80	0.01	0.78, 0.81	0.001	0.000	0.001, 0.002
Female sex	-0.91	0.25	-1.42, -0.40	-1.88	0.21	-2.30, -1.46	-1.20	0.33	-1.87, -0.53	-3.00	0.19	-3.38, -2.61	-0.015	0.003	-0.022, -0.008
Race/ethnicity															
Non-Hispanic Black	-0.15	0.39	-0.95, 0.64	-1.96	0.35	-2.67, -1.25	0.56	0.52	-0.48, 1.61	1.24	0.23	0.77, 1.71	0.024	0.006	0.011, 0.037
Hispanic	-1.43	0.44	-2.32, -0.53	-0.19	0.32	-0.83, 0.45	-0.41	0.44	-1.31, 0.49	-0.49	0.27	-1.04, 0.05	-0.001	0.007	-0.015, 0.013
Non-Hispanic other race	0.66	0.55	-0.44, 1.77	-0.35	0.52	-1.41, 0.71	0.42	0.85	-1.30, 2.14	0.55	0.46	-0.39, 1.49	0.032	0.013	0.005, 0.059
Educational attainment															
Less than high school	-0.16	0.43	-1.03, 0.71	0.26	0.40	-0.56, 1.08	1.28	0.56	0.16, 2.40	1.72	0.25	1.22, 2.22	0.018	0.005	0.008, 0.028
High school diploma/GED	0.10	0.34	-0.59, 0.79	0.23	0.27	-0.32, 0.78	0.67	0.42	-0.18, 1.52	1.32	0.18	0.94, 1.69	0.014	0.005	0.005, 0.023
Some college	-0.07	0.30	-0.68, 0.54	-0.10	0.27	-0.65, 0.45	0.68	0.39	-0.10, 1.46	1.13	0.22	0.67, 1.58	0.011	0.004	0.002, 0.020
BMI category															
Overweight ( $\geq 25$ to $< 30$ )	-0.57	0.35	-1.27, 0.14	-0.11	0.31	-0.74, 0.52	-0.29	0.42	-1.14, 0.55	0.06	0.20	-0.35, 0.48	0.002	0.004	-0.007, 0.010
Obese I ( $\geq 30$ to $< 35$ )	0.06	0.41	-0.77, 0.89	0.23	0.35	-0.48, 0.94	0.31	0.44	-0.58, 1.19	0.50	0.23	0.04, 0.97	0.011	0.004	0.003, 0.019
Obese II ( $\geq 35$ )	0.55	0.49	-0.44, 1.55	1.03	0.35	0.32, 1.73	1.67	0.53	0.61, 2.73	1.57	0.25	1.07, 2.07	0.034	0.005	0.023, 0.044
Smoking status															
Current	0.29	0.51	-0.74, 1.31	0.67	0.33	0.00, 1.35	1.00	0.46	0.07, 1.92	7.45	0.30	6.83, 8.06	0.123	0.007	0.110, 0.137
Former	0.26	0.28	-0.31, 0.83	-0.03	0.24	-0.51, 0.45	0.23	0.28	-0.33, 0.78	1.92	0.14	1.63, 2.20	0.025	0.003	0.018, 0.032
Alcohol use															
1-4 drinks per day	-0.15	0.27	-0.70, 0.39	-0.40	0.21	-0.83, 0.03	-0.14	0.34	-0.82, 0.54	-0.34	0.13	-0.61, -0.07	-0.006	0.003	-0.013, 0.001
5+ drinks per day	1.09	0.82	-0.55, 2.74	0.39	0.64	-0.90, 1.68	2.34	0.78	0.77, 3.91	1.39	0.54	0.31, 2.47	0.004	0.011	-0.017, 0.026
<i>N</i> = 3,569															

Note. PoAm = Pace of Aging methylation; *CI* = confidence interval. Bold font denotes statistically significant association following false discovery rate correction.

Table 7

Generalized linear models with support with friends predicting epigenetic aging.

Models	Horvath			Hannum			PhenoAge			GrimAge			Dunedin PoAm		
	<i>B</i>	<i>SE</i>	<i>95% CI</i>	<i>B</i>	<i>SE</i>	<i>95% CI</i>	<i>B</i>	<i>SE</i>	<i>95% CI</i>	<i>B</i>	<i>SE</i>	<i>95% CI</i>	<i>B</i>	<i>SE</i>	<i>95% CI</i>
1. Support with friends	-0.18	0.17	-0.52, 0.16	0.03	0.14	-0.25, 0.31	-0.08	0.20	-0.49, 0.33	<b>-0.38</b>	<b>0.10</b>	<b>-0.59, -0.17</b>	<b>-0.005</b>	<b>0.002</b>	<b>-0.010, -0.001</b>
Age	0.74	0.02	0.71, 0.78	0.79	0.01	0.76, 0.81	0.78	0.02	0.75, 0.81	0.78	0.01	0.76, 0.79	0.001	0.000	0.000, 0.001
Female sex	-0.88	0.28	-1.45, -0.31	-1.82	0.23	-2.27, -1.37	-1.21	0.31	-1.82, -0.59	-3.20	0.22	-3.64, -2.76	-0.018	0.004	-0.026, -0.010
Race/ethnicity															
Non-Hispanic Black	0.12	0.40	-0.69, 0.94	-1.67	0.33	-2.33, -1.01	0.89	0.50	-0.11, 1.89	1.98	0.24	1.51, 2.46	0.037	0.007	0.023, 0.050
Hispanic	-1.45	0.43	-2.31, -0.59	0.00	0.26	-0.53, 0.52	0.02	0.36	-0.71, 0.74	0.02	0.29	-0.57, 0.61	0.006	0.007	-0.008, 0.020
Non-Hispanic other race	0.44	0.59	-0.75, 1.62	-0.53	0.61	-1.76, 0.69	0.19	0.95	-1.72, 2.11	0.46	0.41	-0.36, 1.28	0.032	0.011	0.010, 0.054
<i>N</i> = 3,475															
2. Support with friends	-0.16	0.17	-0.51, 0.19	0.09	0.15	-0.20, 0.38	0.02	0.22	-0.41, 0.46	<b>-0.26</b>	<b>0.09</b>	<b>-0.45, -0.08</b>	-0.004	0.002	-0.008, 0.001
Age	0.75	0.02	0.71, 0.79	0.79	0.01	0.77, 0.81	0.79	0.02	0.76, 0.82	0.80	0.01	0.79, 0.82	0.001	0.000	0.001, 0.002
Female sex	-0.88	0.27	-1.43, -0.33	-1.89	0.23	-2.36, -1.42	-1.20	0.32	-1.84, -0.56	-2.95	0.19	-3.33, -2.57	-0.015	0.003	-0.022, -0.008
Race/ethnicity															
Non-Hispanic Black	0.10	0.41	-0.72, 0.92	-1.85	0.35	-2.56, -1.15	0.61	0.53	-0.46, 1.69	1.44	0.22	1.00, 1.89	0.028	0.006	0.015, 0.040
Hispanic	-1.38	0.43	-2.26, -0.50	-0.14	0.31	-0.77, 0.49	-0.42	0.44	-1.31, 0.47	-0.47	0.28	-1.03, 0.09	0.000	0.007	-0.014, 0.015
Non-Hispanic other race	0.57	0.58	-0.61, 1.75	-0.51	0.62	-1.76, 0.74	0.37	0.93	-1.52, 2.26	0.84	0.34	0.15, 1.54	0.037	0.011	0.014, 0.060
Educational attainment															
Less than high school	-0.22	0.42	-1.06, 0.63	0.10	0.38	-0.68, 0.87	1.14	0.59	-0.07, 2.34	1.61	0.21	1.20, 2.03	0.016	0.005	0.006, 0.026
High school diploma/GED	0.02	0.34	-0.66, 0.71	0.16	0.26	-0.36, 0.69	0.65	0.44	-0.23, 1.53	1.27	0.18	0.91, 1.63	0.012	0.004	0.003, 0.021
Some college	-0.18	0.32	-0.83, 0.47	-0.15	0.26	-0.68, 0.39	0.68	0.38	-0.08, 1.45	1.13	0.22	0.69, 1.57	0.010	0.005	0.001, 0.020
BMI category															
Overweight ( $\geq 25$ to $< 30$ )	-0.62	0.34	-1.30, 0.06	-0.12	0.32	-0.77, 0.52	-0.19	0.42	-1.03, 0.65	0.03	0.21	-0.40, 0.47	0.002	0.004	-0.007, 0.010
Obese I ( $\geq 30$ to $< 35$ )	0.10	0.40	-0.70, 0.90	0.29	0.36	-0.43, 1.02	0.21	0.42	-0.63, 1.06	0.53	0.24	0.05, 1.00	0.012	0.004	0.003, 0.020
Obese II ( $\geq 35$ )	0.60	0.52	-0.44, 1.65	1.15	0.39	0.37, 1.93	1.83	0.52	0.78, 2.89	1.57	0.26	1.05, 2.10	0.033	0.005	0.022, 0.044
Smoking status															
Current	0.16	0.49	-0.84, 1.15	0.69	0.33	0.02, 1.36	0.89	0.47	-0.07, 1.85	7.36	0.28	6.80, 7.93	0.123	0.007	0.109, 0.137
Former	0.17	0.28	-0.39, 0.73	0.00	0.23	-0.47, 0.47	0.25	0.27	-0.31, 0.80	1.98	0.14	1.69, 2.27	0.026	0.003	0.019, 0.033
Alcohol use															
1-4 drinks per day	-0.08	0.26	-0.60, 0.44	-0.42	0.22	-0.86, 0.03	-0.08	0.34	-0.77, 0.61	-0.25	0.14	-0.53, 0.04	-0.006	0.004	-0.013, 0.001
5+ drinks per day	1.53	0.81	-0.10, 3.16	0.52	0.66	-0.82, 1.86	2.61	0.80	1.00, 4.22	1.36	0.54	0.27, 2.44	0.003	0.011	-0.019, 0.025
<i>N</i> = 3,475															

Note. PoAm = Pace of Aging methylation; *CI* = confidence interval. Bold font denotes statistically significant association following false discovery rate correction.

Table 8

Generalized linear models with strain with friends predicting epigenetic aging.

Models	Horvath			Hannum			PhenoAge			GrimAge			Dunedin PoAm		
	<i>B</i>	<i>SE</i>	<i>95% CI</i>	<i>B</i>	<i>SE</i>	<i>95% CI</i>	<i>B</i>	<i>SE</i>	<i>95% CI</i>	<i>B</i>	<i>SE</i>	<i>95% CI</i>	<i>B</i>	<i>SE</i>	<i>95% CI</i>
1. Strain with friends	0.04	0.31	-0.58, 0.66	0.16	0.23	-0.30, 0.62	-0.33	0.35	-1.02, 0.37	0.43	0.20	0.02, 0.84	<b>0.013</b>	<b>0.004</b>	<b>0.005, 0.021</b>
Age	0.75	0.02	0.71, 0.78	0.79	0.01	0.76, 0.81	0.78	0.02	0.74, 0.81	0.78	0.01	0.76, 0.80	0.001	0.000	0.001, 0.001
Female sex	-0.93	0.27	-1.48, -0.38	-1.80	0.22	-2.25, -1.36	-1.25	0.30	-1.85, -0.65	-3.33	0.21	-3.74, -2.91	-0.019	0.004	-0.027, -0.012
Race/ethnicity															
Non-Hispanic Black	0.12	0.42	-0.72, 0.96	-1.70	0.33	-2.36, -1.03	0.94	0.49	-0.05, 1.94	1.93	0.24	1.45, 2.41	0.035	0.007	0.021, 0.048
Hispanic	-1.27	0.44	-2.15, -0.40	0.00	0.27	-0.54, 0.53	0.02	0.35	-0.69, 0.73	0.09	0.30	-0.52, 0.69	0.007	0.007	-0.007, 0.021
Non-Hispanic other race	0.45	0.60	-0.76, 1.66	-0.57	0.61	-1.80, 0.66	0.27	0.93	-1.60, 2.14	0.42	0.41	-0.41, 1.24	0.030	0.011	0.009, 0.051
<i>N</i> = 3,473															
2. Strain with friends	-0.03	0.30	-0.64, 0.58	0.04	0.21	-0.40, 0.47	-0.51	0.33	-1.18, 0.16	-0.09	0.16	-0.42, 0.25	0.004	0.004	-0.003, 0.012
Age	0.75	0.02	0.71, 0.79	0.79	0.01	0.77, 0.82	0.79	0.02	0.75, 0.82	0.80	0.01	0.79, 0.82	0.001	0.000	0.001, 0.002
Female sex	-0.93	0.26	-1.46, -0.39	-1.85	0.23	-2.31, -1.40	-1.21	0.31	-1.84, -0.59	-3.05	0.18	-3.42, -2.68	-0.016	0.003	-0.022, -0.010
Race/ethnicity															
Non-Hispanic Black	0.09	0.41	-0.75, 0.92	-1.86	0.35	-2.58, -1.14	0.68	0.53	-0.39, 1.75	1.45	0.22	1.00, 1.89	0.027	0.006	0.014, 0.040
Hispanic	-1.24	0.45	-2.14, -0.34	-0.14	0.32	-0.78, 0.51	-0.43	0.44	-1.32, 0.47	-0.42	0.27	-0.98, 0.13	0.001	0.007	-0.014, 0.016
Non-Hispanic other race	0.59	0.60	-0.62, 1.80	-0.53	0.62	-1.78, 0.72	0.48	0.91	-1.37, 2.32	0.89	0.34	0.20, 1.58	0.037	0.011	0.014, 0.059
Educational attainment															
Less than high school	-0.13	0.41	-0.96, 0.70	0.08	0.38	-0.69, 0.86	1.16	0.58	-0.01, 2.33	1.67	0.21	1.25, 2.09	0.017	0.005	0.006, 0.027
High school diploma/GED	0.04	0.34	-0.64, 0.73	0.15	0.26	-0.38, 0.67	0.67	0.43	-0.20, 1.55	1.31	0.18	0.95, 1.68	0.012	0.004	0.003, 0.021
Some college	-0.17	0.33	-0.83, 0.49	-0.15	0.26	-0.69, 0.38	0.68	0.38	-0.09, 1.44	1.15	0.22	0.71, 1.59	0.011	0.005	0.001, 0.020
BMI category															
Overweight ( $\geq 25$ to $< 30$ )	-0.60	0.33	-1.28, 0.07	-0.13	0.32	-0.77, 0.52	-0.20	0.42	-1.04, 0.64	0.05	0.21	-0.38, 0.48	0.002	0.004	-0.007, 0.011
Obese I ( $\geq 30$ to $< 35$ )	0.12	0.40	-0.69, 0.92	0.28	0.35	-0.43, 1.00	0.22	0.42	-0.63, 1.06	0.55	0.23	0.08, 1.03	0.012	0.004	0.004, 0.020
Obese II ( $\geq 35$ )	0.71	0.51	-0.31, 1.74	1.15	0.38	0.39, 1.91	1.86	0.52	0.81, 2.91	1.64	0.26	1.12, 2.16	0.033	0.005	0.022, 0.044
Smoking status															
Current	0.14	0.49	-0.86, 1.14	0.68	0.32	0.03, 1.33	0.96	0.47	0.01, 1.91	7.37	0.28	6.79, 7.94	0.122	0.007	0.108, 0.136
Former	0.14	0.28	-0.42, 0.71	0.00	0.23	-0.47, 0.47	0.25	0.27	-0.30, 0.81	1.97	0.14	1.68, 2.26	0.026	0.003	0.019, 0.032
Alcohol use															
1-4 drinks per day	-0.08	0.26	-0.61, 0.44	-0.41	0.22	-0.86, 0.04	-0.09	0.34	-0.77, 0.59	-0.25	0.14	-0.54, 0.03	-0.006	0.004	-0.013, 0.001
5+ drinks per day	1.52	0.80	-0.10, 3.14	0.52	0.66	-0.82, 1.87	2.58	0.79	0.98, 4.19	1.34	0.55	0.24, 2.44	0.003	0.011	-0.019, 0.025
<i>N</i> = 3,473															

Note. PoAm = Pace of Aging methylation; *CI* = confidence interval. Bold font denotes statistically significant association following false discovery rate correction.