

Supplementary Table 1. Top 30 upregulated and 30 downregulated genes losartan+FFX+CRT vs untreated and FFX+CRT vs untreated

Losartan+FFX+CRT vs untreated

Gene	log2 Fold Change	Gene	log2 Fold Change
CXCL12	3.107106263	PRAME	-2.740720505
S100A12	3.066079227	MS4A1	-2.393884687
PLA2G1B	2.844783611	CD19	-2.269109818
IL6R	2.536735393	TNFSF10	-2.192247917
CDKN1A	2.357279706	CEACAM1	-2.038986236
CD36	2.333143978	CRP	-1.942508565
NCAM1	2.216656032	CEACAM6	-1.931150488
C7	2.090085519	LTB	-1.874620654
PTGDR2	2.082487988	TNFRSF13C	-1.862462008
EGR1	2.03652398	MST1R	-1.795221663
TNFRSF10C	1.993801871	CD22	-1.749943938
CFD	1.930190442	CARD11	-1.645795579
C1S	1.870169584	TIGIT	-1.627713485
A2M	1.82732473	APOE	-1.579813684
C1R	1.79386208	IFNL2	-1.562969207
CDH5	1.686105347	C8G	-1.486078969
MRC1	1.67680126	IKBKE	-1.474634008
MME	1.666333457	BAGE	-1.471209973
CD209	1.661840481	CXCL6	-1.444271288
IL6	1.628468226	CD1A	-1.441887561
S100A8	1.617490827	LILRA4	-1.411892363
MCAM	1.601468829	HAMP	-1.387331053
NFATC2	1.597515063	BLK	-1.37950213
CXCR2	1.5938512	CARD9	-1.353466064
NFATC1	1.585587277	CD79B	-1.350584906
ALCAM	1.583855159	CD207	-1.338332006
CEBPB	1.579985577	SPP1	-1.30377095
CCL14	1.568506524	CMKLR1	-1.28675557
ITGA5	1.553775982	TNFRSF13B	-1.282425921
C3	1.552484483	TMEFF2	-1.281711177

FFX+CRT vs untreated

Gene	log2 Fold Change	Gene	log2 Fold Change
CXCL12	2.786385284	CD19	-1.59556708
S100A12	2.39670815	TNFSF10	-1.588809816
IL6	2.364961048	PASD1	-1.520372446
CHIT1	2.341397779	C8G	-1.504489408
CD36	2.26777669	CD1A	-1.502463848
NCAM1	2.109342028	CEACAM1	-1.476956818
CFD	2.071863327	BAGE	-1.371877113
C7	2.009130033	ISG15	-1.346348912
S100A8	1.99921441	TNF	-1.340331809
CCL2	1.898207953	SPINK5	-1.294335679
CDKN1A	1.811771092	MST1R	-1.251119707
HLA-DRA	1.798049862	IKBKE	-1.203617298
CD6	1.755758576	CD207	-1.201928878
TNFRSF10C	1.746069298	LILRA4	-1.200529145
A2M	1.729697292	IL3	-1.195641387
IL6R	1.728099539	IL22RA2	-1.158804154
CD209	1.688962235	FOXJ1	-1.154825736
CCL11	1.649294657	LTB	-1.147464958
CCL21	1.58581805	TNFRSF13C	-1.141840485
C1S	1.573429793	MAGEA3	-1.137454041
EGR1	1.548193175	DDX58	-1.12531104
CCL18	1.547490033	IFNA7	-1.111884386
CR1	1.534196132	IL24	-1.101148838
HLA-DPB1	1.532657244	CARD9	-1.100616041
SAA1	1.529826861	IGLL1	-1.098223435
MRC1	1.50147795	IL17RB	-1.097305889
C1R	1.472634867	IL1A	-1.092380557
LY86	1.421245952	ELANE	-1.088190128
MCAM	1.41836483	IL13	-1.07314633
SELL	1.386822499	TPTE	-1.064776441

Supplementary Table 2. Gene Set Enrichment Analysis results of losartan+FFX+CRT vs FFX+CRT

Gene Sets	NES	p-value	FDR q-value
GOMF DNA BINDING TRANSCRIPTION REPRESSOR ACTIVITY	2.03667	0.0	0.0532
GOBP RHYTHMIC PROCESS	2.02573	0.0	0.0285
GOCC CHROMOSOME	1.95736	0.0	0.0699
GOMF DNA BINDING TRANSCRIPTION FACTOR ACTIVITY	1.92847	0.0	0.0769
GOCC CHROMATIN	1.90216	0.0	0.0860
GOBP CIRCADIARRHYTHM	1.886687	0.0019	0.0902
GOMF SEQUENCE SPECIFIC DNA BINDING	1.8675246	0.0	0.1027
GOBP REGIONALIZATION	1.8666339	0.0060	0.0908
GOBP MAMMARY GLAND DEVELOPMENT	1.8660303	0.0	0.0813
GOMF TRANSCRIPTION FACTOR BINDING	1.8650856	0.0	0.0744
GOCC TRANSCRIPTION REGULATOR COMPLEX	1.859656	0.0	0.0743
GOMF CIS_REGULATORY REGION SEQUENCE SPECIFIC DNA BINDING	1.849835	0.0	0.0776
GOMF TRANSCRIPTION REGULATOR ACTIVITY	1.8459487	0.0	0.0749
GOBP CELL AGING	1.830189	0.0	0.0866
GOBP CHROMOSOME ORGANIZATION	1.8002028	0.0041	0.1165
GOBP RESPONSE TO UV	1.7854171	0.0038	0.1301
GOBP REGULATION OF MITOCHONDRION ORGANIZATION	1.7661172	0.0065	0.1520
GOBP MITOTIC CELL CYCLE PHASE TRANSITION	1.7641045	0.0060	0.1467
GOCC NUCLEOLUS	1.7618381	0.0039	0.1428
GOBP HEAD DEVELOPMENT	1.7540505	0.0120	0.1483
GOBP REGULATION OF AUTOPHAGY	1.7434623	0.0060	0.1279
GOBP RESPONSE TO RADIATION	1.6620013	0.0099	0.1717

Supplementary Table 3. DEGs losartan+FFX+CRT vs untreated and FFX+CRT vs untreated
Losartan+FFX+CRT vs untreated

Gene	baseMean	log2FoldChange	lfcSE	stat	p value	p adjusted
IFNG	29.6420596	-0.744415402	0.29152165	-2.553551	0.01066307	0.02904492
IL12A	32.5976109	-0.939543934	0.2645517	-3.5514568	0.0003831	0.00190454
IL4	20.7170759	-0.927080453	0.34959378	-2.6518791	0.00800452	0.0231877
IL13	24.1710259	-1.063508348	0.40282009	-2.6401572	0.00828676	0.02391041
IL23A	34.9089588	-0.874108434	0.29462679	-2.9668329	0.00300884	0.0104097
CD1A	28.2896857	-1.441887561	0.40173532	-3.5891481	0.00033176	0.00170553

FFX+CRT vs untreated

Gene	baseMean	log2FoldChange	lfcSE	stat	p value	p adjusted
IFNG	29.6420596	-0.758509704	0.28363786	-2.6742189	0.00749036	0.02641526
IL12A	32.5976109	-0.643382038	0.25519082	-2.5211802	0.01169619	0.03811706
IL4	20.7170759	-0.941091626	0.34002277	-2.7677312	0.0056448	0.021462
IL13	24.1710259	-1.07314633	0.39240174	-2.7348154	0.00624153	0.02301169
IL23A	34.9089588	-1.048044697	0.28768372	-3.6430448	0.00026943	0.00202768
CD1A	28.2896857	-1.502463848	0.39163159	-3.8364215	0.00012484	0.00109799
CCL21	697.045661	1.58581805	0.50631624	3.13207031	0.00173578	0.00892339

Supplementary Table 4. Genes included in panels B and C of Figure 3

Dendritic cells

CCR7

CD40LG

FT3LG

TCR-CD3 complex

ZAP70

CD3E

CD247

CD3D

LCK

ITK

T cell activation & cytolytic activity

CD5

SPN

NFATC4

IL16

GZMM

Innate & adaptive immune response

SH2D1A

SLAMF6

LY9

TLR9

Inflammatory mediators

LTB

IL11RA

CR2

B cells

BLK

MS4A1

CD79B

TNFRSF13B

TNFRSF13C

POU2F2

Supplementary Table 5. Genes included in panels C and D of Figure 4

Tumor Suppressors

RORA

CYLD

FEZ1

Blood vessels

NFATC4*

AKT3

PECAM1

CDH5

JAM3

Dendritic cells

IL3RA

FLT3LG

CSF1

MHCII

HLA-DRB3

LAMP2

T cell activation

STAT4

CD6

TNFSF8

Inflammation Inhibition

NCF4

SERPING1

NFKBIA

A2M

Epithelial

EPCAM

CDH1

Supplementary Table 6. Losartan+FFX+CRT correlation of individual genes with overall survival

Positive correlation		Negative correlation	
Gene	Spearman correlation	Gene	Spearman correlation
NFATC4	0.5	GNLY	-0.67
ENTPD1	0.5	F12	-0.6
IL3RA	0.5	TTK	-0.59
ELK1	0.5	LYN	-0.59
CDKN1A	0.5	SYK	-0.58
CSF1	0.5	BTLA	-0.56
SERPING1	0.5	ITGA6	-0.56
S100B	0.5	IL15RA	-0.55
STAT3	0.6	PBK	-0.54
FOS	0.6	IL12RB2	-0.54
STAT2	0.6	IDO1	-0.54
RORA	0.6	LGALS3	-0.54
GTF3C1	0.6	CCR3	-0.53
THY1	0.6	EPCAM	-0.53
BCL2	0.6	F2RL1	-0.53
PPBP	0.6	CASP1	-0.52
CFI	0.6	TNFSF15	-0.51
CD63	0.6	CDH1	-0.5
EGR1	0.6		
MAPK11	0.6		
CD34	0.6		
CD99	0.6		
CD200	0.6		
TNFSF12	0.6		
AKT3	0.7		
ENG	0.7		
UBC	0.7		
PNMA1	0.7		
FEZ1	0.8		
JAM3	0.8		

Supplementary Table 7. FFX+CRT correlation of individual genes with overall survival

Positive correlation		Negative correlation	
Gene	Spearman correlation	Gene	Spearman correlation
CXCL12	0.5	TNFRSF4	-0.75
POU2AF1	0.5	SERPINB2	-0.65
CD1C	0.5	HSD11B1	-0.64
BTLA	0.5	RIPK2	-0.58
PAX5	0.51	ITGB1	-0.57
XCR1	0.51	CXCL1	-0.56
CD209	0.52	CD274	-0.55
BLNK	0.52	BID	-0.54
PTGDR2	0.53	TAP1	-0.52
POU2F2	0.57	USP9Y	-0.51
ECSIT	0.57	IRF1	-0.5
IRF4	0.57	HLA-E	-0.49
ADORA2A	0.6	BATF	-0.49
FLT3	0.6		
TIRAP	0.65		
CD1E	0.68		

Supplementary Table 8: Gene grouping association with overall survival

Gene Sets	p value*
Losartan+FFX+CRT: negative correlation	
F12 TTK LYN SYK BTLA ITGA6 IL15RA PBK IDO1 LGALS3 CCR3 EPCAM F2RL1 CASP1 TNFSF15 CDH1 IL12RB GNLY	< 0.0001
BTLA IDO1 LGALS3 EPCAM PBK ITGA6 TTK	0.0006
TTK PBK EPCAM ITGA6	0.0022
IDO1 LGALS3 BTLA	0.0042
Losartan+FFX+CRT: positive correlation	
ENG CD200 JAM3 FEZ1 EGR1 RORA IL3RA CSF1 NFATC4 PNMA1 UBC AKT3 TNFSF12 CD99 CD34 MAPK11 CD63 CFI PPBP BCL2 THY1 GTF3C1 STAT2 STAT3 FOS S100B SERPING1 CDKN1A ELK1 ENTPD1	0.0538
ENG JAM3 CD99 EGR1 RORA IL3RA CSF1 PNMA1 AKT3 MAPK11 GTF3C1 FOS CDKN1A ELK1 PPBP	0.0138
FFX+CRT: negative correlation	
TNFRSF4 SERPINB2 HSD11B1 RIPK2 ITGB1 CXCL1 CD274 BID TAP1 USP9Y IRF1 HLA-E BATF	0.0417
BID TAP1 USP9Y IRF1 HLA-E BATF HSD11B1 RIPK2 CXCL1	0.0043
BID USP9Y BATF HSD11B1	0.0004
FFX+CRT: positive correlation	
CD1E TIRAP FLT3 ADORA2A IRF4 ECSIT POU2F2 PTGDR2 BLNK PAX5 BTLA POU2AF1 CXCL12 CD1C CD209 XCR1	0.038
CD209 CD1C FLT3 BTLA IRF4 CD1E ECSIT TIRAP CXCL12	0.0074
CD209 CD1C FLT3	0.0014
CD209 CD1C	0.0006

* Overall survival cutoff: 36 M

Supplementary Table 9. Gene signature association with overall survival

Gene Sets	p value*	p value**
CCL13 CCL17 CCL22 HSD11B1 CD209	0.7291	0.0523
CCL13 CCL17 CCL22 CD209	0.6032	0.0013


* Losartan+FFX+CRT OS cutoff 36 M

** FFX+CRT OS cutoff 36 M

Supplementary Figure 1


More genes are commonly expressed between Losartan+FFX+CRT and FFX+CRT

Losartan+FFX+CRT




FFX+CRT

Losartan+FFX+CRT




FFX+CRT

Supplementary Figure 2




Supplementary Figure 3

A




B



Supplementary Figure 4

FFX-CRT



- 0-1: Complete Response/Near Complete
- ▼ 2-3: Partial/Poor or No Response