

Supplement 7

Cox Proportional Hazards Estimates

Table of Contents

7.1 Full Table for Cox Proportional Hazards Estimates

7.2 Patient Demographics and Baseline Characteristics Response to Treatment - Univariate Cox Proportional Hazards Model in Symptom Duration 0-5 Days at Screening with Baseline Score of 4-7 for WURSS Question 1

Supplement 7.1

Full Table for Cox Proportional Hazards Estimates

Success Criteria Event by Treatment Group in Patients with WURSS-44 Q1 Score of 4-7

WURSS Questionnaire Item	Symptom Days on Enrollment	N	Hazard Ratio	95% Confidence Interval		P-Value
				Lower	Upper	
01: How sick do you feel today?	0-5d	136	1.495	0.996	2.243	0.052
	6-10d	63	0.803	0.425	1.517	0.499
	0-10d	199	1.252	0.888	1.764	0.199
02: Cough	0-5d	82	1.166	0.693	1.961	0.562
	6-10d	36	0.726	0.319	1.654	0.446
	0-10d	118	1.02	0.658	1.58	0.931
03: Coughing stuff up	0-5d	40	1.816	0.875	3.767	0.109
	6-10d	19	1.819	0.684	4.837	0.230
	0-10d	59	1.817	1.013	3.261	0.045*
04: Cough interfering with sleep	0-5d	33	2.02	0.929	4.392	0.076
	6-10d	15	1.273	0.399	4.062	0.684
	0-10d	48	1.752	0.929	3.303	0.083
05: Soar throat	0-5d	40	1.504	0.726	3.114	0.272
	6-10d	19	1.065	0.382	2.968	0.904
	0-10d	59	1.339	0.747	2.399	0.327
06: Scratchy throat	0-5d	36	1.436	0.679	3.039	0.344
	6-10d	15	0.543	0.155	1.9	0.339
	0-10d	51	1.102	0.585	2.075	0.764
07: Hoarseness	0-5d	38	1.212	0.595	2.47	0.596
	6-10d	18	2.56	0.884	7.414	0.083

	0-10d	56	1.521	0.839	2.759	0.167
08: Runny nose	0-5d	44	0.831	0.423	1.634	0.592
	6-10d	17	3.619	0.924	14.179	0.065
	0-10d	61	1.151	0.627	2.11	0.650
09: Plugged nose	0-5d	63	1.338	0.756	2.368	0.317
	6-10d	26	0.986	0.417	2.335	0.975
	0-10d	89	1.22	0.758	1.964	0.412
10: Sneezing	0-5d	39	1.777	0.862	3.663	0.119
	6-10d	16	2.478	0.531	11.569	0.248
	0-10d	55	1.896	0.99	3.628	0.054
11: Headache	0-5d	90	2.027	1.216	3.378	0.007*
	6-10d	38	0.824	0.361	1.879	0.645
	0-10d	128	1.586	1.036	2.429	0.034*
12: Body aches	0-5d	85	1.641	0.996	2.704	0.052
	6-10d	34	1.681	0.767	3.684	0.195
	0-10d	119	1.652	1.084	2.519	0.020*
13: Feeling run down	0-5d	122	1.306	0.833	2.049	0.244
	6-10d	54	0.506	0.245	1.046	0.066
	0-10d	176	0.998	0.683	1.458	0.991
14: Sweats	0-5d	57	1.277	0.731	2.228	0.390
	6-10d	21	1.129	0.456	2.799	0.793
	0-10d	78	1.234	0.768	1.982	0.384
15: Chills	0-5d	44	0.674	0.355	1.279	0.227
	6-10d	17	1.484	0.496	4.436	0.480
	0-10d	61	0.827	0.468	1.461	0.513
16: Feeling feverish	0-5d	44	1.439	0.742	2.79	0.281
	6-10d	17	1.09	0.362	3.284	0.878
	0-10d	61	1.338	0.76	2.358	0.313
17: Feeling dizzy	0-5d	59	1.418	0.796	2.524	0.236
	6-10d	25	0.923	0.363	2.343	0.866

	0-10d	84	1.261	0.768	2.07	0.359
18: Feeling tired	0-5d	125	1.09	0.677	1.755	0.723
	6-10d	54	0.432	0.192	0.972	0.043*
	0-10d	179	0.849	0.566	1.275	0.431
19: Irritability	0-5d	68	1.717	0.947	3.114	0.075
	6-10d	29	0.957	0.395	2.319	0.923
	0-10d	97	1.438	0.874	2.367	0.153
20: Sinus pain	0-5d	60	1.926	1.074	3.452	0.028*
	6-10d	21	2.26	0.792	6.452	0.128
	0-10d	81	2.001	1.203	3.328	0.008*
21: Sinus pressure	0-5d	65	1.702	0.952	3.044	0.073
	6-10d	28	0.906	0.368	2.234	0.831
	0-10d	93	1.415	0.865	2.314	0.167
22: Sinus drainage	0-5d	40	2.158	0.994	4.687	0.052
	6-10d	15	2.077	0.526	8.198	0.297
	0-10d	55	2.138	1.088	4.203	0.028*
23: Swollen glands	0-5d	33	2.436	1.046	5.676	0.039*
	6-10d	10	0.39	0.045	3.352	0.391
	0-10d	43	1.764	0.861	3.616	0.121
24: Plugged ears	0-5d	29	1.542	0.673	3.532	0.306
	6-10d	13	2.839	0.681	11.831	0.152
	0-10d	42	1.812	0.895	3.67	0.099
25: Ear discomfort	0-5d	28	2.39	0.937	6.097	0.068
	6-10d	17	2.217	0.653	7.527	0.202
	0-10d	45	2.325	1.104	4.893	0.026*
26: Watery eyes	0-5d	12	2.934	0.72	11.954	0.133
	6-10d	12	1.45	0.291	7.22	0.650
	0-10d	24	2.218	0.749	6.565	0.150
27: Eye discomfort	0-5d	23	0.747	0.298	1.869	0.533
	6-10d	12	0.594	0.154	2.29	0.449

	0-10d	35	0.695	0.323	1.492	0.350
28: Head congestion	0-5d	71	0.873	0.48	1.586	0.655
	6-10d	30	1.132	0.459	2.792	0.787
	0-10d	101	0.944	0.574	1.553	0.822
29: Chest congestion	0-5d	59	1.847	1.008	3.384	0.047*
	6-10d	19	1.985	0.659	5.984	0.223
	0-10d	78	1.878	1.105	3.193	0.020*
30: Chest tightness	0-5d	46	1.247	0.599	2.593	0.555
	6-10d	27	1.297	0.552	3.048	0.551
	0-10d	73	1.268	0.727	2.211	0.403
31: Heaviness in chest	0-5d	46	1.386	0.682	2.815	0.367
	6-10d	24	0.819	0.344	1.953	0.653
	0-10d	70	1.127	0.652	1.951	0.668
32: Lack of energy	0-5d	118	1.211	0.737	1.988	0.450
	6-10d	52	0.459	0.207	1.016	0.055
	0-10d	170	0.916	0.603	1.392	0.681
33: Loss of appetite	0-5d	74	1.202	0.705	2.052	0.499
	6-10d	30	0.87	0.382	1.979	0.739
	0-10d	104	1.093	0.697	1.714	0.699
34: Think clearly	0-5d	59	2.067	1.093	3.909	0.025*
	6-10d	26	1.514	0.563	4.072	0.411
	0-10d	85	1.893	1.103	3.248	0.021*
35: Speak clearly	0-5d	31	1.194	0.473	3.01	0.708
	6-10d	16	2.797	0.734	10.657	0.132
	0-10d	47	1.609	0.768	3.369	0.208
36: Sleep well	0-5d	75	1.453	0.823	2.566	0.197
	6-10d	33	0.858	0.34	2.165	0.746
	0-10d	108	1.261	0.777	2.046	0.348
37: Breathe easily	0-5d	64	1.535	0.832	2.833	0.170
	6-10d	30	0.915	0.373	2.243	0.846

	0-10d	94	1.301	0.791	2.14	0.301
38: Walk, climb stairs, exercise	0-5d	86	1.313	0.779	2.213	0.307
	6-10d	39	0.756	0.313	1.826	0.534
	0-10d	125	1.136	0.725	1.782	0.577
39: Accomplish daily activities	0-5d	90	1.336	0.802	2.227	0.266
	6-10d	39	0.858	0.372	1.98	0.719
	0-10d	129	1.186	0.767	1.834	0.443
40: Work outside the home	0-5d	88	1.315	0.784	2.205	0.299
	6-10d	39	0.855	0.383	1.911	0.702
	0-10d	127	1.162	0.75	1.8	0.502
41: Work inside the home	0-5d	86	1.313	0.786	2.193	0.298
	6-10d	39	1.042	0.468	2.323	0.919
	0-10d	125	1.228	0.797	1.892	0.352
42: Interact with others	0-5d	89	1.225	0.752	1.996	0.415
	6-10d	38	1.033	0.49	2.176	0.932
	0-10d	127	1.164	0.774	1.753	0.466
43: Live your personal life	0-5d	96	1.451	0.879	2.397	0.146
	6-10d	40	0.839	0.388	1.816	0.656
	0-10d	136	1.233	0.81	1.878	0.328

*p<0.05 by proportional hazards maximum likelihood estimate for 0-5d and 6-10d, and stratified MLE estimate for 0-10d symptom days.

Success (event) criteria defined as first day of 3 consecutive days of a zero score (does not have this symptom, not at all).

17MAR22, T04_cox

Supplement 7.2

Patient Demographics and Baseline Characteristics Response to Treatment Univariate Cox Proportional Hazards Model in Symptom Duration 0-5 Days on Enrollment with Baseline Score of 4-7 for WURSS Question 1

Subgroup	N	Hazard Ratio	95% Confidence Interval		P-Value
			Lower	Upper	
Male	93	1.572	0.959	2.576	0.073
Female	43	1.359	0.664	2.781	0.401
Caucasian	114	1.609	1.029	2.517	0.037*
Non-Caucasian	22	1.112	0.415	2.974	0.833
Age >30	87	2.229	1.291	3.848	0.004*
Age <=30	49	0.731	0.392	1.363	0.325
Age >35 median	67	1.99	1.078	3.675	0.028*
Age <=35 median	69	1.135	0.658	1.958	0.649
Age >40	51	1.789	0.879	3.641	0.109
Age <=40	85	1.414	0.857	2.332	0.175
Age >50	18	1.492	0.436	5.105	0.523
Age <=50	118	1.514	0.984	2.331	0.059
Age >60	6	1.165	0.119	11.389	0.896
Age <=60	130	1.517	1.003	2.296	0.049*
USA Site	128	1.506	0.995	2.279	0.053
Canada Site	8	2.24	0.231	21.713	0.486
Former Smoker	22	1.522	0.525	4.412	0.439
Non-Smoker	114	1.502	0.968	2.331	0.070
Screen 4 or 5	44	1.532	0.71	3.307	0.277
Screen 6 or 7	92	1.499	0.928	2.421	0.098

BMI 24+	88	1.819	1.102	3.001	0.019*
BMI <24	48	1.029	0.508	2.085	0.936
BMI 27+ Obese	63	1.939	1.08	3.482	0.027*
BMI <27 Non-obese	73	1.189	0.676	2.09	0.548
BMI 30+ Very obese	37	2.233	1.009	4.942	0.048*
BMI <30 Not very obese	99	1.29	0.803	2.073	0.292

*p<0.05 by proportional hazards maximum likelihood estimate.

17MAR22

Success (event) criteria defined as first day of 3 consecutive days of a zero score (does not have this symptom, not at all).