

Supplement 8

Full Table of Analysis of Variance for Days of Mild Symptoms Comparison of Days with WURSS-44 Scores of 0-3 for All Symptoms in Patients with Baseline WURSS-44 Q1 Score of 4-7

Questionnaire Item	Symptom Days	Treatment	N	LS Mean	Std Error	95% c.i.		Treatment Comparison					
						Lower	Upper	Difference		95% c.i.		P-Value	
								LS Mean	Std Error	Lower	Upper		
01: How sick do you feel today?	0-5	Treatment	68	23.78	0.77	22.25	25.31						
		Control	68	22.78	0.77	21.25	24.31						
		Difference	136					1.00	1.09	-1.16	3.16	0.362	
	5-10	Treatment	32	22.84	1.40	20.05	25.64						
		Control	31	22.06	1.42	19.23	24.90						
		Difference	63					0.78	1.99	-3.20	4.76	0.697	
	0-10	Treatment	100	23.33	0.71	21.93	24.74						
		Control	99	22.40	0.72	20.99	23.82						
		Difference	199					0.93	0.97	-0.99	2.85	0.341	
02: Cough	0-5	Treatment	44	24.52	0.88	22.77	26.27						
		Control	38	22.42	0.95	20.54	24.30						
		Difference	82					2.10	1.29	-0.47	4.67	0.108	
	5-10	Treatment	18	23.22	1.90	19.37	27.08						
		Control	18	20.67	1.90	16.81	24.52						
		Difference	36					2.56	2.68	-2.89	8.01	0.347	
	0-10	Treatment	62	23.83	0.88	22.09	25.56						
		Control	56	21.59	0.90	19.79	23.38						
		Difference	118					2.24	1.21	-0.15	4.63	0.066	
03: Coughing stuff up	0-5	Treatment	17	23.71	1.63	20.41	27.00						
		Control	23	22.17	1.40	19.34	25.01						
		Difference	40					1.53	2.15	-2.82	5.88	0.480	
	5-10	Treatment	10	25.60	1.77	21.86	29.34						
		Control	9	21.56	1.87	17.61	25.50						
		Difference	19					4.04	2.58	-1.39	9.48	0.135	
	0-10	Treatment	27	24.49	1.25	21.99	26.99						
		Control	32	22.14	1.19	19.75	24.52						
		Difference	59					2.35	1.67	-1.00	5.70	0.165	

*p<0.05 by one-way ANOVA within symptom day strata (0-5, 6-10) and ANOVA with factors treatment and strata for 0-10 days.
17MAR22,T05_mild

Supplement 8

Full Table of Analysis of Variance for Days of Mild Symptoms Comparison of Days with WURSS-44 Scores of 0-3 for All Symptoms in Patients with Baseline WURSS-44 Q1 Score of 4-7

Questionnaire Item	Symptom Days	Treatment	N	LS Mean	Std Error	95% c.i.		Treatment Comparison				
						Lower	Upper	Difference		95% c.i.		P-Value
								LS Mean	Std Error	Lower	Upper	
04: Cough interfering with sleep	0-5	Treatment	19	24.74	1.39	21.89	27.58					
		Control	14	23.36	1.62	20.04	26.67					
		Difference	33					1.38	2.14	-2.99	5.75	0.524
	5-10	Treatment	6	22.83	3.26	15.80	29.87					
		Control	9	18.00	2.66	12.26	23.74					
		Difference	15					4.83	4.2	-4.25	13.91	0.271
	0-10	Treatment	25	23.30	1.44	20.39	26.20					
		Control	23	20.85	1.41	18.01	23.69					
		Difference	48					2.45	1.95	-1.49	6.38	0.217
05: Sore throat	0-5	Treatment	25	24.68	1.34	21.97	27.39					
		Control	15	22.93	1.73	19.44	26.43					
		Difference	40					1.75	2.18	-2.68	6.17	0.429
	5-10	Treatment	6	26.67	3.07	20.19	33.14					
		Control	13	21.85	2.09	17.45	26.25					
		Difference	19					4.82	3.71	-3.01	12.65	0.211
	0-10	Treatment	31	25.12	1.39	22.33	27.90					
		Control	28	22.43	1.31	19.81	25.06					
		Difference	59					2.68	1.89	-1.1	6.46	0.161
06: Scratchy throat	0-5	Treatment	19	25.58	1.28	22.98	28.17					
		Control	17	24.65	1.35	21.90	27.39					
		Difference	36					0.93	1.86	-2.84	4.71	0.619
	5-10	Treatment	6	26.50	3.15	19.71	33.29					
		Control	9	20.33	2.57	14.79	25.88					
		Difference	15					6.17	4.06	-2.6	14.94	0.153
	0-10	Treatment	25	25.27	1.35	22.55	28.00					
		Control	26	22.84	1.27	20.29	25.39					
		Difference	51					2.43	1.77	-1.13	5.99	0.176

*p<0.05 by one-way ANOVA within symptom day strata (0-5, 6-10) and ANOVA with factors treatment and strata for 0-10 days.
17MAR22,T05_mild

Supplement 8

**Full Table of Analysis of Variance for Days of Mild Symptoms
Comparison of Days with WURSS-44 Scores of 0-3 for All Symptoms
in Patients with Baseline WURSS-44 Q1 Score of 4-7**

Questionnaire Item	Symptom Days	Treatment	N	LS Mean	Std Error	95% c.i.		Treatment Comparison					
						Lower	Upper	Difference		95% c.i.		P-Value	
								LS Mean	Std Error	Lower	Upper		
10: Sneezing	0-5	Treatment	22	25.86	1.23	23.37	28.35						
		Control	17	24.65	1.40	21.81	27.48						
		Difference	39					1.22	1.86	-2.56	4.99	0.518	
	5-10	Treatment	11	26.64	1.57	23.27	30.00						
		Control	5	16.60	2.33	11.60	21.60						
		Difference	16					10.04	2.81	4.01	16.06	0.003*	
	0-10	Treatment	33	25.74	1.07	23.60	27.88						
		Control	22	22.20	1.35	19.50	24.90						
		Difference	55					3.54	1.63	0.27	6.82	0.035*	
11: Headache	0-5	Treatment	50	23.84	0.91	22.04	25.64						
		Control	40	20.73	1.01	18.71	22.74						
		Difference	90					3.11	1.36	0.41	5.82	0.024*	
	5-10	Treatment	17	19.94	1.75	16.39	23.50						
		Control	21	19.57	1.58	16.37	22.77						
		Difference	38					0.37	2.36	-4.41	5.15	0.876	
	0-10	Treatment	67	22.24	0.87	20.51	23.97						
		Control	61	19.94	0.88	18.21	21.68						
		Difference	128					2.30	1.19	-0.05	4.65	0.055	
12: Body aches	0-5	Treatment	46	23.83	1.11	21.62	26.03						
		Control	39	21.33	1.20	18.94	23.73						
		Difference	85					2.49	1.64	-0.76	5.75	0.131	
	5-10	Treatment	14	24.93	2.12	20.61	29.25						
		Control	20	18.95	1.77	15.34	22.56						
		Difference	34					5.98	2.76	0.35	11.61	0.038*	
	0-10	Treatment	60	23.86	1.07	21.74	25.98						
		Control	59	20.39	1.03	18.36	22.43						
		Difference	119					3.47	1.41	0.68	6.26	0.015*	

*p<0.05 by one-way ANOVA within symptom day strata (0-5, 6-10) and ANOVA with factors treatment and strata for 0-10 days.
17MAR22,T05_mild

Supplement 8

**Full Table of Analysis of Variance for Days of Mild Symptoms
Comparison of Days with WURSS-44 Scores of 0-3 for All Symptoms
in Patients with Baseline WURSS-44 Q1 Score of 4-7**

Questionnaire Item	Symptom Days	Treatment	N	LS Mean	Std Error	95% c.i.		Treatment Comparison					
						Lower	Upper	Difference		95% c.i.		P-Value	
								LS Mean	Std Error	Lower	Upper		
13: Feeling run down	0-5	Treatment	61	21.41	1.08	19.27	23.55						
		Control	61	19.56	1.08	17.42	21.70						
		Difference	122					1.85	1.53	-1.17	4.88	0.228	
	5-10	Treatment	26	19.00	1.89	15.21	22.79						
		Control	28	18.54	1.82	14.89	22.19						
		Difference	54					0.46	2.62	-4.80	5.73	0.860	
	0-10	Treatment	87	20.35	0.99	18.40	22.29						
		Control	89	18.92	0.97	17.01	20.83						
		Difference	176					1.43	1.33	-1.19	4.04	0.283	
14: Sweats	0-5	Treatment	31	24.32	0.95	22.42	26.23						
		Control	26	25.92	1.04	23.85	28.00						
		Difference	57					-1.60	1.41	-4.42	1.22	0.260	
	5-10	Treatment	10	23.10	2.29	18.31	27.89						
		Control	11	24.18	2.18	19.61	28.75						
		Difference	21					-1.08	3.16	-7.70	5.54	0.736	
	0-10	Treatment	41	23.64	0.98	21.68	25.61						
		Control	37	25.10	1.00	23.11	27.10						
		Difference	78					-1.46	1.32	-4.09	1.17	0.272	
15: Chills	0-5	Treatment	28	24.46	1.21	22.03	26.90						
		Control	16	24.69	1.60	21.47	27.91						
		Difference	44					-0.22	2.00	-4.26	3.82	0.912	
	5-10	Treatment	8	22.25	3.37	15.07	29.43						
		Control	9	21.11	3.18	14.34	27.88						
		Difference	17					1.14	4.63	-8.73	11.01	0.809	
	0-10	Treatment	36	23.18	1.35	20.48	25.87						
		Control	25	23.00	1.49	20.02	25.97						
		Difference	61					0.18	1.92	-3.66	4.02	0.927	

*p<0.05 by one-way ANOVA within symptom day strata (0-5, 6-10) and ANOVA with factors treatment and strata for 0-10 days.
17MAR22,T05_mild

Supplement 8

**Full Table of Analysis of Variance for Days of Mild Symptoms
Comparison of Days with WURSS-44 Scores of 0-3 for All Symptoms
in Patients with Baseline WURSS-44 Q1 Score of 4-7**

Questionnaire Item	Symptom Days	Treatment	N	LS Mean	Std Error	95% c.i.		Treatment Comparison					
						Lower	Upper	Difference		95% c.i.		P-Value	
								LS Mean	Std Error	Lower	Upper		
16: Feeling feverish	0-5	Treatment	26	24.08	1.19	21.67	26.49						
		Control	18	24.72	1.44	21.83	27.62						
		Difference	44					-0.65	1.87	-4.41	3.12	0.731	
	5-10	Treatment	8	22.25	3.36	15.08	29.42						
		Control	9	20.67	3.17	13.91	27.43						
		Difference	17					1.58	4.62	-8.27	11.44	0.737	
	0-10	Treatment	34	22.87	1.33	20.20	25.54						
		Control	27	22.88	1.41	20.06	25.70						
		Difference	61					-0.01	1.84	-3.70	3.68	0.995	
17: Feeling dizzy	0-5	Treatment	27	23.30	1.33	20.63	25.96						
		Control	32	23.19	1.22	20.74	25.63						
		Difference	59					0.11	1.81	-3.51	3.72	0.952	
	5-10	Treatment	13	22.31	2.57	16.99	27.62						
		Control	12	19.83	2.67	14.30	25.37						
		Difference	25					2.47	3.71	-5.20	10.15	0.511	
	0-10	Treatment	40	22.60	1.25	20.11	25.08						
		Control	44	21.78	1.22	19.35	24.21						
		Difference	84					0.82	1.67	-2.51	4.14	0.627	
18: Feeling tired	0-5	Treatment	62	20.89	1.06	18.79	22.98						
		Control	63	19.11	1.05	17.03	21.19						
		Difference	125					1.78	1.49	-1.18	4.73	0.236	
	5-10	Treatment	25	17.44	1.99	13.45	21.43						
		Control	29	17.90	1.84	14.19	21.60						
		Difference	54					-0.46	2.71	-5.90	4.98	0.867	
	0-10	Treatment	87	19.41	1.00	17.45	21.38						
		Control	92	18.31	0.96	16.42	20.20						
		Difference	179					1.11	1.32	-1.50	3.71	0.404	

*p<0.05 by one-way ANOVA within symptom day strata (0-5, 6-10) and ANOVA with factors treatment and strata for 0-10 days.
17MAR22,T05_mild

Supplement 8

**Full Table of Analysis of Variance for Days of Mild Symptoms
Comparison of Days with WURSS-44 Scores of 0-3 for All Symptoms
in Patients with Baseline WURSS-44 Q1 Score of 4-7**

Questionnaire Item	Symptom Days	Treatment	N	LS Mean	Std Error	95% c.i.		Treatment Comparison				P-Value	
						Lower	Upper	Difference		95% c.i.			
								LS Mean	Std Error	Lower	Upper		
19: Irritability	0-5	Treatment	33	23.06	1.33	20.41	25.71						
		Control	35	19.49	1.29	16.92	22.06						
		Difference	68					3.57	1.85	-0.11	7.26	0.057	
	5-10	Treatment	16	21.19	2.22	16.62	25.75						
		Control	13	16.85	2.47	11.78	21.91						
		Difference	29					4.34	3.32	-2.47	11.16	0.202	
	0-10	Treatment	49	22.06	1.18	19.72	24.40						
		Control	48	18.26	1.22	15.84	20.68						
		Difference	97					3.80	1.62	0.58	7.02	0.021*	
20: Sinus pain	0-5	Treatment	28	23.86	1.33	21.20	26.52						
		Control	32	22.84	1.24	20.35	25.33						
		Difference	60					1.01	1.82	-2.63	4.66	0.580	
	5-10	Treatment	11	24.82	2.38	19.84	29.79						
		Control	10	19.50	2.49	14.28	24.72						
		Difference	21					5.32	3.44	-1.89	12.53	0.139	
	0-10	Treatment	39	23.88	1.23	21.42	26.33						
		Control	42	21.75	1.22	19.31	24.18						
		Difference	81					2.13	1.62	-1.09	5.35	0.192	
21: Sinus pressure	0-5	Treatment	28	23.71	1.35	21.02	26.41						
		Control	37	23.19	1.17	20.85	25.53						
		Difference	65					0.53	1.79	-3.04	4.09	0.770	
	5-10	Treatment	13	23.77	2.35	18.94	28.60						
		Control	15	21.13	2.19	16.64	25.63						
		Difference	28					2.64	3.21	-3.96	9.23	0.419	
	0-10	Treatment	41	23.53	1.21	21.12	25.94						
		Control	52	22.36	1.10	20.17	24.56						
		Difference	93					1.17	1.57	-1.95	4.29	0.460	

*p<0.05 by one-way ANOVA within symptom day strata (0-5, 6-10) and ANOVA with factors treatment and strata for 0-10 days.

17MAR22,T05_mild

Supplement 8

Full Table of Analysis of Variance for Days of Mild Symptoms Comparison of Days with WURSS-44 Scores of 0-3 for All Symptoms in Patients with Baseline WURSS-44 Q1 Score of 4-7

Questionnaire Item	Symptom Days	Treatment	N	LS Mean	Std Error	95% c.i.		Treatment Comparison					
						Lower	Upper	Difference		95% c.i.		P-Value	
								LS Mean	Std Error	Lower	Upper		
22: Sinus drainage	0-5	Treatment	19	21.58	1.79	17.95	25.2						
		Control	21	22.81	1.7	19.36	26.26						
		Difference	40					-1.23	2.47	-6.23	3.77	0.621	
	5-10	Treatment	9	26.44	2.42	21.21	31.68						
		Control	6	16.50	2.97	10.09	22.91						
		Difference	15					9.94	3.83	1.66	18.23	0.022*	
	0-10	Treatment	28	23.15	1.57	19.99	26.31						
		Control	27	21.41	1.68	18.04	24.79						
		Difference	55					1.73	2.17	-2.63	6.09	0.429	
23: Swollen glands	0-5	Treatment	20	25.05	1.28	22.45	27.65						
		Control	13	25.00	1.58	21.77	28.23						
		Difference	33					0.05	2.03	-4.10	4.20	0.981	
	5-10	Treatment	3	20.67	4.92	9.32	32.02						
		Control	7	19.14	3.22	11.71	26.57						
		Difference	10					1.52	5.88	-12.04	15.09	0.802	
	0-10	Treatment	23	22.51	1.58	19.32	25.7						
		Control	20	22.15	1.46	19.21	25.09						
		Difference	43					0.36	2.00	-3.68	4.40	0.858	
24: Plugged ears	0-5	Treatment	12	23.92	1.75	20.33	27.5						
		Control	17	22.53	1.47	19.52	25.54						
		Difference	29					1.39	2.28	-3.30	6.07	0.548	
	5-10	Treatment	8	26.00	2.26	21.02	30.98						
		Control	5	17.80	2.86	11.5	24.1						
		Difference	13					8.20	3.65	0.17	16.23	0.046*	
	0-10	Treatment	20	24.65	1.42	21.78	27.53						
		Control	22	21.19	1.46	18.24	24.15						
		Difference	42					3.46	1.98	-0.54	7.46	0.088	

*p<0.05 by one-way ANOVA within symptom day strata (0-5, 6-10) and ANOVA with factors treatment and strata for 0-10 days.

17MAR22,T05_mild

Supplement 8

**Full Table of Analysis of Variance for Days of Mild Symptoms
Comparison of Days with WURSS-44 Scores of 0-3 for All Symptoms
in Patients with Baseline WURSS-44 Q1 Score of 4-7**

Questionnaire Item	Symptom Days	Treatment	N	LS Mean	Std Error	95% c.i.		Treatment Comparison					
						Lower	Upper	Difference		95% c.i.		P-Value	
								LS Mean	Std Error	Lower	Upper		
25: Ear discomfort	0-5	Treatment	14	25.50	1.40	22.63	28.37						
		Control	14	21.79	1.40	18.91	24.66						
		Difference	28					3.71	1.98	-0.35	7.78	0.072	
	5-10	Treatment	10	25.30	2.04	20.95	29.65						
		Control	7	21.71	2.44	16.51	26.92						
		Difference	17					3.59	3.18	-3.20	10.37	0.278	
	0-10	Treatment	24	25.40	1.16	23.06	27.75						
		Control	21	21.74	1.27	19.18	24.29						
		Difference	45					3.67	1.69	0.25	7.08	0.036*	
26: Watery eyes	0-5	Treatment	7	21.71	3.51	13.89	29.54						
		Control	5	19.40	4.15	10.15	28.65						
		Difference	12					2.31	5.44	-9.80	14.43	0.679	
	5-10	Treatment	8	25.25	2.17	20.42	30.08						
		Control	4	18.25	3.07	11.42	25.08						
		Difference	12					7.00	3.76	-1.37	15.37	0.092	
	0-10	Treatment	15	23.54	2.01	19.36	27.72						
		Control	9	18.99	2.60	13.59	24.39						
		Difference	24					4.55	3.29	-2.29	11.40	0.181	
27: Eye discomfort	0-5	Treatment	10	25.50	1.85	21.66	29.34						
		Control	13	24.00	1.62	20.63	27.37						
		Difference	23					1.50	2.46	-3.61	6.61	0.548	
	5-10	Treatment	7	23.86	2.78	17.65	30.06						
		Control	5	21.00	3.30	13.66	28.34						
		Difference	12					2.86	4.31	-6.76	12.47	0.523	
	0-10	Treatment	17	24.62	1.54	21.49	27.75						
		Control	18	22.66	1.56	19.48	25.85						
		Difference	35					1.96	2.15	-2.41	6.33	0.367	

*p<0.05 by one-way ANOVA within symptom day strata (0-5, 6-10) and ANOVA with factors treatment and strata for 0-10 days.

17MAR22,T05_mild

Supplement 8

Full Table of Analysis of Variance for Days of Mild Symptoms Comparison of Days with WURSS-44 Scores of 0-3 for All Symptoms in Patients with Baseline WURSS-44 Q1 Score of 4-7

Questionnaire Item	Symptom Days	Treatment	N	LS Mean	Std Error	95% c.i.		Treatment Comparison					
						Lower	Upper	Difference		95% c.i.		P-Value	
								LS Mean	Std Error	Lower	Upper		
28: Head congestion	0-5	Treatment	32	22.59	1.25	20.11	25.08						
		Control	39	23.18	1.13	20.93	25.43						
		Difference	71					-0.59	1.68	-3.94	2.77	0.729	
	5-10	Treatment	13	23.92	2.12	19.57	28.27						
		Control	17	22.35	1.86	18.55	26.16						
		Difference	30					1.57	2.82	-4.21	7.35	0.582	
	0-10	Treatment	45	23.00	1.13	20.77	25.24						
		Control	56	22.95	1.01	20.94	24.96						
		Difference	101					0.05	1.44	-2.82	2.92	0.972	
29: Chest congestion	0-5	Treatment	32	23.69	1.26	21.16	26.21						
		Control	27	22.26	1.37	19.51	25.01						
		Difference	59					1.43	1.86	-2.30	5.16	0.447	
	5-10	Treatment	11	25.82	1.25	23.18	28.45						
		Control	8	22.63	1.46	19.54	25.71						
		Difference	19					3.19	1.92	-0.87	7.25	0.115	
	0-10	Treatment	43	24.57	1.08	22.41	26.72						
		Control	35	22.72	1.20	20.33	25.10						
		Difference	78					1.85	1.49	-1.11	4.82	0.217	
30: Chest tightness	0-5	Treatment	25	21.84	1.56	18.70	24.98						
		Control	21	21.19	1.70	17.76	24.62						
		Difference	46					0.65	2.31	-4.01	5.30	0.780	
	5-10	Treatment	16	25.06	1.21	22.56	27.56						
		Control	11	23.73	1.46	20.71	26.74						
		Difference	27					1.34	1.90	-2.58	5.25	0.489	
	0-10	Treatment	41	23.42	1.08	21.26	25.58						
		Control	32	22.52	1.24	20.06	24.98						
		Difference	73					0.90	1.61	-2.32	4.12	0.579	

*p<0.05 by one-way ANOVA within symptom day strata (0-5, 6-10) and ANOVA with factors treatment and strata for 0-10 days.

17MAR22,T05_mild

Supplement 8

Full Table of Analysis of Variance for Days of Mild Symptoms Comparison of Days with WURSS-44 Scores of 0-3 for All Symptoms in Patients with Baseline WURSS-44 Q1 Score of 4-7

Questionnaire Item	Symptom Days	Treatment	N	LS Mean	Std Error	95% c.i.		Treatment Comparison				P-Value	
						Lower	Upper	Difference		95% c.i.			
								LS Mean	Std Error	Lower	Upper		
31: Heaviness in chest	0-5	Treatment	24	21.42	1.62	18.16	24.67						
		Control	22	21.09	1.69	17.69	24.49						
		Difference	46					0.33	2.34	-4.39	5.04	0.890	
	5-10	Treatment	14	24.64	1.35	21.84	27.45						
		Control	10	23.9	1.6	20.58	27.22						
		Difference	24					0.74	2.10	-3.61	5.09	0.726	
	0-10	Treatment	38	23.01	1.17	20.68	25.33						
		Control	32	22.54	1.29	19.97	25.11						
		Difference	70					0.47	1.69	-2.91	3.85	0.784	
32: Lack of energy	0-5	Treatment	59	20.49	1.11	18.29	22.69						
		Control	59	19.59	1.11	17.39	21.79						
		Difference	118					0.90	1.57	-2.22	4.01	0.569	
	5-10	Treatment	25	17.6	1.96	13.67	21.53						
		Control	27	17.44	1.88	13.66	21.23						
		Difference	52					0.16	2.72	-5.30	5.61	0.955	
	0-10	Treatment	84	19.12	1.02	17.12	21.13						
		Control	86	18.45	1	16.48	20.42						
		Difference	170					0.67	1.37	-2.03	3.37	0.624	
33: Loss of appetite	0-5	Treatment	36	22.97	1.14	20.7	25.24						
		Control	38	22.63	1.11	20.42	24.84						
		Difference	74					0.34	1.59	-2.83	3.51	0.831	
	5-10	Treatment	15	24.67	2.16	20.25	29.09						
		Control	15	20.6	2.16	16.18	25.02						
		Difference	30					4.07	3.05	-2.18	10.32	0.193	
	0-10	Treatment	51	23.43	1.07	21.3	25.56						
		Control	53	22.02	1.06	19.91	24.12						
		Difference	104					1.42	1.43	-1.43	4.26	0.326	

*p<0.05 by one-way ANOVA within symptom day strata (0-5, 6-10) and ANOVA with factors treatment and strata for 0-10 days.

17MAR22,T05_mild

Supplement 8

**Full Table of Analysis of Variance for Days of Mild Symptoms
Comparison of Days with WURSS-44 Scores of 0-3 for All Symptoms
in Patients with Baseline WURSS-44 Q1 Score of 4-7**

Questionnaire Item	Symptom Days	Treatment	N	LS Mean	Std Error	95% c.i.		Treatment Comparison					
						Lower	Upper	Difference		95% c.i.		P-Value	
								LS Mean	Std Error	Lower	Upper		
34: Think clearly	0-5	Treatment	29	21.62	1.53	18.56	24.68						
		Control	30	22.70	1.50	19.69	25.71						
		Difference	59					-1.08	2.14	-5.37	3.21	0.616	
	5-10	Treatment	15	22.20	2.31	17.43	26.97						
		Control	11	15.45	2.70	9.88	21.03						
		Difference	26					6.75	3.56	-0.59	14.08	0.070	
	0-10	Treatment	44	21.35	1.34	18.70	24.01						
		Control	41	20.08	1.42	17.25	22.91						
		Difference	85					1.28	1.87	-2.45	5.00	0.498	
35: Speak clearly	0-5	Treatment	15	18.07	2.34	13.28	22.85						
		Control	16	22.87	2.26	18.24	27.51						
		Difference	31					-4.81	3.25	-11.47	1.85	0.150	
	5-10	Treatment	9	25.44	2.67	19.71	31.18						
		Control	7	17.57	3.03	11.07	24.07						
		Difference	16					7.87	4.04	-0.79	16.54	0.072	
	0-10	Treatment	24	21.02	1.90	17.18	24.86						
		Control	23	21.55	1.99	17.54	25.56						
		Difference	47					-0.53	2.68	-5.94	4.87	0.843	
36: Sleep well	0-5	Treatment	39	22.59	1.16	20.28	24.90						
		Control	36	21.22	1.21	18.82	23.63						
		Difference	75					1.37	1.67	-1.97	4.71	0.417	
	5-10	Treatment	16	20.19	2.30	15.49	24.88						
		Control	17	15.88	2.23	11.33	20.44						
		Difference	33					4.31	3.21	-2.24	10.85	0.189	
	0-10	Treatment	55	21.08	1.12	18.87	23.29						
		Control	53	18.81	1.12	16.59	21.04						
		Difference	108					2.27	1.52	-0.74	5.27	0.138	

*p<0.05 by one-way ANOVA within symptom day strata (0-5, 6-10) and ANOVA with factors treatment and strata for 0-10 days.

17MAR22,T05_mild

Supplement 8

Full Table of Analysis of Variance for Days of Mild Symptoms Comparison of Days with WURSS-44 Scores of 0-3 for All Symptoms in Patients with Baseline WURSS-44 Q1 Score of 4-7

Questionnaire Item	Symptom Days	Treatment	N	LS Mean	Std Error	95% c.i.		Treatment Comparison				P-Value	
						Lower	Upper	Difference		95% c.i.			
								LS Mean	Std Error	Lower	Upper		
37: Breathe easily	0-5	Treatment	35	21.31	1.33	18.65	23.98						
		Control	29	22.48	1.46	19.56	25.41						
		Difference	64					-1.17	1.98	-5.12	2.79	0.557	
	5-10	Treatment	13	21.15	2.68	15.66	26.65						
		Control	17	20.94	2.35	16.13	25.75						
		Difference	30					0.21	3.57	-7.09	7.52	0.953	
	0-10	Treatment	48	21.07	1.29	18.50	23.63						
		Control	46	21.80	1.27	19.28	24.32						
		Difference	94					-0.73	1.75	-4.21	2.75	0.678	
38: Walk, climb stairs, exercise	0-5	Treatment	39	21.97	1.22	19.55	24.40						
		Control	47	20.83	1.11	18.62	23.04						
		Difference	86					1.14	1.65	-2.14	4.43	0.490	
	5-10	Treatment	20	20.15	2.15	15.79	24.51						
		Control	19	18.42	2.21	13.95	22.89						
		Difference	39					1.73	3.08	-4.51	7.97	0.578	
	0-10	Treatment	59	21.01	1.10	18.83	23.20						
		Control	66	19.69	1.07	17.57	21.81						
		Difference	125					1.33	1.48	-1.60	4.26	0.371	
39: Accomplish daily activities	0-5	Treatment	45	22.00	1.13	19.75	24.25						
		Control	45	19.96	1.13	17.70	22.21						
		Difference	90					2.04	1.60	-1.14	5.23	0.206	
	5-10	Treatment	21	19.52	2.04	15.39	23.66						
		Control	18	19.22	2.20	14.76	23.69						
		Difference	39					0.30	3.00	-5.78	6.39	0.921	
	0-10	Treatment	66	20.91	1.04	18.85	22.97						
		Control	63	19.39	1.08	17.26	21.53						
		Difference	129					1.52	1.43	-1.32	4.36	0.291	

*p<0.05 by one-way ANOVA within symptom day strata (0-5, 6-10) and ANOVA with factors treatment and strata for 0-10 days.

17MAR22,T05_mild

Supplement 8

Full Table of Analysis of Variance for Days of Mild Symptoms Comparison of Days with WURSS-44 Scores of 0-3 for All Symptoms in Patients with Baseline WURSS-44 Q1 Score of 4-7

Questionnaire Item	Symptom Days	Treatment	N	LS Mean	Std Error	95% c.i.		Treatment Comparison					
						Lower	Upper	Difference		95% c.i.		P-Value	
								LS Mean	Std Error	Lower	Upper		
40: Work outside the home	0-5	Treatment	41	20.37	1.31	17.77	22.96						
		Control	47	18.28	1.22	15.85	20.70						
		Difference	88					2.09	1.79	-1.46	5.64	0.246	
	5-10	Treatment	22	19.27	2.05	15.11	23.43						
		Control	17	16.06	2.33	11.33	20.79						
		Difference	39					3.21	3.11	-3.09	9.51	0.308	
	0-10	Treatment	63	19.74	1.13	17.51	21.97						
		Control	64	17.31	1.16	15.01	19.61						
		Difference	127					2.43	1.56	-0.65	5.51	0.121	
41: Work inside the home	0-5	Treatment	41	21.34	1.32	18.72	23.96						
		Control	45	20.64	1.26	18.14	23.14						
		Difference	86					0.70	1.82	-2.92	4.32	0.703	
	5-10	Treatment	20	19.15	2.08	14.93	23.37						
		Control	19	19.47	2.14	15.14	23.80						
		Difference	39					-0.32	2.98	-6.37	5.72	0.914	
	0-10	Treatment	61	20.33	1.15	18.06	22.61						
		Control	64	19.96	1.14	17.70	22.21						
		Difference	125					0.38	1.55	-2.70	3.45	0.808	
42: Interact with others	0-5	Treatment	43	21.16	1.28	18.63	23.70						
		Control	46	19.13	1.23	16.68	21.58						
		Difference	89					2.03	1.77	-1.50	5.56	0.255	
	5-10	Treatment	20	20.10	1.99	16.06	24.14						
		Control	18	18.22	2.10	13.96	22.48						
		Difference	38					1.88	2.90	-3.99	7.75	0.521	
	0-10	Treatment	63	20.65	1.11	18.44	22.85						
		Control	64	18.66	1.12	16.44	20.88						
		Difference	127					1.99	1.51	-1.00	4.97	0.191	

*p<0.05 by one-way ANOVA within symptom day strata (0-5, 6-10) and ANOVA with factors treatment and strata for 0-10 days.

17MAR22,T05_mild

Supplement 8

Full Table of Analysis of Variance for Days of Mild Symptoms Comparison of Days with WURSS-44 Scores of 0-3 for All Symptoms in Patients with Baseline WURSS-44 Q1 Score of 4-7

Questionnaire Item	Symptom Days	Treatment	N	LS Mean	Std Error	95% c.i.		Treatment Comparison				
						Lower	Upper	Difference		95% c.i.		P-Value
								LS Mean	Std Error	Lower	Upper	
43: Live your personal life	0-5	Treatment	45	20.16	1.24	17.70	22.61					
		Control	51	19.02	1.16	16.71	21.33					
		Difference	96					1.14	1.70	-2.24	4.51	0.505
	5-10	Treatment	20	17.75	1.94	13.82	21.68					
		Control	20	19.45	1.94	15.52	23.38					
		Difference	40					-1.70	2.75	-7.26	3.86	0.540
	0-10	Treatment	65	19.23	1.09	17.08	21.38					
		Control	71	18.93	1.06	16.84	21.02					
		Difference	136					0.30	1.44	-2.56	3.16	0.836

*p<0.05 by one-way ANOVA within symptom day strata (0-5, 6-10) and ANOVA with factors treatment and strata for 0-10 days.

17MAR22,T05_mild