

## Appendix 1: Segmentor Analysis

### Instructions for Contouring MRI Cases

You will be assigned a Case Number, which you should use for each patient.

All cases are located in Raystation (Research).

At the bottom, you will see the individual MRI sequences which you can scroll through using the bar below. Double-click on the sequence that you want to work on. The first sequence is the non-fat-suppressed T2 image. The remaining images are the various iterations of fat-suppressed T2 images in random order. Double-clicking on one of the image viewers will maximize the window of the particular image plane. While you should use the Transverse plane to contour, you can refer to the other image planes to assist with visualization. When you are ready to contour, click the “New ROI geometry” icon on the header and select “Create new ROI”. Name the contour “XXX\_YY” where XXX is the name of the organ and YY are your initials. “Organ” can remain as the “Type” and choose the color of your liking.

The organs that should be contoured are the:

- Tumor GTV
- Involved or suspicious lymph nodes
- L and R parotid glands
- L and R Pterygoid muscles

As we want to ensure that each observer’s contours are independent from each other, please do not look at other observer’s contours. If you cannot locate a particular organ, it would be best to ask someone not involved with the study (refer to initial email for those participating). Additionally, this study will assess the ability of each sequence to visualize these organs. Thus, please refrain from looking at the patient’s approved treatment plan. You may refer to any diagnostic exams and radiologist notes, as these are typically available to radiation oncologists during planning. Essentially, we would like to simulate the initial planning of a patient prescribed radiation. Time-permitting, please create each contour from scratch for each image, rather than propagating the contours between images of a patient.

Please see the next page for qualitative image assessment.

## Qualitative Image Assessment

For each patient, rank each MR image according to preference for treatment planning (1 as lowest preference and 6 as highest preference). If you have the same preference for multiple images, give them the same rank. Provide the "Series description" which can be found by hovering your mouse over each image at the bottom of the screen.

MRN	MR1	MR2	MR3	MR4	MR5	MR6
	Description:  Rank:	Description:  Rank:	Description:  Rank:	Description:  Rank:	Description:  Rank:	Description:  Rank:
	Description:  Rank:	Description:  Rank:	Description:  Rank:	Description:  Rank:	Description:  Rank:	Description:  Rank:
	Description:  Rank:	Description:  Rank:	Description:  Rank:	Description:  Rank:	Description:  Rank:	Description:  Rank:
	Description:  Rank:	Description:  Rank:	Description:  Rank:	Description:  Rank:	Description:  Rank:	Description:  Rank:
	Description:  Rank:	Description:  Rank:	Description:  Rank:	Description:  Rank:	Description:  Rank:	Description:  Rank:

If you would like to elaborate on why an image was ranked high or low (such as presence of any artifacts or distortion), please list below. Provide the MRN and MR# with your finding.

Observer 1

1 = least preferred, 6 = most preferred

MRN	MR1	MR2	MR3	MR4	MR5	MR6
Pat1	Description: T2 3D tra  Rank: 5	Description: SPAIR1  Rank: 6	Description: SPAIR2  Rank: 3	Description: SPAIR3  Rank:1	Description: SPAIR4  Rank: 4	Description: SPAIR5  Rank: 2
Pat2	Description: T2 3D tra  Rank: 6	Description: SPAIR4  Rank: 2	Description: SPAIR2  Rank3	Description: SPAIR3  Rank:1	Description: SPAIR5  Rank: 5	Description: SPAIR1  Rank: 4
Pat3	Description: T2 3D tra  Rank: 2	Description: SPAIR1  Rank: 4	Description: SPAIR4  Rank: 5	Description: SPAIR2  Rank: 3	Description: SPAIR3  Rank: 6	Description: SPAIR5  Rank: 1
Pat4	Description: T2 3D tra  Rank: 1	Description: SPAIR1  Rank: 6	Description: SPAIR2  Rank: 2	Description: SPAIR4  Rank: 4	Description: SPAIR5  Rank: 3	Description: SPAIR3  Rank: 5
Pat5	Description: T2 3D tra  Rank: 1	Description: SPAIR1  Rank: 4	Description: SPAIR5  Rank: 6	Description: SPAIR4  Rank: 2	Description: SPAIR3  Rank: 5	Description: SPAIR2  Rank:3

Other comments:

Pat3 SPAIR1: impossible to see left pterygoid. Had to guess

Pat3 SPAIR5: couldn't see the GTV at all

Pat4 T2 3D tra: good for normals, harder for GTV

Pat1 SPAIR2: really hard to see everything. Very fuzzy. Lymph node was impossible to see

Pat1 SPAIR5: difficult to make out left parotid

Pat2 SPAIR4: impossible to see GTV

Pat2 SPAIR2: very difficult to see GTV

Pat2 SPAIR3: very fuzzy

Pat2 SPAIR1: really hard to make out parotids

Pat5 SPAIR1: GTV and parotids great, very hard to see pterygoids

Observer 2

1 = least preferred, 6 = most preferred

MRN	MR1	MR2	MR3	MR4	MR5	MR6
Pat1	<u>Description:</u> T2 3D Tra  <u>Rank:</u> 5	<u>Description:</u> 3D T2 SPAIR1  Rank: 6	<u>Description:</u> 3D T2 SPAIR2  Rank: 5	<u>Description:</u> 3D T2 SPAIR3  Rank: 1	<u>Description:</u> 3D T2 SPAIR4  Rank: 5	<u>Description:</u> 3D T2 SPAIR5  Rank: 5
Pat2	<u>Description:</u> T2 3D Tra  Rank: 6	<u>Description:</u> 3D T2 SPAIR4  Rank: 2	<u>Description:</u> 3D T2 SPAIR2  Rank:3	<u>Description:</u> 3D T2 SPAIR3  Rank: 5	<u>Description:</u> 3D T2 SPAIR5  Rank:4	<u>Description:</u> 3D T2 SPAIR1  Rank:5
Pat3	<u>Description:</u> T2 3D Tra  Rank: 5	<u>Description:</u> 3D T2 SPAIR1  Rank: 2	<u>Description:</u> 3D T2 SPAIR4  Rank: 3	<u>Description:</u> 3D T2 SPAIR2  Rank: 3	<u>Description:</u> 3D T2 SPAIR3  Rank: 2	<u>Description:</u> 3D T2 SPAIR5  Rank: 3
Pat4	<u>Description:</u> T2 3D Tra  Rank: 6	<u>Description:</u> 3D T2 SPAIR1  Rank: 4	<u>Description:</u> 3D T2 SPAIR2  Rank: 3	<u>Description:</u> 3D T2 SPAIR4  Rank: 4	<u>Description:</u> 3D T2 SPAIR5  Rank: 5	<u>Description:</u> 3D T2 SPAIR3  Rank: 4
Pat5	<u>Description:</u> T2 3D Tra  Rank: 4	<u>Description:</u> 3D T2 SPAIR1  Rank: 3	<u>Description:</u> 3D T2 SPAIR5  Rank: 2	<u>Description:</u> 3D T2 SPAIR4  Rank: 4	<u>Description:</u> 3D T2 SPAIR3  Rank: 4	<u>Description:</u> 3D T2 SPAIR2  Rank: 5

Observer 3

1 = least preferred, 6 = most preferred

MRN	MR1	MR2	MR3	MR4	MR5	MR6
Pat1	Description: GTV and LNs hard. Parotids very hard. Pterygoids good.  Rank: 1	Description: GTV ok. LN hard. Parotids hard. Pterygoids hard.  Rank: 2	Description: GTV ok. LN hard. Parotids ok. Pterygoids good.  Rank: 3	Description: GTV ok. LN ok. Parotids good. Pterygoids ok.  Rank: 6	Description: GTV ok. LN hard. Parotids good. Pterygoids ok.  Rank: 4	Description: GTV ok. LN hard. Parotids good. Pterygoids good.  Rank: 5
Pat2	Description: GTV hard. LNs hard. Parotids hard. Pterygoids good.  Rank: 1	Description: GTV and LNs good. Parotids and pterygoids good.  Rank: 6	Description: GTV and LNs good. Parotids and pterygoids fair.  Rank: 4	Description: GTV and LNs fair. Parotids and pterygoids good.  Rank: 5	Description: GTV and LNs fair. Parotids and pterygoids good.  Rank: 3	Description: GTV fair. LNs hard. Parotids good. Pterygoids fair.  Rank: 2
Pat3	Description: Pterygoids good. All other structures very hard.  Rank: 1	Description: GTV and LN good. Pterygoids fair. Parotids hard.  Rank: 2	Description: GTV and LN good. Pterygoids and parotids fair.  Rank: 5	Description: GTV was fair. LN was great. Parotids and pterygoids were hard.  Rank: 3	Description: GTV good. LN great. Parotids and pterygoids fair.  Rank: 6	Description: GTV was fair. LN was good. Parotid and Pteryoids were fair.  Rank: 4
Pat4	Description: Really hard to see GTV. All other structures hard.  Rank: 1	Description: GTV fair. Parotids and pterygoids hard.  Rank: 2	Description: Fair GTV. Parotids hard. Pterygoids really hard.  Rank: 3	Description: All structures are good.  Rank: 4	Description: Best sequence for all structures.  Rank: 6	Description: GTV is the best. Pterygoids and parotids are good.  Rank: 5
Pat5	Description: GTV and LN hard. Parotids and pterygoids good.  Rank: 1	Description: GTV and LN good. Parotids and pterygoids hard.  Rank: 2	Description: GTV and LN good. Parotids and pterygoids hard.  Rank: 4	Description: GTV and LN good. Parotids and pterygoids the best.  Rank: 6	Description: GTV and LN good. Parotids and pterygoids fair.  Rank: 3	Description: GTV and LN good. Parotids great and pterygoids fair.  Rank: 5

Other comments:

Structures were hard to contour when the tissue around the structure had the same texture and contrast. Enhancement made the GTV and LNs easier. Pat1, Pat2: GTV and LNs were difficult in these cases. Pat3: artifact made the L pterygoid hard for this case.

Notes: (very) good = positive; (very) hard = negative; fair/okay = neutral

Observer 4

1 = least preferred, 6 = most preferred

MRN	MR1	MR2	MR3	MR4	MR5	MR6
Pat1	Description: T2 3D Tra  Can't see parotid Easier to see LN remnant Had to imagine parts of GTV  Rank: 4	Description: SPAIR1  Can't see LN remnant Easiest to see GTV  Rank: 6	Description: SPAIR2  Can't see LN remnant, had to hypothetically create Second easiest to see GTV; easiest for parotid  Rank: 5	Description: SPAIR3  Can't see LN remnant, had to hypothetically create  Rank: 3	Description: SPAIR4  Can't see LN remnant, had to hypothetically create  Rank: 2	Description: SPAIR5  Can't see LN remnant, had to hypothetically create Had to imagine parts of GTV  Rank: 1
Pat2	Description: T2 3D Tra  Had to guess parotid gland; had to imagine GTV  Rank: 1	Description: SPAIR4  Fourth easiest to see GTV  Rank: 3	Description: SPAIR2  Easiest to see parotid gland Second easiest to see GTV  Rank: 5	Description: SPAIR3  Third easiest to see GTV  Rank: 4	Description: SPAIR5  Difficult to see GTV  Rank: 2	Description: SPAIR1  Easiest to see GTV  Rank: 6
Pat3	Description: T2 3D Tra  Impossible to see parotids and lymph nodes; had to guess to see them hard to see GTV  Rank: 1	Description: SPAIR1  Second easiest to see parotids Easiest to see GTV  Rank: 6	Description: SPAIR4  Easiest to see parotid gland Second easiest to see GTV  Rank: 5	Description: SPAIR2  Moderately easy to see GTV, but not as easily as base scan or 20201104  Rank: 4	Description: SPAIR3  Reasonably good series  Rank: 3	Description: SPAIR5  most challenging to see GTV  Rank: 2
Pat4	Description: T2 3D Tra  Very hard to see parotid glands  Rank: 1	Description: SPAIR1  Challenging to see pterygoids fully; easiest to see parotids Third easiest to see GTV  Rank: 4	Description: SPAIR2  Harder to see parotids than others Easiest to see GTV  Rank: 6	Description: SPAIR4  Very blurry Third easiest to see GTV  Rank: 3	Description: SPAIR5  Easiest to see parotid gland Second easiest to see GTV  Rank: 5	Description: SPAIR3  Challenging to see parotids  Rank: 2
Pat5	Description: T2 3D Tra  Impossible to see parotids; had to guess to see them Impossible to see LN  Rank: 1	Description: SPAIR1  Easiest to see GTV  Rank: 6	Description: SPAIR5  So blurry Reasonably easy to see GTV  Rank: 2	Description: SPAIR4  Very blurry Third easiest to see GTV  Rank: 3	Description: SPAIR3  Reasonably good series  Rank: 4	Description: SPAIR2  Second easiest to see GTV  Rank: 5

Notes: 5<sup>th</sup> and 6<sup>th</sup> easiest = negative; 1<sup>st</sup> and 2<sup>nd</sup> easiest = positive; 3<sup>rd</sup> and 4<sup>th</sup> easiest = neutral

Observer 5

1 = least preferred, 6 = most preferred

MRN	MR1	MR2	MR3	MR4	MR5	MR6
Pat 1	Description: T2 3D Tra  Rank: 1	Description: 3D T2 SPAIR1  Rank: 6	Description: 3D T2 SPAIR2  Rank: 4	Description: 3D T2 SPAIR3  Rank: 5	Description: 3D T2 SPAIR4  Rank: 3	Description: 3D T2 SPAIR5  Rank: 2
Pat2	Description: T2 3D Tra  Rank: 1	Description: 3D T2 SPAIR4  Rank: 6	Description: 3D T2 SPAIR2  Rank: 5	Description: 3D T2 SPAIR3  Rank: 4	Description: 3D T2 SPAIR5  Rank: 3	Description: 3D T2 SPAIR1  Rank: 2
Pat3	Description: T2 3D Tra  Rank: 1	Description: 3D T2 SPAIR1  Rank: 6	Description: 3D T2 SPAIR4  Rank: 4	Description: 3D T2 SPAIR2  Rank: 3	Description: 3D T2 SPAIR3  Rank: 5	Description: 3D T2 SPAIR5  Rank: 2
Pat4	Description: T2 3D Tra  Rank: 1	Description: 3D T2 SPAIR1  Rank: 2	Description: 3D T2 SPAIR2  Rank: 4	Description: 3D T2 SPAIR4  Rank: 3	Description: 3D T2 SPAIR5  Rank: 5	Description: 3D T2 SPAIR3  Rank: 6
Pat5	Description: T23D Tra  Rank: 1	Description: 3D T2 SPAIR1  Rank: 6	Description: 3D T2 SPAIR5  Rank: 5	Description: 3D T2 SPAIR4  Rank: 4	Description: 3D T2 SPAIR3  Rank: 3	Description: 3D T2 SPAIR2  Rank: 2

Other comments:

For all T2 3D Tra: the muscles were well visualized but all other structures were significantly more difficult to evaluate.