



**Figure S1. Proportion of Patients with HPO Feature by Category and Outcome.** The X-axis shows the five most prevalent HPO features from the displayed category. The Y-axis shows the proportion of patients with that feature from the set patients with the indicated symptom category and outcome.

**Table S1. HPO Category: neuropsychiatric.** Given the removal of psychiatric HPO terms we refer to this category as **neurologic**. ✓: observed; ×: excluded because of overlapped with mental health outcomes; ∅: not observed in the EHR dataset and therefore not used in the analysis.

<b>Id</b>	<b>label</b>	<b>status</b>
HP:0030784	Anomic aphasia	✓
HP:0002381	Aphasia	✓
HP:0033849	Bilingual aphasia	∅
HP:0002427	Expressive aphasia	✓
HP:0033848	Receptive aphasia	∅
HP:0001350	Slurred speech	✓
HP:0010524	Agnosia	✓
HP:0002067	Bradykinesia	✓
HP:0031843	Bradyphrenia	✓
HP:0100543	Cognitive impairment	∅
HP:0001289	Confusion	✓
HP:0031987	Diminished ability to concentrate	✓
HP:0001298	Encephalopathy	✓
HP:0033844	Tachyphrenia	∅
HP:0002315	Headache	✓
HP:0002076	Migraine	✓
HP:0041051	Ageusia	✓
HP:0000458	Anosmia	✓
HP:0000224	Hypogeusia	✓
HP:0004409	Hyposmia	✓
HP:0031249	Parageusia	✓
HP:0033847	Phantageusia	∅
HP:0033693	Phantosmia	∅
HP:0000718	Aggressive behavior	✓
HP:0000716	Depression	×
HP:0033838	Dysphoria	∅
HP:0000712	Emotional lability	∅
HP:0031844	Euphoria	✓
HP:0100754	Mania	✓
HP:0033845	Sense of impending doom	∅
HP:0031589	Suicidal ideation	∅
HP:0033705	Tearfulness	∅
HP:0033689	Anterograde memory impairment	∅
HP:0033688	Long term memory impairment	∅
HP:0002354	Memory impairment	✓
HP:0033691	Procedural memory loss	∅
HP:0033687	Short term memory impairment	∅
HP:0000739	Anxiety	×
HP:0000741	Apathy	✓
HP:0007018	Attention deficit hyperactivity disorder	×
HP:0008765	Auditory hallucinations	✓
HP:0033630	Brain fog	∅
HP:0000746	Delusions	✓
HP:0000738	Hallucinations	✓

Continued on next page

**Table S1 – continued from previous page**

<b>Id</b>	<b>label</b>	<b>status</b>
HP:0033051	Impaired executive functioning	✓
HP:0100710	Impulsivity	∅
HP:0000737	Irritability	✓
HP:0025269	Panic attack	×
HP:0002183	Phonophobia	×
HP:0001959	Polydipsia	∅
HP:0033676	Posttraumatic stress symptom	∅
HP:0000736	Short attention span	✓
HP:0033694	Tactile hallucination	∅
HP:0002367	Visual hallucinations	✓
HP:0033747	Abnormal exteroceptive sensation	∅
HP:0031826	Abnormal reflex	✓
HP:0100022	Abnormality of movement	✓
HP:0001251	Ataxia	✓
HP:0003487	Babinski sign	✓
HP:0001260	Dysarthria	✓
HP:0001310	Dysmetria	✓
HP:0002015	Dysphagia	✓
HP:0001332	Dystonia	✓
HP:0007209	Facial paralysis	∅
HP:0000743	Frontal release signs	∅
HP:0001288	Gait disturbance	∅
HP:0030237	Hand muscle weakness	✓
HP:0100963	Hyperesthesia	✓
HP:0002487	Hyperkinetic movements	✓
HP:0033748	Hypoesthesia	∅
HP:0001252	Hypotonia	∅
HP:0003394	Muscle spasm	✓
HP:0001324	Muscle weakness	✓
HP:0001278	Orthostatic hypotension	✓
HP:0003401	Paresthesia	✓
HP:0001300	Parkinsonism	✓
HP:0001271	Polyneuropathy	✓
HP:0002063	Rigidity	∅
HP:0001250	Seizure	✓
HP:0003202	Skeletal muscle atrophy	✓
HP:0003474	Somatic sensory dysfunction	✓
HP:0001257	Spasticity	✓
HP:0001337	Tremor	✓
HP:0012799	Unilateral facial palsy	∅
HP:0100785	Insomnia	✓
HP:0031355	Maintenance insomnia	∅
HP:0012452	Restless legs	✓
HP:0010535	Sleep apnea	✓
HP:0002360	Sleep disturbance	✓
HP:0031354	Sleep onset insomnia	∅
HP:0031356	Terminal insomnia	✓

**Table S2. HPO Category: Ear, Nose, and Throat (ENT).** ✓: observed; ×: excluded because of overlapped with mental health outcomes; ∅: not observed in the EHR dataset and therefore not used in the analysis.

<b>Id</b>	<b>label</b>	<b>status</b>
HP:0001618	Dysphonia	∅
HP:0001742	Nasal congestion	✓
HP:0033050	Pharyngalgia	✓
HP:0012384	Rhinitis	✓
HP:0030766	Ear pain	✓
HP:0000365	Hearing impairment	✓
HP:0010780	Hyperacusis	✓
HP:0008629	Pulsatile tinnitus	✓
HP:0000360	Tinnitus	✓
HP:0002321	Vertigo	✓

**Table S3. HPO Category: skin.** ✓: observed; ×: excluded because of overlapped with mental health outcomes; ∅: not observed in the EHR dataset and therefore not used in the analysis.

<b>Id</b>	<b>label</b>	<b>status</b>
HP:0001596	Alopecia	✓
HP:0011971	Dermatographic urticaria	✓
HP:0031284	Flushing	∅
HP:0001808	Fragile nails	∅
HP:0000975	Hyperhidrosis	✓
HP:0000967	Petechiae	✓
HP:0000989	Pruritus	✓
HP:0033696	Pseudo-chilblain	∅
HP:0040189	Scaling skin	✓
HP:0000988	Skin rash	✓

**Table S4. HPO Category: pulmonary.** ✓: observed; ×: excluded because of overlapped with mental health outcomes; ∅: not observed in the EHR dataset and therefore not used in the analysis.

Id	label	status
HP:0031983	Abnormal pulmonary thoracic imaging finding	∅
HP:0100750	Atelectasis	✓
HP:0002110	Bronchiectasis	✓
HP:0025180	Centrilobular ground-glass opacification on pulmonary HRCT	∅
HP:0033659	Crazy-paving pattern	∅
HP:0030879	Interlobular septal thickening	∅
HP:0032177	Parenchymal consolidation	∅
HP:0031944	Pleural thickening	✓
HP:0032446	Pulmonary bulla	∅
HP:0002206	Pulmonary fibrosis	✓
HP:0033711	Pulmonary interstitial thickening	∅
HP:0025390	Reticular pattern on pulmonary HRCT	∅
HP:0033609	Solid pulmonary nodule	∅
HP:0033610	Subsolid pulmonary nodule	∅
HP:0033702	Subpleural curvilinear line	∅
HP:0006536	Airway obstruction	∅
HP:0045051	Decreased DLCO	∅
HP:0033760	Decreased maximal oxygen uptake	∅
HP:0033773	Decreased RV/TLC ratio	∅
HP:0025179	Ground-glass opacification	∅
HP:0012418	Hypoxemia	✓
HP:0030874	Oxygen desaturation on exertion	∅
HP:0030877	Reduced FEV1/FVC ratio	∅
HP:0032342	Reduced forced expiratory volume in one second	∅
HP:0032341	Reduced forced vital capacity	∅
HP:0033750	Reduced functional residual capacity	∅
HP:0033753	Reduced residual volume	∅
HP:0033169	Reduced total lung capacity	∅
HP:0002091	Restrictive ventilatory defect	✓
HP:0002102	Pleuritis	✓
HP:0002204	Pulmonary embolism	✓
HP:0012735	Cough	✓
HP:0002094	Dyspnea	✓
HP:0002875	Exertional dyspnea	✓
HP:0002105	Hemoptysis	✓
HP:0033709	Increased sputum production	∅
HP:0031246	Nonproductive cough	✓
HP:0033771	Pleuritic chest pain	∅
HP:0031245	Productive cough	✓
HP:0033710	Rest dyspnea	∅
HP:0031417	Rhinorrhea	✓
HP:0030831	Rhonchi	✓
HP:0025095	Sneeze	✓
HP:0002789	Tachypnea	∅
HP:0030828	Wheezing	✓

**Table S5. HPO Category: endocrine.** ✓: observed; ×: excluded because of overlapped with mental health outcomes; ∅: not observed in the EHR dataset and therefore not used in the analysis.

<b>Id</b>	<b>label</b>	<b>status</b>
HP:0012213	Decreased glomerular filtration rate	∅
HP:0000819	Diabetes mellitus	✓
HP:0000969	Edema	✓
HP:0030014	Female sexual dysfunction	∅
HP:0001945	Fever	✓
HP:0002046	Heat intolerance	✓
HP:0002045	Hypothermia	✓
HP:0000858	Irregular menstruation	✓
HP:0011134	Low-grade fever	✓
HP:0040307	Male sexual dysfunction	✓
HP:0000132	Menorrhagia	✓
HP:0001733	Pancreatitis	✓
HP:0033840	Postmenopausal bleeding	∅
HP:0001954	Recurrent fever	✓
HP:0000083	Renal insufficiency	✓
HP:0005968	Temperature instability	∅
HP:0033839	Testicular pain	∅
HP:0000020	Urinary incontinence	✓

**Table S6. HPO Category: immunology.** ✓: observed; ×: excluded because of overlapped with mental health outcomes; ∅: not observed in the EHR dataset and therefore not used in the analysis.

<b>Id</b>	<b>label</b>	<b>status</b>
HP:0100845	Anaphylactic shock	✓
HP:0003493	Antinuclear antibody positivity	✓
HP:0025379	Anti-thyroid peroxidase antibody positivity	∅
HP:0032069	Anti-thyroglobulin antibody positivity	∅
HP:0002716	Lymphadenopathy	✓
HP:0001888	Lymphopenia	✓



**Table S7. HPO Category: constitutional.** ✓: observed; ×: excluded because of overlapped with mental health outcomes; ∅: not observed in the EHR dataset and therefore not used in the analysis.

<b>Id</b>	<b>label</b>	<b>status</b>
HP:0001369	Arthritis	✓
HP:0025406	Asthenia	✓
HP:0031352	Chest tightness	✓
HP:0025143	Chills	∅
HP:0033850	Coldness	∅
HP:0002355	Difficulty walking	✓
HP:0033665	Diminished health-related quality of life	∅
HP:0033667	Diminished mental health	∅
HP:0033666	Diminished physical functioning	∅
HP:0003546	Exercise intolerance	✓
HP:0012378	Fatigue	✓
HP:0033675	Frailty	∅
HP:0031059	Impaired ability to bathe oneself	∅
HP:0031060	Impaired ability to dress oneself	∅
HP:0031058	Impairment of activities of daily living	∅
HP:0033834	Malaise	∅
HP:0030166	Night sweats	✓
HP:0033695	Occupational disability	∅
HP:0030973	Postexertional malaise	✓
HP:0025144	Shivering	✓
HP:0025258	Stiff neck	∅
HP:0001824	Weight loss	∅
HP:0000217	Xerostomia	✓
HP:0002829	Arthralgia	✓
HP:0033047	Body ache	∅
HP:0002653	Bone pain	✓
HP:0100749	Chest pain	✓
HP:0033746	Intrascapular pain	∅
HP:0009763	Limb pain	✓
HP:0003326	Myalgia	✓
HP:0033345	Neuralgia	∅
HP:0012531	Pain	✓

**Table S8. HPO Category: cardiovascular.** ✓: observed; ×: excluded because of overlapped with mental health outcomes; ∅: not observed in the EHR dataset and therefore not used in the analysis.

<b>Id</b>	<b>label</b>	<b>status</b>
HP:0001662	Bradycardia	✓
HP:4000006	Elevated myocardial native T1	∅
HP:4000003	Elevated myocardial native T2	∅
HP:0000822	Hypertension	✓
HP:0002615	Hypotension	✓
HP:0410174	Increased circulating troponin T concentration	∅
HP:0410173	Increased circulating troponin I concentration	∅
HP:0031862	Increased heart rate variability	∅
HP:0033755	Increased left ventricular end-diastolic volume	∅
HP:4000004	Myocardial late gadolinium enhancement	∅
HP:0012819	Myocarditis	✓
HP:0001698	Pericardial effusion	✓
HP:4000005	Pericardial late gadolinium enhancement	∅
HP:0012664	Reduced ejection fraction	∅
HP:0001649	Tachycardia	✓
HP:0004936	Venous thrombosis	✓
HP:0001681	Angina pectoris	✓
HP:0001962	Palpitations	✓
HP:0001297	Stroke	✓
HP:0001279	Syncope	✓

**Table S9. HPO Category: gastrointestinal.** ✓: observed; ×: excluded because of overlapped with mental health outcomes; ∅: not observed in the EHR dataset and therefore not used in the analysis.

<b>Id</b>	<b>label</b>	<b>status</b>
HP:0002020	Gastroesophageal reflux	✓
HP:0002578	Gastroparesis	✓
HP:0002592	Gastric ulcer	✓
HP:0001397	Hepatic steatosis	✓
HP:0002240	Hepatomegaly	✓
HP:0012115	Hepatitis	✓
HP:0004395	Malnutrition	✓
HP:0033757	Pancreatic steatosis	∅
HP:0001744	Splenomegaly	✓
HP:0002027	Abdominal pain	✓
HP:0011458	Abdominal symptom	∅
HP:0002039	Anorexia	∅
HP:0002607	Bowel incontinence	✓
HP:0002019	Constipation	✓
HP:0002014	Diarrhea	✓
HP:0033842	Early satiety	∅
HP:0002018	Nausea	✓
HP:0002013	Vomiting	✓
HP:0004396	Poor appetite	∅

**Table S10. HPO Category: laboratory.** ✓: observed; ×: excluded because of overlapped with mental health outcomes; ∅: not observed in the EHR dataset and therefore not used in the analysis.

<b>Id</b>	<b>label</b>	<b>status</b>
HP:0012053	Decreased circulating calcifediol concentration	∅
HP:0003155	Elevated circulating alkaline phosphatase concentration	✓
HP:0031964	Elevated circulating alanine aminotransferase concentration	∅
HP:0031956	Elevated circulating aspartate aminotransferase concentration	∅
HP:0003259	Elevated circulating creatinine concentration	✓
HP:0003236	Elevated circulating creatine kinase concentration	∅
HP:0011227	Elevated circulating C-reactive protein concentration	✓
HP:0033106	Elevated circulating D-dimer concentration	∅
HP:0033833	Elevated circulating soluble CD25 concentration	∅
HP:0002925	Elevated circulating thyroid-stimulating hormone concentration	✓
HP:0003565	Elevated erythrocyte sedimentation rate	✓
HP:0030948	Elevated gamma-glutamyltransferase level	∅
HP:0002901	Hypocalcemia	✓
HP:0011900	Hypofibrinogenemia	✓
HP:0003074	Hyperglycemia	✓
HP:0001943	Hypoglycemia	✓
HP:0002148	Hypophosphatemia	✓
HP:0003281	Increased circulating ferritin concentration	∅
HP:0030783	Increased circulating interleukin 6	∅
HP:0025435	Increased circulating lactate dehydrogenase concentration	∅
HP:0031185	Increased circulating NT-proBNP concentration	∅
HP:0032308	Increased circulating procalcitonin concentration	∅
HP:0001873	Thrombocytopenia	✓

**Table S11. HPO Category: eye.** ✓: observed; ×: excluded because of overlapped with mental health outcomes; ∅: not observed in the EHR dataset and therefore not used in the analysis.

<b>Id</b>	<b>label</b>	<b>status</b>
HP:0000618	Blindness	✓
HP:0000622	Blurred vision	✓
HP:0000509	Conjunctivitis	✓
HP:0000651	Diplopia	✓
HP:0000640	Gaze-evoked nystagmus	✓
HP:0001097	Keratoconjunctivitis sicca	✓
HP:0200026	Ocular pain	✓
HP:0033841	Ocular pruritus	∅
HP:0007994	Peripheral visual field loss	✓
HP:0000613	Photophobia	✓
HP:0025337	Red eye	✓
HP:0000572	Visual loss	✓
HP:0100832	Vitreous floaters	✓

**Table S12. Logistic Regression for All Factors and Outcomes.** Odds ratios, 95% confidence intervals, and p-values for the association of features in all factors and outcomes.

Predictor	All Mental Illness		Anxiety Disorder		Mood Disorder		Dementia		Psychosis	
	OR (CI)	p-val	OR (CI)	p-val	OR (CI)	p-val	OR (CI)	p-val	OR (CI)	p-val
(Intercept)	0.02 (0.02-0.02)	<0.05	0.01 (0.01-0.01)	<0.05	0.01 (0.01-0.01)	<0.05	0 (0-0)	<0.05	0 (0-0)	<0.05
constitutional neurological	1.6 (1.56-1.65)	<0.05	1.69 (1.62-1.76)	<0.05	1.51 (1.43-1.59)	<0.05	1.31 (1.14-1.5)	<0.05	1.15 (0.84-1.57)	0.37
gastrointestinal	2.3 (2.24-2.36)	<0.05	2.16 (2.08-2.23)	<0.05	2.19 (2.1-2.29)	<0.05	2.78 (2.56-3.02)	<0.05	3.5 (3.01-4.07)	<0.05
pulmonary cardiovascular	1.44 (1.39-1.48)	<0.05	1.44 (1.38-1.5)	<0.05	1.41 (1.33-1.48)	<0.05	1.13 (0.96-1.34)	0.15	0.91 (0.63-1.33)	0.63
ENT	1.12 (1.07-1.17)	<0.05	1.07 (1.01-1.14)	<0.05	1.11 (1.03-1.19)	<0.05	0.79 (0.65-0.96)	<0.05	0.67 (0.41-1.11)	0.12
endocrine	1.77 (1.69-1.85)	<0.05	2.04 (1.92-2.16)	<0.05	1.32 (1.21-1.44)	<0.05	1.48 (1.22-1.79)	<0.05	1.44 (0.9-2.31)	0.13
age under 10	1.24 (1.16-1.32)	<0.05	1.33 (1.23-1.44)	<0.05	1.1 (0.99-1.23)	0.085	1.11 (0.85-1.45)	0.45	0.73 (0.37-1.43)	0.35
age 10 to 19	1.1 (1.02-1.18)	<0.05	1.03 (0.93-1.14)	0.57	1.34 (1.2-1.51)	<0.05	0.87 (0.64-1.18)	0.37	1.31 (0.71-2.42)	0.39
age 20 to 29	1.08 (1-1.17)	0.063	0.5 (0.43-0.57)	<0.05	0.31 (0.25-0.39)	<0.05	19.68 (13.52-28.63)	<0.05	0.62 (0.23-1.63)	0.33
age 30 to 39	1.56 (1.48-1.65)	<0.05	1.38 (1.28-1.5)	<0.05	1.61 (1.45-1.79)	<0.05	1.79 (1.14-2.8)	<0.05	0.41 (0.19-0.9)	<0.05
age 40 to 49	1.54 (1.47-1.61)	<0.05	1.64 (1.54-1.74)	<0.05	1.6 (1.48-1.74)	<0.05	0.99 (0.63-1.55)	0.96	1.28 (0.81-2.03)	0.3
age 50 to 59	1.39 (1.33-1.46)	<0.05	1.51 (1.42-1.6)	<0.05	1.32 (1.22-1.43)	<0.05	0.5 (0.29-0.86)	<0.05	1.15 (0.73-1.81)	0.56
age 60 to 69	1.14 (1.09-1.2)	<0.05	1.22 (1.15-1.3)	<0.05	1.06 (0.98-1.15)	0.13	0.79 (0.5-1.24)	0.31	0.62 (0.37-1.06)	0.079
age 70 to 79	1	REF	1	REF	1	REF	1	REF	1	REF
age over 80	0.88 (0.84-0.92)	<0.05	0.79 (0.73-0.84)	<0.05	0.93 (0.85-1.01)	0.089	2.28 (1.6-3.24)	<0.05	1.39 (0.89-2.2)	0.15
BMI under 20	0.86 (0.81-0.91)	<0.05	0.68 (0.62-0.74)	<0.05	0.92 (0.83-1.01)	0.091	7.23 (5.23-10.02)	<0.05	1.34 (0.77-2.32)	0.3
BMI 20 to 25	0.93 (0.85-1.01)	0.075	0.61 (0.53-0.7)	<0.05	0.74 (0.64-0.87)	<0.05	21.05 (15.14-29.26)	<0.05	2.27 (1.16-4.44)	<0.05
BMI 25 to 30	0.94 (0.86-1.03)	0.16	0.93 (0.82-1.05)	0.22	0.72 (0.6-0.87)	<0.05	0.15 (0.08-0.3)	<0.05	0.63 (0.22-1.77)	0.37
BMI 30 to 35	1 (0.94-1.06)	0.9	0.99 (0.91-1.07)	0.78	0.94 (0.86-1.02)	0.14	1.04 (0.8-1.36)	0.76	0.92 (0.53-1.6)	0.77
BMI 35 to 40	1	REF	1	REF	1	REF	1	REF	1	REF
BMI over 40	1.03 (0.97-1.09)	0.28	1.03 (0.95-1.12)	0.47	1.04 (0.96-1.13)	0.31	1.02 (0.79-1.31)	0.9	1.13 (0.69-1.88)	0.62
gender MALE	1.04 (0.96-1.12)	0.34	1.04 (0.93-1.16)	0.53	1.11 (0.99-1.25)	0.065	0.87 (0.6-1.25)	0.45	0.93 (0.46-1.9)	0.85
gender FEMALE	1.09 (1.02-1.16)	<0.05	1.06 (0.97-1.16)	0.18	1.21 (1.1-1.33)	<0.05	0.88 (0.61-1.25)	0.46	1.2 (0.69-2.09)	0.53
smoking status	0.66 (0.65-0.68)	<0.05	0.52 (0.5-0.54)	<0.05	0.47 (0.45-0.5)	<0.05	0.72 (0.63-0.83)	<0.05	0.9 (0.69-1.18)	0.46
length of stay 0d	1	REF	1	REF	1	REF	1	REF	1	REF
length of stay 1d	1.25 (1.13-1.38)	<0.05	1.11 (0.96-1.28)	0.14	1.23 (1.03-1.45)	<0.05	1.15 (0.59-2.22)	0.69	0.88 (0.35-2.18)	0.78
length of stay 2d 3d	1	REF	1	REF	1	REF	1	REF	1	REF
length of stay 4d 7d	1.32 (1.2-1.44)	<0.05	1.25 (1.1-1.42)	<0.05	1.06 (0.9-1.25)	0.5	1.5 (1-2.24)	<0.05	1.31 (0.59-2.95)	0.51
length of stay in gt 7d	1.19 (1.09-1.31)	<0.05	0.99 (0.86-1.15)	0.91	1.21 (1.03-1.42)	<0.05	1.27 (0.9-1.8)	0.17	2.03 (1.05-3.93)	<0.05
race ethnicity White	1.16 (1.07-1.26)	<0.05	1.01 (0.89-1.14)	0.92	1.15 (0.99-1.32)	0.06	1.67 (1.29-2.16)	<0.05	1.38 (0.7-2.72)	0.35
Non Hispanic	1.74 (1.61-1.89)	<0.05	1.62 (1.44-1.82)	<0.05	1.29 (1.11-1.51)	<0.05	1.99 (1.54-2.57)	<0.05	0.37 (0.11-1.27)	0.12
race ethnicity Other	1	REF	1	REF	1	REF	1	REF	1	REF
Non Hispanic	0.66 (0.58-0.74)	<0.05	0.59 (0.49-0.7)	<0.05	0.6 (0.48-0.75)	<0.05	0.81 (0.42-1.57)	0.53	0.71 (0.17-2.87)	0.63
race ethnicity Native Hawaiian or Other Pacific Islander	0.88 (0.59-1.3)	0.52	0.78 (0.44-1.38)	0.39	0.79 (0.39-1.59)	0.51	NA	NA	NA	NA
Non Hispanic	1.04 (1-1.08)	<0.05	0.97 (0.92-1.02)	0.18	0.89 (0.83-0.95)	<0.05	0.88 (0.69-1.13)	0.32	1.39 (0.93-2.09)	0.11
race ethnicity Any Race	1.07 (1-1.15)	0.065	1.03 (0.93-1.13)	0.61	0.85 (0.75-0.98)	<0.05	1.24 (0.84-1.83)	0.28	1.18 (0.53-2.64)	0.68
race ethnicity Black or African American	0.89 (0.86-0.93)	<0.05	0.69 (0.65-0.73)	<0.05	0.75 (0.7-0.8)	<0.05	1.01 (0.82-1.24)	0.96	2.27 (1.64-3.12)	<0.05
Non Hispanic	0.75 (0.69-0.82)	<0.05	0.69 (0.61-0.78)	<0.05	0.63 (0.53-0.74)	<0.05	0.98 (0.61-1.56)	0.92	0.82 (0.3-2.26)	0.7
chronic resp	1.27 (1.22-1.32)	<0.05	1.33 (1.26-1.41)	<0.05	1.19 (1.11-1.28)	<0.05	0.88 (0.72-1.07)	0.21	1.27 (0.84-1.92)	0.25
diabetes2	1.09 (1.04-1.14)	<0.05	0.98 (0.92-1.05)	0.64	1.26 (1.16-1.36)	<0.05	1.2 (1-1.43)	0.051	1.11 (0.72-1.72)	0.64
hepatic steatosis	0.94 (0.86-1.03)	0.17	0.94 (0.83-1.07)	0.37	0.92 (0.78-1.07)	0.27	0.65 (0.35-1.21)	0.18	0.25 (0.06-1.05)	0.059
hypertension	1.23 (1.19-1.28)	<0.05	1.23 (1.17-1.3)	<0.05	1.19 (1.12-1.27)	<0.05	1.43 (1.2-1.71)	<0.05	0.79 (0.54-1.15)	0.21
hypertensive kidney disease	0.87 (0.78-0.97)	<0.05	0.89 (0.75-1.07)	0.22	0.8 (0.66-0.96)	<0.05	0.84 (0.62-1.14)	0.26	1.06 (0.38-2.93)	0.91
ischemic heart disease	0.89 (0.82-0.96)	<0.05	0.89 (0.79-1)	0.058	1.02 (0.89-1.17)	0.75	0.92 (0.72-1.17)	0.5	0.61 (0.27-1.41)	0.25
neoplasm	1.12 (1.08-1.16)	<0.05	1.15 (1.1-1.21)	<0.05	0.98 (0.92-1.05)	0.59	0.61 (0.51-0.73)	<0.05	0.52 (0.33-0.8)	<0.05
nicotine dependence	1.42 (1.32-1.53)	<0.05	1.39 (1.25-1.54)	<0.05	1.46 (1.29-1.66)	<0.05	0.77 (0.47-1.28)	0.31	1.95 (1.02-3.73)	<0.05
non hypertensive	1.05 (0.97-1.14)	0.23	0.92 (0.81-1.05)	0.22	1.23 (1.08-1.4)	<0.05	1.4 (1.12-1.76)	<0.05	0.92 (0.42-2.02)	0.85
chronic kidney disease	1.03 (0.99-1.08)	0.16	0.96 (0.9-1.03)	0.27	1.03 (0.95-1.11)	0.49	1.49 (1.25-1.77)	<0.05	0.94 (0.6-1.47)	0.79
non ischemic heart disease	0.97 (0.89-1.06)	0.46	0.86 (0.76-0.98)	<0.05	0.97 (0.84-1.13)	0.73	0.52 (0.3-0.9)	<0.05	3.51 (2-6.18)	<0.05
other liver disease										

**Table S13. Logistic Regression for All Factors and Outcomes for Outpatients Only.** To rule out our results being an artifact from mixing patients with inpatient and outpatient status, we repeated the analysis by separating inpatients and outpatients. Odds ratios, 95% confidence intervals, and p-values for the association of features in all factors and outcomes.

Predictor	All Mental Illness		Anxiety Disorder		Mood Disorder		Dementia		Psychosis	
	OR (CI)	p-val	OR (CI)	p-val	OR (CI)	p-val	OR (CI)	p-val	OR (CI)	p-val
(Intercept)	0.02 (0.02-0.02)	<0.05	0.01 (0.01-0.01)	<0.05	0.01 (0.01-0.01)	<0.05	0 (0-0)	<0.05	0 (0-0)	<0.05
constitutional neurological	1.7 (1.65-1.76)	<0.05	1.79 (1.71-1.87)	<0.05	1.55 (1.46-1.64)	<0.05	1.33 (1.12-1.58)	<0.05	1.07 (0.77-1.5)	0.69
gastrointestinal	2.44 (2.37-2.51)	<0.05	2.31 (2.23-2.4)	<0.05	2.35 (2.24-2.46)	<0.05	2.94 (2.65-3.26)	<0.05	3.93 (3.35-4.62)	<0.05
pulmonary	1.47 (1.42-1.52)	<0.05	1.48 (1.41-1.55)	<0.05	1.43 (1.35-1.51)	<0.05	1.17 (0.95-1.44)	0.13	1.07 (0.73-1.57)	0.72
cardiovascular	1.18 (1.12-1.24)	<0.05	1.1 (1.02-1.18)	<0.05	1.19 (1.09-1.3)	<0.05	0.69 (0.51-0.92)	<0.05	0.44 (0.22-0.89)	<0.05
ENT	1.91 (1.82-2.01)	<0.05	2.22 (2.09-2.36)	<0.05	1.38 (1.25-1.52)	<0.05	1.54 (1.2-1.98)	<0.05	1.64 (1-2.71)	0.052
endocrine	1.25 (1.17-1.33)	<0.05	1.31 (1.2-1.42)	<0.05	1.07 (0.95-1.21)	0.24	1.15 (0.83-1.58)	0.41	0.81 (0.41-1.6)	0.55
age under 10	1.16 (1.07-1.25)	<0.05	1.09 (0.98-1.22)	0.12	1.45 (1.28-1.64)	<0.05	1.04 (0.71-1.52)	0.85	1.69 (0.9-3.18)	0.11
age 10 to 19	1.09 (1-1.19)	0.052	0.52 (0.45-0.6)	<0.05	0.24 (0.19-0.31)	<0.05	17.89 (11.73-27.28)	<0.05	0.44 (0.15-1.34)	0.15
age 20 to 29	1.6 (1.5-1.69)	<0.05	1.43 (1.31-1.55)	<0.05	1.6 (1.44-1.78)	<0.05	1.67 (1.04-2.68)	<0.05	0.35 (0.15-0.79)	<0.05
age 30 to 39	1.56 (1.49-1.64)	<0.05	1.68 (1.57-1.79)	<0.05	1.59 (1.46-1.73)	<0.05	0.97 (0.61-1.54)	0.89	1.15 (0.71-1.87)	0.57
age 40 to 49	1.42 (1.35-1.49)	<0.05	1.55 (1.45-1.65)	<0.05	1.32 (1.21-1.43)	<0.05	0.48 (0.27-0.83)	<0.05	1.02 (0.63-1.65)	0.93
age 50 to 59	1.15 (1.09-1.21)	<0.05	1.23 (1.15-1.31)	<0.05	1.05 (0.97-1.15)	0.22	0.77 (0.48-1.23)	0.28	0.6 (0.35-1.04)	0.068
age 60 to 69	1	REF	1	REF	1	REF	1	REF	1	REF
age 70 to 79	0.89 (0.84-0.93)	<0.05	0.8 (0.74-0.86)	<0.05	0.94 (0.86-1.02)	0.15	2.11 (1.45-3.07)	<0.05	1.29 (0.8-2.08)	0.3
age over 80	0.84 (0.79-0.9)	<0.05	0.68 (0.62-0.75)	<0.05	0.89 (0.8-1)	<0.05	6.5 (4.59-9.21)	<0.05	1.11 (0.6-2.05)	0.74
BMI under 20	0.92 (0.83-1.01)	0.091	0.59 (0.5-0.69)	<0.05	0.75 (0.63-0.89)	<0.05	19.71 (13.85-28.05)	<0.05	2.73 (1.37-5.42)	<0.05
BMI 20 to 25	0.94 (0.86-1.03)	0.19	0.91 (0.81-1.03)	0.15	0.75 (0.62-0.9)	<0.05	0.15 (0.07-0.32)	<0.05	0.66 (0.22-1.97)	0.46
BMI 25 to 30	0.99 (0.93-1.05)	0.77	0.98 (0.91-1.07)	0.71	0.94 (0.86-1.03)	0.19	0.97 (0.72-1.31)	0.84	0.93 (0.53-1.64)	0.81
BMI 30 to 35	1	REF	1	REF	1	REF	1	REF	1	REF
BMI 35 to 40	1.03 (0.97-1.09)	0.31	1.03 (0.95-1.12)	0.48	1.05 (0.96-1.14)	0.29	1.02 (0.75-1.38)	0.91	1.07 (0.63-1.81)	0.8
BMI over 40	1.03 (0.96-1.12)	0.38	1.03 (0.92-1.15)	0.65	1.1 (0.98-1.23)	0.11	0.91 (0.6-1.38)	0.66	0.82 (0.36-1.88)	0.63
gender MALE	1.09 (1.01-1.16)	<0.05	1.06 (0.96-1.16)	0.24	1.19 (1.08-1.32)	<0.05	0.94 (0.61-1.46)	0.79	1.15 (0.64-2.06)	0.63
gender FEMALE	0.65 (0.63-0.67)	<0.05	0.51 (0.49-0.53)	<0.05	0.46 (0.44-0.49)	<0.05	0.68 (0.58-0.8)	<0.05	1.12 (0.85-1.49)	0.42
smoking status	1	REF	1	REF	1	REF	1	REF	1	REF
race ethnicity White	1.25 (1.12-1.4)	<0.05	1.11 (0.95-1.3)	0.18	1.22 (1.02-1.46)	<0.05	1.43 (0.67-3.06)	0.35	1.28 (0.49-3.35)	0.62
Non Hispanic	1	REF	1	REF	1	REF	1	REF	1	REF
race ethnicity Other	0.66 (0.58-0.75)	<0.05	0.56 (0.47-0.68)	<0.05	0.59 (0.46-0.74)	<0.05	0.92 (0.47-1.8)	0.81	0.81 (0.2-3.3)	0.77
Non Hispanic										
race ethnicity Native Hawaiian or Other Pacific Islander	0.88 (0.57-1.35)	0.56	0.75 (0.4-1.4)	0.36	0.8 (0.38-1.7)	0.57	NA	NA	NA	NA
Non Hispanic										
race ethnicity Hispanic or Latino	1.06 (1.02-1.1)	<0.05	0.98 (0.93-1.04)	0.48	0.91 (0.84-0.97)	<0.05	0.84 (0.63-1.12)	0.23	1.48 (0.96-2.27)	0.074
Race										
race ethnicity Unknown	1.06 (0.98-1.14)	0.15	1.02 (0.92-1.13)	0.68	0.83 (0.72-0.96)	<0.05	1.28 (0.83-1.97)	0.27	1.08 (0.44-2.64)	0.87
race ethnicity Black or African American	0.89 (0.86-0.93)	<0.05	0.68 (0.64-0.73)	<0.05	0.77 (0.71-0.82)	<0.05	0.93 (0.72-1.2)	0.58	2.2 (1.55-3.13)	<0.05
Non Hispanic										
race ethnicity Asian	0.75 (0.68-0.82)	<0.05	0.69 (0.6-0.79)	<0.05	0.61 (0.51-0.73)	<0.05	1.24 (0.76-2.03)	0.39	0.73 (0.23-2.32)	0.6
Non Hispanic										
chronic resp	1.3 (1.24-1.35)	<0.05	1.35 (1.27-1.43)	<0.05	1.21 (1.12-1.3)	<0.05	0.92 (0.73-1.16)	0.48	1.24 (0.79-1.94)	0.36
diabetes2	1.1 (1.04-1.16)	<0.05	0.97 (0.9-1.05)	0.42	1.28 (1.17-1.39)	<0.05	1.21 (0.97-1.5)	0.092	1.26 (0.79-2.02)	0.33
hepatic steatosis	0.91 (0.82-1.01)	0.069	0.92 (0.8-1.06)	0.23	0.94 (0.79-1.11)	0.45	0.6 (0.29-1.25)	0.18	0.23 (0.05-1.03)	0.055
hypertension	1.23 (1.18-1.28)	<0.05	1.22 (1.16-1.3)	<0.05	1.2 (1.12-1.29)	<0.05	1.44 (1.18-1.77)	<0.05	0.79 (0.53-1.19)	0.26
hypertensive kidney disease	0.95 (0.83-1.09)	0.44	1.05 (0.85-1.31)	0.63	0.85 (0.68-1.06)	0.14	0.9 (0.61-1.33)	0.58	1.16 (0.35-3.9)	0.81
ischemic heart disease	0.93 (0.85-1.02)	0.13	0.95 (0.83-1.08)	0.43	1.05 (0.9-1.22)	0.55	0.89 (0.65-1.2)	0.43	0.5 (0.19-1.36)	0.18
neoplasm	1.14 (1.09-1.18)	<0.05	1.15 (1.09-1.21)	<0.05	0.97 (0.91-1.04)	0.4	0.62 (0.5-0.77)	<0.05	0.5 (0.31-0.8)	<0.05
nicotine dependence	1.45 (1.34-1.57)	<0.05	1.42 (1.27-1.59)	<0.05	1.53 (1.34-1.75)	<0.05	0.9 (0.5-1.6)	0.71	1.68 (0.81-3.47)	0.16
non hypertensive chronic kidney disease	1.05 (0.96-1.16)	0.29	0.9 (0.77-1.04)	0.15	1.31 (1.13-1.52)	<0.05	1.38 (1.03-1.84)	<0.05	0.84 (0.33-2.09)	0.7
non ischemic heart disease	1.01 (0.96-1.06)	0.67	0.93 (0.86-1)	<0.05	0.99 (0.91-1.08)	0.87	1.53 (1.25-1.88)	<0.05	0.97 (0.6-1.56)	0.89
other liver disease	0.94 (0.86-1.04)	0.25	0.86 (0.75-0.99)	<0.05	0.99 (0.84-1.16)	0.88	0.36 (0.17-0.79)	<0.05	3.91 (2.13-7.19)	<0.05

**Table S14. Logistic Regression for All Factors and Outcomes for Inpatients Only.** To rule out our results being an artifact from mixing patients with inpatient and outpatient status, we repeated the analysis by separating inpatients and outpatients. Odds ratios, 95% confidence intervals, and p-values for the association of features in all factors and outcomes.

Predictor	All Mental Illness			Anxiety Disorder			Mood Disorder			Dementia			Psychosis		
	OR (CI)	p-val		OR (CI)	p-val		OR (CI)	p-val		OR (CI)	p-val		OR (CI)	p-val	
(Intercept)	0.02 (0.02-0.03)	<0.05		0.01 (0.01-0.01)	<0.05		0.01 (0-0.01)	<0.05		0 (0-0)	<0.05		0 (0-0)	<0.05	
constitutional neurological	1.25 (1.16-1.35)	<0.05		1.23 (1.1-1.37)	<0.05		1.31 (1.15-1.49)	<0.05		1.31 (1.04-1.64)	<0.05		1.05 (0.47-2.31)	0.91	
gastrointestinal	1.91 (1.8-2.02)	<0.05		1.69 (1.55-1.84)	<0.05		1.72 (1.56-1.9)	<0.05		2.52 (2.2-2.9)	<0.05		2.77 (1.88-4.07)	<0.05	
pulmonary	1.33 (1.24-1.44)	<0.05		1.36 (1.22-1.51)	<0.05		1.36 (1.2-1.55)	<0.05		1.05 (0.79-1.4)	0.74		0.26 (0.04-1.82)	0.17	
cardiovascular	1.15 (1.06-1.23)	<0.05		1.2 (1.08-1.34)	<0.05		1.06 (0.93-1.22)	0.37		0.96 (0.73-1.25)	0.76		1.21 (0.58-2.52)	0.6	
ENT	1.5 (1.37-1.65)	<0.05		1.56 (1.36-1.79)	<0.05		1.26 (1.05-1.51)	<0.05		1.51 (1.12-2.02)	<0.05		1.17 (0.38-3.59)	0.78	
endocrine	1.01 (0.85-1.19)	0.95		1.2 (0.95-1.52)	0.13		1.1 (0.83-1.47)	0.5		0.94 (0.57-1.55)	0.82		0.71 (0.1-4.87)	0.72	
age under 10	0.99 (0.85-1.16)	0.93		0.91 (0.72-1.16)	0.46		1.07 (0.82-1.4)	0.61		0.59 (0.33-1.04)	0.066		0.58 (0.08-4.21)	0.59	
age 10 to 19	1.26 (1.03-1.55)	<0.05		0.54 (0.36-0.82)	<0.05		1.08 (0.73-1.6)	0.7		9.78 (5.54-17.27)	<0.05		1.24 (0.2-7.66)	0.82	
age 20 to 29	1.79 (1.39-2.31)	<0.05		1.75 (1.18-2.59)	<0.05		2.08 (1.33-3.25)	<0.05		1.62 (0.47-5.62)	0.45		0.98 (0.11-8.88)	0.99	
age 30 to 39	1.81 (1.52-2.16)	<0.05		1.9 (1.45-2.48)	<0.05		2.13 (1.56-2.9)	<0.05		0.22 (0.03-1.65)	0.14		1.53 (0.43-5.45)	0.51	
age 40 to 49	1.41 (1.19-1.66)	<0.05		1.59 (1.24-2.03)	<0.05		1.55 (1.16-2.09)	<0.05		0.15 (0.02-1.12)	0.064		1.27 (0.36-4.41)	0.71	
age 50 to 59	1.3 (1.12-1.51)	<0.05		1.73 (1.4-2.14)	<0.05		1.29 (0.98-1.7)	0.07		0.19 (0.04-0.83)	<0.05		0.47 (0.09-2.38)	0.36	
age 60 to 69	1.17 (1.02-1.34)	<0.05		1.43 (1.18-1.74)	<0.05		1.09 (0.85-1.4)	0.52		0.24 (0.08-0.7)	<0.05		0.36 (0.07-1.79)	0.21	
age 70 to 79	1	REF		1	REF		1	REF		1	REF		1	REF	
age over 80	1.06 (0.93-1.21)	0.38		0.91 (0.74-1.13)	0.4		1.13 (0.89-1.43)	0.33		3.37 (2.01-5.64)	<0.05		1.24 (0.39-3.92)	0.72	
BMI under 20	1.07 (0.9-1.27)	0.43		0.87 (0.66-1.15)	0.33		0.8 (0.57-1.14)	0.22		8.85 (5.29-14.81)	<0.05		0.5 (0.06-4.33)	0.53	
BMI 20 to 25	1.02 (0.76-1.36)	0.91		1.23 (0.76-2)	0.39		1.05 (0.6-1.83)	0.87		0.36 (0.12-1.11)	0.076		0.59 (0.06-6.2)	0.66	
BMI 25 to 30	1.11 (0.95-1.3)	0.19		1.05 (0.81-1.35)	0.71		1.02 (0.72-1.43)	0.93		1.41 (0.88-2.27)	0.15		0.51 (0.1-2.74)	0.44	
BMI 30 to 35	0.98 (0.85-1.13)	0.73		0.98 (0.78-1.23)	0.87		1.04 (0.8-1.37)	0.76		0.96 (0.62-1.49)	0.86		0.59 (0.15-2.41)	0.46	
BMI 35 to 40	1	REF		1	REF		1	REF		1	REF		1	REF	
BMI 40 to 45	0.99 (0.85-1.16)	0.92		1.04 (0.82-1.32)	0.72		1.21 (0.91-1.6)	0.18		0.74 (0.39-1.41)	0.36		0.83 (0.2-3.4)	0.8	
BMI over 40	1.06 (0.92-1.22)	0.42		1.06 (0.86-1.31)	0.56		1.34 (1.04-1.73)	<0.05		0.75 (0.44-1.3)	0.31		0.71 (0.21-2.39)	0.58	
gender MALE	1	REF		1	REF		1	REF		1	REF		1	REF	
gender FEMALE	1.19 (1.1-1.29)	<0.05		1.37 (1.21-1.55)	<0.05		1.6 (1.37-1.87)	<0.05		1.06 (0.8-1.41)	0.68		5.96 (2.03-17.5)	<0.05	
smoking status	1.24 (0.97-1.59)	0.081		1.11 (0.75-1.65)	0.59		1.39 (0.86-2.24)	0.18		0.53 (0.11-2.54)	0.43		NA	NA	
race ethnicity White	1	REF		1	REF		1	REF		1	REF		1	REF	
Non Hispanic															
race ethnicity Other	0.73 (0.46-1.16)	0.18		0.99 (0.55-1.78)	0.97		0.84 (0.4-1.79)	0.65		NA	NA		NA	NA	
Non Hispanic															
race ethnicity Native Hawaiian or Other Pacific Islander	0.83 (0.3-2.29)	0.72		0.9 (0.22-3.7)	0.88		0.66 (0.09-4.77)	0.68		NA	NA		NA	NA	
Non Hispanic															
race ethnicity Hispanic or Latino	0.85 (0.75-0.96)	<0.05		0.79 (0.66-0.94)	<0.05		0.68 (0.54-0.85)	<0.05		1.07 (0.66-1.75)	0.78		0.87 (0.23-3.24)	0.83	
Any Race															
race ethnicity Unknown	1.07 (0.86-1.34)	0.55		0.95 (0.68-1.34)	0.78		0.98 (0.65-1.47)	0.92		1.16 (0.48-2.77)	0.74		3.09 (0.67-14.37)	0.15	
race ethnicity Black or African American	0.83 (0.75-0.93)	<0.05		0.64 (0.55-0.76)	<0.05		0.59 (0.48-0.72)	<0.05		1.23 (0.86-1.76)	0.25		2.53 (1.08-5.89)	<0.05	
Non Hispanic															
race ethnicity Asian	0.73 (0.56-0.95)	<0.05		0.63 (0.41-0.95)	<0.05		0.65 (0.39-1.09)	0.1		0.28 (0.07-1.21)	0.09		1.52 (0.18-13.11)	0.7	
Non Hispanic															
chronic resp	1.07 (0.96-1.19)	0.24		1.13 (0.96-1.33)	0.14		1.06 (0.87-1.3)	0.56		0.78 (0.55-1.12)	0.18		1.46 (0.55-3.89)	0.45	
diabetes2	1.08 (0.97-1.19)	0.16		1.04 (0.89-1.22)	0.59		1.21 (1.01-1.46)	<0.05		1.2 (0.88-1.65)	0.25		0.64 (0.21-1.91)	0.42	
hepatic steatosis	1.03 (0.83-1.27)	0.81		1.02 (0.75-1.39)	0.92		0.71 (0.46-1.09)	0.12		0.73 (0.23-2.36)	0.6		NA	NA	
hypertension	1.12 (1.02-1.23)	<0.05		1.16 (1-1.35)	<0.05		0.99 (0.83-1.19)	0.94		1.24 (0.88-1.75)	0.21		0.63 (0.24-1.64)	0.34	
hypertensive kidney disease	0.85 (0.71-1.03)	0.098		0.75 (0.55-1.03)	0.077		0.85 (0.6-1.22)	0.39		0.77 (0.48-1.23)	0.27		0.93 (0.13-6.74)	0.95	
ischemic heart disease	0.81 (0.69-0.94)	<0.05		0.76 (0.59-0.97)	<0.05		0.99 (0.75-1.3)	0.92		0.95 (0.64-1.42)	0.81		1.11 (0.22-5.56)	0.9	
neoplasm	0.98 (0.88-1.08)	0.63		1.09 (0.94-1.26)	0.24		0.97 (0.81-1.17)	0.78		0.54 (0.38-0.76)	<0.05		0.56 (0.19-1.72)	0.31	
nicotine dependence	1.15 (0.94-1.41)	0.18		1.04 (0.76-1.43)	0.8		0.91 (0.6-1.38)	0.66		0.44 (0.15-1.36)	0.16		2.95 (0.68-12.81)	0.15	
non hypertensive	1.05 (0.91-1.21)	0.5		0.98 (0.78-1.23)	0.85		1.01 (0.77-1.33)	0.93		1.48 (1.02-2.15)	<0.05		1.13 (0.25-5.15)	0.87	
chronic kidney disease															
non ischemic heart disease	1.09 (0.99-1.21)	0.087		1.09 (0.93-1.28)	0.28		1.12 (0.93-1.36)	0.24		1.3 (0.94-1.8)	0.12		0.86 (0.3-2.44)	0.78	
other liver disease	1.08 (0.9-1.29)	0.41		0.89 (0.67-1.19)	0.44		0.98 (0.69-1.39)	0.92		0.9 (0.42-1.92)	0.79		2.25 (0.49-10.27)	0.3	



**Table S15. Logistic Regression for All Factors and Outcomes for Patients Without Missing Data.** To identify whether BMI imputation could have introduced error, we repeated the analysis looking only at patients without data missingness. Odds ratios, 95% confidence intervals, and p-values for the association of features in all factors and outcomes.

Predictor	All Mental Illness			Anxiety Disorder			Mood Disorder			Dementia			Psychosis		
	OR (CI)	p-val		OR (CI)	p-val		OR (CI)	p-val		OR (CI)	p-val		OR (CI)	p-val	
(Intercept)	0.03 (0.03-0.03)	<0.05		0.02 (0.02-0.02)	<0.05		0.01 (0.01-0.01)	<0.05		0 (0-0)	<0.05		0 (0-0)	<0.05	
constitutional neurological	1.48 (1.42-1.54)	<0.05		1.51 (1.43-1.59)	<0.05		1.42 (1.32-1.52)	<0.05		1.14 (0.94-1.38)	0.184		1.04 (0.66-1.65)	0.866	
gastrointestinal	1.92 (1.85-1.98)	<0.05		1.82 (1.74-1.91)	<0.05		1.8 (1.7-1.91)	<0.05		2.34 (2.09-2.62)	<0.05		3.25 (2.63-4.03)	<0.05	
pulmonary	1.34 (1.28-1.39)	<0.05		1.35 (1.28-1.43)	<0.05		1.36 (1.27-1.46)	<0.05		1.15 (0.93-1.42)	0.205		1.01 (0.6-1.71)	0.969	
cardiovascular	1.06 (1.01-1.12)	<0.05		1.03 (0.96-1.11)	0.375		1.06 (0.97-1.17)	0.247		0.81 (0.63-1.04)	0.086		0.76 (0.4-1.46)	0.409	
ENT	1.65 (1.56-1.75)	<0.05		1.88 (1.74-2.02)	<0.05		1.25 (1.11-1.4)	<0.05		1.51 (1.18-1.92)	<0.05		0.55 (0.2-1.53)	0.255	
endocrine	1.2 (1.11-1.29)	<0.05		1.32 (1.2-1.46)	<0.05		1.11 (0.97-1.26)	0.152		1.4 (1.03-1.92)	<0.05		0.33 (0.08-1.34)	0.121	
age under 10	1.04 (0.95-1.14)	0.351		0.96 (0.84-1.09)	0.547		1.42 (1.23-1.64)	<0.05		0.91 (0.61-1.36)	0.665		2.12 (1.02-4.41)	<0.05	
age 10 to 19	1.06 (0.96-1.17)	0.222		0.46 (0.38-0.55)	<0.05		0.38 (0.28-0.5)	<0.05		15.03 (9.13-24.74)	<0.05		1.67 (0.56-4.92)	0.353	
age 20 to 29	1.63 (1.51-1.76)	<0.05		1.49 (1.34-1.66)	<0.05		1.93 (1.69-2.22)	<0.05		2.77 (1.48-5.18)	<0.05		0.48 (0.13-1.72)	0.257	
age 30 to 39	1.55 (1.45-1.66)	<0.05		1.68 (1.54-1.84)	<0.05		1.63 (1.45-1.84)	<0.05		1.04 (0.51-2.12)	0.922		0.69 (0.28-1.73)	0.432	
age 40 to 49	1.31 (1.23-1.41)	<0.05		1.45 (1.33-1.58)	<0.05		1.23 (1.1-1.39)	<0.05		0.47 (0.2-1.11)	0.086		1.02 (0.48-2.16)	0.951	
age 50 to 59	1.15 (1.08-1.23)	<0.05		1.25 (1.14-1.36)	<0.05		1.03 (0.91-1.16)	0.607		0.75 (0.38-1.48)	0.408		0.34 (0.12-0.93)	<0.05	
age 60 to 69	1	REF		1	REF		1	REF		1	REF		1	REF	
age 70 to 79	0.88 (0.82-0.94)	<0.05		0.76 (0.69-0.84)	<0.05		0.92 (0.82-1.04)	0.207		1.77 (1.06-2.95)	<0.05		0.79 (0.37-1.67)	0.524	
age over 80	0.9 (0.83-0.97)	<0.05		0.7 (0.62-0.79)	<0.05		1 (0.87-1.15)	0.97		5.16 (3.22-8.25)	<0.05		1.38 (0.64-2.95)	0.411	
BMI under 20	0.96 (0.85-1.08)	0.508		0.63 (0.51-0.76)	<0.05		0.9 (0.72-1.12)	0.325		14.88 (9.23-23.98)	<0.05		2.18 (0.81-5.84)	0.122	
BMI 20 to 25	0.87 (0.79-0.95)	<0.05		0.9 (0.78-1.03)	0.132		0.55 (0.45-0.69)	<0.05		0.05 (0.02-0.13)	<0.05		0.26 (0.05-1.37)	0.113	
BMI 25 to 30	0.96 (0.91-1.02)	0.197		0.91 (0.85-0.99)	<0.05		0.83 (0.74-0.92)	<0.05		1.08 (0.79-1.49)	0.603		1.23 (0.59-2.59)	0.574	
BMI 30 to 35	1	REF		1	REF		1	REF		1	REF		1	REF	
BMI 35 to 40	1.03 (0.98-1.09)	0.277		1.03 (0.96-1.11)	0.471		1.04 (0.95-1.14)	0.394		1.01 (0.77-1.33)	0.939		1.14 (0.6-2.17)	0.685	
BMI over 40	1.07 (1.01-1.14)	<0.05		1.03 (0.95-1.12)	0.454		1.26 (1.13-1.4)	<0.05		0.85 (0.6-1.21)	0.365		1.39 (0.69-2.81)	0.357	
gender MALE	1.14 (1.07-1.21)	<0.05		1.06 (0.98-1.15)	0.14		1.45 (1.31-1.6)	<0.05		0.77 (0.52-1.13)	0.182		1.32 (0.64-2.75)	0.447	
gender FEMALE	0.68 (0.66-0.71)	<0.05		0.55 (0.52-0.59)	<0.05		0.52 (0.48-0.56)	<0.05		0.85 (0.69-1.05)	0.125		0.86 (0.55-1.35)	0.505	
smoking status	1	REF		1	REF		1	REF		1	REF		1	REF	
length of stay 0d	1.22 (1.08-1.38)	<0.05		1.09 (0.92-1.31)	0.308		1.31 (1.06-1.62)	<0.05		1.4 (0.66-2.97)	0.369		1.34 (0.39-4.52)	0.641	
length of stay 1d	1	REF		1	REF		1	REF		1	REF		1	REF	
length of stay 2d 3d	1.2 (1.07-1.34)	<0.05		1.02 (0.86-1.21)	0.785		0.98 (0.78-1.23)	0.858		1.79 (1.06-3.01)	<0.05		1.49 (0.46-4.85)	0.502	
length of stay 4d 7d	1.09 (0.98-1.23)	0.109		0.81 (0.67-0.98)	<0.05		1.09 (0.89-1.34)	0.409		1.68 (1.09-2.6)	<0.05		2.01 (0.78-5.19)	0.147	
length of stay in gt 7d	1.09 (0.99-1.22)	0.077		0.9 (0.77-1.07)	0.249		1.12 (0.93-1.34)	0.24		2.16 (1.55-3.01)	<0.05		1.7 (0.7-4.11)	0.242	
race ethnicity White	1.62 (1.46-1.79)	<0.05		1.43 (1.22-1.68)	<0.05		1.22 (1-1.5)	0.058		2.53 (1.81-3.54)	<0.05		0.66 (0.15-2.85)	0.585	
Non Hispanic	1	REF		1	REF		1	REF		1	REF		1	REF	
race ethnicity Other Non Hispanic	0.91 (0.75-1.11)	0.385		0.71 (0.53-0.96)	<0.05		1.05 (0.75-1.47)	0.75		0.89 (0.22-3.6)	0.871		NA	NA	
race ethnicity Native Hawaiian or Other Pacific Islander Non Hispanic	0.5 (0.29-0.85)	<0.05		0.33 (0.14-0.8)	<0.05		0.44 (0.17-1.19)	0.109		NA	NA		NA	NA	
race ethnicity Hispanic or Latino Any Race	0.96 (0.92-1.01)	0.112		0.86 (0.81-0.92)	<0.05		0.84 (0.76-0.91)	<0.05		0.92 (0.66-1.29)	0.619		0.68 (0.33-1.4)	0.297	
race ethnicity Unknown	0.86 (0.79-0.94)	<0.05		0.79 (0.7-0.89)	<0.05		0.72 (0.61-0.85)	<0.05		1.38 (0.86-2.21)	0.187		1.04 (0.37-2.91)	0.939	
race ethnicity Black or African American Non Hispanic	0.8 (0.76-0.85)	<0.05		0.62 (0.57-0.67)	<0.05		0.69 (0.63-0.76)	<0.05		1.15 (0.87-1.52)	0.337		1.09 (0.62-1.92)	0.764	
race ethnicity Asian Non Hispanic	0.68 (0.61-0.77)	<0.05		0.59 (0.5-0.69)	<0.05		0.63 (0.5-0.78)	<0.05		1.04 (0.57-1.89)	0.898		0.3 (0.04-2.31)	0.252	
chronic resp	1.12 (1.06-1.17)	<0.05		1.15 (1.07-1.23)	<0.05		1.08 (0.99-1.19)	0.107		0.81 (0.62-1.06)	0.128		1.51 (0.88-2.58)	0.132	
diabetes2	1.06 (1-1.13)	<0.05		0.96 (0.88-1.05)	0.381		1.16 (1.05-1.29)	<0.05		1.27 (0.99-1.63)	0.055		1.05 (0.57-1.94)	0.879	
hepatic steatosis	0.88 (0.78-0.98)	<0.05		0.9 (0.77-1.06)	0.233		0.87 (0.71-1.06)	0.18		0.8 (0.39-1.65)	0.547		0.44 (0.1-1.91)	0.271	
hypertension	1.05 (1-1.11)	<0.05		1.05 (0.98-1.13)	0.146		0.98 (0.9-1.07)	0.633		1.72 (1.3-2.26)	<0.05		1.42 (0.82-2.46)	0.207	
hypertensive kidney disease	0.88 (0.77-1.01)	0.068		0.89 (0.71-1.1)	0.278		0.73 (0.57-0.92)	<0.05		0.9 (0.6-1.35)	0.635		1.36 (0.34-5.53)	0.663	
ischemic heart disease	0.87 (0.78-0.96)	<0.05		0.92 (0.79-1.08)	0.305		0.94 (0.78-1.13)	0.488		0.78 (0.55-1.09)	0.153		0.29 (0.07-1.26)	0.097	
neoplasm	0.98 (0.94-1.03)	0.361		1.01 (0.95-1.07)	0.874		0.87 (0.8-0.94)	<0.05		0.7 (0.56-0.89)	<0.05		0.55 (0.32-0.97)	<0.05	
nicotine dependence	1.28 (1.16-1.42)	<0.05		1.21 (1.05-1.4)	<0.05		1.36 (1.14-1.63)	<0.05		0.73 (0.38-1.37)	0.319		1.58 (0.57-4.38)	0.378	
non hypertensive chronic kidney disease	1.12 (1.01-1.23)	<0.05		1.03 (0.88-1.2)	0.677		1.42 (1.2-1.68)	<0.05		1.34 (0.97-1.85)	0.078		0.67 (0.21-2.12)	0.497	
non ischemic heart disease	1 (0.94-1.06)	0.978		0.94 (0.87-1.02)	0.156		1 (0.9-1.11)	0.955		1.43 (1.11-1.85)	<0.05		0.82 (0.45-1.5)	0.509	
other liver disease	0.97 (0.87-1.08)	0.518		0.84 (0.72-0.99)	<0.05		0.97 (0.8-1.17)	0.787		0.63 (0.33-1.17)	0.138		3.94 (1.88-8.25)	<0.05	

**Table S16. Logistic Regression for All Factors and Outcomes for 14-120 Day Early Post-Acute Phase Definition.** We performed a sensitivity analysis of the main finding by varying the definition for the early post-acute phase by beginning it at 14 days after diagnosis. Odds ratios, 95% confidence intervals, and p-values for the association of features in all factors and outcomes.

Predictor	All Mental Illness		Anxiety Disorder		Mood Disorder		Dementia		Psychosis	
	OR (CI)	p-val	OR (CI)	p-val	OR (CI)	p-val	OR (CI)	p-val	OR (CI)	p-val
constitutional	1.55 (1.51-1.6)	<0.05	1.65 (1.58-1.71)	<0.05	1.47 (1.4-1.55)	<0.05	1.32 (1.17-1.49)	<0.05	1.19 (0.91-1.56)	0.21
neurological	2.19 (2.14-2.25)	<0.05	2.05 (1.98-2.12)	<0.05	2.11 (2.03-2.2)	<0.05	2.58 (2.39-2.79)	<0.05	3.26 (2.84-3.75)	<0.05
gastrointestinal	1.39 (1.35-1.43)	<0.05	1.39 (1.33-1.45)	<0.05	1.37 (1.3-1.44)	<0.05	1.16 (1-1.34)	<0.05	0.99 (0.71-1.36)	0.93
pulmonary	1.07 (1.03-1.12)	<0.05	1.06 (1-1.12)	<0.05	1.05 (0.98-1.13)	0.14	0.82 (0.69-0.97)	<0.05	0.7 (0.46-1.06)	0.094
cardiovascular	1.67 (1.6-1.74)	<0.05	1.9 (1.8-2.01)	<0.05	1.27 (1.17-1.38)	<0.05	1.38 (1.16-1.64)	<0.05	1.26 (0.82-1.95)	0.29
ENT	1.23 (1.16-1.3)	<0.05	1.32 (1.22-1.42)	<0.05	1.1 (0.99-1.22)	0.072	1.03 (0.8-1.33)	0.83	0.71 (0.39-1.31)	0.28
endocrine	1.04 (0.97-1.11)	0.25	0.97 (0.88-1.06)	0.5	1.26 (1.14-1.41)	<0.05	0.76 (0.57-1.01)	0.057	1.15 (0.67-1.98)	0.61
laboratory	1.48 (1.39-1.58)	<0.05	1.34 (1.22-1.48)	<0.05	1.33 (1.19-1.5)	<0.05	1.52 (1.21-1.9)	<0.05	0.67 (0.33-1.38)	0.28
age under 10	1.08 (1-1.17)	<0.05	0.48 (0.42-0.55)	<0.05	0.33 (0.27-0.4)	<0.05	20.17 (14.22-28.62)	<0.05	0.88 (0.38-2.02)	0.76
age 10 to 19	1.54 (1.45-1.62)	<0.05	1.35 (1.25-1.46)	<0.05	1.6 (1.46-1.77)	<0.05	1.62 (1.05-2.5)	<0.05	0.44 (0.21-0.91)	<0.05
age 20 to 29	1.51 (1.45-1.58)	<0.05	1.6 (1.5-1.69)	<0.05	1.59 (1.48-1.72)	<0.05	0.88 (0.56-1.36)	0.55	1.35 (0.88-2.08)	0.17
age 30 to 39	1.39 (1.33-1.45)	<0.05	1.49 (1.41-1.58)	<0.05	1.34 (1.24-1.44)	<0.05	0.49 (0.3-0.82)	<0.05	1.08 (0.7-1.67)	0.74
age 40 to 49	1.15 (1.1-1.21)	<0.05	1.23 (1.16-1.3)	<0.05	1.1 (1.01-1.19)	<0.05	0.7 (0.45-1.09)	0.11	0.69 (0.42-1.12)	0.13
age 50 to 59	1	REF	1	REF	1	REF	1	REF	1	REF
age 60 to 69	0.89 (0.85-0.94)	<0.05	0.79 (0.74-0.85)	<0.05	0.96 (0.89-1.04)	0.32	2.2 (1.58-3.07)	<0.05	1.44 (0.95-2.19)	0.085
age 70 to 79	0.88 (0.83-0.93)	<0.05	0.69 (0.63-0.75)	<0.05	0.96 (0.87-1.06)	0.4	7.63 (5.63-10.35)	<0.05	1.34 (0.81-2.22)	0.25
age over 80	0.98 (0.9-1.06)	0.57	0.6 (0.53-0.68)	<0.05	0.81 (0.7-0.94)	<0.05	22.97 (16.91-31.22)	<0.05	2.23 (1.21-4.1)	<0.05
BMI under 20	0.92 (0.86-0.99)	<0.05	0.92 (0.83-1.02)	0.11	0.72 (0.61-0.85)	<0.05	0.15 (0.08-0.29)	<0.05	0.49 (0.19-1.23)	0.13
BMI 20 to 25	1 (0.94-1.05)	0.93	0.99 (0.92-1.07)	0.84	0.93 (0.84-1.03)	0.18	1.05 (0.82-1.33)	0.71	0.86 (0.52-1.42)	0.54
BMI 25 to 30	1	REF	1	REF	1	REF	1	REF	1	REF
BMI 30 to 35	1.03 (0.99-1.08)	0.13	1.03 (0.98-1.09)	0.27	1.04 (0.95-1.14)	0.35	0.98 (0.78-1.22)	0.84	1.13 (0.74-1.73)	0.56
BMI 35 to 40	1.04 (0.98-1.11)	0.2	1.03 (0.95-1.13)	0.44	1.11 (0.99-1.23)	0.068	0.86 (0.63-1.18)	0.34	0.97 (0.51-1.87)	0.94
BMI over 40	1.08 (1.01-1.16)	<0.05	1.05 (0.96-1.16)	0.26	1.19 (1.08-1.32)	<0.05	0.82 (0.63-1.08)	0.16	0.97 (0.58-1.62)	0.92
gender MALE	0.67 (0.65-0.68)	<0.05	0.53 (0.51-0.55)	<0.05	0.47 (0.45-0.5)	<0.05	0.76 (0.66-0.86)	<0.05	0.91 (0.71-1.16)	0.44
gender FEMALE	1	REF	1	REF	1	REF	1	REF	1	REF
smoking status	1.23 (1.11-1.35)	<0.05	1.1 (0.95-1.26)	0.2	1.24 (1.06-1.46)	<0.05	1.2 (0.66-2.16)	0.56	0.79 (0.34-1.85)	0.59
length of stay 0d	1	REF	1	REF	1	REF	1	REF	1	REF
length of stay 1d	1.41 (1.3-1.53)	<0.05	1.37 (1.22-1.54)	<0.05	1.21 (1.03-1.41)	<0.05	1.72 (1.2-2.45)	<0.05	1.69 (0.84-3.41)	0.14
length of stay 2d 3d	1.29 (1.18-1.4)	<0.05	1.09 (0.95-1.24)	0.21	1.33 (1.15-1.54)	<0.05	1.38 (1.01-1.89)	<0.05	2.48 (1.38-4.45)	<0.05
length of stay 4d 7d	1.31 (1.21-1.41)	<0.05	1.19 (1.06-1.33)	<0.05	1.38 (1.22-1.56)	<0.05	1.73 (1.36-2.19)	<0.05	1.94 (1.11-3.42)	<0.05
length of stay in gt 7d	2.02 (1.88-2.17)	<0.05	1.91 (1.72-2.12)	<0.05	1.6 (1.4-1.83)	<0.05	2.47 (1.98-3.09)	<0.05	1.6 (0.82-3.1)	0.17
race ethnicity White	1	REF	1	REF	1	REF	1	REF	1	REF
Non Hispanic										
race ethnicity Other	0.67 (0.59-0.75)	<0.05	0.61 (0.52-0.72)	<0.05	0.6 (0.48-0.74)	<0.05	0.79 (0.42-1.49)	0.47	0.6 (0.15-2.45)	0.48
Non Hispanic										
race ethnicity Native	0.86 (0.59-1.26)	0.44	0.7 (0.39-1.25)	0.23	0.81 (0.42-1.58)	0.54	null	null	null	null
Hawaiian or Other Pacific Islander										
Non Hispanic										
race ethnicity Hispanic or Latino	1.04 (1.01-1.08)	<0.05	0.98 (0.93-1.03)	0.37	0.87 (0.81-0.93)	<0.05	0.87 (0.68-1.1)	0.23	1.34 (0.93-1.95)	0.12
Any Race										
race ethnicity Unknown	1.05 (0.98-1.13)	0.13	1.01 (0.92-1.11)	0.87	0.86 (0.76-0.98)	<0.05	1.16 (0.8-1.7)	0.43	1.13 (0.54-2.37)	0.75
race ethnicity Black or African American	0.89 (0.86-0.93)	<0.05	0.69 (0.65-0.73)	<0.05	0.73 (0.69-0.78)	<0.05	1.04 (0.86-1.26)	0.66	1.98 (1.46-2.68)	<0.05
Non Hispanic										
race ethnicity Asian	0.75 (0.68-0.81)	<0.05	0.68 (0.6-0.77)	<0.05	0.61 (0.52-0.72)	<0.05	0.88 (0.56-1.38)	0.56	0.87 (0.35-2.13)	0.75
Non Hispanic										
chronic resp	1.27 (1.22-1.31)	<0.05	1.32 (1.25-1.39)	<0.05	1.22 (1.14-1.3)	<0.05	0.82 (0.68-0.99)	<0.05	1.19 (0.81-1.74)	0.37
diabetes2	1.09 (1.04-1.14)	<0.05	0.99 (0.93-1.05)	0.73	1.25 (1.17-1.35)	<0.05	1.18 (1-1.4)	0.051	1 (0.67-1.5)	1
hepatic steatosis	0.93 (0.86-1.02)	0.13	0.93 (0.82-1.05)	0.25	0.9 (0.77-1.04)	0.16	0.67 (0.38-1.19)	0.17	0.32 (0.1-1.06)	0.063
hypertension	1.23 (1.18-1.27)	<0.05	1.23 (1.17-1.29)	<0.05	1.18 (1.11-1.26)	<0.05	1.38 (1.17-1.62)	<0.05	0.86 (0.61-1.21)	0.38
hypertensive kidney disease	0.87 (0.79-0.97)	<0.05	0.88 (0.75-1.04)	0.14	0.81 (0.68-0.96)	<0.05	0.88 (0.67-1.17)	0.37	1.51 (0.6-3.81)	0.38
ischemic heart disease	0.88 (0.82-0.95)	<0.05	0.91 (0.81-1.01)	0.084	0.95 (0.84-1.08)	0.44	0.85 (0.67-1.07)	0.16	0.79 (0.4-1.54)	0.48
neoplasm	1.12 (1.08-1.16)	<0.05	1.15 (1.09-1.2)	<0.05	0.97 (0.92-1.04)	0.4	0.62 (0.53-0.74)	<0.05	0.55 (0.37-0.81)	<0.05
nicotine dependence	1.41 (1.31-1.51)	<0.05	1.34 (1.21-1.48)	<0.05	1.44 (1.28-1.63)	<0.05	0.86 (0.54-1.35)	0.51	2.02 (1.12-3.63)	<0.05
non hypertensive	1.02 (0.95-1.1)	0.54	0.91 (0.81-1.02)	0.11	1.2 (1.06-1.36)	<0.05	1.32 (1.07-1.64)	<0.05	0.7 (0.32-1.5)	0.36
chronic kidney disease										
non ischemic heart disease	1.03 (0.99-1.08)	0.17	0.98 (0.92-1.04)	0.53	1.05 (0.98-1.13)	0.18	1.42 (1.21-1.68)	<0.05	0.98 (0.65-1.46)	0.9
other liver disease	0.99 (0.91-1.07)	0.72	0.89 (0.79-1.01)	0.061	0.97 (0.84-1.12)	0.7	0.56 (0.35-0.91)	<0.05	3.33 (1.98-5.6)	<0.05

**Table S17. Logistic Regression for All Factors and Outcomes for Early Post-Acute Phase Definition Beginning at 21 Days After Diagnosis or Discharge.** We performed a sensitivity analysis of the main finding by varying the definition for the early post-acute phase by beginning it at 21 days after diagnosis for outpatients and 21 days after discharge for inpatients. Odds ratios, 95% confidence intervals, and p-values for the association of features in all factors and outcomes.

Predictor	All Mental Illness		Anxiety Disorder		Mood Disorder		Dementia		Psychosis	
	OR (CI)	p-val	OR (CI)	p-val	OR (CI)	p-val	OR (CI)	p-val	OR (CI)	p-val
constitutional	1.64 (1.59-1.69)	<0.05	1.73 (1.66-1.8)	<0.05	1.53 (1.45-1.61)	<0.05	1.35 (1.17-1.56)	<0.05	1.16 (0.85-1.59)	0.36
neurological	2.33 (2.27-2.39)	<0.05	2.2 (2.13-2.28)	<0.05	2.23 (2.14-2.33)	<0.05	2.82 (2.59-3.08)	<0.05	3.62 (3.11-4.21)	<0.05
gastrointestinal	1.44 (1.4-1.49)	<0.05	1.45 (1.39-1.51)	<0.05	1.4 (1.33-1.48)	<0.05	1.12 (0.94-1.34)	0.21	0.93 (0.64-1.36)	0.72
pulmonary	1.14 (1.09-1.19)	<0.05	1.09 (1.02-1.16)	<0.05	1.15 (1.06-1.24)	<0.05	0.74 (0.59-0.93)	<0.05	0.63 (0.37-1.09)	0.1
cardiovascular	1.79 (1.71-1.88)	<0.05	2.07 (1.95-2.19)	<0.05	1.35 (1.24-1.48)	<0.05	1.54 (1.26-1.88)	<0.05	1.42 (0.86-2.32)	0.17
ENT	1.25 (1.18-1.33)	<0.05	1.34 (1.23-1.45)	<0.05	1.1 (0.99-1.23)	0.086	1.14 (0.86-1.5)	0.36	0.75 (0.38-1.48)	0.41
endocrine	1.11 (1.03-1.19)	<0.05	1.04 (0.94-1.15)	0.45	1.36 (1.21-1.52)	<0.05	0.93 (0.67-1.28)	0.64	1.3 (0.69-2.45)	0.42
age under 10	1.1 (1.02-1.19)	<0.05	0.51 (0.45-0.58)	<0.05	0.3 (0.25-0.37)	<0.05	19.9 (13.73-28.84)	<0.05	0.67 (0.24-1.86)	0.44
age 10 to 19	1.58 (1.5-1.67)	<0.05	1.41 (1.3-1.52)	<0.05	1.62 (1.47-1.79)	<0.05	1.81 (1.15-2.84)	<0.05	0.43 (0.2-0.94)	<0.05
age 20 to 29	1.55 (1.48-1.63)	<0.05	1.66 (1.56-1.76)	<0.05	1.62 (1.5-1.75)	<0.05	0.96 (0.61-1.52)	0.88	1.32 (0.83-2.11)	0.24
age 30 to 39	1.4 (1.34-1.47)	<0.05	1.52 (1.43-1.62)	<0.05	1.33 (1.23-1.44)	<0.05	0.5 (0.29-0.85)	<0.05	1.17 (0.74-1.85)	0.51
age 40 to 49	1.15 (1.09-1.2)	<0.05	1.23 (1.15-1.31)	<0.05	1.07 (0.98-1.16)	0.12	0.79 (0.5-1.25)	0.32	0.61 (0.35-1.04)	0.07
age 50 to 59	1	REF	1	REF	1	REF	1	REF	1	REF
age 60 to 69	0.87 (0.83-0.92)	<0.05	0.79 (0.73-0.84)	<0.05	0.93 (0.85-1.01)	0.089	2.26 (1.59-3.22)	<0.05	1.33 (0.83-2.11)	0.23
age 70 to 79	0.86 (0.81-0.91)	<0.05	0.69 (0.63-0.75)	<0.05	0.92 (0.83-1.02)	0.12	7.05 (5.07-9.78)	<0.05	1.38 (0.79-2.39)	0.26
age over 80	0.93 (0.85-1.02)	0.11	0.6 (0.52-0.7)	<0.05	0.75 (0.64-0.88)	<0.05	21.01 (15.09-29.25)	<0.05	2.36 (1.2-4.64)	<0.05
BMI under 20	0.93 (0.86-1.01)	0.091	0.92 (0.81-1.03)	0.14	0.74 (0.64-0.85)	<0.05	0.15 (0.08-0.3)	<0.05	0.55 (0.17-1.74)	0.3
BMI 20 to 25	1 (0.95-1.06)	0.97	0.99 (0.92-1.07)	0.79	0.94 (0.86-1.03)	0.21	1 (0.76-1.33)	0.98	0.87 (0.52-1.45)	0.58
BMI 25 to 30	1	REF	1	REF	1	REF	1	REF	1	REF
BMI 30 to 35	1.04 (0.99-1.09)	0.12	1.04 (0.96-1.11)	0.33	1.06 (0.98-1.14)	0.15	1.03 (0.8-1.31)	0.83	1.15 (0.69-1.91)	0.6
BMI 35 to 40	1.04 (0.98-1.11)	0.21	1.04 (0.94-1.14)	0.45	1.13 (1.02-1.25)	<0.05	0.89 (0.63-1.26)	0.51	0.91 (0.47-1.74)	0.77
BMI over 40	1.09 (1.02-1.16)	<0.05	1.06 (0.96-1.16)	0.24	1.22 (1.11-1.34)	<0.05	0.9 (0.65-1.26)	0.54	1.09 (0.59-2.03)	0.78
gender MALE	0.66 (0.64-0.68)	<0.05	0.52 (0.5-0.54)	<0.05	0.47 (0.45-0.5)	<0.05	0.72 (0.62-0.83)	<0.05	0.95 (0.72-1.24)	0.69
gender FEMALE	1	REF	1	REF	1	REF	1	REF	1	REF
smoking status	1.26 (1.14-1.39)	<0.05	1.13 (0.97-1.3)	0.11	1.22 (1.03-1.45)	<0.05	1.26 (0.65-2.47)	0.5	0.9 (0.36-2.26)	0.83
length of stay 0d	1	REF	1	REF	1	REF	1	REF	1	REF
length of stay 1d	1.28 (1.17-1.4)	<0.05	1.22 (1.08-1.39)	<0.05	1.04 (0.88-1.23)	0.65	1.44 (0.95-2.16)	0.083	1.27 (0.56-2.87)	0.56
length of stay 2d 3d	1.13 (1.03-1.24)	<0.05	0.96 (0.83-1.11)	0.58	1.14 (0.97-1.34)	0.11	1.17 (0.82-1.68)	0.38	1.78 (0.89-3.58)	0.1
length of stay 4d 7d	1.06 (0.97-1.16)	0.18	0.91 (0.79-1.04)	0.15	1.04 (0.9-1.21)	0.59	1.56 (1.19-2.03)	<0.05	1.1 (0.52-2.34)	0.8
length of stay in gt 7d	1.11 (1-1.23)	<0.05	1.04 (0.89-1.21)	0.65	0.89 (0.74-1.08)	0.25	1.75 (1.32-2.34)	<0.05	0.19 (0.03-1.38)	0.1
race ethnicity White	1	REF	1	REF	1	REF	1	REF	1	REF
Non Hispanic										
race ethnicity Other	0.66 (0.58-0.75)	<0.05	0.58 (0.49-0.7)	<0.05	0.6 (0.48-0.75)	<0.05	0.81 (0.42-1.58)	0.54	0.72 (0.18-2.93)	0.65
Non Hispanic										
race ethnicity Native Hawaiian or Other Pacific Islander	0.87 (0.58-1.31)	0.51	0.79 (0.45-1.41)	0.43	0.81 (0.4-1.63)	0.55	null	null	null	null
Non Hispanic										
race ethnicity Hispanic or Latino	1.04 (1-1.08)	<0.05	0.97 (0.92-1.02)	0.2	0.89 (0.83-0.95)	<0.05	0.86 (0.66-1.11)	0.24	1.41 (0.94-2.12)	0.099
Any Race										
race ethnicity Unknown	1.07 (1-1.15)	0.059	1.03 (0.93-1.13)	0.56	0.85 (0.74-0.98)	<0.05	1.29 (0.87-1.91)	0.2	1.2 (0.54-2.69)	0.65
race ethnicity Black or African American	0.89 (0.86-0.93)	<0.05	0.69 (0.65-0.73)	<0.05	0.75 (0.7-0.8)	<0.05	1 (0.81-1.24)	0.98	2.27 (1.64-3.15)	<0.05
Non Hispanic										
race ethnicity Asian	0.75 (0.68-0.82)	<0.05	0.7 (0.61-0.79)	<0.05	0.62 (0.52-0.73)	<0.05	1.04 (0.65-1.65)	0.88	0.84 (0.3-2.32)	0.74
Non Hispanic										
chronic resp	1.28 (1.23-1.33)	<0.05	1.34 (1.27-1.42)	<0.05	1.19 (1.11-1.28)	<0.05	0.89 (0.73-1.09)	0.25	1.27 (0.84-1.93)	0.26
diabetes2	1.09 (1.04-1.14)	<0.05	0.99 (0.93-1.06)	0.81	1.26 (1.16-1.36)	<0.05	1.13 (0.94-1.36)	0.19	1.19 (0.76-1.84)	0.45
hepatic steatosis	0.92 (0.84-1.01)	0.084	0.92 (0.81-1.05)	0.23	0.91 (0.78-1.07)	0.24	0.53 (0.27-1.06)	0.072	0.24 (0.06-1.04)	0.056
hypertension	1.24 (1.19-1.29)	<0.05	1.23 (1.16-1.29)	<0.05	1.2 (1.12-1.28)	<0.05	1.44 (1.2-1.73)	<0.05	0.77 (0.53-1.14)	0.19
hypertensive kidney disease	0.87 (0.78-0.98)	<0.05	0.95 (0.79-1.14)	0.57	0.81 (0.67-0.98)	<0.05	0.84 (0.62-1.15)	0.29	1.05 (0.38-2.91)	0.93
ischemic heart disease	0.9 (0.83-0.97)	<0.05	0.91 (0.8-1.02)	0.11	1.02 (0.89-1.17)	0.75	0.9 (0.7-1.15)	0.39	0.52 (0.21-1.26)	0.15
neoplasm	1.13 (1.09-1.17)	<0.05	1.16 (1.1-1.21)	<0.05	0.98 (0.92-1.04)	0.47	0.61 (0.51-0.74)	<0.05	0.51 (0.33-0.8)	<0.05
nicotine dependence	1.42 (1.32-1.53)	<0.05	1.39 (1.25-1.54)	<0.05	1.48 (1.3-1.68)	<0.05	0.76 (0.45-1.27)	0.29	1.97 (1.03-3.77)	<0.05
non hypertensive	1.06 (0.98-1.15)	0.17	0.91 (0.8-1.04)	0.15	1.25 (1.09-1.43)	<0.05	1.38 (1.09-1.75)	<0.05	0.99 (0.45-2.16)	0.97
chronic kidney disease										
non ischemic heart disease	1.03 (0.98-1.08)	0.2	0.96 (0.9-1.02)	0.22	1.01 (0.94-1.1)	0.72	1.48 (1.24-1.77)	<0.05	0.94 (0.6-1.48)	0.8
other liver disease	0.96 (0.88-1.05)	0.41	0.86 (0.75-0.98)	<0.05	0.99 (0.85-1.15)	0.88	0.57 (0.33-0.98)	<0.05	3.69 (2.09-6.5)	<0.05

**Table S18. Chi-Square Analysis of Differential Rates of HPO Terms Between Outcomes:** In this analysis we perform a chi-square test to determine whether individual HPO terms are present at different rates in the groups of patients with each outcome. Count gives the total number of patients with the given term. P-val provides the Bonferroni corrected p-values for whether the difference between outcome groups is significant. Category provides the PASC-AM category that the HPO term was included in for the main analysis.

HPO Term	count	p-val (adj)	category
Confusion (HP:0001289)	840	$< 10^{-300}$	neurological
Chest pain (HP:0100749)	20298	$< 10^{-300}$	constitutional
Fatigue (HP:0012378)	16539	$< 10^{-300}$	constitutional
Constipation (HP:0002019)	8069	$< 10^{-300}$	gastrointestinal
Memory impairment (HP:0002354)	1504	$< 10^{-300}$	neurological
Migraine (HP:0002076)	3373	$< 10^{-300}$	neurological
Encephalopathy (HP:0001298)	1421	$< 10^{-300}$	neurological
Asthenia (HP:0025406)	4880	$< 10^{-300}$	constitutional
Palpitations (HP:0001962)	7690	$< 10^{-300}$	cardiovascular
Tachycardia (HP:0001649)	5969	$< 10^{-300}$	cardiovascular
Hypotension (HP:0002615)	2027	$< 10^{-300}$	cardiovascular
Insomnia (HP:0100785)	4330	$< 10^{-300}$	neurological
Vertigo (HP:0002321)	8284	$< 10^{-300}$	ENT
Headache (HP:0002315)	9716	$< 10^{-300}$	neurological
Seizure (HP:0001250)	2938	$1.4 \times 10^{-292}$	neurological
Auditory hallucinations (HP:0008765)	36	$1.6 \times 10^{-283}$	neurological
Dysphagia (HP:0002015)	4003	$7.3 \times 10^{-273}$	neurological
Nausea (HP:0002018)	4996	$1.4 \times 10^{-248}$	gastrointestinal
Visual hallucinations (HP:0002367)	63	$1.7 \times 10^{-203}$	neurological
Hallucinations (HP:0000738)	120	$6.4 \times 10^{-188}$	neurological
Aphasia (HP:0002381)	294	$4.0 \times 10^{-185}$	neurological
Diarrhea (HP:0002014)	7027	$1.4 \times 10^{-145}$	gastrointestinal
Abdominal pain (HP:0002027)	11484	$5.3 \times 10^{-135}$	gastrointestinal
Thrombocytopenia (HP:0001873)	3204	$4.3 \times 10^{-134}$	laboratory
Hypoxemia (HP:0012418)	4627	$3.2 \times 10^{-130}$	pulmonary
Restless legs (HP:0012452)	1397	$6.5 \times 10^{-119}$	neurological
Atelectasis (HP:0100750)	1844	$1.7 \times 10^{-113}$	pulmonary
Paresthesia (HP:0003401)	3313	$5.2 \times 10^{-111}$	neurological
Polyneuropathy (HP:0001271)	2988	$6.2 \times 10^{-104}$	neurological
Sleep apnea (HP:0010535)	3428	$6.2 \times 10^{-97}$	neurological
Tremor (HP:0001337)	1076	$1.6 \times 10^{-94}$	neurological
Irregular menstruation (HP:0000858)	2594	$1.4 \times 10^{-92}$	endocrine
Arthralgia (HP:0002829)	2661	$5.7 \times 10^{-86}$	constitutional
Hyperglycemia (HP:0003074)	5112	$1.5 \times 10^{-85}$	laboratory
Gastroesophageal reflux (HP:0002020)	3049	$1.3 \times 10^{-77}$	gastrointestinal
Hypoglycemia (HP:0001943)	796	$5.6 \times 10^{-77}$	laboratory
Hearing impairment (HP:0000365)	1478	$6.5 \times 10^{-74}$	ENT
Pulmonary embolism (HP:0002204)	3690	$2.6 \times 10^{-72}$	pulmonary
Bradycardia (HP:0001662)	2913	$9.1 \times 10^{-72}$	cardiovascular
Shivering (HP:0025144)	721	$8.0 \times 10^{-71}$	constitutional
Urinary incontinence (HP:0000020)	1254	$2.3 \times 10^{-70}$	endocrine

Continued on next page

**Table S18 – continued from previous page**

<b>HPO Term</b>	<b>count</b>	<b>p-val (adj)</b>	<b>category</b>
Cough (HP:0012735)	18073	$2.9 \times 10^{-67}$	pulmonary
Hepatic steatosis (HP:0001397)	3732	$4.3 \times 10^{-64}$	gastrointestinal
Hyperkinetic movements (HP:0002487)	2556	$4.9 \times 10^{-63}$	neurological
Hypocalcemia (HP:0002901)	825	$5.2 \times 10^{-62}$	laboratory
Myalgia (HP:0003326)	3756	$7.5 \times 10^{-62}$	constitutional
Pain (HP:0012531)	3474	$1.0 \times 10^{-55}$	constitutional
Edema (HP:0000969)	2933	$5.5 \times 10^{-48}$	endocrine
Slurred speech (HP:0001350)	133	$8.8 \times 10^{-47}$	neurological
Muscle weakness (HP:0001324)	1775	$2.9 \times 10^{-45}$	neurological
Skin rash (HP:0000988)	5125	$7.1 \times 10^{-43}$	skin
Pulmonary fibrosis (HP:0002206)	945	$8.1 \times 10^{-41}$	pulmonary
Gastroparesis (HP:0002578)	452	$3.4 \times 10^{-40}$	gastrointestinal
Aggressive behavior (HP:0000718)	< 20	$5.0 \times 10^{-40}$	neurological
Dysarthria (HP:0001260)	216	$1.2 \times 10^{-39}$	neurological
Vomiting (HP:0002013)	2439	$3.0 \times 10^{-36}$	gastrointestinal
Fever (HP:0001945)	8322	$1.0 \times 10^{-35}$	endocrine
Orthostatic hypotension (HP:0001278)	800	$1.1 \times 10^{-35}$	neurological
Dyspnea (HP:0002094)	2362	$6.5 \times 10^{-29}$	pulmonary
Tinnitus (HP:0000360)	954	$2.0 \times 10^{-26}$	ENT
Hepatitis (HP:0012115)	165	$8.1 \times 10^{-22}$	gastrointestinal
Hypothermia (HP:0002045)	53	$3.2 \times 10^{-20}$	endocrine
Pharyngalgia (HP:0033050)	803	$9.1 \times 10^{-20}$	ENT
Hemoptysis (HP:0002105)	507	$2.5 \times 10^{-19}$	pulmonary
Difficulty walking (HP:0002355)	799	$9.4 \times 10^{-18}$	constitutional
Bowel incontinence (HP:0002607)	392	$5.8 \times 10^{-17}$	gastrointestinal
Bronchiectasis (HP:0002110)	720	$9.4 \times 10^{-15}$	pulmonary
Diplopia (HP:0000651)	361	$5.3 \times 10^{-14}$	eye
Ataxia (HP:0001251)	208	$3.5 \times 10^{-13}$	neurological
Night sweats (HP:0030166)	< 20	$1.3 \times 10^{-12}$	constitutional
Dystonia (HP:0001332)	110	$2.4 \times 10^{-12}$	neurological
Irritability (HP:0000737)	< 20	$5.2 \times 10^{-12}$	neurological
Anaphylactic shock (HP:0100845)	176	$1.3 \times 10^{-10}$	immunology
Wheezing (HP:0030828)	2038	$1.3 \times 10^{-10}$	pulmonary
Nasal congestion (HP:0001742)	4380	$3.6 \times 10^{-09}$	ENT
Pleuritis (HP:0002102)	534	$3.8 \times 10^{-09}$	pulmonary
Myocarditis (HP:0012819)	170	$3.7 \times 10^{-08}$	cardiovascular
Parageusia (HP:0031249)	454	$9.3 \times 10^{-08}$	neurological
Splenomegaly (HP:0001744)	540	$1.7 \times 10^{-07}$	gastrointestinal
Arthritis (HP:0001369)	147	$1.9 \times 10^{-07}$	constitutional
Syncope (HP:0001279)	438	$1.0 \times 10^{-06}$	cardiovascular
Malnutrition (HP:0004395)	302	$1.0 \times 10^{-06}$	gastrointestinal
Ear pain (HP:0030766)	2002	$1.0 \times 10^{-06}$	ENT
Renal insufficiency (HP:0000083)	274	$1.0 \times 10^{-06}$	endocrine
Pancreatitis (HP:0001733)	< 20	$2.3 \times 10^{-06}$	endocrine
Lymphopenia (HP:0001888)	216	$1.4 \times 10^{-05}$	immunology
Anosmia (HP:0000458)	602	$1.8 \times 10^{-05}$	neurological
Limb pain (HP:0009763)	1713	$4.5 \times 10^{-05}$	constitutional

Continued on next page

**Table S18 – continued from previous page**

<b>HPO Term</b>	<b>count</b>	<b>p-val (adj)</b>	<b>category</b>
Chest tightness (HP:0031352)	41	0.00018341	constitutional
Keratoconjunctivitis sicca (HP:0001097)	3276	0.000216047	eye
Angina pectoris (HP:0001681)	1333	0.000419074	cardiovascular
Elevated circulating C reactive protein concentration (HP:0011227)	59	0.0012767	laboratory
Sleep disturbance (HP:0002360)	163	0.00178605	neurological
Elevated erythrocyte sedimentation rate (HP:0003565)	300	0.00477857	laboratory
Hepatomegaly (HP:0002240)	567	0.00740509	gastrointestinal
Ocular pain (HP:0200026)	576	0.0513893	eye
Menorrhagia (HP:0000132)	276	0.0714236	endocrine
Hypertension (HP:0000822)	426	0.100324	cardiovascular
Pruritus (HP:0000989)	248	0.128858	skin
Lymphadenopathy (HP:0002716)	780	0.607963	immunology
Skeletal muscle atrophy (HP:0003202)	225	0.864746	neurological
Hyperesthesia (HP:0100963)	24	1.0	neurological
Recurrent fever (HP:0001954)	45	1.0	endocrine
Venous thrombosis (HP:0004936)	70	1.0	cardiovascular
Exercise intolerance (HP:0003546)	< 20	1.0	constitutional
Photophobia (HP:0000613)	< 20	1.0	eye
Hyposmia (HP:0004409)	< 20	1.0	neurological
Red eye (HP:0025337)	< 20	1.0	eye
Babinski sign (HP:0003487)	< 20	1.0	neurological
Parkinsonism (HP:0001300)	< 20	1.0	neurological
Conjunctivitis (HP:0000509)	522	1.0	eye
Scaling skin (HP:0040189)	< 20	1.0	skin
Abnormality of movement (HP:0100022)	97	1.0	neurological
Alopecia (HP:0001596)	111	1.0	skin
Diminished ability to concentrate (HP:0031987)	< 20	1.0	neurological
Restrictive ventilatory defect (HP:0002091)	< 20	1.0	pulmonary
Pulsatile tinnitus (HP:0008629)	120	1.0	ENT
Bone pain (HP:0002653)	< 20	1.0	constitutional
Hypophosphatemia (HP:0002148)	< 20	1.0	laboratory
Xerostomia (HP:0000217)	227	1.0	constitutional
Petechiae (HP:0000967)	< 20	1.0	skin
Male sexual dysfunction (HP:0040307)	< 20	1.0	endocrine
Vitreous floaters (HP:0100832)	592	1.0	eye
Hyperacusis (HP:0010780)	27	1.0	ENT
Muscle spasm (HP:0003394)	51	1.0	neurological
Abnormal reflex (HP:0031826)	86	1.0	neurological
Sneeze (HP:0025095)	101	1.0	pulmonary
Elevated circulating creatinine concentration (HP:0003259)	38	1.0	laboratory
Blurred vision (HP:0000622)	38	1.0	eye
Dermatographic urticaria (HP:0011971)	87	1.0	skin
Nonproductive cough (HP:0031246)	< 20	1.0	pulmonary
Impaired executive functioning (HP:0033051)	< 20	1.0	neurological

Continued on next page

**Table S18 – continued from previous page**

<b>HPO Term</b>	<b>count</b>	<b>p-val (adj)</b>	<b>category</b>
Hyperhidrosis (HP:0000975)	< 20	1.0	skin
Elevated circulating alkaline phosphatase concentration (HP:0003155)	< 20	1.0	laboratory
Productive cough (HP:0031245)	< 20	1.0	pulmonary
Exertional dyspnea (HP:0002875)	291	1.0	pulmonary
Bradykinesia (HP:0002067)	< 20	1.0	neurological
Pleural thickening (HP:0031944)	< 20	1.0	pulmonary
Pericardial effusion (HP:0001698)	< 20	1.0	cardiovascular
Rhinitis (HP:0012384)	29	1.0	ENT
Ageusia (HP:0041051)	< 20	1.0	neurological
Spasticity (HP:0001257)	< 20	1.0	neurological
Diabetes mellitus (HP:0000819)	321	1.0	endocrine
Antinuclear antibody positivity (HP:0003493)	47	1.0	immunology
Agnosia (HP:0010524)	42	1.0	neurological
Somatic sensory dysfunction (HP:0003474)	< 20	1.0	neurological
Hypofibrinogenemia (HP:0011900)	< 20	1.0	laboratory
Rhinorrhea (HP:0031417)	60	1.0	pulmonary
Stroke (HP:0001297)	62	1.0	cardiovascular
Low grade fever (HP:0011134)	< 20	1.0	endocrine
Hand muscle weakness (HP:0030237)	< 20	1.0	neurological
Gastric ulcer (HP:0002592)	< 20	1.0	gastrointestinal
Elevated circulating thyroid stimulating hormone concentration (HP:0002925)	25	1.0	laboratory
Blindness (HP:0000618)	< 20	1.0	eye