## Comparison of Very Short Answer Questions and Multiple Choice Questions in Medical Students: Reliability, Discrimination, Acceptability and Effect on Knowledge Retention

Supplemental materials

Roemer J. Janse\*, Elise V. van Wijk\*, Bastian N. Ruijter, Jos H.T. Rohling, Jolein van der Kraan, Stijn Crobach, Mario de Jonge, Arnout Jan de Beaufort, Friedo W. Dekker, Alexandra M.J. Langers.

Supplemental table 1. Retention of knowledge of students tested with VSAQs compared to students of historical cohorts tested with MCQs. Numbers represent average percent-point score **Supplemental table 3.** Positive and negative cueing per question in MCQfirst and VSAQfirst....... 2 Supplemental table 4. Distribution of the answers given to the 5-point Likert scale evaluation Supplemental table 5. Distribution of the answers given to the 5-point Likert scale evaluation Supplemental table 6. Median (IQR) scores of the 5-point Likert scale evaluation questions in the formative exam. EQ1-4 halfway of the exam after the MCQs (MCQfirst) or VSAQs (VSAQfirst); EQ5-EQ9 at the end of the exam after both MCQs and VSAQs......4 Supplemental table 7. Mean scores of the 5-point Likert scale evaluation questions after the Supplemental table 8. Mean scores of the 5-point Likert scale questions on constructive alignment after the summative exam (1: strongly disagree, 2: disagree, 3: neutral, 4: agree, 5: strongly 

<sup>\*</sup>These authors contributed equally to this work.

## **Supplemental tables**

**Supplemental table 1.** Retention of knowledge of students tested with VSAQs compared to students of historical cohorts tested with MCQs. Numbers represent average percent-point score increase per measure moment among VSAQ group compared to MCQ group.

	Diseases of the Abdomen	Regulation and Metabolism
2 month retention	-1.1 (-3.3, 1.1)	3.1 (2.0, 4.3)
5 month retention	-2.5 (-4.2, -0.8)	3.8 (2.8, 4.8)

**Supplemental table 2**. Positive and negative cueing per person in MCQ*first* and VSAQ*first*.

	Regulation a	and Metabolism	Diseases of the Abdomen			
	MCQ <i>first</i> (n = 104)	VSAQfirst (n = 112)	MCQfirst (n = 90)	VSAQfirst (n = 69)		
Positive cueing, median (IQR), %	4.0 (4.0 - 8.0)	20.0 (16.0 - 28.0)	8.3 (4.2 - 16.7)	20.8 (12.5 - 29.2)		
Negative cueing, median (IQR), %	8.0 (4.0 - 12.0)	4.0 (0.0 - 4.0)	0.0 (0.0 - 4.2)	4.2 (0.0 - 4.2)		

**Supplemental table 3**. Positive and negative cueing per question in MCQfirst and VSAQfirst.

	Regulation	& Metabolism	Diseases of the Abdomen						
	MCQfirst (n = 104)	VSAQfirst (n = 112)	MCQfirst (n = 90)	VSAQfirst (n = 69)					
Frequency of question	Frequency of questions where cueing occurred, %								
Positive cueing	100	100	100	100					
Negative cueing	92	56	79	79					
Average frequency of	cueing per question, %								
Positive cueing, median (IQR)	4.8 (2.9 - 9.6)	14.3 (7.1 - 33.9)	15.9 (11.8 - 20.3)	22.7 (10.9 - 28.5)					
Positive cueing, max	26.9	62.5	32.9	43.8					
Negative cueing, median (IQR)	3.8 (1.9 - 12.5)	0.9 (0.0 - 1.8)	1.8 (1.2 - 3.5)	3.1 (1.6 - 5.1)					
Negative cueing, max	38.5	16.1	7.1	10.9					

**Supplemental table 4.** Distribution of the answers given to the 5-point Likert scale evaluation questions halfway of the formative exam after MCQs (MCQ*first*) or VSAQs (VSAQ*first*).

	Regulation and Metabolism							Dis	eases of	the Abd	lomen	
	MC	Qfirst (n	= 104)	VSAQfirst (n = 112)			MC	MCQfirst (n = 85)			VSAQfirst (n = 64)	
	EQ1	EQ2	EQ3	EQ1	EQ2	EQ3	EQ1	EQ2	EQ3	EQ1	EQ2	EQ3
Strongly disagree	1%	12%	0%	2%	12%	2%	2%	0%	0%	0%	15%	2%
Disagree	10%	46%	10%	15%	45%	4%	5%	38%	10%	5%	61%	7%
Neutral	32%	39%	13%	28%	39%	8%	19%	58%	36%	15%	25%	10%
Agree	51%	2%	54%	52%	2%	51%	60%	4%	47%	74%	0%	46%
Strongly agree	7%	0%	23%	4%	2%	35%	14%	0%	7%	7%	0%	36%

EQ1: The questions are a good representation of how I would be expected to answer questions in clinical practice.

EQ2: I found the questions easy.

EQ3: I was often unsure whether my answer would be correct.

**Supplemental table 5.** Distribution of the answers given to the 5-point Likert scale evaluation questions at the end of the formative exam.

	Regulation and Metabolism ( $n = 216$ )					Diseases of the Abdomen (n = 146)				6)
	EQ5	EQ6	EQ7	EQ8	EQ9	EQ5	EQ6	EQ7	EQ8	EQ9
Strongly disagree	59%	9%	8%	9%	24%	63%	4%	9%	4%	12%
Disagree	31%	21%	22%	24%	44%	29%	13%	21%	19%	36%
Neutral	7%	36%	19%	42%	26%	3%	23%	24%	41%	37%
Agree	2%	31%	41%	25%	6%	4%	56%	37%	34%	14%
Strongly Agree	0%	3%	10%	1%	0%	0%	4%	9%	2%	1%

EQ5: VSAQs are easier than MCQs.

EQ6: VSAQs are more in line with daily clinical practice than MCQs.

EQ7: I prepare differently for an assessment with VSAQs than for an assessment with MCQs.

EQ8: VSAQs would be a better preparation for clinical practice than MCQs.

EQ9: Through the use of VSAQs, the test is better aligned with this course, than a test using MCQs.

**Supplemental table 6.** Median (IQR) scores of the 5-point Likert scale evaluation questions in the formative exam. EQ1-4 halfway of the exam after the MCQs (MCQfirst) or VSAQs (VSAQfirst); EQ5-EQ9 at the end of the exam after both MCQs and VSAQs.

	_	tion and bolism		es of the omen
	MCQfirst	VSAQfirst	MCQfirst	VSAQfirst
	(n = 104)	(n = 112)	(n = 85)	(n = 64)
EQ1	4 (3-4)	4 (3-4)	4 (3-4)	4 (4-4)
EQ2	2 (2-3)	2 (2-3)	3 (2-3)	2 (2-2)
EQ3	4 (4-4)	4 (4-5)	4 (3-4)	4 (4-5)
EQ4	6 (5-6)	6 (6-7)	5 (4-6)	6 (5-6)
EQ5	1 (	1-2)	1 (:	1-2)
EQ6	3 (	2-4)	4 (3	3-4)
EQ7	4 (	2-4)	3 (2	2-4)
EQ8	3 (	2-4)	3 (2	2-4)
EQ9	2 (	2-3)	2 (2	2-3)

EQ1: The questions are a good representation of how I would be expected to answer questions in clinical practice.

EQ2: I found the questions easy.

EQ3: I was often unsure whether my answer would be correct.

EQ4: If I had to give an estimate of the grade I would have achieved based on these questions, my estimate would be <grade>.

EQ5: VSAQs are easier than MCQs.

EQ6: VSAQs are more in line with daily clinical practice than MCQs.

EQ7: I prepare differently for an assessment with VSAQs than for an assessment with MCQs.

EQ8: VSAQs would be a better preparation for clinical practice than MCQs.

EQ9: Through the use of VSAQs, the test is better aligned with this course, than a test using MCQs.

**Supplemental table 7**. Mean scores of the 5-point Likert scale evaluation questions after the summative exam.

	Regulation ar	nd Metabolism	Diseases of the Abdomen			
	Q1 (n = 147)	Q2 (n = 148)	Q1 (n = 85)	Q2 (n = 85)		
Strongly disagree	13%	53%	26%	18%		
Disagree	26%	30%	27%	33%		
Neutral	17%	12%	6%	19%		
Agree	35%	5%	38%	26%		
Strongly Agree	10%	0%	4%	5%		
Median (IQR)	2 (3-4)	1 (1-2)	1 (2-4)	2 (2-4)		

Q1: Because I knew that I would be tested by VSAQs, I studied in another way than I normally would; Q2: Through the use of VSAQs, the test was a better representation of what I learned in this course, than a test using MCQs.

**Supplemental table 8**. Mean scores of the 5-point Likert scale questions on constructive alignment after the summative exam (1: strongly disagree, 2: disagree, 3: neutral, 4: agree, 5: strongly agree).

	Regulation and Metabolism					Diseases of	the Abdo	men
	Q1			Q2		Q1		Q2
	N	Mean (SD)	Ν	Mean (SD)	Ν	Mean (SD)	Ν	Mean (SD)
'16/'17	NA	NA	197	3.6 (0.9)	NA	NA	170	3.6 (0.9)
'17/'18	50	3.3 (1.1)	50	3.2 (1.1)	66	3.6 (1.0)	66	3.5 (0.7)
'18/'19	63	3.1 (1.2)	62	2.9 (1.2)	62	2.2 (1.1)	62	2.2 (1.1)
'20/'21	149	2.2 (1.1)	149	2.2 (1.1)	127	2.9 (1.1)	127	3.1 (1.1)

Q1: The assessment as a whole (form and content) is appropriate for what you should have mastered at the end of the course.

Q2 = The (online) test formats matched what I have learned; NA = not available.