Crohn's IBD Questionnaire

1. Please write in your age and date of birth.

Ad	ge e

	_			_				
					1	9		
nth	luna	D:	ay 16)			Ye	ar	

2. Which of the following have you ever been diagnosed with (check all that apply):


Age at diagnosis

0	Ulcerative Colitis		
0	Crohn's disease		
0	Inflammatory Bowel Disease		
0	Microscopic Colitis		
\circ	Irritable Bowel Syndrome		

3. Including your first episode, have you experienced any of the following symptoms related to your ulcerative colitis, Crohn's disease, inflammatory bowel disease, or Microscopic Colitis (Collagenous or Lymphocytic)? Please indicate the longest duration of each symptom.

Check all that apply).	Durat	ion of symp	otoms
Symptom	Less than 2 weeks	2 to 3 weeks	4 weeks or greater
Abdominal pain	0	0	0
Diarrhea	0	0	0
Rectal bleeding/ blood in stool (not due to hemorrhoids or constipation)	0	0	0
Fever greater than 100.5°F	0	0	0
Fatigue or lack of energy	0	0	0
Difficulty sleeping	0	0	0
Nausea	0	0	0
Vomiting	0	0	0
Mouth sores	0	0	0
Back pain	0	0	0
Night sweats	0	0	0
Decreased appetite	0	0	0
Weight loss	0	0	0

4. Which of the following profiles most accurately reflects the course of your disease?



- 5. IN THE PAST SIX MONTHS, my disease has been:
 - O Constantly active, giving me symptoms every day
 - Often active, giving me symptoms most days
 - O Sometimes active, giving me symptoms some days (for instance, 1 2 days per week)
 - Occasionally active, giving me symptoms 1 2 days per month
 - Rarely active, giving me symptoms on a few days the past 6 months
 - I was well in the past 6 months, what I consider a remission or absence of symptoms

Next page, please. —>





	nospitalized for colitis or Cr	Nan	ne oi	hospita	aı									- <u>'</u> '	nont			yea	r
														ַ] [<u>]/[</u>			
														ַן [_ <u>]/[</u>			
																J/L			
or i	those with a Microscopic	Col	itis	Diag	gnos	is O	nly,	ple	eas	se.	skij	o to	que	sti	on	10	<u>).</u>	_	->
200	you ever had any of the fol	llowi	na i	comr	dica	tions	or	cur	~~	ria	c2 /	Cha	ok s	.II 4	ha	f 21	nn	LΛ	
ave	you ever had any or the for	Date	e first d	diagnose		uons	OI	surç	ge	i ie:	5	CHE	CK		Date	ι a _l e first	dia	gnos	ed
O P	Perianal or perirectal fistula	month	<u> </u> 	year		0	Resec	tion or	ren	nova	l of sm	nall inte	stine	m	onth	7/	Τ	year	Τ
_	Fistula between intestine and vagina or bladder	\vdash	1/	+			Partial							F	$^+$	1/ -	$^{+}$	$^+$	+
_	Fistula between intestine and skin (draining)		1/				Total		_	,					$\frac{\perp}{1}$	1/ - 1/ -	$\frac{1}{1}$	$\frac{\perp}{1}$	+
	Fistula between intestines		1/[+		_	lleosto								1	1/ - 1/ -	$\frac{+}{1}$	+	+
_	Stricture (narrowing) of the intestine or colon]/ 				lleal o		uch						1	1/ - 1/ -	$^{+}$	$\frac{\perp}{1}$	+
_	Bowel obstruction		1/ -	+		_	Apper							F		<mark>/</mark> -	$\frac{+}{1}$	+	+
_	Abscess (collection of pus) in the abdomen	\vdash]/ <u> </u>	+		0	Gallbla		_	erv				÷		// 1/Г	\pm	\pm	$\frac{\perp}{1}$
/e y	nany surgeries (NOT includ you had for ulcerative colitis Type of surgery					ase?	Name	of ho	ospi	tal				,] [] [nont	h]/[]/[yea	r
e y	ou had for ulcerative colities	s or	Cro	hn's	dise	ease?	Name	ndit	ioı		in y	/ou?	· (Cł]/[]/[
e y	Type of surgery s a physician ever diagnose	s or	Cro	hn's	dise	ease?	Name	ndit	ioı		in y	/ou?) (Cł]/[]/[
de y	Type of surgery a physician ever diagnosed Uveitis (eye inflammation)	s or	Cro	hn's	dise	wing	Name	ndit	ioı		in y	/ou?	· (Cr]/[]/[
Has	Type of surgery a physician ever diagnosed Uveitis (eye inflammation) Iritis (eye inflammation)	ed an	Cro	hn's	dise	wing	Name	ndit	ioı		in y	/ou?	' (Cł]/[]/[
Has	Type of surgery a physician ever diagnosed Uveitis (eye inflammation) Iritis (eye inflammation) Pyoderma gangrenosum (ulcerating skin disease	ed an	Cro	hn's	dise	wing	Name	ndit	ioı		in y	/ou?	' (Cł]/[]/[
Has	Type of surgery	ed an	Cro	hn's	dise	wing	Name	ndit	ioı		in y	/ou?	· (Cr]/[]/[
Has	Type of surgery a physician ever diagnosed Uveitis (eye inflammation) Iritis (eye inflammation) Pyoderma gangrenosum (ulcerating skin disease	ed an	Cro	hn's	dise	wing	Name	ndit	ioı		iny	/ou?) (Cł]/[]/[
Has	Type of surgery Type o	ed an	Cro	hn's	dise	wing	Name	ndit	ioı		in y	/ou?	' (Ct]/[]/[
Has	Type of surgery Uveitis (eye inflammation) Iritis (eye inflammation) Pyoderma gangrenosum (ulcerating skin disease Erythema nodosum (painful red bumps) Colon cancer Precancerous lesions in the colon (e.g. polyps or	ed an	Cro	hn's	dise	wing	Name	ndit	ioı		in y	/ou?	· (Cr]/[]/[
Has	Type of surgery Uveitis (eye inflammation) Iritis (eye inflammation) Pyoderma gangrenosum (ulcerating skin disease Erythema nodosum (painful red bumps) Colon cancer Precancerous lesions in the colon (e.g. polyps or Pouchitis (inflammation in ileal or J-pouch)	ed an	Cro	hn's	dise	wing	Name	ndit	ioı		in y	/ou?	' (Cł]/[]/[
Has	Type of surgery Uveitis (eye inflammation) Iritis (eye inflammation) Pyoderma gangrenosum (ulcerating skin disease Erythema nodosum (painful red bumps) Colon cancer Precancerous lesions in the colon (e.g. polyps or Pouchitis (inflammation in ileal or J-pouch) Arthritis or joint swelling due to colitis/Crohn's	ed an	Cro	hn's	dise	wing	Name	ndit	ioı		in y	/ou?	· (Cr]/[]/[
Has	Type of surgery Uveitis (eye inflammation) Iritis (eye inflammation) Pyoderma gangrenosum (ulcerating skin disease Erythema nodosum (painful red bumps) Colon cancer Precancerous lesions in the colon (e.g. polyps or Pouchitis (inflammation in ileal or J-pouch) Arthritis or joint swelling due to colitis/Crohn's Ankylosing spondylitis	ed an	Cro	hn's	dise	wing	Name	ndit	ioı		in y	/ou?	' (Cł]/[]/[
Has	Type of surgery Uveitis (eye inflammation) Iritis (eye inflammation) Pyoderma gangrenosum (ulcerating skin disease Erythema nodosum (painful red bumps) Colon cancer Precancerous lesions in the colon (e.g. polyps or Pouchitis (inflammation in ileal or J-pouch) Arthritis or joint swelling due to colitis/Crohn's Ankylosing spondylitis Primary sclerosing cholangitis	ed an	Cro	hn's	dise	wing	Name	ndit	ioı		in y	/ou?	· (Cr]/[]/[

Page 2

BWHS_IBDv2

al mesalamine (e.g., Dipentum, Asacol, Intasa, Colazal, Lialda, Apriso, Delzicol) aravenous steroids g., solumedrol, hydrocortisone) al prednisone al prednisone al prednisone al budesonide (e.g., Entocort) or denoside MMX (e.g. Uceris) d	al sulfasalazine al mesalamine (e.g., Dipentum, Asacol, ntasa, Colazal, Lialda, Apriso, Delzicol) ravenous steroids g., solumedrol, hydrocortisone) al prednisone al pudesonide (e.g., Entocort) or denoside MMX (e.g. Uceris) sealamine suppository or enema g., Canasa, Rowasa) eroid suppository or enema o	No recovery: medication did Felt worse: had to stop takin	not mai	ke me f		ter			ı	nedica	e to thation?	
ral sulfasalazine ral mesalamine (e.g., Dipentum, Asacol, entasa, Colazal, Lialda, Apriso, Delzicol) ratavenous steroids rg., solumedrol, hydrocortisone) ral prednisone o	ral sulfasalazine ral mesalamine (e.g., Dipentum, Asacol, entasa, Colazal, Lialda, Apriso, Delzicol) travenous steroids .g., solumedrol, hydrocortisone) ral prednisone			en	Date	started	Dat	te stopped	ecover	al reco	covery	vorse
ral mesalamine (e.g., Dipentum, Asacol, entasa, Colazal, Lialda, Apriso, Delzicol) centasa, Colazal, Lialda, Apriso, Delzicol) cental budesonide (e.g., Entocort) or cudenoside MMX (e.g., Uceris) cental budesonide (e.g., Entocort) or cudenoside MMX (e.g., Uceris) centasa cudenoside MMX (e.g., Uceris) centas cudenoside	ral mesalamine (e.g., Dipentum, Asacol, entasa, Colazal, Lialda, Apriso, Delzicol) travenous steroids e.g., solumedrol, hydrocortisone) o.g., solumedrol, hydrocortisone o.g., solumedrol, hydrocortisone) o.g., solumedrol, hydrocortisone o.g., solumedrol, hydrocortisone o.g., solumedrol, hydrocortisone o.g., solumedrol, hydr	Medication		Ever	month	year	month	year	FI	Partis	No re	Felt v
entasa, Colazal, Lialda, Apriso, Delzicol) travenous steroids .g., solumedrol, hydrocortisone) ral prednisone ral prednisone ral budesonide (e.g., Entocort) or udenoside MMX (e.g., Uceris) esalamine suppository or enema .g., Canasa, Rowasa) teroid suppository or enema O O O O retroid suppository	entasa, Colazal, Lialda, Apriso, Delzicol) travenous steroids g.g., solumedrol, hydrocortisone) ral prednisone ral budesonide (e.g., Entocort) or udenoside MMX (e.g. Uceris) esalamine suppository or enema 1.g., Canasa, Rowasa) teroid suppository or enema O O O O rateroid suppository or enema O O O O retroid suppository or enema O	ral sulfasalazine	0	0		TTT			0	0	0	0
Intravenous steroids	cardinate of the control of the cont	oral mesalamine (e.g., Dipentum, Asacol, entasa, Colazal, Lialda, Apriso, Delzicol)	0	0					0	0	0	0
trail prednisone O O O O O O O O O O O O O O O O O O O	pral prednisone O	ntravenous steroids	0	0						0	0	0
Tall budesonide (e.g., Entocort) or Undenoside MMX (e.g. Uceris) Eesalamine suppository or enema O	ral budesonide (e.g., Entocort) or udenoside MMX (e.g. Uceris) lesalamine suppository or enema e.g., Canasa, Rowasa) e.g., Canasa, Rowasa, Canasa, Rowasa, Rowas		0	0					0	0	0	0
Interest	lesalamine suppository or enema e.g., Canasa, Rowasa) leteroid suppository or enema legalamine suppository or legal	oral budesonide (e.g., Entocort) or	0	0			<u> </u>	/ 	4			
steroid suppository or enema OOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOO	teroid suppository or enema O O O O O O O O O O O O O O O O O O O				/		 	 	4			
Intibiotics	Intibiotics O O O O O O O O O O O O O O O O O O O								4			
Cyclosporine	Cyclosporine					$\frac{1}{1}$	 /	<u> </u>	4			
-mercaptopurine (6MP) or azathioprine (Imuran) Methotrexate O O O O O Methotrexate O O O O O	-mercaptopurine (6MP) r azathioprine (Imuran) dethotrexate					1 1 1			1			
	azathioprine (Imuran)	· '					<u> </u> /		4			
Infliximab (Remicade)	Infliximab (Remicade) Idertolizumab (Cimzia) Identolizumab (Cimzia) Identolizumab (Humira) Identolizumab (Humira) Identolizumab (Tysabri) Identolizumab (Tysabri) Identolizumab (MLN0002) Id		_			<u> </u>	<u> </u>		4			
Certolizumab (Cimzia)	Certolizumab (Cimzia)	lethotrexate	0	0			<u> </u>			0	0	0
Adalimumab (Humira)	dalimumab (Humira)	fliximab (Remicade)	0	0						0	0	0
Vedolizumab (Tysabri) O	Alatalizumab (Tysabri)	ertolizumab (Cimzia)	0	0						0	0	0
Vedolizumab (MLN0002) O	Cedolizumab (MLN0002)	dalimumab (Humira)	0	0				<u> </u>	0	0	0	0
Golimumab (Simponi) O	olimumab (Simponi) O O O O O Other Please specify	atalizumab (Tysabri)	0	0					0	0	0	0
Colimumab (Simponi)	olimumab (Simponi) O O O O O Other Please specify	edolizumab (MLN0002)	0	0				 	0	0	0	0
Other	Please specify	olimumab (Simponi)							1			
	Please specify	, , ,				+++	 		4			
			0	0]		0	
You may add additional comments here about your use of medications or treatments:			nts he	re abo	out your	use of m	nedicati	ions or tre	atmo	ents	:	

Page 3

BWHS_IBDv2

	dren	do y	ou h	ave?	?					Son	s		Daugl	hters
o you have a family histor inflammatory bowel dis												UC)		
	Тур	e of dis				I		Age of	first dia	gnosis	· 		1	
Relative	CD	US	IBD (NOS)		<20	20-29	30-39	40-49	50-59	60-69	70-79	>80	Don't know	
Mother	0	0	0		0	0	0	0	0	0	0	0	0	
Father <i>Do not include <u>half</u> siblings</i>	0	0	0		0	0	0	0	0	0	0	0	0	
Brother 1	0	0	0		0	0	0	0	0	0	0	0	0	
Brother 2	0	0	0		0	0	0	0	0	0	0	0	0	
Sister 1	0	0	0		0	0	0	0	0	0	0	0	0	
Sister 2 <i>Biological children <u>only</u></i>	0	0	0		0	0	0	0	0	0	0	0	0	
Son 1	0	0	0		0	0	0	0	0	0	0	0	0	
Son 2	0	0	0		0	0	0	0	0	0	0	0	0	
Daughter 1	0	0	0		0	0	0	0	0	0	0	0	0	
Daughter 2	0	0	0		0	0	0	0	0	0	0	0	0	
Additional relatives														
	0	0	0		0	0	0	0	0	0	0	0	0	
	0	0	0		0	0	0	0	0	0	0	0	0	
nflammatory bowel disea	se, o		cros	copi Po			(Co l ery po	_	nou	s or	Lym	pho	cytic	;)?
Excellent Good		Fair)		\circ							
Excellent Good O O		0)		0							
Excellent Good	ment	0	re :				0							