

Supplementary Online Content

Mid-life leukocyte telomere length and dementia risk: a prospective cohort study of 435,046 UK Biobank participants

Supplement 4

eFigure 1 | SNP-AD/ADRD association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 2 | SNP-AD association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 3 | SNP-vascular dementia association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 4 | SNP-general cognitive ability association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 5 | SNP-reaction time association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 6 | SNP-fluid intelligence association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 7 | SNP-numeric memory association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 8 | SNP-symbol digit substitution association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 9 | SNP-trail making part B association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 10 | SNP-matrix pattern completion association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 11 | SNP-total volume of white matter hyperintensities association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 12 | SNP-cuneus volume association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 13 | SNP-entorhinal volume association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 14 | SNP-inferiorparietal volume association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 15 | SNP-parahippocampal volume association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 16 | SNP-precuneus volume association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 17 | SNP-hippocampus volume association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 18 | SNP-mean FA in anterior corona radiata association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 19 | SNP-mean FA in anterior limb of internal capsule association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 20 | SNP-mean FA in body of corpus callosum association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 21 | SNP-mean FA in cerebral peduncle association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 22 | SNP-mean FA in cingulum cingulate gyrus association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 23 | SNP-mean FA in cingulum hippocampus association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 24 | SNP-mean FA in corticospinal tract association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 25 | SNP-mean FA in external capsule association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 26 | SNP-mean FA in fornix association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 27 | SNP-mean FA in fornix cres+stria terminalis association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 28 | SNP-mean FA in genu of corpus callosum association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 29 | SNP-mean FA in inferior cerebellar peduncle association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 30 | SNP-mean FA in medial lemniscus association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 31 | SNP-mean FA in middle cerebellar peduncle association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 32 | SNP-mean FA in pontine crossing tract association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 33 | SNP-mean FA in posterior corona radiata association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 34 | SNP-mean FA in posterior limb of internal capsule association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 35 | SNP-mean FA in posterior thalamic radiation association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 36 | SNP-mean FA in retrolenticular part of internal capsule association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 37 | SNP-mean FA in sagittal stratum association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 38 | SNP-mean FA in splenium of corpus callosum association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 39 | SNP-mean FA in superior cerebellar peduncle association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 40 | SNP-mean FA in superior corona radiata association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 41 | SNP-mean FA in superior fronto-occipital fasciculus association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 42 | SNP-mean FA in superior longitudinal fasciculus association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 43 | SNP-mean FA in tapetum association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 44 | SNP-mean FA in uncinate fasciculus association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 45 | SNP-mean MD in anterior corona radiata association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 46 | SNP-mean MD in anterior limb of internal capsule association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 47 | SNP-mean MD in body of corpus callosum association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 48 | SNP-mean MD in cerebral peduncle association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 49 | SNP-mean MD in cingulum cingulate gyrus association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 50 | SNP-mean MD in cingulum hippocampus association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 51 | SNP-mean MD in corticospinal tract association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 52 | SNP-mean MD in external capsule association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 53 | SNP-mean MD in fornix association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 54 | SNP-mean MD in fornix cres+stria terminalis association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 55 | SNP-mean MD in genu of corpus callosum association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 56 | SNP-mean MD in inferior cerebellar peduncle association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 57 | SNP-mean MD in medial lemniscus association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 58 | SNP-mean MD in middle cerebellar peduncle association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 59 | SNP-mean MD in pontine crossing tract association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 60 | SNP-mean MD in posterior corona radiata association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 61 | SNP-mean MD in posterior limb of internal capsule association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 62 | SNP-mean MD in posterior thalamic radiation association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 63 | SNP-mean MD in retrolenticular part of internal capsule association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 64 | SNP-mean MD in sagittal stratum association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 65 | SNP-mean MD in splenium of corpus callosum association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 66 | SNP-mean MD in superior cerebellar peduncle association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown


eFigure 67 | SNP-mean MD in superior corona radiata association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 68 | SNP-mean MD in superior fronto-occipital fasciculus association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown


eFigure 69 | SNP-mean MD in superior longitudinal fasciculus association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

eFigure 70 | SNP-mean MD in tapetum association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown


eFigure 71 | SNP-mean MD in uncinate fasciculus association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown




eFigure 1. SNP-AD/ADRD association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown




eFigure 2. SNP-AD association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown




eFigure 7. SNP-numeric memory association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown




eFigure 8. SNP-symbol digit substitution association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown




eFigure 9. SNP-trail making part B association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown




eFigure 10. SNP-matrix pattern completion association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown




eFigure 11. SNP-total volume of white matter hyperintensities association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown




eFigure 12. SNP-cuneus volume association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown




eFigure 13. SNP-entorhinal volume association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown




eFigure 14. SNP-inferiorparietal volume association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown




eFigure 15. SNP-parahippocampal volume association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown




eFigure 16. SNP-precuneus volume association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown




eFigure 17. SNP-hippocampus volume association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown




eFigure 18. SNP-mean FA in anterior corona radiata association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown




eFigure 21. SNP-mean FA in cerebral peduncle association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown




eFigure 22. SNP-mean FA in cingulum cingulate gyrus association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown




eFigure 23. SNP-mean FA in cingulum hippocampus association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown




eFigure 24. SNP-mean FA in corticospinal tract association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown




eFigure 25. SNP-mean FA in external capsule association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown




eFigure 26. SNP-mean FA in fornix association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown




eFigure 31. SNP-mean FA in middle cerebellar peduncle association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown




eFigure 32. SNP-mean FA in pontine crossing tract association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown




eFigure 33. SNP-mean FA in posterior corona radiata association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown




eFigure 34. SNP-mean FA in posterior limb of internal capsule association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown




eFigure 37. SNP-mean FA in sagittal stratum association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown




eFigure 38. SNP-mean FA in splenium of corpus callosum association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown




eFigure 39. SNP-mean FA in superior cerebellar peduncle association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown




eFigure 40. SNP-mean FA in superior corona radiata association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown




eFigure 41. SNP-mean FA in superior fronto-occipital fasciculus association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown




eFigure 42. SNP-mean FA in superior longitudinal fasciculus association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown




eFigure 45. SNP-mean MD in anterior corona radiata association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown




eFigure 46. SNP-mean MD in anterior limb of internal capsule association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown




eFigure 49. SNP-mean MD in cingulum cingulate gyrus association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown




eFigure 50. SNP-mean MD in cingulum hippocampus association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown




eFigure 53. SNP-mean MD in fornix association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown




eFigure 54. SNP-mean MD in fornix cres+stria terminalis association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown




eFigure 55. SNP-mean MD in genu of corpus callosum association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown




eFigure 56. SNP-mean MD in inferior cerebellar peduncle association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown




eFigure 57. SNP-mean MD in medial lemniscus association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown




eFigure 58. SNP-mean MD in middle cerebellar peduncle association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown




eFigure 59. SNP-mean MD in pontine crossing tract association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown




eFigure 60. SNP-mean MD in posterior corona radiata association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown




eFigure 61. SNP-mean MD in posterior limb of internal capsule association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown



eFigure 62. SNP-mean MD in posterior thalamic radiation association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown



eFigure 67. SNP-mean MD in superior corona radiata association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown



eFigure 68. SNP-mean MD in superior fronto-occipital fasciculus association plotted against SNP-telomere length association, labelled by the mapped gene, with MR slope estimates shown

