

## Supplemental Tables

**Supplemental Table 1. Log marginal likelihood values calculated via stepping-stone and path-sampling for different coalescent models under a strict molecular clock.** The results favor the use of a non-parametric Skygrid coalescent model.







<b>Dataset</b>	<b>Tree Prior</b>	<b>Stepping-Stone</b>	<b>Path-Sampling</b>
Minnesota-only	Skygrid	-9974.71	-9970.7
Minnesota-only	Constant	-10395.12	-10388.44
International	Skygrid	-14926.81	-14917.62
International	Constant	-15556.77	-15545.55







**Supplemental Table 2. Bayes factor and posterior probability values for support of non-zero SARS-CoV-2 transmission of Minnesota counties that met our *a priori* threshold > 100.** We list the forty-three routes out of 380 in this category. Hennepin was most often included as the origin (19/43) and destination (10/43).







<b>From</b>	<b>To</b>	<b>Bayes Factor</b>	<b>Posterior Probability</b>
Anoka	Hennepin	296,377.75	1
Dakota	Hennepin	296,377.75	1
Hennepin	Kandiyohi	296,377.75	1
Hennepin	Olmsted	296,377.75	1
Hennepin	Ramsey	296,377.75	1
Hennepin	Rice	296,377.75	1
Hennepin	Saint Louis	296,377.75	1
Hennepin	Scott	296,377.75	1
Hennepin	Sherburne	296,377.75	1
Hennepin	Stearns	296,377.75	1
Hennepin	Washington	296,377.75	1
Hennepin	Wright	296,377.75	1
Ramsey	Washington	296,377.75	1
Hennepin	Anoka	296,377.75	1
Hennepin	Benton	296,377.75	1
Stearns	Benton	296,377.75	1
Hennepin	Blue Earth	296,377.75	1
Hennepin	Carver	296,377.75	1
Hennepin	Chisago	296,377.75	1
Hennepin	Crow Wing	296,377.75	1
Hennepin	Dakota	296,377.75	1
Hennepin	Goodhue	296,377.75	1
Ramsey	Hennepin	296,377.75	1
Saint Louis	Hennepin	296,377.75	1


Stearns	Hennepin	296,377.75	1
Stearns	Sherburne	296,377.75	1
Dakota	Washington	16,448.15	1
Olmsted	Hennepin	14,095.80	1
Ramsey	Anoka	8,963.40	1
Ramsey	Dakota	3,101.66	0.99
Washington	Hennepin	3,069.16	0.99
Hennepin	Clay	2,011.81	0.99
Kandiyohi	Hennepin	1,715.01	0.99
Stearns	Crow Wing	828.55	0.98
Dakota	Ramsey	658.41	0.97
Anoka	Dakota	626.04	0.97
Crow Wing	Hennepin	449.94	0.96
Anoka	Wright	373.24	0.95
Olmsted	Goodhue	315.48	0.95
Anoka	Chisago	222.09	0.92
Sherburne	Chisago	154.43	0.89
Anoka	Sherburne	120.27	0.87
Benton	Hennepin	104.33	0.85

# Supplemental Figures











**Supplemental Fig. 1. Ratio of introductions to total viral flow into and out of the respective county by month for each county from March 2020 – January 2022.** We show the posterior mean ratio and 95% Bayesian highest posterior density interval. Many of the counties contain uncertainty around the median ratio given their limited number of sequences.



**Supplemental Fig. 2. Correlation between subsampled counties sequences and COVID-19 cases.** Correlation coefficient via Spearman's Rho ( $\rho = 1$ ).



**Supplemental Fig. 3. Effective population size of SARS-CoV-2 and confirmed cases in Minnesota.** A) Bayesian Skygrid plot of effective population size over time of SARS-CoV-2 in Minnesota. The line represents the median value while the shaded region is the 95% Bayesian highest posterior density region. B) Seven-day rolling average of confirmed cases of COVID-19 in Minnesota <sup>1</sup>.

## References

1. Mullen JL, *et al.* outbreak.info. **May 1**, (2020).