			Su	plement 4	- % of spina	l disorder epi	sodes v	vhere in	dividu	al initi	ally cor	ntacted	l healt	h care	provi	der typ	be -						
ADI	% NHW	Episodes	All				Primary Care				Non-Prescriber			Specialist							Emergency/ Urgent Care		
			Primary Care	Non- Prescriber	Specialist	Emergency/ Urgent	РСР	Nurse	РА	DO	DC	РТ	LAc	OS	PMR	РМ	NS	Neuro	Rheu	MD (Oth)	EM	Rad	UC
Total		1510869	43.8%	35.2%	15.0%	6.0%	32.8%	6.5%	4.3%	0.1%	33.5%	0.9%	0.7%	6.0%	2.5%	1.1%	1.1%	1.3%	0.9%	2.0%	2.9%	2.4%	0.5%
75-100	- All	128401	54.9%	25.6%	11.7%	7.8%	38.4%	11.8%	4.6%	0.0%	24.9%	0.4%	0.1%	4.4%	1.6%	0.9%	1.1%	1.1%	0.9%	1.7%	4.3%	3.1%	0.4%
50-75		500526	47.1%	34.0%	12.7%	6.2%	34.1%	8.1%	4.8%	0.1%	33.2%	0.7%	0.3%	4.9%	1.9%	1.1%	1.1%	1.2%	0.8%	1.9%	3.3%	2.4%	0.4%
25-50		557917	41.8%	37.7%	14.8%	5.7%	31.5%	5.5%	4.5%	0.1%	36.1%	1.1%	0.7%	5.9%	2.5%	1.1%	1.1%	1.3%	0.9%	2.0%	2.8%	2.2%	0.7%
0-25		324025	37.8%	36.7%	20.0%	5.6%	31.0%	3.3%	3.2%	0.1%	33.3%	1.7%	1.7%	8.6%	4.2%	1.0%	1.1%	1.8%	1.0%	2.4%	2.4%	2.4%	0.8%
All	0-25	125079	53.9%	20.5%	16.3%	9.3%	43.9%	6.0%	4.0%	0.0%	18.6%	0.9%	1.0%	6.0%	2.5%	1.2%	1.0%	1.9%	1.2%	2.4%	5.3%	3.1%	0.9%
	25-50	223789	46.9%	29.1%	17.3%	6.7%	37.4%	5.5%	3.9%	0.1%	27.0%	1.0%	1.0%	7.4%	2.9%	1.2%	1.0%	1.7%	1.0%	2.2%	3.5%	2.5%	0.7%
	50-75	461777	43.9%	33.7%	16.7%	5.7%	33.7%	5.9%	4.2%	0.1%	31.8%	1.1%	0.8%	6.9%	2.8%	1.2%	1.1%	1.5%	0.9%	2.2%	2.8%	2.3%	0.5%
	75-100	700224	41.3%	40.4%	12.9%	5.4%	29.2%	7.2%	4.7%	0.1%	39.1%	0.9%	0.4%	5.0%	2.3%	0.9%	1.0%	1.2%	0.8%	1.8%	2.6%	2.3%	0.5%
75-100	0-25	35387	59.3%	16.9%	13.1%	10.7%	44.4%	9.1%	5.7%	0.0%	16.1%	0.6%	0.3%	4.9%	1.9%	1.0%	1.1%	1.3%	1.0%	1.9%	6.4%	3.4%	0.7%
	25-50	24343	55.5%	23.1%	13.0%	8.4%	38.5%	12.0%	4.9%	0.0%	22.3%	0.5%	0.1%	5.0%	1.8%	1.2%	0.9%	1.2%	0.9%	1.9%	4.6%	3.4%	0.4%
	50-75	27185	55.7%	25.0%	12.3%	7.0%	39.2%	12.2%	4.4%	0.1%	24.5%	0.5%	0.1%	4.4%	1.5%	1.2%	1.3%	1.2%	0.9%	1.7%	4.0%	2.8%	0.3%
	75-100	41486	50.6%	34.1%	9.7%	5.6%	33.1%	13.6%	3.9%	0.0%	33.7%	0.4%	0.0%	3.6%	1.2%	0.6%	1.0%	0.8%	0.8%	1.6%	2.7%	2.7%	0.1%
50-75	0-25	49075	54.3%	20.6%	16.0%	9.1%	44.4%	5.7%	4.0%	0.1%	19.3%	0.9%	0.6%	6.2%	2.5%	1.2%	0.9%	1.9%	1.0%	2.4%	5.4%	3.2%	0.6%
	25-50	84091	49.7%	27.3%	16.1%	6.9%	38.3%	6.3%	5.0%	0.1%	26.2%	0.8%	0.4%	6.7%	2.5%	1.2%	1.1%	1.7%	1.0%	2.1%	3.9%	2.5%	0.6%
	50-75	139453	48.5%	31.3%	14.0%	6.2%	35.6%	7.9%	5.0%	0.1%	30.3%	0.7%	0.3%	5.5%	2.0%	1.2%	1.2%	1.3%	0.9%	1.8%	3.2%	2.5%	0.5%
	75-100	227907	43.9%	40.5%	10.2%	5.4%	29.8%	9.2%	4.7%	0.1%	39.9%	0.5%	0.1%	3.7%	1.5%	0.8%	0.9%	1.0%	0.6%	1.5%	2.7%	2.3%	0.4%
25-50	0-25	29006	49.7%	22.2%	19.9%	8.2%	43.2%	3.8%	2.7%	0.0%	19.5%	1.1%	1.7%	7.1%	2.9%	1.5%	0.9%	2.9%	1.8%	2.9%	4.2%	2.7%	1.2%
	25-50	68794	44.8%	31.4%	17.6%	6.2%	36.9%	4.3%	3.6%	0.1%	29.5%	1.1%	1.0%	7.5%	3.0%	1.2%	1.0%	1.5%	1.0%	2.2%	3.2%	2.2%	0.8%
	50-75	176075	42.8%	35.3%	16.6%	5.2%	33.2%	5.4%	4.3%	0.1%	33.7%	0.9%	0.7%	6.8%	2.8%	1.3%	1.2%	1.5%	0.9%	2.1%	2.5%	2.1%	0.5%
	75-100 ref	284042	39.9%	42.1%	12.6%	5.5%	28.6%	6.3%	5.0%	0.1%	40.6%	1.0%	0.4%	4.9%	2.2%	0.9%	1.0%	1.0%	0.8%	1.8%	2.6%	2.3%	0.6%
0-25	0-25	11611	45.3%	27.4%	18.7%	8.7%	41.3%	2.0%	1.8%	0.2%	21.3%	1.7%	4.4%	7.5%	3.5%	0.9%	0.8%	2.4%	1.1%	2.4%	3.8%	3.4%	1.7%
	25-50	46561	39.9%	32.4%	21.7%	6.0%	36.0%	2.2%	1.7%	0.0%	28.2%	1.6%	2.6%	9.5%	4.5%	1.0%	1.0%	2.2%	1.2%	2.6%	2.4%	2.4%	1.2%
	50-75	119064	36.8%	36.6%	21.2%	5.4%	31.3%	2.7%	2.8%	0.1%	33.0%	1.8%	2.0%	9.3%	4.4%	1.1%	1.0%	1.8%	1.0%	2.5%	2.3%	2.3%	0.8%
	75-100	146789	37.3%	38.7%	18.7%	5.3%	28.8%	4.3%	4.0%	0.1%	36.0%	1.6%	1.1%	8.1%	3.9%	0.9%	1.2%	1.6%	0.9%	2.2%	2.3%	2.4%	0.5%

PCP=Primary Care Provider, PA=Physician Assistant, DO=Doctor of Osteopathy, DC=Doctor of Chiropractic, PT=Physical Therapist, LAc=Licensed Acupuncturist, OS=Orthpedic Surgeon, PMR=Physical Medicine & Rehabilitation, PM=Pain Management, NS=Neurosurgeon, Neuro=Neurologist, Rheum=Rheumatologist, MD Oth=Other MD specialty, EM=Emergency Medicine, Rad=Radiologist, UC=Urgent Care

Cells with red text denote that the effect of provider type on service usage was found not to be significantly different from that of ADI 0-25 % NHW 75-100 reference (Fisher's Exact p < 0.001) Cells with black text denote that the effect of provider type on service usage was found to be significantly different from that of ADI 0-25 % NHW 75-100 reference (Fisher's Exact p < 0.001)