

Fig S1 – number of adult and paediatric patients reporting symptoms at baseline and any time post-baseline




Table S2 – Virological outcomes using G2R-G real-time PCR assay

	N patients tested	Results	CT values			
		Positive n (%)	Mean	Std	Min	Max
Baseline						
Overall	14	14 (100%)				
Blood	14	12 (86%)	32	6	20	41
Active lesion	5	5 (100%)	28	9	18	39
Crust	1	1 (100%)				
Day 4						
Overall	14	7 (50%)				
Blood	13	6 (46%)	38	1	36	39
Active lesion	2	2 (100%)	17	2	16	19
Crust	1	1 (100%)				
Day 8						
Overall	10	1 (10%)				
Blood	10	1 (10%)				
Active lesion	0	0 (0%)				
Crust	0	0 (0%)				
Day 14						
Overall	8	1 (13%)				
Blood	8	1 (13%)				
Active lesion	1	1 (100%)				
Crust	1	1 (100%)				
Day 21						
Overall	2	1 (50%)				
Blood	2	1 (50%)				
Active lesion	0	0 (0%)				
Crust	1	1 (100%)				
Final visit						
Overall	13	1 (8%)				
Blood	13	1 (8%)				
Active lesion	1	1 (100%)				
Crust	0	0 (0%)				

Table S3 – Virological outcomes using C3L real-time PCR assay

	N patients tested	Result	CT values			
		Positive n (%)	Mean	Std	Min	Max
Baseline						
Overall	14	12 (86%)				
Blood	14	10 (71%)	30	5	21	39
Active lesion	5	5 (100%)	30	9	20	41
Crust	1	1 (100%)				
Day 4						
Overall	14	5 (36%)				
Blood	13	4 (31%)	38	1	36	40
Active lesion	2	2 (100%)	16	1	15	17
Crust	1	1 (100%)				
Day 8						
Overall	10	1 (10%)				
Blood	10	1 (10%)				
Active lesion	0	0 (0%)				
Crust	0	0 (0%)				
Day 14						
Overall	8	1 (13%)				
Blood	8	1 (13%)				
Active lesion	1	1 (100%)				
Crust	1	1 (100%)				
Day 21						
Overall	2	1 (50%)				
Blood	2	1 (50%)				
Active lesion	0	0 (0%)				
Crust	1	1 (100%)				
Final visit						
Overall	13	1 (8%)				
Blood	13	1 (8%)				
Active lesion	1	1 (100%)				
Crust	0	0 (0%)				

Fig S4 – CT values of six patients from baseline to D4

