

Gender Moderates the Mediating Pathway between Social Deprivation, Body Mass Index and Physical Activity

Supplementary material

Table 1. Estimates for all predictors in the models including area deprivation (Study 1).

Table 2. Estimates for all predictors in the models including material deprivation (Study 2).

Table 3. Estimates for all predictors in the models including social deprivation (Study 2).

Table 1. Estimates for all predictors in the models including area deprivation (Study 1).

Predictors	Model 1a (BMI as outcome)			Model 1b (BMI as outcome)			Model 2a (PA as outcome)			Model 2b (PA as outcome)		
	b	95% CI	p	b	95% CI	p	b	95% CI	p	b	95% CI	p
Intercept	-0.52	-1.40 – -0.35	0.240	-0.33	-1.20 – -0.54	0.461	-0.38	-1.21 – -0.45	0.372	-0.42	-1.25 – -0.41	0.322
Area deprivation	0.19	0.16 – 0.22	<0.001	0.15	0.12 – 0.18	<0.001	-0.29	-0.32 – -0.26	<0.001	-0.29	-0.32 – -0.26	<0.001
BMI	-	-	-	-	-	-	-0.05	-0.08 – -0.03	<0.001	-0.05	-0.08 – -0.02	<0.001
Gender (ref : men)	-	-	-	0.14	0.08 – 0.19	<0.001	-0.05	-0.08 – -0.03	<0.001	-0.19	-0.24 – -0.14	<0.001
Area deprivation x gender	-	-	-	0.17	0.11 – 0.22	<0.001	-	-	-	0.06	0.00 – 0.11	0.035
BMI x gender	-	-	-	-	-	-	-	-	-	0.02	-0.04 – -0.07	0.505
Age	-0.06	-0.09 – -0.04	<0.001	-0.06	-0.08 – -0.03	<0.001	-0.08	-0.10 – -0.05	<0.001	-0.09	-0.11 – -0.06	<0.001
<i>Employment status (ref : Carer)</i>												
Employed full time	0.69	-0.18 – 1.56	0.122	0.47	-0.40 – 1.34	0.291	0.37	-0.46 – 1.20	0.384	0.43	-0.40 – 1.26	0.306
Employed full time / part time	0.65	-0.22 – 1.52	0.145	0.40	-0.46 – 1.27	0.361	0.07	-0.76 – 0.90	0.867	0.14	-0.69 – 0.96	0.747
Employed part time	0.45	-0.43 – 1.33	0.314	0.23	-0.65 – 1.11	0.607	0.47	-0.37 – 1.30	0.273	0.58	-0.25 – 1.42	0.169
Long-term sick/disabled	0.89	-0.51 – 2.29	0.211	0.72	-0.68 – 2.11	0.314	0.26	-1.07 – 1.59	0.706	0.19	-1.13 – 1.52	0.774
Looking after home / family full	0.25	-0.71 – 1.21	0.609	0.02	-0.94 – 0.98	0.965	0.24	-0.68 – 1.15	0.612	0.38	-0.53 – 1.30	0.410
Other	0.64	-0.25 – 1.54	0.159	0.42	-0.47 – 1.32	0.350	0.10	-0.75 – 0.95	0.816	0.16	-0.69 – 1.01	0.708

Permanently sick	0.78	-0.22 – 1.78	0.127	0.57	-0.43 – 1.57	0.267	-0.03	-0.98 – 0.92	0.951	0.10	-0.85 – 1.05	0.829
Retired	0.50	-0.37 – 1.37	0.264	0.26	-0.61 – 1.13	0.562	0.31	-0.51 – 1.14	0.456	0.39	-0.43 – 1.22	0.351
Self-employed	0.40	-0.51 – 1.32	0.386	0.17	-0.74 – 1.09	0.710	1.02	0.15 – 1.89	0.021	1.06	0.19 – 1.93	0.017
Student	0.42	-0.68 – 1.51	0.455	0.17	-0.93 – 1.26	0.763	-0.29	-1.34 – 0.75	0.581	-0.30	-1.34 – 0.74	0.569
Unemployed	0.59	-0.28 – 1.46	0.185	0.39	-0.48 – 1.26	0.375	0.10	-0.73 – 0.93	0.806	0.15	-0.68 – 0.97	0.728
Unknown	0.65	-0.21 – 1.51	0.141	0.42	-0.44 – 1.28	0.337	0.23	-0.59 – 1.05	0.579	0.29	-0.53 – 1.11	0.483
Volunteer	1.77	-0.33 – 3.86	0.098	1.49	-0.59 – 3.58	0.161	-0.26	-2.25 – 1.73	0.799	-0.14	-2.12 – 1.84	0.889
<i>Ethnicity (ref : African)</i>												
Arab	0.17	-1.18 – 1.53	0.801	0.14	-1.21 – 1.49	0.837	-0.15	-1.44 – 1.14	0.815	-0.21	-1.49 – 1.07	0.751
Bangladeshi	-0.33	-1.20 – 0.53	0.450	-0.19	-1.06 – 0.67	0.658	0.48	-0.35 – 1.30	0.257	0.41	-0.41 – 1.22	0.332
British	-0.02	-0.18 – 0.15	0.846	-0.01	-0.17 – 0.16	0.924	0.46	0.31 – 0.62	<0.001	0.47	0.32 – 0.63	<0.001
Caribbean	-0.01	-0.18 – 0.16	0.901	-0.04	-0.21 – 0.13	0.648	-0.00	-0.17 – 0.16	0.985	0.02	-0.15 – 0.18	0.853
Chinese	-0.73	-1.53 – 0.06	0.072	-0.78	-1.57 – 0.02	0.055	0.03	-0.73 – 0.78	0.948	0.05	-0.70 – 0.81	0.887
Indian	0.14	-0.26 – 0.54	0.490	0.11	-0.28 – 0.51	0.573	-0.10	-0.48 – 0.28	0.594	-0.05	-0.42 – 0.33	0.809
Irish	-0.32	-0.83 – 0.20	0.227	-0.33	-0.84 – 0.18	0.206	0.31	-0.18 – 0.80	0.218	0.28	-0.21 – 0.77	0.259
Other Asian	-0.19	-0.58 – 0.19	0.330	-0.24	-0.63 – 0.14	0.219	0.02	-0.34 – 0.39	0.895	0.05	-0.31 – 0.42	0.778
Other Black	-0.33	-0.65 – -0.01	0.045	-0.35	-0.67 – -0.03	0.031	-0.02	-0.32 – 0.29	0.908	-0.01	-0.31 – 0.30	0.963
Other Ethnic	-0.78	-1.23 – -0.33	0.001	-0.86	-1.30 – -0.41	<0.001	-0.02	-0.44 – 0.41	0.939	0.00	-0.42 – 0.43	0.994
Other Mixed	-0.52	-1.06 – 0.03	0.065	-0.52	-1.06 – 0.03	0.062	-0.03	-0.55 – 0.49	0.913	-0.03	-0.54 – 0.49	0.923
Other White	-0.26	-0.54 – 0.03	0.077	-0.26	-0.54 – 0.02	0.072	0.03	-0.24 – 0.30	0.813	0.03	-0.23 – 0.30	0.801
Pakistani	0.03	-0.70 – 0.77	0.926	-0.02	-0.75 – 0.71	0.961	-0.14	-0.84 – 0.56	0.701	-0.11	-0.80 – 0.59	0.762
Unknown/ Withheld	-0.12	-0.27 – 0.02	0.101	-0.13	-0.27 – 0.02	0.088	0.11	-0.02 – 0.25	0.107	0.12	-0.02 – 0.25	0.098
White and Asian	-0.84	-1.95 – 0.27	0.138	-0.87	-1.97 – 0.24	0.125	-0.61	-1.66 – 0.45	0.262	-0.60	-1.65 – 0.46	0.266
White and Black African	-0.00	-0.52 – 0.51	0.990	0.06	-0.46 – 0.57	0.828	0.26	-0.23 – 0.75	0.306	0.23	-0.26 – 0.71	0.364
White and Black Caribbean	-0.19	-0.59 – 0.20	0.335	-0.20	-0.59 – 0.19	0.308	-0.06	-0.44 – 0.31	0.734	-0.06	-0.43 – 0.31	0.741

Note: BMI: body mass index; PA: Physical activity status. Model 1b and Model 2b included interaction terms between gender and area deprivation on BMI (Model 1b) and between gender and area deprivation and BMI and gender on physical activity (Model 2b). Unstandardized b coefficients and their 95% confidence intervals (95% CI) are reported.

Table 2. Estimates for all predictors in the models including material deprivation (Study 2).

Predictors	Model 1a (BMI as outcome)			Model 1b (BMI as outcome)			Model 2a (PA as outcome)			Model 2b (PA as outcome)		
	b	95% CI	p	b	95% CI	p	OR	95% CI	p	OR	95% CI	p
Intercept	0.08	-0.01 – 0.18	0.071	0.05	-0.04 – 0.14	0.261	2.60	2.07 – 3.28	<0.001	2.57	2.04 – 3.23	<0.001
Material deprivation	0.06	0.02 – 0.09	0.001	0.05	0.02 – 0.08	0.004	0.86	0.79 – 0.92	<0.001	0.86	0.80 – 0.93	<0.001
BMI							0.82	0.78 – 0.87	<0.001	0.81	0.76 – 0.86	<0.001
Gender (ref : men)				-0.17	-0.22 – -0.13	<0.001				0.80	0.72 – 0.89	<0.001
Material deprivation x gender				0.08	0.03 – 0.13	0.001				0.95	0.85 – 1.07	0.391
BMI x gender										1.07	0.96 – 1.20	0.220
Age	-0.11	-0.13 – -0.08	<0.001	-0.12	-0.14 – -0.09	<0.001	0.53	0.49 – 0.57	<0.001	0.52	0.49 – 0.56	<0.001
Country (ref: Belgium)												
Austria	0.16	0.05 – 0.27	0.004	0.18	0.07 – 0.29	0.002	1.34	1.03 – 1.76	0.031	1.36	1.04 – 1.79	0.025
Czech Republic	0.19	0.10 – 0.28	<0.001	0.20	0.11 – 0.29	<0.001	1.46	1.18 – 1.82	0.001	1.49	1.20 – 1.86	<0.001
Denmark	-0.13	-0.21 – -0.06	0.001	-0.13	-0.20 – -0.05	0.001	1.86	1.51 – 2.30	<0.001	1.88	1.52 – 2.32	<0.001
France	-0.14	-0.22 – -0.05	0.001	-0.13	-0.21 – -0.05	0.002	1.64	1.33 – 2.03	<0.001	1.66	1.34 – 2.05	<0.001
Germany	0.11	0.03 – 0.20	0.011	0.11	0.03 – 0.20	0.009	1.61	1.29 – 2.01	<0.001	1.61	1.30 – 2.02	<0.001
Italy	-0.17	-0.25 – -0.09	<0.001	-0.18	-0.26 – -0.10	<0.001	0.83	0.69 – 0.99	0.041	0.81	0.67 – 0.97	0.024
Spain	0.11	0.02 – 0.20	0.014	0.10	0.01 – 0.19	0.023	1.51	1.22 – 1.87	<0.001	1.48	1.20 – 1.83	<0.001
Sweden	-0.06	-0.15 – 0.02	0.129	-0.05	-0.13 – 0.04	0.281	2.35	1.88 – 2.94	<0.001	2.40	1.92 – 3.01	<0.001
Switzerland	-0.26	-0.35 – -0.17	<0.001	-0.25	-0.34 – -0.15	<0.001	1.76	1.38 – 2.25	<0.001	1.78	1.40 – 2.28	<0.001
Income (ref: Easily)												
Fairly easily	0.10	0.05 – 0.15	<0.001	0.11	0.06 – 0.16	<0.001	0.79	0.70 – 0.90	<0.001	0.79	0.70 – 0.90	<0.001
With some difficulty	0.14	0.07 – 0.21	<0.001	0.15	0.08 – 0.22	<0.001	0.71	0.60 – 0.84	<0.001	0.71	0.60 – 0.84	<0.001
With great difficulty	0.25	0.13 – 0.37	<0.001	0.25	0.14 – 0.37	<0.001	0.74	0.57 – 0.98	0.035	0.75	0.57 – 0.99	0.042

<i>Education (ref: Primary)</i>												
Secondary	-0.10	-0.16 – -0.04	0.001	-0.10	-0.16 – -0.05	<0.001	1.07	0.93 – 1.22	0.349	1.06	0.92 – 1.21	0.408
Tertiary	-0.27	-0.35 – -0.20	<0.001	-0.27	-0.34 – -0.20	<0.001	1.35	1.12 – 1.63	0.002	1.35	1.11 – 1.63	0.002
<i>Occupation status (ref: High skill)</i>												
Low skill	0.00	-0.05 – 0.06	0.909	0.05	-0.00 – 0.10	0.072	0.97	0.84 – 1.11	0.630	1.01	0.87 – 1.16	0.927
Never worked	-0.07	-0.17 – 0.04	0.199	0.04	-0.07 – 0.15	0.452	0.65	0.51 – 0.82	<0.001	0.74	0.58 – 0.96	0.021

Note: BMI: body mass index; PA: Physical activity status. Model 1b and Model 2b included interaction terms between gender and material deprivation on BMI (Model 1b) and between gender and material deprivation and BMI and gender on physical activity (Model 2b). Unstandardized b coefficients and odds-ratios (OR) and their 95% confidence intervals (95% CI) are reported.

Table 3. Estimates for all predictors in the models including social deprivation (Study 2).

Predictors	Model 1a (BMI as outcome)			Model 1b (BMI as outcome)			Model 2a (PA as outcome)			Model 2b (PA as outcome)		
	b	95% CI	p	b	95% CI	p	OR	95% CI	p	OR	95% CI	p
Intercept	0.06	-0.03 – 0.15	0.192	0.03	-0.06 – 0.12	0.498	2.69	2.15 – 3.38	<0.001	2.66	2.12 – 3.35	<0.001
Social deprivation	0.04	0.02 – 0.06	0.001	0.04	0.02 – 0.06	0.001	0.74	0.70 – 0.79	<0.001	0.75	0.71 – 0.80	<0.001
BMI	-	-	-	-	-	-	0.83	0.78 – 0.87	<0.001	0.81	0.77 – 0.86	<0.001
Gender (ref : men)	-	-	-	-0.19	-0.23 – -0.15	<0.001	-	-	-	0.83	0.75 – 0.93	0.001
Social deprivation x gender	-	-	-	0.05	0.01 – 0.10	0.015	-	-	-	0.95	0.85 – 1.05	0.319
BMI x gender	-	-	-	-	-	-	-	-	-	1.07	0.96 – 1.19	0.233
Age	-0.11	-0.14 – -0.09	<0.001	-0.12	-0.15 – -0.10	<0.001	0.55	0.52 – 0.59	<0.001	0.55	0.51 – 0.59	<0.001
<i>Country (ref: Belgium)</i>												
Austria	0.18	0.07 – 0.29	0.001	0.19	0.08 – 0.30	0.001	1.21	0.93 – 1.59	0.163	1.23	0.94 – 1.62	0.137
Czech Republic	0.18	0.09 – 0.27	<0.001	0.20	0.11 – 0.29	<0.001	1.63	1.31 – 2.04	<0.001	1.65	1.32 – 2.06	<0.001
Denmark	-0.12	-0.19 – -0.04	0.003	-0.11	-0.19 – -0.03	0.006	1.67	1.35 – 2.06	<0.001	1.68	1.36 – 2.08	<0.001
France	-0.13	-0.21 – -0.05	0.002	-0.12	-0.21 – -0.04	0.003	1.64	1.33 – 2.03	<0.001	1.66	1.34 – 2.05	<0.001
Germany	0.13	0.04 – 0.21	0.004	0.13	0.04 – 0.21	0.003	1.54	1.24 – 1.93	<0.001	1.55	1.24 – 1.93	<0.001
Italy	-0.17	-0.25 – -0.09	<0.001	-0.19	-0.26 – -0.11	<0.001	0.87	0.73 – 1.05	0.156	0.86	0.71 – 1.04	0.114
Spain	0.12	0.04 – 0.21	0.005	0.11	0.02 – 0.20	0.013	1.47	1.19 – 1.82	<0.001	1.45	1.18 – 1.79	0.001
Sweden	-0.05	-0.14 – 0.03	0.211	-0.03	-0.12 – 0.05	0.428	2.22	1.77 – 2.79	<0.001	2.26	1.81 – 2.84	<0.001
Switzerland	-0.25	-0.34 – -0.15	<0.001	-0.23	-0.32 – -0.14	<0.001	1.64	1.29 – 2.10	<0.001	1.66	1.30 – 2.13	<0.001
<i>Income (ref: Easily)</i>												
Fairly easily	0.11	0.06 – 0.16	<0.001	0.11	0.06 – 0.16	<0.001	0.80	0.70 – 0.91	0.001	0.80	0.70 – 0.91	0.001
With some difficulty	0.18	0.11 – 0.24	<0.001	0.19	0.12 – 0.25	<0.001	0.67	0.58 – 0.79	<0.001	0.68	0.58 – 0.79	<0.001
With great difficulty	0.33	0.23 – 0.43	<0.001	0.33	0.23 – 0.43	<0.001	0.69	0.55 – 0.87	0.002	0.69	0.55 – 0.87	0.002

<i>Education (ref: Primary)</i>												
Secondary	-0.10	-0.15 – -0.04	0.001	-0.10	-0.16 – -0.05	<0.001	1.03	0.90 – 1.18	0.644	1.03	0.90 – 1.18	0.708
Tertiary	-0.27	-0.34 – -0.20	<0.001	-0.26	-0.34 – -0.19	<0.001	1.27	1.05 – 1.54	0.013	1.27	1.05 – 1.54	0.013
<i>Occupation status (ref: High skill)</i>												
Low skill	0.00	-0.05 – 0.05	0.971	0.04	-0.01 – 0.10	0.099	1.00	0.87 – 1.14	0.958	1.03	0.89 – 1.19	0.669
Never worked	-0.07	-0.18 – 0.03	0.155	0.04	-0.07 – 0.15	0.465	0.70	0.55 – 0.90	0.004	0.79	0.62 – 1.02	0.074

Note: Model 1b and Model 2b included an interaction terms between gender and social deprivation on BMI (Model 1b), between gender and social deprivation and BMI and gender on physical activity (Model 2b). Unstandardized b coefficients and odds-ratios (OR) and their 95% confidence intervals (95% CI) are reported.