

Subtle cognitive impairments in memory, attention, and executive functioning in patients with post-COVID syndrome and their relationships with clinical variables and subjective complaints

- 5 Kozik, V., Reuken, P., Utech, I., Gramlich, J., Stallmach, Z., Demeyere, N., Rakers, F., Schwab, M., Stallmach, A., Finke, K.

Supplemental material

- 10 S1: Performance on the OCS-Plus domain scales in patients with low versus high complaints of cognitive symptoms

OCS-Plus task	Low complaints					High complaints					Wilcoxon rank sum test	
	n	Mean	Median	SD	SEM	n	Mean	Median	SD	SEM	W	p
Naming and Semantic Understanding	78	7.87	8.00	0.37	0.04	213	7.83	8.00	0.45	0.03	8599	0.224
Memory Encoding	75	9.49	10.00	0.79	0.09	207	9.43	10.00	0.73	0.05	8245.5	0.182
Delayed Memory	75	8.35	9.00	1.62	0.19	215	7.89	8.00	1.79	0.12	9214	0.03*
Praxis	77	102.51	105.00	12.25	1.40	213	103.14	105.00	8.32	0.57	8608.5	0.259
Executive Functioning	75	76.87	89.86	27.97	3.23	211	83.21	92.86	23.29	1.60	6889	0.959
Attention	76	58.45	59.00	1.59	0.18	210	58.19	59.00	1.75	0.12	8628	0.141

Note. Med. = Median; SD = standard deviation; SEM = standard error of the mean; r = effect size; * = significant before correction; ** = significant after correction

15 S2: Group-level descriptive statistics for delayed memory, attention, and executive functioning, stratified by presence of comorbidity, within patient group

Delayed Memory

Hypertension						Coronary heart disease						Chronic heart failure						Diabetes mellitus						Psychiatric disorders											
0			1			0			1			0			1			0			1			0			1								
n	M	SD	n	M	SD	n	M	SD	n	M	SD	n	M	SD	n	M	SD	n	M	SD	n	M	SD	n	M	SD	n	M	SD	n	M	SD	n	M	SD
183	8.2	1.8	96	7.6	1.8	268	8	1.7	11	6.9	2.6	268	8	1.8	11	7.6	2	265	8	1.8	14	7	1.7	239	8	1.8	40	8	1.7						

20 **Attention**

Hypertension						Coronary heart disease						Chronic heart failure						Diabetes mellitus						Psychiatric disorders											
0			1			0			1			0			1			0			1			0			1								
n	M	SD	n	M	SD	n	M	SD	n	M	SD	n	M	SD	n	M	SD	n	M	SD	n	M	SD	n	M	SD	n	M	SD	n	M	SD	n	M	SD
181	82	24.6	94	80.9	25.4	264	81.8	24.6	11	78	30	264	81.5	24.8	11	82.7	25.3	261	82.1	24.3	14	71.6	31.4	236	82.4	24.4	39	76.4	27.1						

Executive Functioning

Hypertension						Coronary heart disease						Chronic heart failure						Diabetes mellitus						Psychiatric disorders											
0			1			0			1			0			1			0			1			0			1								
n	M	SD	n	M	SD	n	M	SD	n	M	SD	n	M	SD	n	M	SD	n	M	SD	n	M	SD	n	M	SD	n	M	SD	n	M	SD	n	M	SD
180	58.27	1.67	95	58.14	1.82	264	58.25	1.72	11	57.64	1.86	264	58.3	1.65	11	56.45	2.5	262	58.27	1.69	13	57.15	2.15	236	58.27	1.71	39	57.92	1.77						

Note: 0 = comorbidity not present; 1 = comorbidity present; n = number of observations per group; M = mean; SD = standard deviation

25 S3: Wilcoxon Rank Sum Test with Benjamini-Hochberg False Discovery Rate correction for the domains of delayed memory, attention, and executive functioning for each comorbidity

Domain	Comorbidity	W	p	p_adj
Delayed Memory	Hypertension	10660.5	0.003	0.045*
Executive Functioning	Chronic heart failure	2126.5	0.008	0.060
Delayed Memory	Diabetes mellitus	2482	0.030	0.150
Executive Functioning	Diabetes mellitus	2259	0.042	0.158
Attention	Diabetes mellitus	2262.5	0.117	0.340
Executive Functioning	Coronary heart disease	1786	0.186	0.340
Delayed Memory	Coronary heart disease	1811	0.191	0.340
Executive Functioning	Psychiatric disorders	5178.5	0.200	0.340
Attention	Psychiatric disorders	5162.5	0.204	0.340
Attention	Coronary heart disease	1617.5	0.505	0.678
Attention	Chronic heart failure	1286.5	0.505	0.678
Delayed Memory	Chronic heart failure	1624	0.561	0.678
Attention	Hypertension	8832	0.588	0.678
Executive Functioning	Hypertension	8785.5	0.701	0.751
Delayed Memory	Psychiatric disorders	4735	0.924	0.924

Note: p_adj. = FDR-corrected p-value. * = p-value survived correction.

30

S4: Coefficient-level estimates for models fitted to estimate variation in Delayed Memory performance, taking hypertension into account

<i>Dependent variable:</i>	
Delayed Memory	
<i>OLS</i>	
Intercept	9.542*** (8.383, 10.789)
Hospitalisation (inpatient)	-0.701** (-1.205, -0.265)
Age	-0.024* (-0.042, -0.005)
Days since infection	0.002* (0.000, 0.003)
FAS	-0.018 (-0.052, 0.013)
PHQ-9	-0.009 (-0.060, 0.042)
Hypertension	-0.133 (-0.321, 0.239)
Observations	279
R ²	0.097
Adjusted R ²	0.077
Residual Std. Error	1.701 (df = 272)
F Statistic	4.882*** (df = 6; 272)

Note: Coefficients and confidence intervals (nonparametric bootstrap, in parentheses), bolded: significant estimates, with bootstrap confidence intervals not overlapping zero; * $p < 0.05$; ** $p < 0.01$; *** $p < 0.001$