Supplementary results for the manuscript

"Global spatiotemporal trends and determinants of COVID-19 vaccine acceptance on Twitter: a multilingual deep learning study in 135 countries and territories."

Supplementary material I section II: Supplementary Results

Table of contents:

Table S5. Twitter users count, sorted by the number of tweets
Figure S2. Spatiotemporal trends of tweet count
Figure S3. Regional variations in COVID-19 vaccine acceptance, vaccine confidence, information
environment, and prevalence of vaccine access-related discourse among Twitter users, November 13,
2020 – March 5, 2022
Figure S4. Multilevel regression coefficients between COVID-19 vaccine acceptance on Twitter and
COVID-19 vaccine uptake in each month.
Table S6. Association between Twitter users' acceptance and coverage of COVID-19 vaccination (n=131)
countries or territories)
Figure S5. Regional weekly-level trends of COVID-19 vaccine acceptance, vaccine confidence
information environment, and prevalence of vaccine access-related discourse among Twitter users
November 13, 2020 – March 5, 2022
Figure S6. Weekly-level trends of weighted COVID-19 vaccine acceptance among Twitter users in 26
countries, November 13, 2020 – March 5, 2022
Figure S7. Global trends on vaccine adverse event, January 2004 - February 2022
Figure S8. Weekly trends of 12 AEFI-related Google Trends topics in 26 countries or territories.
November 2020 – February 2022

Section II: Supplementary Results

Table S5. Twitter users count, sorted by the number of tweets.

number of tweets	number of users	percentage
1	2320786	69.40%
2	486,166	14.54%
3	192,091	5.74%
4	100,228	3.00%
5	59,471	1.78%
6	39,208	1.17%
7	27,188	0.81%
8	20,478	0.61%
9	15,341	0.46%
10	11,710	0.35%
11-20	47,437	1.42%
21-30	12,368	0.37%
31-40	4,908	0.15%
41-50	2,460	0.07%
51-100	3,450	0.10%
≥101	854	0.03%
sum	3,344,144	100.00%

The table above illustrates how many human-generated tweets were sent by each user. Overall, 7,047,223 tweets analysed in this study were sent by a total of 3,344,144 users. The majority of the users (69.40%, $N_{\rm user} = 2,320,786$) only sent one tweet and most users (97.86%, $N_{\rm user} = 3,272,66$) sent less than 10 tweets. However, there are still 854 users who sent over 100 tweets.

Figure S2. Spatiotemporal trends of tweet count.

Figure S2a. Daily number of human-generated tweet.




Figure S2b. Weekly proportion of tweet count at the country-level.

• Each point in the figure is calculated using the following formula.

 $Proportion = \frac{\text{The number of tweets sent by human in a specific week (in the country/territory)}}{\text{The number of tweets sent by human from November 13,2020 - March 5,2022 (in the country/territory)}}$

• A point with a deeper colour suggests a higher percentage of tweets are sent during the period.




Figure S3. Regional variations in COVID-19 vaccine acceptance, vaccine confidence, information environment, and prevalence of vaccine access-related discourse among Twitter users, November 13, 2020 – March 5, 2022.

• Each point in the plot represents a country or territory.




Figure S4. Multilevel regression coefficients between COVID-19 vaccine acceptance on Twitter and COVID-19 vaccine coverage in each month.

• Countries and territories are grouped according to WHO regions.

Figure S4a. COVID-19 vaccine acceptance v.s. monthly coverage



Figure S4b. COVID-19 vaccine rejection v.s. monthly coverage




Table S6. Association between Twitter users' acceptance and coverage of COVID-19 vaccination across 131 countries and territories

Table S6a. Results from univariant linear regressions.

Variables	COVID-19 vaccine coverage			
variables	Coefficient	95% CI ^a	p-value	\mathbb{R}^2
Intent to accept COVID-19 vaccination	1.007	[0.389,1.625]	0.002	7.5%
Intent to reject COVID-19 vaccination	-1.983	[-3.166,-0.800]	0.001	7.9%

^a Confidence Interval.

Table S6b. Results from multi-level regression analyses.

Variables	COVID-19 vaccine coverage					
v at lables	Coefficient	Std.Error	z value	Pr(> z)		
Multi-level regression, grouped by WHO regions						
Intent to accept COVID-19 vaccination	0.782	0.242	3.226	0.001		
Intent to reject COVID-19 vaccination	-1.223	0.475	-2.576	0.010		
Multi-level regression, grouped by World Bank's national income levels						
Intent to accept COVID-19 vaccination	0.929	0.208	4.466	0.000		
Intent to reject COVID-19 vaccination	-1.111	0.430	-2.582	0.010		

Figure S5. Regional weekly-level trends of COVID-19 vaccine acceptance, vaccine confidence, information environment, and prevalence of vaccine access-related discourse among Twitter users, November 13, 2020 – March 5, 2022

• Each point in the figure represents the weekly-level prevalence of a specific category among all Twitter users in a given region.

• A point with a deeper colour suggests that a higher proportion of Twitter users expressed the specific opinion.




Figure S6. Weekly-level trends of weighted COVID-19 vaccine acceptance among Twitter users in 26 countries, November 13, 2020 – March 5, 2022

• Only the 26 countries or territories with sufficient Twitter data (total number of Twitter users mentioning COVID-19 vaccination >5000; weekly number >28) were shown.

Figure S6a. Weekly-level trends of weighted COVID-19 vaccine acceptance.




Figure S6b. Weekly-level trends of weighted COVID-19 vaccine refusal.




Figure S7. Global trends on vaccine adverse event, January 2004 - February 2022






Figure S8. Weekly trends of 12 AEFI-related Google Trends topics in 26 countries or territories, November 2020 – February 2022


Adverse drug reaction




Adverse effect




Coagulation




Fever




Guillain-Barré Syndrome




Myocarditis




Pericarditis




Side effect




Skin rash



Thrombosis



Thrombus



Vaccine adverse event

