

Supplementary 1

Table 1. Oocyst counts and whether they were processed by heating or DNA extraction.

Number of oocyst/mosquito	Number of Mosquitoes	Heating / DNA extraction
1	17	Heating
2	5	Heating
3	6	Heating
4	4	Heating
5	2	Heating
6	1	Heating
7	1	Heating
10	1	Heating
Pools	36	Heating
1	17	DNA extraction
2	4	DNA extraction
3	4	DNA extraction
4	5	DNA extraction
6	1	DNA extraction
8	1	DNA extraction
13	1	DNA extraction
14	1	DNA extraction
46	1	DNA extraction
Pools	36	DNA extraction

Table 2. Sporozoites classification and whether they were processed by heating or DNA extraction.

Sporozoite classification*	Number of Mosquitoes	Heating / DNA extraction
High	17	Heating
Moderate	9	Heating
Low	4	Heating
Negative	8	Heating
High	17	DNA extraction
Moderate	9	DNA extraction

Low	4	DNA extraction
Negative	8	DNA extraction

* High >100 sporozoites, Moderate 20 -100, Low 1-20 sporozoites

Supplementary 2

Table 1. Primer sequences of for the qPCR assay to detect *P. falciparum* and *P. vivax* parasites

Species	Primer ¹	Sequence (5' - 3')
<i>P. falciparum</i>	Pf_fwd	TATTGCTTTTGAGAGGTTTGTACTTTG
	Pf_rev	ACCTCTGACATCTGAATACGAATGC
<i>P. vivax</i>	Pv_fwd	GCTTTGTAATTGGAATGATGGGAAT
	Pv_rev	ATGCGCACAAAGTCGATACGAAG

Table 2. Probe sequences for the qPCR assay to detect *P. falciparum* and *P. vivax* parasites.

Species	Probe ²	Sequence (5' - 3')
<i>P. falciparum</i>	Pf probe	6FAM-ACGGGTAGTCATGATTGAGTT-MGBNFQ
<i>P. vivax</i>	Pv probe	VIC-AGCAACGCTTCTAGCTTA -MGBNFQ

Table 3. The reaction mix for the qPCR

qPCR Reaction mix
Total volume 14μL
2X Roche Master mix ³
350nM per primer (forward and reverse)
350nM per probe (forward and reverse)
4μL of DNA

Table 4. The cycling conditions for the qPCR.

Thermo profile			
Hold	50°C	2min	
Hold	95°C	15min	
Denaturation	95°C	15sec	X 45
Annealing	60°C	1min	

¹. Integrated DNA Technologies (IDT), New Zealand

². LifeScience Roche, NSW, Australia

³. TaqMan MGB Probes ThermoFisher Scientific, Auckland, New Zealand