

SUPPLEMENTARY INFORMATION

Supplementary Table 1. Search terms for all databases

EMBASE

#	Query
1	exp hydrocephalus/ or hydrocephalus.mp.
2	(myelomeningocele or meningomyelocele).mp. or exp meningomyelocele/
3	1 and 2
4	limit 3 to human
5	limit 4 to (conference abstract or conference paper or "conference review" or editorial or erratum or letter)
6	4 not 5

MEDLINE

#	Query
1	exp Hydrocephalus/ or hydrocephalus.mp.
2	(myelomeningocele or meningomyelocele).mp. or exp Meningomyelocele/
3	1 and 2
4	limit 3 to humans
5	limit 4 to (conference abstract or conference paper or "conference review" or editorial or erratum or letter)
6	4 not 5

PubMed

#	Query
1	((("meningomyelocele"[MeSH Terms] OR "meningomyelocele"[All Fields] OR "myelomeningocele"[All Fields] OR "myelomeningoceles"[All Fields] OR ("meningomyelocele"[MeSH Terms] OR "meningomyelocele"[All Fields] OR "meningomyeloceles"[All Fields])) AND ("hydrocephalus"[MeSH Terms] OR "hydrocephalus"[All Fields])) AND (humans[Filter]) NOT ((booksdocs[Filter] OR editorial[Filter] OR letter[Filter] OR meta-analysis[Filter] OR review[Filter] OR systematicreview[Filter]))



The Cochrane Library

#	Query
1	hydrocephalus
2	MeSH descriptor: [Hydrocephalus] explode all trees
3	#1 or #2
4	myelomeningocele or meningomyelocele
5	MeSH descriptor: [Meningomyelocele] explode all trees
6	#4 or #5
7	#3 and #6
8	#7 in Cochrane Reviews, Cochrane Protocols, Editorials
9	#7 not #8

Global Index Medicus

#	Query
1	(myelomeningocele or meningomyelocele) and hydrocephalus

African Journals Online

#	Query
1	(myelomeningocele or meningomyelocele) and hydrocephalus

SciELO

#	Query
1	((myelomeningocele) OR (meningomyelocele)) AND (hydrocephalus)

Supplementary Table 2. Data item descriptions

Data item	Field type	Description
Study characteristics		
Study ID	Dropdown	Unique ID associated with each included article
Title	Lookup	Article title, extracted from citation
Author	Lookup	Article author(s), extracted from citation
Year of publication	Date	Only year
Year of data collection	Date	Only year
Original language of article	Dropdown	
Country of the study	Dropdown	The country where the management was done, not the country where the first author is located. From World Bank Country and Lending Groups. If management was done in multiple countries, a separate entry will be provided for each country.
Income level of study setting	Lookup	Lookup in World Bank Country and Lending Groups using Country of the Study
Region of study setting	Lookup	Lookup in United Nations Geoscheme using Country of the Study
Study design	Dropdown	Select one from: RCT, Multiple case report, Case series, Cohort study, Cross sectional study, Retrospective study (unspecified), Prospective study (unspecified), or Other (Add as comment)
Number of infants with MMC-associated HC	Integer	This need not necessarily be the same as the sample size of the study (e.g., studies looking at non-MMC aetiologies of HC)



Age (Mean, median, standard deviation and/or range)	Integers	In days. If multiple measures of central tendency or deviation present, extract all. If there are subgroups whose ages are within two years of birth, extract data for those subgroups. Do not extract data for any subgroups outside our age range. Regex validation string for range only: $^(\d \d\d [1-6]\d\d 7[0-2]\d 73[0-1])\.\?(\d \d\d)?-(\d \d\d [1-6]\d\d 7[0-2]\d 73[0-1])\.\?(\d \d\d)?\$\$$
Sex (Female, male)	Integer	Of Number of infants with MMCaH .
MMC management and outcomes		
Signs or symptoms of MMC	Validated free text	Of Number of infants with MMCaH . Regex validation string: $^(\.)+=(\s)?(\d \d\d \d\d\d \d\d\d\d)((,\.)+=(\s)?(\d \d\d \d\d\d \d\d\d\d))+\?\$\$$
Vertebral level of MMC (Cervical, thoracic, thoracolumbar, lumbar, lumbosacral, sacral)	Integer	Of Number of infants with MMCaH . Compute as raw count if not given as such (e.g., if given as a proportion or percentage). Do not double count infants across vertebral levels.
Timing of MMC closure	Dropdown	Select one from: Ante-natal or post-natal. If mixed cohort, a separate entry will be provided for each closure.
MMC closure procedure and number of patients	Validated free text	The name of the intervention and the number of patients who had that intervention. Regex validation string: $^(\.)+=(\s)?(\d \d\d \d\d\d \d\d\d\d)((,\.)+=(\s)?(\d \d\d \d\d\d \d\d\d\d))+\?\$\$$



Timing of MMC closure after birth	Validated free text	Groups/subgroups as reported by the authors. Regex validation string: $^(\.)+=(\s)?(\d \d\d \d\d\d \d\d\d\d \d\d\d\d\d)((,(\.)+=(\s)?(\d \d\d \d\d\d \d\d\d\d)))+)?\$$
Age at MMC closure (Mean, median, standard deviation and/or range)	Integers	As in Age . Regex validation string for range only: $^(\d \d\d \d\d\d \d\d\d\d \d\d\d\d\d \d\d\d\d\d\d)\.?(\d \d\d)?-(\d \d\d \d\d\d \d\d\d\d \d\d\d\d\d \d\d\d\d\d\d)\.?(\d \d\d)?\$$
Intra-operative mortality of MMC closure	Integer	Death during procedure. Compute as raw count if not given as such (e.g., if given as a proportion or percentage).
Peri-operative mortality of MMC closure	Integer	Death within 30 days of a procedure. Compute as raw count if not given as such (e.g., if given as a proportion or percentage).
Post-operative complications of MMC closure	Integer	Raw counts for Wound breakdown, Wound infection, and/or Meningitis. Regex validation string for miscellaneous only: $^(\.)+=(\s)?(\d \d\d \d\d\d \d\d\d\d \d\d\d\d\d)((,(\.)+=(\s)?(\d \d\d \d\d\d \d\d\d\d)))+)?\$$

First line intervention for HC		
Patient sample	Dropdown	Select from: Selected or Unselected.
Age at diagnosis of HC (Pre-natal or post-natal)	Integers	As in Age .
Method of diagnosis of HC (CT imaging, MRI imaging, Ultrasonography, Clinical manifestation only, and Miscellaneous)	Integers	Raw counts for number of infants diagnosed with these methods. Regex validation string for miscellaneous only: $^(\.)+=(\s)?(\d \d\d \d\d\d \d\d\d\d \d\d\d\d\d)((,(\.)+=(\s)?(\d \d\d \d\d\d \d\d\d\d)))+)?\$$



<p>Indications for HC surgery (Full or bulging fontanelle, Increased head circumference, CSF leaking from the wound, Symptoms of raised pressure, Other indications)</p>	Integers	<p>Raw counts for number of infants with these indications for HC surgery. Symptoms of raised pressure may include: These include: prominent scalp veins, high pitched cry, irritability, seizure, poor feeding, developmental delay, vomiting, setting sun sign, head suture and diastasis. Regex validation string for other indications only:</p> <p><code>^(.)+=(\s)?(\d \d\d \d\d\d \d\d\d\d \d\d\d\d\d)((,.)+=(\s)?(\d \d\d \d\d\d \d\d\d\d \d\d\d\d\d))+)?\$</code></p>
<p>Co-morbidities (Congenital heart defects, Congenital gastrointestinal malformations, Congenital face and neck malformations, Miscellaneous)</p>	Integers	<p>Raw counts for number of infants with these co-morbidities. Co-morbidities may not be recorded here if they are consequences of MMC/HC. Regex validation string for miscellaneous only:</p> <p><code>^(.)+=(\s)?(\d \d\d \d\d\d \d\d\d\d \d\d\d\d\d)((,.)+=(\s)?(\d \d\d \d\d\d \d\d\d\d \d\d\d\d\d))+)?\$</code></p>
<p>Exacerbating factors (Meningitis, Ventriculitis or Any other brain infection)</p>	Integers	<p>Raw counts for number of infants who had either meningitis or ventriculitis or any other brain infection <i>before</i> the HC.</p>
<p>Temporising procedures (Subgaleal shunting or EVD)</p>	Integers	<p>Raw counts for number of infants who underwent subgaleal shunting or EVD as temporising procedures.</p>
<p>1st-line intervention for HC (Conservative, VP shunting, ETV, Combined ETV and CPC, Failed ETV that was converted to VP shunt, or Miscellaneous)</p>	Integers	<p>Raw counts for number of infants who underwent <i>one</i> of these procedures as first-line treatment for HC. Non-surgical treatment is interpreted as conservative. If the infant underwent both VP and ETV, determine which was the primary one. For an infant to be recorded as a failed ETV that was converted to VP shunt,</p>



the procedures must have happened in one sitting; alternatively, determine which was the primary one. Regex validation string for **miscellaneous** only:

`^(.)+=(\s)?(\d|\d\d|\d\d\d|\d\d\d\d)((,(.)+=(\s)?(\d|\d\d|\d\d\d|\d\d\d\d)))+)?$`

Age at first-line procedure Integers

As in **Age**.

Follow-up period Integer

In weeks

Intra-operative mortality of 1st-
line HC procedure Integer

As in **Intra-operative mortality of MMC closure**

Peri-operative mortality of 1st-
line HC procedure Integer

As in **Peri-operative mortality of MMC closure**

Post-operative complications of
1st-line HC procedure Integers

Raw counts for Wound, Procedure failure, Wound infection, Wound dehiscence, Meningitis, Ventriculitis, CSF leakage, Focal Neurological deficits, Overdrainage, Intracranial haemorrhage, Any biochemical disturbance, and Any other complications. Regex validation string for **any biochemical disturbance** and **any other complications**:

(Wound, Procedure failure, Wound infection, Wound dehiscence, Meningitis, Ventriculitis, CSF leakage, Focal Neurological deficits, Overdrainage, Intracranial haemorrhage, Any biochemical disturbance, and Any other complications)

`^(.)+=(\s)?(\d|\d\d|\d\d\d|\d\d\d\d)((,(.)+=(\s)?(\d|\d\d|\d\d\d|\d\d\d\d)))+)?$`

Number of procedures per
patient Integers

Raw counts.



(Mean, Median, Standard deviation, and/or Range)

Second line intervention for HC

Time to 1st procedure failure, if any Integers The time between 1st-line HC procedure and 2nd-line HC procedure. In weeks.

(Mean, Median, Standard deviation and/or Range)

Any information on why the treatment failed Free text

2nd-line HC procedure Integers As in **1st-line HC procedure**

Age at second-line procedure Integers As in **Age at first-line procedure**; except that in weeks.

Intra-operative mortality of 2nd-line HC procedure Integer As in **Intra-operative mortality of 1st line HC procedure**

Peri-operative mortality of 2nd-line HC procedure Integer As in **Peri-operative mortality of 1st line HC procedure**

Post-operative complications of 2nd-line HC procedure Integers As in **Post-operative complications of 1st-line HC procedure**

Any further procedures for HC (repeat data items in **Second line intervention for HC** subheading)

Overall outcomes



Overall complication rate, if any (Mean, Median, Standard deviation, and/or Range)	Integers	Number of infants with any complications divided by the number of infants that underwent any surgery
Overall incidence rate, if any (Mean, Median, Standard deviation, and/or Range)	Integers	Number of procedure failures divided by the number of procedures. Also known as the overall failure rate

CPC: Choroid plexus cauterisation, ETV: Endoscopic third ventriculostomy, EVD: External ventricular drainage, HC: Hydrocephalus, MMC: Myelomeningocele, VP: ventriculoperitoneal