

Online supplement

Condom use and HIV testing among adults in Switzerland: repeated national cross-sectional surveys 2007, 2012, and 2017

Diana Buitrago-Garcia, Georgia Salanti, Nicola Low

Institute of Social and Preventive Medicine, University of Bern, Bern, Switzerland

Table of Contents

Table S1. Swiss Health Survey filtering questions to determine eligible respondents to questions about condom use at last intercourse and HIV testing, according to survey year. 3

Table S2. Type of partner in men and women reporting any same-sex partner 2007, 2012, 2017..... 3

Table S3. Condom use at last sexual intercourse, men and women with only opposite-sex partners. Denominators, unweighted and weighted, for each survey and variable..... 4

Table S4. Condom use, men and women reporting only opposite-sex partners, 2007. Prevalence and associations with sociodemographic factors, sexual behaviours and substance use..... 6

Table S5. Condom use at last sexual intercourse, men and women with only opposite-sex partners, 2012 and 2017. Univariable logistic regression..... 8

Table S6. Condom use at last sexual intercourse, men and women with any same-sex partners. Denominators, unweighted and weighted, and number of missing values for each survey and variable 10

Table S7. Condom use, men reporting any same-sex partner. Associations with sociodemographic factors, sexual behaviours and substance use from univariable logistic regression, 2007, 2012, 2017 and from multivariable logistic regression, 2007. 12

Table S8. Condom use, women reporting any same-sex partner. Associations with sociodemographic factors, sexual behaviours and substance use from univariable logistic regression, 2007, 2012, 2017 and from multivariable logistic regression 2007 and multivariable logistic regression 2012, 2017..... 14

Table S9. Lifetime HIV testing, men and women with only opposite-sex partners. Denominators, unweighted and weighted, for each survey and variable, 2007, 2012, 2017 16

Table S10. Lifetime HIV testing, men and women with only opposite-sex partners. Univariable logistic regression, 2012 and 2017 18

Table S11. HIV testing in the last 12 months, men and women reporting only opposite-sex partners and men reporting any same-sex partner 2012, 2017. 19

Table S12. Lifetime HIV testing, men and women with any same-sex partners. Denominators, unweighted and weighted, and number of missing values for each survey and variable, 2007, 2012, 2017 20

Table S13. Lifetime HIV testing, men reporting any same-sex partner. Associations with sociodemographic factors, sexual behaviours and substance use from univariable logistic regression, 2007, 2012, 2017 22

Table S14. Lifetime HIV testing, women reporting any same-sex partner. Associations with sociodemographic factors, sexual behaviours and substance use from univariable logistic regression, 2007, 2012, 2017 23

Table S1. Swiss Health Survey filtering questions to determine eligible respondents to questions about condom use at last intercourse and HIV testing, according to survey year.

Year	Criteria to determine respondents to question “Did you use a male condom the last time you had sex?”
2007	a. Age between 16 and 74 years b. Reported ever having had sexual intercourse c. Reported ever having used a male condom
2012	a. Age between 16 and 74 years. b. Reported ever having had sexual intercourse c. Reported ever having had sex during the last 12 months
2017	a. Age between 16 and 74 years b. Reported ever having had sexual intercourse
	Criteria to determine proportion of people who have had been tested for HIV in their lifetime, question “How many times have you been tested for HIV?” “When was the last time?”
2007	a. Age between 16 and 74 years. b. Blood donors: apart from donating blood the number of HIV tests done or c. Non-blood donors: the number of HIV tests done. d. Year and month of first and last test.
2012	a. Participants older than 16 years b. Blood donors: apart from donating blood the number of HIV tests done or c. Non-blood donors: the number of HIV tests done. d. Year and month the last test.
2017	a. Participants between 16 and 74 years. b. Number of HIV tests done in life c. Tests done within 12 months or more than 12 months ago.

Table S2. Type of partner in men and women reporting any same-sex partner 2007, 2012, 2017

Sexual partners	2007 n (%)	2012 n (%)	2017 n (%)
Men			
Total	204 (32)	246(39)	183 (29)
Mainly with women, but at least one man	94 (36)	117 (46)	47 (18)
As many women as men	20 (37)	23 (43)	11 (20)
Mainly men but, at least one woman	43 (44)	43 (44)	12 (12)
Only with men	47 (21)	63 (28)	113 (51)
Women			
Total	227 (32)	300 (43)	172 (25)
Mainly with men, but at least one woman	173 (34)	250(48)	92 (18)
As many men as woman	22 (51)	17 (40)	4 (9)
Mainly women but, at least one man	25 (45)	23 (41)	8 (14)
Only with women	7 (8)	10 (12)	68 (80)

Table S3. Condom use at last sexual intercourse, men and women with only opposite-sex partners. Denominators, unweighted and weighted, for each survey and variable

	Men 2007	Men 2012	Men 2017	Women 2007	Women 2012	Women 2017
Totals, N unweighted, weighted^a	5415, 1972621	7382, 2427588	8049, 2724669	5851,1830947	7025, 2132003	8428, 2557958
Age, years						
16-24	546, 292091	966, 295120	903, 301043	517, 246538	851, 255515	876, 258899
25-34	952, 382973	1,064, 454261	1111, 528079	1140, 384853	1130, 419164	1291, 505920
35-44	1448, 478905	1,470, 488511	1448, 530176	1610, 464059	1571, 471335	1625, 509388
45-54	1038, 379974	1,705, 550479	1864, 573081	1107, 361793	1784, 504578	1960, 558324
55-64	874, 275281	1,267, 390680	1520, 465839	947, 253357	1086, 307860	1604, 434936
65-74	557, 163398	910, 248536	1203, 326452	530, 120346	603, 173550	1072, 290492
Region						
Lake Geneva	1019, 369139	1317, 440506	1424, 508007	1089, 343679	1290, 407290	1550, 479185
Midland	1408, 444030	1435, 542392	1579, 587768	1555, 424820	1389, 472081	1739, 593088
Northwest	575, 260440	1026, 325278	849, 352834	631, 253925	979, 291493	904, 351691
Zurich	753, 365687	740, 415267	880, 488010	756, 316728	663, 344353	921, 443955
East	593, 282339	1117, 369950	1528, 390425	589, 233062	994, 300103	1487, 341979
Central	694, 179458	1218, 229857	1227, 275223	806, 187883	1187, 217857	1252, 241036
Ticino	373, 71528	529, 104338	562, 122401	425, 70849	523, 98827	575, 107024
Highest educational level						
No school/primary	481, 215272	842, 274694	951, 292971	701, 230403	894, 275746	1035, 288781
Secondary	2940, 1057960	3599, 1181527	3783, 1264045	3931, 1223891	4315, 1283197	4772, 1400556
Tertiary	1993, 699184	2924, 966760	3301, 1163362	1218, 376452	1797, 567319	2600, 860448
Missing	1, 206	17, 4608	14, 4291	1, 201	19, 5740	21, 8173
Income, SFr						
No income	139, 60317	25, 177565	346, 112507	679, 222076	918, 279067	978, 271987
<4500	1772, 679214	2344, 790486	2689, 918762	3350, 1091013	4031, 1221547	4953, 1466363
4500-6000	1357, 465421	1718, 570588	1897, 654101	746, 210379	730, 222686	1049, 356014
>6000	1617, 576518	2242, 725455	2524, 850147	349, 95689	461, 132703	735, 251417
Missing	530, 191151	827, 263494	593, 189153	727, 211789	885, 276000	713, 212177
Marital status						
Single	1762, 697087	2281, 849328	2407, 995481	1678, 554665	1798, 585228	2255, 795789
Married	2915, 1084242	4391, 328466	4916, 1447463	3011, 1017360	4400, 1262541	5105, 1414870
Widowed	97, 21835	8428, 715	71, 24841	314, 62188	132, 40937	206, 59874
Divorced	639, 168110	575, 219908	655, 256884	846, 196433	693, 241865	862, 287426
Missing	2, 1347	3, 1171	0,0	2, 301	2, 1431	0,0
Sex partners last 12m						
1	4191, 1558594	6382, 2095192	6498, 2158653	4649, 1548175	6583, 1995736	6960, 2094370
2-4	665, 244120	731, 243845	666, 255717	410, 124385	397, 121682	374, 127432
5+	197, 74241	228, 77697	199, 79313	34, 10711	29, 8387	30, 11663
Missing	362, 95668	41, 10854	686, 230987	758, 147675	16, 6198	1064, 324494
Sex frequency last 12m	Not asked			Not asked		
1-2 per year	..	271, 80731	351, 118565	..	325, 93051	376, 111423
1 per month	..	828, 261277	1028, 329464	..	864, 249163	1124, 338486
2-3 per month	..	1472, 473009	1701, 546318	..	1283, 375995	1718, 511495
1 per week	..	1991, 650719	1944, 665376	..	1975, 607513	2090, 629519
2-3 per week	..	2267, 765183	1962, 693239	..	2071, 652754	1680, 531014
4+ per week	..	398, 149006	320, 118262	..	257, 79908	210, 70530

Missing	..	155, 47662	743, 253443	..	250, 73619	1219, 365490
Partner type last intercourse	Not asked			Not asked		
Stable	..	6665, 2190882	7173, 2393191	..	6714, 2040553	7982, 2409173
Occasional	..	677, 226436	803, 302565	..	306, 90071	433, 145050
Sex worker	..	31, 7646	67, 26208	..	0, 0	1, 200
Missing	..	9, 2585	6, 2705	..	5, 1380	12, 3535
HIV testing						
Never tested	3432, 1660169	4345, 1383746	4580, 1482996	4679, 1499320	3831, 1128432	4344, 1228391
>12m ago	439, 202837	2337, 801418	2857, 1017787	778, 222246	2443, 767295	3432, 1096425
Within last 12m	203, 93129	487, 171075	524, 197190	953, 98305	568, 182702	537, 199462
Missing	43, 16488	213, 71350	88, 26695	41, 11078	183, 53574	115, 33680
Alcohol						
No use	403, 145469	582, 218019	818, 285192	936, 284968	1132, 342310	1533, 470954
Daily	1041, 332620	1261, 375407	1175, 352970	470, 130237	549, 152674	521, 143233
Weekly	3010, 1135926	4171, 1362093	4626, 1583047	2432, 791798	3137, 958014	3963, 1228355
Monthly	957, 356529	1367, 471796	1428, 502750	2012, 623797	2206, 678812	2410, 715234
Missing	4, 2078	1, 273	2,711	1, 146	1, 193	1, 182
Tobacco						
Non-smoker	3528, 1279407	4891, 1575101	5488, 1807651	4235, 1338398	5175, 1557199	6315, 1889971
Casual smoker	550, 203001	726, 244321	776, 287648	415, 134856	486, 147355	605, 196721
Daily smoker	1337, 490213	1764, 606873	1785, 629371	1199, 357248	1364, 427449	1507, 471044
Missing	-	7, 1293	0, 0	2, 444	0, 0	1, 222
Cannabis^b						
No use	3525, 1284285	5302, 1693509	5549, 1, 770092	4457, 1405317	5828, 1740879	6547, 1912407
>12m ago	1302, 485363	1525, 548295	1836, 683783	1035, 334662	959, 314830	1532, 523148
Within last 12m	311, 123641	534, 178092	633, 258879	114, 36826	221, 71061	333, 118541
Missing	277, 7933	21, 7693	31,11915	245, 54142	17, 5233	13, 3863
Other illicit drugs^{b, c}						
No use	4837, 1788061	6958, 2275033	7469, 2479592	5441, 1725723	6798, 2058121	8123, 2444996
>12m ago	308, 105962	392, 140247	522, 217782	176, 54453	217, 70348	289, 106705
Within last 12m	13, 4404	22, 8031	45, 21281	2, 754	7, 2877	12, 5399
Missing	257, 74195	10, 4277	13, 6013	232, 50016	3, 656	4, 858

- a. Overall denominators for condom use and HIV testing differ because eligibility criteria for answering each question differed;
- b. In 2007 questions about drugs were only asked to people between 15 to 69 years;
- c. Combines use of ecstasy, cocaine, or heroin

Abbreviations: m, months; SFr, Swiss Francs; yrs, years; .., question not asked.

Table S4. Condom use, men and women reporting only opposite-sex partners, 2007. Prevalence and associations with sociodemographic factors, sexual behaviours and substance use

Condom Use	Men 2007			Women 2007		
	Prevalence (95% CI)	Unadjusted OR (95% CI)	Adjusted OR (95% CI) ^a	Prevalence (95% CI)	Unadjusted OR (95% CI)	Adjusted OR (95% CI) ^a
Total	26 (24-27)			20 (18-21)		
Age, years		p<0.001	p<0.001		p<0.001	p<0.001
Median (IQR) ^b	18 (16-19)	0.93 (0.93, 0.94)	0.96 (0.95, 0.97)	18 (16-20)	0.95 (0.94, 0.95)	0.95 (0.94,0.96)
16-24	65 (60-70)	-	-	43 (38-49)	-	-
25-34	30 (27-34)	-	-	25 (22-28)	-	-
35-44	21 (19-24)	-	-	18 (16-21)	-	-
45-54	14 (11-18)	-	-	12 (10-15)	-	-
55-64	9 (7-12)	-	-	7 (5-10)	-	-
65-74	9 (7-13)	-	-	6 (5-10)	-	-
Region		p=0.9			p=0.015	p=0.10
Lake Geneva	-	reference	reference	-	reference	reference
Midland	25 (22-28)	0.94 (0.74,1.20)	0.98 (0.73, 1.33)	19 (16-21)	1.00 (0.78, 1.28)	1.31 (0.95, 1.79)
Northwest	25 (21-30)	0.95 (0.71,1.26)	1.02 (0.72, 1.45)	16 (13-19)	0.82 (0.61, 1.11)	0.98 (0.67, 1.44)
Zurich	25 (22-29)	0.94 (0.73,1.21)	1.11 (0.80, 1.55)	23 (20-27)	1.31 (1.01, 1.71)	1.53 (1.08, 2.17)
East	27 (23-32)	1.05 (0.78,1.41)	0.89 (0.62, 1.29)	21 (17-26)	1.18 (0.86, 1.61)	1.54 (1.04, 2.27)
Central	25 (20-29)	0.92 (0.68, 1.23)	0.92 (0.64, 1.33)	23 (19-27)	1.27 (0.96, 1.68)	1.31 (0.91, 1.89)
Ticino	27 (22-33)	1.06 (0.77, 1.45)	1.07 (0.69, 1.65)	16 (12-20)	0.82 (0.58, 1.16)	1.05 (0.66, 1.67)
Highest education level		p<0.001	p=0.2		p<0.001	p=0.030
No school/primary	47 (41-53)	reference	reference	26 (22-31)	reference	reference
Secondary	26 (23-28)	0.39 (0.30, 0.50)	0.71 (0.50, 1.02)	18 (16-19)	0.61 (0.47, 0.78)	0.65 (0.47, 0.91)
Tertiary	19 (17-21)	0.27 (0.20, 0.35)	0.71 (0.47, 1.06)	21 (19-24)	0.75 (0.56, 1.00)	0.76 (0.52, 1.12)
Income, SFr		p<0.001	p=0.10		p=0.6	p=0.9
No Income	48(45-51)	2.19 (1.42, 3.38)		38 (35-40)	0.87 (0.66, 1.15)	1.08 (0.79, 1.47)
<4500	13 (11-14)	reference	reference	10 (9-11)	reference	reference
4500-6000	6 (3-11)	0.46 (0.37, 0.56)	0.76 (0.59, 0.98)	15 (10-22)	1.06 (0.84, 1.34)	0.98 (0.73, 1.33)
>6000	20 (16-24)	0.31 (0.25, 0.39)	0.75 (0.56, 1.01)	19 (16-23)	0.90 (0.64, 1.27)	1.12 (0.73, 1.73)
Marital status		p<0.001	p<0.001		p<0.001	p<0.001
Single	55 (45-65)	6.44 (5.34, 7.76)	2.02 (1.53, 2.66)	18 (15-22)	5.40 (4.46, 6.55)	2.10 (1.58, 2.80)
Married	36 (33-39)	reference	reference	20 (19-22)	reference	reference
Widowed	20 (18-23)	0.44 (0.21, 0.91)	0.16 (0.04, 0.63)	22 (18-25)	1.63 (1.03, 2.60)	2.07 (0.98, 4.38)
Divorced	15 (13-17)	1.72 (1.29, 2.31)	1.27 (0.87, 1.86)	19 (14-24)	2.11 (1.61, 2.77)	1.61 (1.10, 2.36)
Age first intercourse, yrs		p= 0.004	p<0.001		p=0.3	p<0.001
Median (IQR) ^b	18 (16-19)	0.96 (0.93, 0.99)	1.1 (1.06, 1.14)	18 (16.0, 20.0)	0.98 (0.95, 1.01)	1.11 (1.07, 1.15)
<16	31 (27-35)	-	-	23 (20-27)	-	-
16-18	25 (22-27)	-	-	20 (18-22)	-	-
19-25	23 (21-25)	-	-	17 (15-19)	-	-
26-30	19 (12-27)	-	-	20 (13-30)	-	-
>30	27 (8-53)	-	-	30 (10-60)	-	-
Sex partners last 12m		p<0.001	p<0.001		p<0.001	p<0.001
1	18 (16-19)	reference	reference	15 (14-17)	reference	reference
2-4	54 (49-59)	5.39 (4.28, 6.79)	2.89 (2.17, 3.85)	50 (44-56)	5.45 (4.17, 7.11)	2.79 (2.05, 3.80)
5+	65 (57-74)	8.68 (5.87, 12.8)	3.7 (2.31, 5.94)	40 (20-63)	3.73 (1.54, 9.03)	3.02 (1.22, 7.50)
HIV testing		p=0.8	p=0.6		p=0.016	p=0.7
Never	26 (24-27)	reference	reference	19 (18-21)	reference	reference
>12m ago	25 (21-30)	0.99 (0.77, 1.26)	1.09 (0.79, 1.48)	20 (17-24)	1.06 (0.84, 1.33)	1.11 (0.83, 1.48)
Within last 12m	28 (21-35)	1.11 (0.79, 1.57)	0.84 (0.55, 1.29)	27 (22-33)	1.56 (1.15, 2.11)	1.08 (0.74, 1.58)
Alcohol		p<0.001	p=0.14		p<0.001	p=0.6
No use	33 (26-40)	reference	reference	18 (15-22)	reference	reference
Daily	14 (11-16)	0.31 (0.21, 0.46)	0.58 (0.37, 0.92)	10 (7-14)	0.50 (0.32,0.77)	0.98 (0.55, 1.76)
Weekly	27 (25-30)	0.77 (0.56, 1.08)	0.74 (0.50, 1.10)	20 (18-22)	1.13 (0.88, 1.46)	1.02 (0.73, 1.42)
Monthly	28 (24-32)	0.79 (0.55, 1.13)	0.75 (0.49, 1.15)	22 (20-24)	1.26 (0.97, 1.62)	1.18 (0.84, 1.64)
Tobacco		p=0.044	p=0.4		p=0.008	p=0.065

Non-smoker	24 (22-26)	reference	reference	19 (17-20)	reference	reference
Casual smoker	27 (22-32)	1.17 (0.89, 1.53)	0.94 (0.68, 1.30)	26 (22-32)	1.56 (1.17,2.06)	0.93 (0.64, 1.37)
Daily smoker	29 (26-32)	1.26 (1.04, 1.51)	0.83 (0.65, 1.07)	20 (17-23)	1.09 (0.89, 1.33)	0.71 (0.53, 0.95)
Cannabis^c		p<0.001	p=0.8		p<0.001	p=0.5
No use	23 (21-25)	reference	reference	18 (17-20)	reference	reference
>12m ago	31 (28-34)	1.51 (1.25, 1.81)	0.96 (0.75, 1.24)	24 (21-28)	1.42 (1.16, 1.75)	0.98 (0.74, 1.31)
Within last 12m	45 (38-52)	2.83 (2.09, 3.82)	1.09 (0.72, 1.67)	39 (29-50)	2.86 (1.82, 4.49)	1.37 (0.79, 2.36)
Other illicit drugs^{c,d}		p=0.059	p=0.8		p<0.001	p=0.017
No use	26 (25-27)	reference	reference	20 (18-21)	reference	reference
>12m ago	33 (27-40)	1.43 (1.04, 1.96)	0.88 (0.58, 1.34)	35 (27-44)	2.17 (1.47, 3.21)	2.18 (1.26, 3.61)
Within last 12m	38 (8-77)	1.75 (0.50, 6.14)	1.03 (0.14, 7.56)	49 (1-100)	3.88 (0.24, 62.2)	1.90 (0.21, 17.2)

- Multivariable model includes all variables in the table, p value from Wald test;
- Median age of the proportion who used a condom;
- In 2007 questions about drugs were only asked to people between 15 to 69 years;
- Combines use of ecstasy, cocaine, or heroin.

Abbreviations: CI, confidence interval; m, months; OR, odds ratio; SFr, Swiss Francs; yrs, years.

Table S5. Condom use at last sexual intercourse, men and women with only opposite-sex partners, 2012 and 2017. Univariable logistic regression

	Men 2012	Men 2017	Women 2012	Women 2017
Condom use	Unadjusted OR (95% CI) ^a	Unadjusted OR (95% CI) ^a	Unadjusted OR (95% CI) ^a	Unadjusted OR (95% CI) ^a
Age, yrs	p<0.001	p<0.001	p<0.001	p<0.001
	0.92 (0.92, 0.93)	0.94 (0.93, 0.94)	0.93 (0.92, 0.93)	0.94 (0.94, 0.95)
Region	p=0.4	p=0.8	p=0.13	p=0.009
Lake Geneva	reference	reference	reference	reference
Midland	0.88 (0.71, 1.10)	0.89 (0.74, 1.08)	1.33 (1.04, 1.71)	0.75 (0.62, 0.91)
Northwest	0.94 (0.74, 1.18)	0.94 (0.75, 1.17)	1.25 (0.95, 1.64)	0.97 (0.78, 1.21)
Zurich	0.96 (0.75, 1.23)	0.98 (0.79, 1.21)	1.36 (1.03, 1.79)	0.97 (0.78, 1.20)
East	0.93 (0.71, 1.21)	0.9 (0.74, 1.10)	1.29 (0.97, 1.72)	1 (0.82, 1.23)
Central	1.11 (0.88, 1.39)	1.03 (0.83, 1.28)	1.44 (1.12, 1.84)	0.96 (0.76, 1.21)
Ticino	0.79 (0.60, 1.05)	0.96 (0.75, 1.23)	1.33 (0.97, 1.82)	0.68 (0.52, 0.89)
Highest education level	p<0.001	p<0.001	p=0.025	p<0.001
No school/primary	reference	reference	reference	reference
Secondary	0.59 (0.48, 0.72)	0.64 (0.54, 0.77)	0.79 (0.62, 1.01)	0.76 (0.63, 0.92)
Tertiary	0.4 (0.33, 0.50)	0.64 (0.54, 0.77)	0.98 (0.74, 1.28)	0.99 (0.81, 1.21)
Income, SFr	p<0.001	p<0.001	p<0.001	p=0.3
No income	2.62 (1.85, 3.69)	1.91 (1.46, 2.49)	1.19 (0.95, 1.47)	1.23 (1.02, 1.49)
<4500	reference	reference	reference	reference
4500-6000	0.44 (0.36, 0.54)	0.56 (0.47, 0.66)	0.91 (0.69, 1.20)	1.1 (0.91, 1.34)
>6000	0.33 (0.28, 0.40)	0.45 (0.38, 0.52)	0.96 (0.69, 1.34)	1.01 (0.80, 1.28)
Marital status	p<0.001	p<0.001	p<0.001	p<0.001
Single	6.73 (5.72, 7.91)	6.37 (5.54, 7.32)	4.92 (4.15, 5.84)	4.25 (3.69, 4.90)
Married	reference	reference	reference	reference
Widowed	0.97 (0.47, 2.03)	0.98 (0.38, 2.50)	0.96 (0.48, 1.95)	0.81 (0.47, 1.39)
Divorced	1.5 (1.10, 2.05)	1.6 (1.23, 2.07)	1.22 (0.87, 1.70)	1.68 (1.35, 2.10)
Age first intercourse, yrs	p<0.001	p=0.3	p<0.001	p=0.9
Per year increase	0.9 (0.88, 0.93)	0.99 (0.98, 1.01)	0.93 (0.90, 0.96)	1 (0.98, 1.02)
Sex partners last 12m	p<0.001	p<0.001	p<0.001	p<0.001
1	reference	reference	reference	reference
2-4	8.78 (7.03, 11.0)	6.55 (5.33, 8.05)	6.92 (5.32, 9.00)	5.71 (4.46, 7.33)
5+	12.3 (7.97, 19.1)	11.6 (7.84, 17.2)	8.71 (3.38, 22.4)	5.81 (2.45, 13.8)
Sex frequency last 12 m	p<0.001	p<0.001	p<0.001	p<0.001
1-2 per year	2.53 (1.76, 3.63)	1.78 (1.32, 2.39)	2.24 (1.53, 3.28)	1.96 (1.45, 2.66)
1 per month	reference	reference	reference	reference
2-3 per month	0.81 (0.62, 1.04)	0.85 (0.69, 1.04)	0.94 (0.72, 1.23)	0.83 (0.67, 1.04)
1 per week	0.47 (0.36, 0.61)	0.62 (0.51, 0.77)	0.66 (0.51, 0.86)	0.74 (0.59, 0.91)
2-3 per week	0.54 (0.42, 0.70)	0.45 (0.36, 0.55)	0.62 (0.48, 0.80)	0.7 (0.55, 0.87)
4+ per week	0.66 (0.45, 0.96)	0.56 (0.39, 0.81)	0.51 (0.27, 0.98)	0.68 (0.44, 1.04)
Partner type last intercourse	p<0.001	p<0.001	p<0.001	p<0.001
Stable	reference	reference	reference	reference
Occasional	20.8 (15.8, 27.5)	12.2 (9.98, 14.9)	14 (10.1, 19.4)	9.46 (7.37, 12.1)
Sex worker	26.1 (9.52, 71.4)	26.3 (11.1, 62.8)	-	-
HIV testing	p<0.001	p<0.001	p<0.001	p<0.001
Never tested	reference	reference	reference	reference
>12m ago	0.84 (0.71, 0.99)	0.95 (0.84, 1.09)	0.91 (0.77, 1.08)	1.03 (0.90, 1.17)
Within last 12m	1.9 (1.45, 2.50)	1.77 (1.41, 2.22)	1.58 (1.23, 2.04)	1.83 (1.45, 2.31)
Alcohol	p<0.001	p=0.001	p<0.001	p<0.001
No use	reference	reference	reference	reference
Daily	0.37 (0.26, 0.52)	0.28 (0.21, 0.38)	0.42 (0.27, 0.65)	0.35 (0.24, 0.52)
Weekly	0.86 (0.65, 1.14)	0.83 (0.68, 1.01)	1.33 (1.04, 1.69)	0.87 (0.74, 1.04)
Monthly	0.88 (0.64, 1.20)	1.06 (0.84, 1.32)	1.67 (1.30, 2.15)	1.02 (0.84, 1.22)
Tobacco	p=0.11	p=0.11	p<0.001	p<0.001
Non-smoker	reference	reference	reference	reference
Casual smoker	1.44 (1.12, 1.86)	1.24 (1.01, 1.51)	1.68 (1.29, 2.19)	1.79 (1.45, 2.22)
Daily smoker	1.27 (1.07, 1.49)	1.02 (0.88, 1.19)	1.21 (0.99, 1.48)	1.11 (0.94, 1.31)
Cannabis	p<0.001	p<0.001	p<0.001	p<0.001
No use	reference	reference	reference	reference
>12m ago	1.17 (0.97, 1.41)	1.15 (0.99, 1.34)	1.42 (1.15, 1.75)	1.28 (1.09, 1.49)
Within last 12m	2.97 (2.35, 3.74)	1.99 (1.61, 2.44)	3.17 (2.17, 4.63)	2.41 (1.83, 3.16)
Other illicit drugs^b	p<0.001	p<0.001	p=0.016	p=0.075
No use	reference	reference	reference	reference

>12m ago	1.48 (1.11, 1.97)	1.24 (0.98, 1.57)	1.62 (1.09, 2.41)	1.15 (0.82, 1.60)
Within last 12m	5.12 (1.66, 15.7)	1.63 (0.84, 3.17)	3.89 (0.75, 20.3)	4.41 (1.17, 16.6)

a. p value from Wald test;

b. Combines use of ecstasy, cocaine, or heroin.

Abbreviations: CI, confidence interval; m, months; NA, not applicable; OR, odds ratio; SFr, Swiss Francs; yrs, years.

Table S6. Condom use at last sexual intercourse, men and women with any same-sex partners. Denominators, unweighted and weighted, and number of missing values for each survey and variable

Condom use	Men 2007	Men 2012	Men 2017	Women 2007	Women 2012	Women 2017
Totals, N unweighted, weighted^a	191, 66118	245, 84238	183, 76438	205, 63179	300, 96257	172, 69018
Age, years						
16-24	7, 3497	20, 5643	25, 8197	18, 8593	55, 15295	35, 14084
25-34	46, 18408	34, 14478	32, 17291	49, 17849	80, 31574	55, 25382
35-44	63, 21425	68, 27822	40, 18722	63, 15055	66, 20741	30, 12090
45-54	35, 10938	62, 19514	38, 16023	53, 16743	65, 18851	36, 12713
55-64	27, 8762	40, 11544	37, 13623	17, 3800	24, 6718	10, 3117
65-74	13, 3089	21, 5235	11, 2581	5, 1139	10, 3077	6, 1631
Region						
Lake Geneva	30,11415	45, 15147	46, 19171	54, 14541	64, 19810	43, 16336
Midland	50,16811	36, 15951	18, 8757	43, 11187	53, 18694	38, 18342
Northwest	18,6636	44, 11119	20, 11332	29, 10918	59, 18221	16, 6521
Zurich	48,19165	51, 24919	38, 19435	43, 17835	41, 21542	26, 14769
East	20,6109	28, 9991	27, 10121	15, 4411	31, 8353	20, 6475
Central	14,3722	34, 5939	26, 5903	17, 3850	37, 6536	20, 4442
Ticino	11,2261	7, 1170	8, 1718	4, 437	15, 3100	9, 2133
Highest educational level						
No school/ primary	8, 3424	19, 4915	16, 5477	10, 3162	28, 8517	17, 5036
Secondary	101, 31318	111, 39221	83, 32537	121, 39253	160, 54460	83, 33636
Tertiary	82, 31377	115, 40102	84, 38423	74, 20764	112, 33279	72, 30346
Missing	0, 0	0, 0	0, 0	0, 0	0, 0	0, 0
Income, SFr						
No Income	5, 2205	9, 2488	12, 3984	14, 5114	20, 6896	8, 2581
<4500	72, 26242	70, 22070	64, 26740	111, 34980	184, 59501	106, 44156
4500-6000	48, 16155	49, 16453	45, 19462	41, 12314	39, 11864	31, 10373
>6000	50, 17086	85, 32340	50, 20141	23, 5677	29, 9141	22, 9965
Missing	16, 4432	32, 10885	12, 6110	16, 5094	28, 8854	5, 1943
Marital status						
Single	126, 42994	121, 46054	122, 52867	111, 32720	149, 49696	111, 47453
Married	38, 13661	101, 28417	18, 5042	42, 16386	105, 29705	22, 7883
Widowed	0, 0	1, 178	0, 0	3, 634	5, 1679	2, 428
Divorced	26, 8350	22, 9589	14, 5571	49, 13439	40, 14608	14, 5518
Missing	1, 1113	0, 0	29, 12956	0, 0	1, 569	23, 7735
Age first intercourse, yrs						
<16	59, 23916	94, 34200	70, 29812	89, 29114	162, 50085	76, 30797
16-18	63, 94439	80, 28715	64, 26995	71, 23506	87, 29698	53, 22093
19-25	60, 19581	64, 19584	44, 17456	42, 10261	44, 14199	40, 14872
26-30	3, 853	3, 746	3, 1175	1, 69	1, 183	2, 1003
>30	1, 183	0, 0	0, 0	2, 230	2, 830	0, 0
Missing	5, 1613	2, 992	1, 998	0, 0	2, 1261	1, 254
Sex partners last 12m						
1	72,27206	163, 53952	89, 36364	125, 42000	241, 79105	106, 44848
2-4	67,22612	48, 18743	41, 19755	35, 10162	45, 13384	41, 16743
5+	29,10790	29, 10335	38, 15068	14, 3568	14, 3767	7, 3005
Missing	23, 5511	4, 1208	15, 5250	31, 7448	0, 0	18, 2506
Sex frequency last 12m	Not asked			Not asked		
1-2 per year	..	11, 3497	13, 3918	..	22, 6591	8, 3402
1 per month	..	27, 7807	26, 10429	..	32, 10029	29, 11156
2-3 per month	..	51, 16847	43, 19311	..	54, 19159	32, 12295

1 per week	..	58, 16937	41, 18896	..	69, 21662	38, 15715
2-3 per week	..	76, 33157	39, 16550	..	83, 27004	31, 15140
4+ per week	..	17, 4665	7, 2827	..	33, 10111	16, 6888
Missing	..	5, 1327	14, 4504	..	7, 1701	18, 4422
Partner type, last intercourse	Not asked			Not asked		
Stable	..	188, 67115	102, 43535	..	255, 84285	137, 54869
Occasional	..	53, 16300	76, 31278	..	45, 11972	33, 13418
Sex worker	..	4, 822	5, 1625	..	0, 0	0, 0
Missing	..	0, 0	0, 0	..	0, 0	2, 731
HIV testing						
Never tested	94, 32314	61, 16837	37, 12357	129, 39530	81, 27912	56,21757
>12m ago	49, 17309	111, 40139	80, 33188	45, 13132	158, 48215	80, 33248
Within last 12m	44, 15623	66, 24807	61, 28525	28, 9144	52, 16840	36, 14012
Missing	4, 871	7, 2454	5, 2367	3, 1373	9, 3289	0, 0
Alcohol						
No use	18, 4430	28, 8021	13, 4645	18, 6690	33, 10778	24, 10064
Daily	37, 13811	37, 12283	30, 10228	24, 6480	24, 7291	11, 4582
Weekly	99, 33535	137, 48188	101, 46129	109, 32512	161, 49932	93, 36322
Monthly	37, 14343	43, 15746	39, 15436	53, 17245	82, 28256	44, 18050
Missing	0, 0	0, 0	0, 0	1, 252	0, 0	0, 0
Tobacco						
Non-smoker	104, 38210	141, 48931	106, 45271	97, 28610	143, 49064	84, 34367
Casual smoker	23, 6326	31, 11905	18, 5952	20, 6154	51, 16581	19, 7859
Daily smoker	64, 21582	73, 23402	59, 25215	88, 28415	106, 30611	69, 26792
Missing	0, 0	0, 0	0, 0	0, 0	0, 0	0, 0
Cannabis^b						
No use	91, 26776	129, 42310	94, 38959	79, 23164	103, 33352	74, 28862
>12m ago	63, 27025	74, 25507	56, 25133	91, 28213	133, 44220	65, 26828
Within last 12m	29, 9899	40, 15510	31, 11225	32, 10254	64, 18685	31, 12594
Missing	8, 2418	2, 910	2, 1121	3, 1547	0	2, 734
Other illicit drugs^{b, c}						
No use	142, 47328	185, 60328	148, 62088	154, 47431	234, 75008	136, 53648
Any use	42, 16651	57, 23152	35, 14350	51, 15748	66, 21248	36, 15370
Missing	7, 2140	3, 757	0, 0	0, 0	0, 0	0, 0

- Overall denominators for condom use and HIV testing differ because eligibility criteria for answering each question differed;
- In 2007 questions about drugs were only asked to people between 15 to 69 years;
- Combines use of ecstasy, cocaine, or heroin and combines categories of use more than 12 months ago and use within last 12 months.

Abbreviations: m, months; SFr, Swiss Francs; yrs, years; ..., question not asked

Table S7. Condom use, men reporting any same-sex partner. Associations with sociodemographic factors, sexual behaviours and substance use from univariable logistic regression, 2007, 2012, 2017 and from multivariable logistic regression, 2007.

Condom Use	2007	2007	2012	2017
	Unadjusted OR (95% CI)	Adjusted OR (95% CI) ^a	Unadjusted OR (95% CI)	Unadjusted OR (95% CI)
Age, years	p<0.001	p=0.057	p<0.001	p<0.001
Per year increase	0.97 (0.94-1.00)	0.97 (0.93, 1.00)	0.95 (0.92, 0.97)	0.95 (0.93, 0.98)
Region	p=0.9		p=0.4	P=0.9
Lake Geneva	reference		reference	reference
Midland	1.46 (0.44, 4.85)		0.62 (0.20, 1.98)	0.99 (0.29, 3.32)
Northwest	0.78 (0.18, 3.34)		0.86 (0.30, 2.49)	1.12 (0.35, 3.55)
Zurich	1.19 (0.39, 3.59)		1.69 (0.68, 4.21)	0.86 (0.33, 2.21)
East	1.09 (0.26, 4.59)		1.5 (0.44, 5.04)	0.85 (0.27, 2.64)
Central	3.04 (0.51, 18.0)		0.65 (0.21, 1.95)	1.47 (0.49, 4.42)
Ticino	0.95 (0.14, 6.36)		2.06 (0.32, 13.4)	1.09 (0.21, 5.71)
Highest education level	p=0.013		p=0.2	p=0.5
No school/primary	reference		reference	reference
Secondary	0.11 (0.02, 0.66)		0.41 (0.10, 1.71)	0.51 (0.14, 1.82)
Tertiary	0.07 (0.01, 0.44)		0.7 (0.17, 2.84)	0.64 (0.18, 2.29)
Income, SFr	p=0.11		p=0.2	P=>0.9
No Income	16.5 (1.43, 191)		2.88 (0.53, 15.5)	0.72 (0.18, 2.93)
<4500	reference		reference	reference
4500-6000	0.81 (0.31, 2.08)		1.41 (0.54, 3.72)	1.1 (0.44, 2.76)
>6000	0.87 (0.35, 2.16)		0.71 (0.29, 1.73)	1.1 (0.48, 2.55)
Marital Status	p.001		p=<0.001	p=0.001
Single	3.33 (1.25-8.87)		1.88 (0.89, 3.98)	12.4 (3.00, 51.2)
Married	reference		reference	reference
Widowed	NA		-	-
Divorced	0.43 (0.12, 1.60)		2.12 (0.59, 7.69)	5.3 (0.82, 34.1)
Age first sexual intercourse, years	p=0.8		p=0.2	p=0.4
Median (IQR)	0.99 (0.89, 1.09)		0.93 (0.84, 1.05)	1.04 (0.94, 1.16)
Sex partners 12m	p=0.015	p=0.014	p<0.001	p<0.001
1	reference	reference	reference	reference
2-4	3.45 (1.28, 9.28)	3.73 (1.40, 9.92)	3.86 (1.51, 9.87)	5.55 (2.02, 15.2)
5+	5.31 (1.50, 18.7)	4.70 (1.30, 16.9)	22.6 (5.56, 91.9)	13.4 (4.62, 38.6)
Average sex frequency 12 m	Not asked		p=0.030	p=0.006
1-2 times per year	..		3.10 (0.54, 18.0)	7.55 (1.08, 52.5)
Once per month	..		reference	reference
2-3 per month	..		0.47 (0.14, 1.55)	0.96 (0.29, 3.15)
Once per week	..		0.58 (0.19, 1.83)	0.4 (0.12, 1.38)
2-3t/week	..		0.33 (0.11, 1.00)	0.31 (0.09, 1.05)
4>/week	..		0.20 (0.04, 0.92)	1.78 (0.20, 15.8)
Type of partner last sex intercourse	Not asked		p<0.001	p<0.001
Stable partner	..		reference	reference
Occasional partner	..		9.85 (4.14, 23.5)	9.81 (4.46, 21.6)
Sex-worker	..		25.1 (2.35, 269)	5.94 (0.61, 57.5)
HIV Testing	p=0.051		p<0.001	p<0.001
Never tested	reference		reference	reference
Tested >2m	1.57 (0.63, 3.88)		1.08 (0.41, 2.87)	0.57 (0.22, 1.47)
Tested in last 12m	2.95 (1.22, 7.09)		4.76 (1.70, 13.3)	1.46 (0.55, 3.90)
Alcohol	p=0.9		p=0.001	p=0.3
No use	reference		reference	reference
Daily	0.8 (0.21, 3.03)		0.09 (0.02, 0.34)	0.29 (0.07, 1.28)
Weekly	1.15 (0.33, 3.97)		0.4 (0.15, 1.10)	0.53 (0.14, 2.03)
Monthly	1.11 (0.28, 4.43)		0.16 (0.05, 0.56)	0.6 (0.14, 2.61)
Tobacco	p= 0.031		p=0.6	p=0.2
Non-smoker	reference		reference	reference
Casual smoker	4.09 (1.32, 12.6)		0.66 (0.22, 1.95)	2.26 (0.71, 7.19)
Daily smoker	1.89 (0.82, 4.40)		1.2 (0.59, 2.41)	0.76 (0.36, 1.63)
Cannabis^b	p= 0.031		p=0.9	p=0.8
No use	reference		reference	reference
>12m ago	2.9 (1.01, 8.34)		1.14 (0.55, 2.38)	1.22 (0.56-2.68)
Within last 12m	0.64 (0.27, 1.53)		1.01 (0.38, 2.64)	1.32 (0.51-3.39)
Other illicit drugs^{b, c}	p= 0.089		p=0.2	p=0.5
No use	reference		reference	reference
Any use ^b	2.09 (0.89, 4.91)		0.61 (0.27, 1.37)	1.31 (0.58,3.10)

a. Multivariable model for 2007, includes age and number of sex partners; p value from Wald test;

b. In 2007 questions about drugs were only asked to people between 15 to 69 years;

c. Combines use of ecstasy, cocaine, or heroin and combines categories of use more than 12 months ago and use within last 12 months.

Abbreviations: CI, confidence interval; m, months; OR, odds ratio; SFr, Swiss Francs; yrs, years.

Table S8. Condom use, women reporting any same-sex partner. Associations with sociodemographic factors, sexual behaviours and substance use from univariable logistic regression, 2007, 2012, 2017 and from multivariable logistic regression 2007 and multivariable logistic regression 2012, 2017.

Condom Use	2007			2012			2017		
	Prevalence (95 CI%)	Unadjusted OR (95% CI)	Adjusted OR (95% CI) ^a	Prevalence (95 CI%)	Unadjusted OR (95% CI)	Prevalence (95 CI%)	Unadjusted OR (95% CI)	Adjusted OR (95% CI) ^a	
	23 (17-31)								
Year								0.084	
2012	..			27 (21-33)		..		reference	
2017		25 (18-33)		0.59 (0.32, 1.08)	
Age, years		p=0.058	p=0.2		p=0.009		p<0.001	p=0.011	
Median (IQR) ^b	31 (24-43)	0.96(0.93-1.00)	0.97 (0.92, 1.02)	30 (22-41)	0.96 (0.93, 0.99)	26 (23-31)	0.92 (0.88, 0.96)	0.96 (0.94, 0.98)	
16-24	51 (22-79)	49 (33-66)	..	39 (21-60)	
25-34	29 (17-45)	28 (17-42)	..	35 (22-51)	
35-44	13 (7-23)	22 (12-35)	..	18 (7-40)	
45-54	12 (6-23)	18 (9-32)	..	5 (1-16)	
55-64	34 (10-71)	19 (3-51)	..	0 (0-0)	
65-74	20 (0-94)	6 (0-69)	..	11 (0-0)	
Highest educational level		p=0.7			p=0.6		p=0.5		
No school/primary	16 (0-41)	reference	..	37 (16-62)	reference	38 (10-73)	reference	..	
Secondary	26 (16-36)	1.87 (0.26, 13.5)	..	25 (17-34)	0.57 (0.21, 1.58)	27 (17-39)	0.61 (0.16, 2.30)	..	
Tertiary	21 (11-32)	1.43 (0.19, 10.6)	..	27 (18-38)	0.64 (0.22, 1.81)	21 (11-33)	0.44 (0.11, 1.69)	..	
Income, SFr		p=0.11			p=0.025		p=0.9		
No Income	22 (0-47)	1.00 (0.20, 4.99)	..	10 (1-30)	0.28 (0.07, 1.10)	35 (3-83)	1.58 (0.33, 7.64)	..	
<4500	22 (12-31)	reference	..	29 (21-37)	reference	26 (17-36)	reference	..	
4500-6000	24 (9-39)	1.15 (0.42, 3.12)	..	32 (17-52)	0.57 (0.21, 1.58)	23 (7-46)	0.61 (0.16, 2.30)	..	
>6000	32 (6-57)	1.66 (0.45, 6.08)	..	8 (2-21)	0.64 (0.22, 1.81)	21 (6-47)	0.44 (0.11, 1.69)	..	
Marital Status		p<0.001			p<0.001		p<0.001		
Single	34 (23-45)	4.33 (1.33, 14.1)	..	39 (30-49)	4.36 (2.05, 9.27)	40 (17-69)	0.55 (0.17, 1.74)	..	
Married	11 (0-21)	reference	..	13 (7-22)	reference	0 (0-0)	reference	..	
Widowed	0 (0-0)	-	..	16 (0-46)	1.29 (0.12, 13.3)	11 (2-47)	-	..	
Divorced	15 (5-26)	1.49 (0.39, 5.73)	..	15 (6-35)	1.39 (0.39, 5.02)	40 (17-69)	0.18 (0.03, 1.06)	..	
Age first intercourse, yrs		p=0.5			p=0.043		p=0.11		
Median (IQR) ^b	17 (15-18)	1.05 (0.92, 1.21)	..	16 (15-17)	0.86 (0.74, 0.99)	16 (14-18)	0.89 (0.77, 1.03)	..	
Sex partners last 12m		p<0.001	p=0.005		p<0.001		p<0.001	p<0.001	
1	13 (7-21)	reference	reference	20 (14-27)	reference	11 (5-20)	reference	reference	
2-4	48 (26-70)	6.31 (2.17, 18.3)	5.10 (1.61, 16.2)	61 (43-78)	6.49 (2.83, 14.9)	51 (33-70)	8.25 (2.98, 22.8)	5.96 (3.12, 11.4)	
5+	57 (17-90)	9.06 (2.11, 39.0)	7.39 (1.47, 37.2)	56 (17-89)	5.11 (1.26, 20.7)	55 (5-97)	9.35 (1.64, 53.3)	4.99 (1.58, 15.7)	
Sex frequency last 12m	Not asked	Not asked			p=0.005		p=0.08		
1-2 per year	40 (16-69)	reference	29 (0-97)	reference	..	
1 per month	40 (20-62)	1.03 (0.27, 3.93)	19 (5-41)	1.75 (0.20, 15.6)	..	
2-3 per month	43 (26-61)	1.13 (0.38, 3.38)	30 (13-51)	1.82 (0.44, 7.57)	..	
1 per week	19 (10-31)	0.35 (0.12, 1.03)	31 (15-51)	1.98 (0.49, 7.99)	..	
2-3 per week	12 (5-21)	0.2 (0.07, 0.61)	17 (5-35)	0.87 (0.19, 3.97)	..	
4+ per week	36 (17-57)	1.03 (0.27, 3.93)	18 (1-57)	1.75 (0.20, 15.6)	..	
Partner type last intercourse	Not asked	Not asked			p<0.001		p<0.001		
Stable	20 (15-27)	reference	15 (9-23)	reference	..	
Occasional	72 (56-85)	10.2 (4.49, 23.1)	68 (45-87)	12.5 (4.12, 38.0)	..	
Sex worker	0 (0-0)	-	0 (0-0)	-	..	
HIV testing		p=0.2			p=0.9		p=0.2		
Never tested	18 (12-27)	reference	..	28 (17-41)	reference	24 (12-39)	reference	..	
Tested >12-m	29 (15-47)	1.84 (0.75, 4.52)	..	29 (20-38)	1.06 (0.50, 2.23)	20 (11-32)	0.82 (0.31, 2.20)	..	
Tested in last 12m	37 (15-65)	2.64 (0.83, 8.38)	..	25 (13-40)	0.87 (0.34, 2.22)	39 (21-59)	2.03 (0.69, 5.95)	..	
Alcohol		p=0.6			p=0.6		p=0.074		
No use	24 (2-68)	reference	..	24 (10-43)	reference	9 (2-23)	reference	..	
Daily	14 (3-36)	0.52 (0.06, 4.50)	..	13 (1-44)	0.46 (0.06, 3.48)	26 (1-76)	3.3 (0.46, 23.8)	..	
Weekly	27 (18-38)	1.19 (0.19, 7.46)	..	30 (22-39)	1.39 (0.53, 3.65)	32 (22-44)	4.54 (1.37, 15.0)	..	
Monthly	20 (10-34)	0.81 (0.12, 5.55)	..	25 (14-39)	1.08 (0.36, 3.27)	19 (8-35)	2.25 (0.57, 8.87)	..	
Tobacco		p=0.7			p=0.14		p=0.022		
Non-smoker	23 (14-34)	reference	..	21 (13-30)	reference	14 (7-24)	reference	..	
Casual smoker	33 (10-64)	1.66 (0.49, 5.62)	..	37 (22-53)	2.22 (0.95, 5.21)	39 (13-70)	3.79 (1.07, 13.5)	..	
Daily smoker	22 (12-35)	0.96 (0.41, 2.24)	..	32 (21-43)	1.78 (0.85, 3.72)	35 (22-49)	3.21 (1.29, 7.95)	..	

Cannabis^c		p=0.5			p=0.069		p=0.038	
No use	19 (10-30)	reference	..	23 (15-34)	reference	16 (8-28)	reference	..
>12m ago	24 (14-37)	1.36 (0.56, 3.31)	..	23 (15-34)	1 (0.47, 2.13)	26 (15-39)	1.82 (0.68, 4.88)	..
Within last 12m	31 (14-53)	1.92 (0.65, 5.69)	..	41 (27-57)	2.3 (1.04, 5.06)	45 (24-67)	4.27 (1.39, 13.1)	..
Other illicit drugs^{c,d}		p<0.001			p=0.2		p=0.6	
No use	34 (16-51)	reference	..	25 (18-32)	reference	42 (16-32)	reference	..
Any used	20 (13-28)	1.98 (0.80,4.93)	..	35 (20-49)	1.61 (0.78, 3.34)	29 (12-46)	0.48, 3.30)	..

- Multivariable models separate for 2007 and 2012, 2017 because denominator for 2007 excluded women who had never used a condom. Multivariable models include age, number of sex partners and type of partner; p value from Wald test;
- Median age of the proportion who used a condom;
- In 2007 questions about drugs were only asked to people between 15 to 69 years;
- Combines use of ecstasy, cocaine, or heroin and combines categories of use more than 12 months ago and use within last 12 months.

Abbreviations: CI, confidence interval; IQR, interquartile range; m, months; OR, odds ratio; SFr, Swiss Francs; yrs, years; .., variable not included in multivariable model.

Table S9. Lifetime HIV testing, men and women with only opposite-sex partners. Denominators, unweighted and weighted, for each survey and variable, 2007, 2012, 2017

HIV testing	Men 2007	Men 2012	Men 2017	Women 2007	Women 2012	Women 2017
Totals, N unweighted, weighted^a	6236, 2237900	7063, 2313010	7975, 2702130	7582, 2289504	6763, 2049462	8330, 2529129
Age, years						
16-24	553, 296239	949, 290087	901, 300476	524, 248000	843, 255515	874, 258899
25-34	955, 384253	1040, 446058	1104, 525416	1183, 402818	1100, 419164	1278, 505920
35-44	1506, 505797	1402, 465779	1436, 525957	1753, 521670	1511, 471335	1604, 509388
45-54	1184, 441374	1629, 529873	1842, 566707	1344, 446311	1681, 504578	1921, 558324
55-64	1181, 365700	1179, 363623	1505, 461133	1532, 401480	1049, 307860	1592, 434936
65-74	857, 244536	864, 234265	1187, 322440	1246, 269225	579, 173550	1061, 290492
Region						
Lake Geneva	1165, 413941	1255, 421571	1412, 504218	1416, 429093	1223, 407290	1526, 479185
Midland	1651, 506532	1375, 521007	1563, 582248	2011, 519597	1332, 472081	1717, 593088
Northwest	657, 299390	984, 312365	842, 350702	806, 319638	944, 291493	889, 351691
Zurich	812, 398380	710, 397487	873, 485356	935, 386575	648, 344353	915, 443955
East	711, 334068	1067, 356147	1510, 385186	789, 304118	962, 300103	1477, 341979
Central	806, 202729	1175, 222817	1222, 273641	1032, 233854	1157, 217857	1240, 241036
Ticino	1165, 413941	1255, 421571	1412, 504218	593, 96630	497, 98827	566, 107024
Highest education level						
No school/primary	613, 255693	808, 262368	941, 289892	1182, 347612	857, 275746	1019, 288781
Secondary	3443, 1220851	3436, 1132883	3756, 1256566	5039, 1523082	4163, 1283197	4726, 1400556
Tertiary	2179, 761150	2803, 930103	3264, 1151381	1358, 417617	1725, 567319	2566, 860448
Missing	1, 206	16, 4330	14,4291	3,1193	18, 5740	19, 8173
Income, SFr						
No income	149, 64349	244, 75987	342, 111526	889, 294891	888, 279067	963, 271987
<4500	2134, 789202	2253, 759570	2660, 910239	4367, 1346627	3897, 1221547	4896, 1466363
4500-6000	1520, 523117	1648, 549727	1881, 649750	862, 241467	699, 222686	1042, 356014
>6000	1769, 630922	2154, 697210	2503, 842885	407, 109029	443, 132703	732, 251417
Missing	664, 230310	764, 247191	589,187729	1057,297489	836, 276000	697, 212177
Marital status						
Single	1790, 702281	2230, 829308	2397, 991450	1776, 572834	1751, 585228	2247, 795789
Married	3600, 1323818	4208, 1263895	4859, 1430224	4065, 1353870	4226, 1262541	5024, 1414870
Widowed	149, 31389	80, 27635	70, 24647	684, 122382	126, 40937	206, 59874
Divorced	695, 179067	543, 208182	649, 255809	1054, 239916	658, 241865	853, 287426
Missing	2, 1347	2,664	0,0	3,502	2, 1431	0,0
Sex partners last 12m						
1	4883, 1793871	6086, 2005936	6437, 2140357	5811, 1908525	6331, 1924121	6876,1924121
2-4	666, 242075	712, 236900	660, 254133	404, 123338	384, 118102	488,118102
5+	200, 76497	221, 74953	197, 78844	34, 10340	29, 8387	29,8387
Missing	487, 106440	44,11896	681, 228796	1333, 110513	19, 6301	1053, 320588
Condom use last intercourse						
Used	3936, 1244522	5424, 1772851	6027, 1758067	4519, 1057221	5567, 1688823	6710, 1997371
Not used	1270, 654750	1630, 553994	1934, 552103	1141, 726368	1188, 365366	1603, 526907
Missing	1030, 338630	9, 2838	15, 4156	3234, 505916	8, 2721	1209, 4850
Alcohol						
No use	504, 182855	557, 208127	802, 280558	1370, 404354	1082, 329781	1504, 461747
Daily	1329, 415464	1185, 354083	1161, 348790	747, 195648	526, 146025	516, 142503
Weekly	3301, 1, 235, 3	4002, 1310690	4589, 1571742	2905, 921169	3032, 926154	3924, 1215081
Monthly	1097, 401590	1318, 456511	1421, 500330	2558, 767830	2122, 654757	2385, 500330
Missing	5, 2653	1,273	2, 711	2, 504	1, 93	1,182

Tobacco						
Non-smoker	4122, 1465671	4675, 1512349	5437, 1791473	5614, 1703513	4994, 1512349	6243, 1896416
Casual smoker	599, 216270	694, 233922	768, 285872	227, 145214	463, 233922	596, 193855
Daily smoker	1515, 555960	1693, 582120	1770, 624782	622, 440333	1306, 582120	1490, 465636
Missing	0, 0	1, 1293	0,0	2, 444	0, 0	1,222
Cannabis^b						
No use	4203, 1509223	4808, 1540934	5492, 1753661	5797, 1778908	5406, 1540934	6460, 1887252
Any use	1612, 614244	1985, 702051	2453, 936771	1184, 384976	1133, 702051	1857, 638014
Missing	421, 114433	270, 86968	30, 11698	588, 125620	224, 65444	13, 3863
Other illicit drugs^{b,c}						
No use	5520, 2020619	6663, 2185257	7400, 2459983	6821, 2113861	6549, 2185257	8026, 2416588
Any use	313, 107355	393, 141195	562, 236133	173, 54604	212, 141195	300, 111683
Missing	403, 109927	7, 3231	13, 6013	588,121040	2, 371	4, 858

a. Overall denominators for condom use and HIV testing differ because eligibility criteria for answering each question differed;

b. In 2007 questions about drugs were only asked to people between 15 to 69 years;

c. Combines use of ecstasy, cocaine, or heroin

Abbreviations: m, months; SFr, Swiss Francs; yrs, years

Table S10. Lifetime HIV testing, men and women with only opposite-sex partners. Univariable logistic regression, 2012 and 2017

	Men 2007	Men 2012	Men 2017	Women 2007	Women 2012	Women 2017
HIV Testing	Unadjusted OR ^a (95% CI)	Unadjusted OR ^a (95% CI)	Unadjusted OR ^a (95% CI)	Unadjusted OR ^a (95% CI)	Unadjusted OR ^a (95% CI)	Unadjusted OR ^a (95% CI)
Age, years	p<0.001	p<0.001	p<0.001	p<0.001	p<0.001	p<0.001
	0.98 (0.99, 1.00)	0.98(0.99,1.00)	0.98(0.99,1.00)	0.96 (0.95, 0.96)	0.97 (0.97, 0.97)	0.98 (0.97, 0.98)
Region	p<0.001	p<0.001	p<0.001	p<0.001	p<0.001	p<0.001
Lake Geneva	reference	reference	reference	reference	reference	reference
Midland	0.51 (0.42, 0.62)	0.5 (0.41, 0.60)	0.59 (0.50, 0.69)	0.65 (0.55,0.78)	0.55 (0.46, 0.66)	0.54 (0.46, 0.63)
Northwest	0.58 (0.46, 0.73)	0.52 (0.42, 0.63)	0.58 (0.48, 0.70)	0.51 (0.42,0.64)	0.5 (0.41, 0.61)	0.58 (0.48, 0.69)
Zurich	0.69 (0.56, 0.85)	0.79 (0.64, 0.98)	0.76 (0.63, 0.91)	0.71 (0.58,0.86)	0.63 (0.51, 0.78)	0.67 (0.56, 0.80)
East	0.39 (0.30, 0.50)	0.46 (0.37, 0.58)	0.52 (0.44, 0.61)	0.4 (0.32, 0.51)	0.47 (0.38, 0.59)	0.41 (0.34, 0.48)
Central	0.59 (0.46, 0.75)	0.45 (0.37, 0.56)	0.51 (0.42, 0.62)	0.45 (0.37,0.56)	0.44 (0.36, 0.53)	0.37 (0.30, 0.45)
Ticino	0.62 (0.47, 0.81)	0.78 (0.61, 0.99)	0.63 (0.51, 0.79)	0.58 (0.46,0.73)	0.63 (0.49, 0.79)	0.58 (0.47, 0.71)
Highest educational level	p<0.001	p<0.001	p<0.001	p<0.001	p<0.001	p<0.001
No school/primary	reference	reference	reference	reference	reference	reference
Secondary	1.55 (1.20, 2.02)	1.69 (1.35, 2.11)	1.49 (1.25, 1.79)	2.18 (1.78,2.67)	2.09 (1.69, 2.58)	1.63 (1.37, 1.93)
Tertiary	2.46 (1.89, 3.21)	2.18 (1.74, 2.72)	2.34 (1.95, 2.80)	4.52 (3.59,5.70)	4.05 (3.21, 5.11)	3.31 (2.76, 3.96)
Income, SFr	p<0.001	p<0.001	p<0.001	p<0.001	p<0.001	p<0.001
No Income	0.65 (0.39, 1.07)	0.66 (0.45, 0.97)	1.25 (0.96, 1.64)	0.87 (0.72,1.04)	0.91 (0.76, 1.09)	0.96 (0.81, 1.13)
<4500	reference	reference	reference	reference	reference	reference
4500-6000	1.28 (1.07, 1.54)	1.17 (0.98, 1.39)	1.21 (1.05, 1.41)	1.82 (1.51,2.19)	1.65 (1.34, 2.03)	1.88 (1.60, 2.21)
>6000	1.52 (1.28, 1.79)	1.33 (1.13, 1.55)	1.66 (1.45, 1.89)	2.39 (1.84,3.10)	1.89 (1.47, 2.43)	2.34 (1.93, 2.85)
Marital Status	p<0.001	p<0.001	p<0.001	p<0.001	p<0.001	p<0.001
Single	1.70 (1.47, 1.98)	1.5 (1.31, 1.72)	1.43 (1.27, 1.61)	1.82 (1.58,2.11)	1.5 (1.31, 1.73)	1.65 (1.46, 1.86)
Married	reference	reference	reference	reference	reference	reference
Widowed	0.65 (0.34, 1.22)	1.17 (0.66, 2.08)	1.17 (0.65, 2.10)	0.43 (0.31,0.60)	0.76 (0.46, 1.24)	0.58 (0.41, 0.81)
Divorced	2.91 (2.33, 3.64)	2.27 (1.76, 2.92)	2.41 (1.97, 2.94)	1.98 (1.66,2.38)	2.51 (1.99, 3.15)	2.33 (1.96, 2.78)
Age first intercourse, yrs	p<0.001	p<0.001	p<0.001	p<0.001	p<0.001	p<0.001
	0.90 (0.88, 0.93)	0.91 (0.89, 0.93)	0.97 (0.96, 0.98)	0.88 (0.86,0.90)	0.88 (0.85, 0.90)	0.95 (0.93, 0.98)
Sex partners last 12m	p<0.001	p<0.001	p<0.001	p<0.001	p<0.001	p<0.001
1	reference	reference	reference	reference	reference	reference
2-4	1.94 (0.85, 4.42)	1.24 (1.00, 1.55)	1.46 (1.20, 1.77)	1.69 (1.31,2.19)	1.56 (1.20, 2.02)	2.06 (1.60, 2.67)
5+	5.83 (2.07, 16.4)	1.67 (1.16, 2.41)	1.63 (1.16, 2.30)	1.18 (0.51,2.72)	2.12 (0.81, 5.54)	2.71 (1.01, 7.30)
Condom use last intercourse	p=0.2	p=0.8	p=0.3	p=0.3	p= 0.8	p= 0.051
Used	reference	reference	reference	reference	reference	reference
Not used	0.90 (0.76, 1.06)	0.98 (0.84, 1.14)	1.07 (0.94, 1.21)	1.08 (0.92,1.28)	1.02 (0.87, 1.20)	1.14 (1.00, 1.29)
Alcohol	p=0.13	p=0.8	p<0.001	p<0.001	p<0.001	p<0.001
Abstinent	reference	reference	reference	reference	reference	reference
Daily	1.01 (0.75, 1.35)	0.96 (0.73, 1.25)	0.88 (0.71, 1.10)	0.62 (0.48,0.80)	0.75 (0.58, 0.98)	0.72 (0.57, 0.92)
Weekly	1.21 (0.92, 1.57)	1.02 (0.80, 1.29)	1.27 (1.06, 1.53)	1.27 (1.07,1.50)	1.05 (0.88, 1.25)	1.41 (1.23, 1.63)
Monthly	1.07 (0.79, 1.43)	1.06 (0.81, 1.39)	1.24 (1.01, 1.53)	1.03 (0.86,1.22)	0.95 (0.79, 1.14)	1.16 (1.00, 1.36)
Tobacco	p<0.001	p<0.001	p=0.03	p<0.001	p<0.001	p<0.001
Non-smoker	reference	reference	reference	reference	reference	reference
Casual smoker	1.52 (1.22, 1.89)	1.28 (1.03, 1.59)	1.29 (1.08, 1.56)	1.3 (1.01, 1.66)	1.65 (1.30, 2.08)	1.42 (1.17, 1.73)
Daily smoker	1.61 (1.38, 1.88)	1.38 (1.19, 1.59)	1.18 (1.04, 1.34)	1.48 (1.27,1.71)	1.46 (1.25, 1.71)	1.49 (1.31, 1.71)
Cannabis^b	p<0.001	p<0.001	p<0.001	p<0.001	p<0.001	p<0.001
No use	reference	reference	reference	reference	reference	reference

Any use	2.46 (2.12, 2.86)	2.36 (2.06, 2.71)	2.22 (1.98, 2.50)	3.34 (2.84,3.93)	2.93 (2.47, 3.47)	5.33 (3.48, 8.14)
Other illicit drugs^{b,c}	p<0.001	p<0.001	p<0.001	p<0.001	p<0.001	p<0.001
No use	reference	reference	reference	reference	reference	reference
Any use	4.62 (3.41, 6.27)	2.78 (2.09, 3.69)	2.60 (2.10, 3.23)	6.55 (4.33,9.91)	2.87 (2.52, 3.27)	5.02 (3.54, 7.14)

a. p value from Wald test;

b. In 2007 questions about drugs were only asked to people between 15 to 69 years;

c. Combines use of ecstasy, cocaine, or heroin and combines categories of use more than 12 months ago and use within last 12 months.

Abbreviations: CI, confidence interval; m, months; OR, odds ratio; SFr, Swiss Francs; yrs, years;

Table S11. HIV testing in the last 12 months, men and women reporting only opposite-sex partners and men reporting any same-sex partner 2012, 2017.

HIV testing in the last 12 months	Men reporting only opposite-sex partners		Women reporting only opposite-sex partners		Men reporting any same-sex partner	
	2012 Prevalence % (95% CI)	2017 Prevalence % (95% CI)	2012 Prevalence % (95% CI)	2017 Prevalence % (95% CI)	2012 Prevalence % (95% CI)	2017 Prevalence % (95% CI)
Total	7 (6-8)	7 (7-8)	9 (8-10)	8 (7-9)	30 (14-38)	39 (30-47)
Age, years						
16-24	14 (11-18)	18 (15-21)	16 (13-19)	16 (13-19)	35 (11-70)	35 (17-59)
25-34	10 (8-13)	10 (8-12)	18 (15-20)	16 (13-18)	41 (23-62)	60 (39-79)
35-44	7 (6-9)	8 (6-10)	10 (8-12)	9 (7-11)	32 (19-48)	35 (19-55)
45-54	6 (5-8)	5 (4-6)	4 (3-5)	4 (3-5)	27 (14-45)	44 (26-63)
55-64	3 (2-4)	4 (3-5)	2 (1-4)	3 (2-4)	26 (11-50)	19 (9-37)
65-74	4 (2-5)	2 (1-3)	1 (0-3)	1 (1-2)	12 (2-49)	-
Number of partners						
1	5 (5-6)	5 (5-6)	8 (7-8)	7 (6-8)	20 (12-30)	31 (21-44)
2-4	17 (13-21)	18 (15-22)	28 (23-34)	31 (26-37)	42 (22-63)	48 (29-67)
5+	30 (21-40)	28 (21-36)	41 (20-65)	33 (16-56)	61 (37-82)	50 (31-69)

Table S12. Lifetime HIV testing, men and women with any same-sex partners. Denominators, unweighted and weighted, and number of missing values for each survey and variable, 2007, 2012, 2017

HIV Testing	Men 2007	Men 2012	Men 2017	Women 2007	Women 2012	Women 2017
Totals, N unweighted, weighted^a	187, 64684	237, 81464	178,74070	216, 67259	289, 92734	172, 69018
Age, years						
16-24	7, 3497	20, 5643	25, 8197	20, 10605	54, 15237	14084, 8197
25-34	43, 17370	33, 14174	32, 17291	48, 17530	79, 30848	25382, 17291
35-44	58, 19554	68, 27822	38, 18051	64, 15196	62, 19610	12090, 18051
45-54	36, 11628	59, 18085	36, 14631	56, 18019	61, 17425	12713, 14631
55-64	31, 9701	38, 11063	37, 13623	22, 4563	23, 6537	3117, 13623
65-74	12, 2935	19, 4678	10, 2277	6, 1344	10, 3077	1631, 2277
Region						
Lake Geneva	29, 10,828	43, 14665	44, 18486	53, 13946	61, 19001	43, 16336
Midland	52, 17386	35, 15606	17, 8466	45, 11739	52, 17968	38, 18342
Northwest	17, 6329	43, 10864	19, 10322	34, 12394	56, 17660	16, 6521
Zurich	45, 18480	49, 24087	37, 19055	44, 17850	40, 21183	26, 14769
East	18, 5623	27, 9230	27, 10121	17, 5344	29, 7467	20, 6475
Central	14, 3722	34, 5939	26, 5903	19, 5549	36, 6356	20, 4442
Ticino	12, 2317	6, 1073	8, 1718	4, 437	15, 3100	9, 2133
Highest educational level						
No school/ primary	8, 3259	19, 4915	15, 4467	10, 2791	27, 8459	17, 5036
Secondary	98, 30528	106, 37877	80, 31484	131, 43428	152, 51662	83, 33636
Tertiary	81, 30897	112, 38672	83, 38119	75, 21040	110, 32612	72, 30346
Missing	0, 0	0, 0	0, 0	0, 0	0, 0	0, 0
Income, SFr						
No Income	5, 2205	9, 2488	12, 3984	14, 5575	19, 6716	8, 2581
<4500	66, 24662	64, 20121	62, 26067	121, 38545	178, 57005	106, 44156
4500-6000	51, 16664	49, 16453	42, 17768	42, 12900	37, 11380	31, 10373
>6000	51, 17320	732, 31517	50, 20141	24, 5869	29, 9141	22, 9965
Missing	14, 3833	32, 10885	12, 6110	15, 4370	26, 8492	5, 1943
Marital status						
Single	119, 41500	118, 45409	120, 52194	117, 35396	147, 48911	111, 47453
Married	41, 14123	96, 26288	18, 5042	47, 18229	99, 27702	22, 7883
Widowed	0, 0	1, 178	0, 0	4, 839	5, 1679	2, 428
Divorced	26, 7948	22, 9589	13, 5267	48, 12795	37, 13873	14, 5518
Missing	1, 1113	0, 0	27, 11566	0, 0	1, 569	23, 7735
Sex partners last 12m						
1	78, 28188	158,51901	86,34681	136, 45498	3367, 75583	106, 44848
2-4	62, 21451	44,17482	40,19451	36, 10840	253, 13385	41, 16743
5+	26, 10147	30,10335	37,14688	12, 3257	23, 3767	7, 3005
Missing	8, 4889	5, 1747	15, 5250	32, 7664	0, 0	18, 4422
Condom use last intercourse						
Used	95, 35009	150,53233	91,34347	144, 46564	213, 66891	129, 51731
Not used	80, 26642	86,27692	87,39903	51, 14040	76, 25843	43, 17287
Missing	8, 3033	1, 539	0, 0	21, 6656	0, 0	0, 0
Alcohol						
No use	17, 4041	28, 8021	12, 4354	20, 7383	32, 10546	225, 72098
Daily	37, 14060	36, 12419	28, 9542	23, 6067	24, 7291	64, 20636
Weekly	96, 31944	132, 46296	99, 44739	114, 35551	155, 48066	225, 72098
Monthly	37, 14638	41, 14729	39, 15436	58, 18006	78, 26831	64, 20636
Missing	0, 0	0, 0	0, 0	1,	0, 0	0, 0
Tobacco						
Non-smoker	102, 37373	137, 46754	103, 43499	102,37373	139, 47724	84, 34367

Casual smoker	25, 7274	30, 11727	18, 5952	25,7274	50, 16277	19, 7859
Daily smoker	60, 20037	70, 22983	57, 24620	60,20037	100, 28733	69, 26792
Missing	0, 0	0, 0	0, 0	0, 0	0, 0	0, 0
Cannabis^b						
No use	90, 26874	125, 40575	91, 37982	91, 27166	86, 28336	74, 28862
Any use	90, 35547	110, 39979	85, 34967	89, 27750	203, 64398	96, 39422
Missing	7, 2264	2, 910	2, 1121	3, 1547	0, 0	2,734
Other illicit drugs^{b, c}						
No use	138, 46,062	178, 57781	144, 60100	138,52314	225, 72,098	136, 53648
Any use	43, 16,637	54, 22233	34, 13970	43,14945	64, 20,636	36, 15370
Missing	6, 19860	5, 1543	0, 0	0, 0	0, 0	0, 0

a. Overall denominators for condom use and HIV testing differ because eligibility criteria for answering each question differed;

b. In 2007 questions about drugs were only asked to people between 15 to 69 years;

c. Combines use of ecstasy, cocaine, or heroin

Abbreviations: m, months; SFr, Swiss Francs; yrs, years

Table S13. Lifetime HIV testing, men reporting any same-sex partner. Associations with sociodemographic factors, sexual behaviours and substance use from univariable logistic regression, 2007, 2012, 2017

HIV testing	2007	2012	2017
	Unadjusted OR (95% CI) ^a	Unadjusted OR (95% CI) ^a	Unadjusted OR (95% CI) ^a
Age	p=0.072	p=0.3	p=0.9
Per year increase	0.97 (0.94, 1.00)	0.98 (0.93, 1.02)	1.00 (0.97, 1.04)
Region	p=0.2	p=0.049	p<0.001
Lake Geneva	reference	reference	reference
Midland	0.71 (0.21, 2.37)	0.91 (0.28, 3.03)	0.66 (0.12, 3.78)
Northwest	1.81 (0.35, 9.48)	0.46 (0.12, 1.75)	0.47 (0.11, 1.91)
Zurich	1.16 (0.33, 4.11)	2.93 (0.75, 11.5)	1.82 (0.47, 7.07)
East	0.24 (0.05, 1.03)	0.3 (0.08, 1.07)	0.57 (0.15, 2.15)
Central	1.8 (0.23, 14.2)	0.46 (0.13, 1.62)	0.39 (0.11, 1.41)
Ticino	2.42 (0.37, 15.7)	0.40 (0.06, 2.83)	-
Education level	p=0.8	p=0.01	p=0.10
No school/primary	reference	reference	reference
Secondary	0.86 (0.12, 6.06)	0.63 (0.16, 2.41)	0.63 (0.16, 2.41)
Tertiary	1.11 (0.16, 7.73)	1.84 (0.43, 7.89)	1.84 (0.43, 7.89)
Income, SFr	p=0.6	p=0.14	p=0.011
No Income	0.69 (0.08, 6.37)	1.15 (0.22, 5.94)	0.66 (0.16, 2.64)
<4500	reference	reference	reference
4500-6000	0.79 (0.28, 2.25)	2.91 (1.02, 8.31)	3.85 (1.20, 12.4)
>6000	0.50 (0.18, 1.40)	2.48 (0.95, 6.47)	4.2 (1.29, 13.7)
Marital Status	p=0.001	p<0.001	p=0.8
Single	4.51 (1.84, 11.1)	2.15 (0.96, 4.81)	0.95 (0.26, 3.42)
Married	reference	reference	reference
Widowed	-	-	-
Divorced	7.34 (1.88, 28.7)	0.83 (0.19, 3.61)	1.58 (0.26, 9.49)
Age first sexual intercourse, years	p= 0.038	p= 0.9	p= 0.5
Median (IQR)	0.87 (0.76, 0.99)	0.99 (0.88, 1.11)	0.97 (0.89, 1.06)
Sex partners 12m	p<0.001	p=0.6	p=0.3
1	reference	reference	reference
2-4	1.26 (0.50, 3.18)	1.40 (0.53, 3.70)	2.29 (0.75, 6.96)
5+	27.1 (4.99, 147)	2.43 (0.38, 15.7)	0.98 (0.29, 3.39)
Condom use last intercourse	p=0.072	p=0.2	p=0.8
Used	reference	reference	reference
Not used	2.18 (0.93, 5.12)	1.95 (0.78, 4.89)	0.87 (0.37, 2.08)
Alcohol	p=0.061	p=0.090	p=0.11
No use	reference	reference	reference
Daily	0.09 (0.01, 0.56)	1.37 (0.31, 6.13)	1.27 (0.26, 6.18)
Weekly	0.19 (0.03, 1.11)	3.16 (1.04, 9.63)	2.66 (0.63, 11.2)
Monthly	0.13 (0.02, 0.88)	3.52 (0.93, 13.3)	5.64 (1.04, 30.7)
Tobacco	p=0.3	p=0.2	p=0.68
Non-smoker	reference	reference	reference
Casual smoker	0.69 (0.23, 2.12)	0.55 (0.18, 1.72)	1.03 (0.29, 3.57)
Daily smoker	1.80 (0.67, 4.84)	1.71 (0.71, 4.09)	3.24 (1.16, 9.08)
Cannabis	p=0.023	p=0.010	p=0.9
No use	reference	reference	reference
Any use	3.22 (1.36, 7.63)	3.86 (1.37, 10.8)	0.94 (0.39, 2.26)
Other illicit drugs^b	p=0.019	p= 0.002	p=0.7
No use	reference	reference	reference
Any use	4.86 (1.28, 18.4)	4.36 (1.67, 11.4)	1.35 (0.32, 5.70)

a. p value from Wald test;

b. In 2007 questions about drugs were only asked to people between 15 to 69 years;

c. Combines use of ecstasy, cocaine, or heroin and combines categories of use more than 12 months ago and use within last 12 months.

Abbreviations: CI, confidence interval; m, months; OR, odds ratio; SFr, Swiss Francs; yrs, years;

Table S14. Lifetime HIV testing, women reporting any same-sex partner. Associations with sociodemographic factors, sexual behaviours and substance use from univariable logistic regression, 2007, 2012, 2017

HIV testing	2007		2012		2017		Adjusted OR (95% CI) ^a
	Prevalence (95% CI)	Unadjusted OR (95% CI)	Prevalence (95% CI)	Unadjusted OR (95% CI)	Prevalence (95% CI)	Unadjusted OR (95% CI)	
Year							p=0.5
2007							reference
2012							1.35 (0.82, 2.23)
2017							1.31 (0.74, 2.30)
Age		p=0.020		p=0.7		p=0.8	p=0.9
Median age (years) (IQR)	36 (26-45)	0.96 (0.93, 0.99)	34(29-45)	0.99 (0.97, 1.02)	33 (26-44)	1.01 (0.97, 1.04)	1 (0.98, 1.02)
16-24	70 (38-90)	-	48 (32-65)	-	59 (37-77)	-	-
25-34	70 (54-83)	-	82 (69-90)	-	67 (51-80)	-	-
35-44	71 (55-83)	-	79 (64-89)	-	88 (68-96)	-	-
45-54	51 (33-68)	-	68 (52-81)	-	75 (55-88)	-	-
55-64	25 (09-54)	-	63 (31-87)	-	45 (05-93)	-	-
Region				p=0.5		p=0.3	
Lake Geneva	60 (43-76)	reference	68 (52-80)	reference	71 (53-84)	reference	..
Midland	64 (45-80)	1.14 (0.41, 3.21)	77 (59-88)	1.58 (0.57, 4.41)	64 (46-80)	0.74 (0.26, 2.12)	..
Northwest	63 (40-82)	1.1 (0.35, 3.41)	57 (41-72)	0.64 (0.26, 1.58)	56 (28-81)	0.53 (0.14, 2.01)	..
Zurich	54 (35-72)	0.77 (0.28, 2.09)	71 (52-85)	1.18 (0.42, 3.31)	80 (55-93)	1.69 (0.43, 6.57)	..
East	73 (38-94)	1.73 (0.37, 8.12)	79 (52-93)	1.79 (0.46, 6.94)	62 (29-87)	0.68 (0.15, 2.99)	..
Central	67 (29-93)	1.31 (0.26, 6.57)	78 (59-89)	1.66 (0.57, 4.84)	81 (55-94)	1.74 (0.45, 6.77)	..
Ticino	43 (0-100)	0.48 (0.04, 5.85)	75 (41-93)	1.43 (0.32, 6.37)	37(10-76)	0.24 (0.05, 1.22)	..
Education level		p=0.2		p=0.5		=0.3	
No school/primary	30 (04-84)	reference	56 (31-78)	reference	68 (34-90)	reference	..
Secondary	65 (54-75)	4.28 (0.87, 21.0)	69 (59-78)	1.78 (0.64, 4.93)	67 (53-78)	0.92 (0.26, 3.28)	..
Tertiary	57 (43-70)	3.03 (0.59, 15.5)	76 (64-84)	2.46 (0.85, 7.07)	71 (57-81)	1.11 (0.30, 4.07)	..
Income, SFr		p=0.5		p=0.7		p=0.3	
No Income	80 (39-96)	2.38 (0.47, 12.1)	86 (48-98)	3.48 (0.68, 17.8)	60 (13-94)	0.9 (0.17, 4.83)	..
<4500	62 (50-73)	reference	64 (55-72)	reference	63 (51-73)	reference	..
4500-6000	56 (35-75)	0.78 (0.30, 2.04)	64 (43-80)	1.00 (0.41, 2.43)	67 (44-84)	1.19 (0.44, 3.22)	..
>6000	51 (26-76)	0.63 (0.20, 1.94)	91 (75-97)	5.69 (1.69, 19.2)	93 (75-98)	7.84 (1.88, 32.8)	..
Marital Status		p=0.7		p=0.2		p=0.9	
Single	63 (51-74)	1.05 (0.46, 2.41)	73 (63-81)	1.48 (0.73, 2.96)	71 (60-80)	2.57 (0.87, 7.54)	..
Married	62 (45-76)	reference	64 (51-76)	reference	49 (24-74)	reference	..
Widowed	29 (0-80)	0.26 (0.02, 3.21)	76 (35-100)	1.74 (0.17, 17.5)	45 (0-100)	0.86 (0.04, 16.6)	..
Divorced	56 (35-75)	0.78 (0.27, 2.26)	71 (51-86)	1.26 (0.43, 3.64)	63 (21-92)	1.81 (0.35, 9.35)	..
Age first sexual intercourse, years		p=0.4		p=0.014		p<0.001	
Median (IQR) ^b	17 (15-18)	0.95 (0.84, 1.06)	16 (15-18)	0.86 (0.76, 0.97)	16 (15-18)	0.76 (0.64, 0.89)	..
Sex partners 12m		p=0.3		p=0.3		p<0.001	p=0.026
1	61 (51-71)	reference	68 (60-75)	reference	66 (54-76)	reference	reference
2-4	70 (48-86)	1.47 (0.55, 3.95)	80 (63-91)	1.92 (0.77, 4.80)	79 (60-91)	2 (0.73, 5.52)	1.79 (1.01, 3.17)
5+	87 (31-99)	4.32 (0.50, 37.3)	83 (27-99)	2.37 (0.29, 19.5)	100	-	4.65 (1.02, 21.1)
Condom use last intercourse		p=0.4		p=0.9		p=0.8	
Used	61 (50-70)	reference	70 (62-77)	reference	68 (58-77)	reference	..
Not used	70 (52-83)	1.50 (0.63, 3.58)	70 (56-81)	0.99 (0.49, 2.03)	70 (51-84)	1.12 (0.46, 2.72)	..
Alcohol		p >0.9		p=0.4		p<0.001	..
No use	66 (36-88)	reference	55 (32-76)	reference	95 (83-99)	reference	..
Daily	61 (33-83)	0.79 (0.16, 3.77)	64 (35-85)	1.44 (0.35, 5.89)	46 (11-87)	0.05 (0.01, 0.31)	..
Weekly	60 (48-71)	0.75 (0.22, 2.60)	72 (63-80)	2.13 (0.78, 5.80)	71 (60-81)	0.13 (0.03, 0.52)	..
Monthly	62 (44-77)	0.82 (0.22, 3.12)	74 (60-84)	2.30 (0.78, 6.81)	54 (36-71)	0.06 (0.01, 0.27)	..
Tobacco		p=0.4		p=0.6		p= 0.5	..
Non-smoker	60 (47-71)	reference	68 (58-77)	reference	67 (54-78)	reference	..
Casual smoker	48 (23-73)	0.61 (0.20, 1.86)	67 (49-81)	0.41, 2.21	80 (50-94)	1.96 (0.58, 6.63)	..
Daily smoker	66 (51-78)	1.27 (0.58, 2.76)	75 (63-85)	0.68, 2.97	68 (53-80)	1.04 (0.46, 2.35)	..
Cannabis^c		p=0.11		p=0.001		p<0.001	..
No use	50 (37-63)	reference	53 (40-66)	reference	51 (37-64)	reference	..
Any use	70 (57-80)	2.31 (1.06, 5.06)	78 (69-84)	3.04 (1.54, 5.97)	82 (71-90)	4.46 (1.92, 10.4)	..
Other illicit drugs^d		p=0.3		p=0.13		p=0.2	..
No use	59 (49-68)	reference	67 (59-74)	reference	65 (55-74)	reference	..
Any use	69 (50-83)	1.55 (0.65, 3.69)	81 (63-92)	2.09 (0.79, 5.53)	80 (58-93)	2.21 (0.71, 6.89)	..

a. Multivariable model includes age, and number of sex partners; p value from Wald test;

b. Median age of the proportion tested for HIV;

c. In 2007 questions about drugs were only asked to people between 15 to 69 years;

d. Combines use of ecstasy, cocaine, or heroin and combines categories of use more than 12 months ago and use within last 12 months.

Abbreviations: CI, confidence interval; IQR, interquartile range; m, months; OR, odds ratio; SFr, Swiss Francs; yrs, years; ..., variable not included in multivariable model.