

Supplementary Table 1: Raw Data

Demographics			Diabetes Data				NCS Data		
ID	age onset [y]	age NCS [y]	duration DBM [y]	HB1c at NCS [%]	mean 5y HB1c [%]	betacell antibodies	peroneus [m/s]	tibial [m/s]	median [m/s]
28	0-5	5-10	1.8	6.20	6.60	pos	54.0	45.0	53.0
24	0-5	5-10	5.3	7.40	8.50	pos	49.0	47.0	58.0
5	5-10	5-10	1.1	6.60	—	pos	52.0	—	61.0
46	5-10	5-10	0.6	7.80	—	pos	55.0	53.0	62.0
57	0-5	5-10	4.4	7.70	9.00	pos	48.0	47.0	55.0
10	5-10	5-10	1.4	8.20	7.30	pos	47.0	48.4	60.9
9	5-10	5-10	3.9	7.00	6.80	neg	50.0	51.0	40.0
34	5-10	5-10	1.8	7.60	7.30	pos	44.9	44.3	52.5
42	5-10	5-10	2.5	7.50	8.30	pos	50.0	47.0	55.0
52	0-5	5-10	6.9	7.40	8.00	pos	54.5	52.6	59.4
44	5-10	10-15	1.3	7.50	7.00	pos	54.7	53.3	58.1
26	5-10	10-15	1.1	7.60	—	pos	54.0	52.0	63.0
51	5-10	10-15	4.6	8.60	8.30	pos	49.2	48.4	55.6
50	5-10	10-15	3.4	7.10	7.20	neg	50.0	52.0	56.0
48	5-10	10-15	2.7	6.30	6.15	pos	45.0	48.0	55.0
22	10-15	10-15	1.9	6.80	7.30	pos	48.0	—	57.0
41	5-10	10-15	5.0	8.10	7.70	pos	44.0	43.0	55.0
32	0-5	10-15	8.6	7.60	7.60	pos	43.6	45.2	51.1

Supplementary Table 1: Raw Data

14	10-15	10-15	1.0	6.30	—	pos	41.7	39.4	58.2
49	10-15	10-15	2.0	7.30	6.10	neg	52.0	48.0	57.0
25	10-15	10-15	2.5	6.90	7.05	pos	48.0	41.0	55.0
15	0-5	10-15	10.0	8.40	8.40	neg	47.7	39.4	57.1
33	10-15	10-15	2.6	9.20	6.95	pos	—	—	51.3
45	5-10	10-15	7.4	6.40	6.80	pos	47.0	47.0	57.0
8	5-10	10-15	8.7	10.20	7.90	pos	48.0	48.0	54.0
55	10-15	10-15	0.7	5.60	—	pos	50.0	51.0	55.0
43	5-10	10-15	4.9	8.80	8.50	pos	35.9	39.6	52.6
6	0-5	10-15	13.1	7.90	9.00	pos	41.0	41.7	54.7
11	10-15	10-15	1.5	7.00	7.30	pos	48.0	58.0	51.0
21	5-10	10-15	7.8	9.20	8.20	pos	40.0	40.0	50.0
29	10-15	15-20	3.5	6.60	6.80	pos	46.0	46.0	68.0
56	5-10	15-20	10.2	8.60	8.70	neg	44.0	41.0	59.0
39	5-10	15-20	5.8	9.10	8.70	pos	43.8	54.8	53.4
12	5-10	15-20	8.0	8.50	8.30	pos	42.0	40.0	54.0
27	10-15	15-20	5.5	7.90	7.55	pos	47.0	49.0	57.0

Supplementary Table 1: Raw Data

3	10-15	15-20	4.9	7.50	6.95	pos	46.0	46.0	56.0
36	10-15	15-20	4.3	10.10	7.40	pos	41.8	43.8	53.0
35	10-15	15-20	2.3	8.10	7.70	pos	40.9	43.0	54.3
1	5-10	15-20	9.5	10.80	9.50	pos	42.0	42.0	NA
19	15-20	15-20	1.9	12.70	8.40	pos	47.6	45.6	52.6
16	5-10	15-20	11.4	8.70	8.30	pos	49.2	47.0	56.8
37	10-15	15-20	6.7	7.90	9.30	pos	49.3	48.0	53.7
40	10-15	15-20	6.1	8.10	8.50	pos	47.4	47.4	51.1
58	10-15	15-20	5.5	12.90	12.20	pos	43.0	38.0	51.0
13	5-10	15-20	10.8	7.10	7.90	pos	50.0	49.0	58.0
18	10-15	15-20	6.3	7.80	8.20	pos	43.0	40.0	59.0
30	5-10	15-20	10.5	7.40	7.00	pos	53.1	52.9	62.2
38	5-10	15-20	11.7	8.70	8.70	pos	50.8	—	53.7
54	0-5	15-20	16.3	8.40	7.80	pos	44.0	45.0	65.0
4	10-15	15-20	7.9	7.10	7.30	pos	47.0	—	56.0
7	10-15	20-25	6.1	6.50	14.20	pos	40.0	49.0	49.0
17	0-5	20-25	17.9	8.40	8.60	pos	44.2	—	56.1

Supplementary Table 1: Raw Data

2	0-5	20-25	18.4	9.00	8.60	neg	45.6	45.9	59.0
31	5-10	20-25	15.7	7.60	8.10	pos	44.0	45.0	58.0
