

Proteome sampling with e-biopsy enables differentiation between cutaneous squamous cell carcinoma and basal cell carcinoma

Edward Vitkin^{1,2}, Julia Wise¹, Ariel Berl³, Ofir Shir-az³, Batel Gabay¹, Amrita Singh¹, Vladimir Kravtsov⁴, Zohar Yakhini^{2,5}, Avshalom Shalom³, Alexander Golberg².

¹Porter School of Environment and Earth Sciences, Tel Aviv University, Tel Aviv, Israel

²Arazi School of Computer Science, Reichman University, Herzliya, Israel

³Department of Plastic Surgery, Meir Medical Center, Kefar Sava, Israel.

⁴Department of Pathology, Meir Medical Center, Kefar Sava, Israel.

⁵Department of Computer Science, Technion - Israel Institute of Technology, Haifa, Israel

Supplementary Information

<https://github.com/GolbergLab/BCCvsSCC>

Table S1. Electrical and thermal properties of human skin used for the numerical simulations.

Table S2. Reproducibility analysis of molecular harvesting with e-biopsy

Table S3. Sampled proteins unique to BCC

Table S4. Sampled proteins unique to cSCC

Table S5. Student TTest of SCC vs BCC

Table S6. Wilcoxon rank sum test of SCC vs BCC

Table S7. Differential expression summary of SCC vs BCC

Table S8. Input to GOrilla tool

Table S9. GOrilla Output. GO Processes significantly different between cSCC and BCC patients

Table S10. GOrilla Output. GO Functions significantly different between cSCC and BCC patients

Table S11. GOrilla Output. GO Components significantly different between cSCC and BCC patients

Table S12. Performances of different Machine Learning models over different amounts of selected proteins

Table S13. References (from IntAct DB) used to construct the protein-protein interaction map on **Figure 6**.

Table S14. Pathways where proteins from **Table 5** participate.

Figure S1 Patient Demographics

a. Gender distribution of patients; **b.** Age distribution of patients; **c.** Country of birth distribution of patients

Figure S2 GO Processes significantly different between cSCC and BCC patients

Figure S3 GO Functions significantly different between cSCC and BCC patients

Figure S4 GO Components significantly different between cSCC and BCC patients