

## Supplementary Tables

### **Supplementary Table 1: Enriched Biocarta pathway gene sets in Darier Disease patients vs. Healthy Controls as determined by Gene Set Enrichment Analysis.**

IL-17 signaling pathway is highlighted in bold. FDR, false discovery rate

Biocarta pathway name	No of genes in Nanostring panel	normalized enrichment score	FDR q-value
Cytokines and inflammatory response	21	2.1	0.05
Local acute inflammatory response	15	2.05	0.07
Adhesion and Diapedesis of Granulocytes	13	2.03	0.074
<b>IL-17 signaling</b>	12	1.98	0.124
Cytokine Network	17	1.86	0.193
Cytotoxic T lymphocytes	11	1.84	0.196
Regulation of hematopoiesis by cytokines	12	1.81	0.18
NFkB activation by Nontypeable Hemophilus influenzae	14	1.75	0.196
T helper cells	10	1.71	0.225
Adhesion and Diapedesis of Lymphocytes	12	1.71	0.207
T Cytotoxic Cells	10	1.68	0.219
Free Radical Induced Apoptosis	4	1.66	0.216
Adhesion molecules on lymphocytes	9	1.61	0.217
HIV induced T cell apoptosis	7	1.62	0.221
Co-Stimulatory Signal During T-cell Activation	13	1.6	0.212
Monocytes and its Surface Molecules	10	1.56	0.226