

Supplementary Material

The straight and narrow: a game theory model of broad- and narrow-spectrum empiric antibiotic therapy

Formulations and proofs of all the theorems, Lemmas and claims.

SM.1

Lemma 1. $d_i^{t,k} = \tilde{B}N, \forall i \in \{1, \dots, n\}$ is a symmetric stage-equilibrium if

$$\begin{aligned} & \left(e_B^{t,k} - e_N^{t,k} \right) p_L \\ & \leq \sum_{m=0}^{n-1} \binom{n-1}{m} q_H^m (1-q_H)^{n-1-m} \left[v_i^{t+1,k+m} \left(s^{t+1}, (d_i^{t,k+m}, d_i^{t,k+m}) \right) \right. \\ & \quad \left. - v_i^{t+1,k+m+1} \left(s^{t+1}, (d_i^{t,k+m+1}, d_i^{t,k+m+1}) \right) \right] \\ & \leq \left(e_B^{t,k} - e_N^{t,k} \right) p_H \end{aligned}$$

Proof. By the “One-Stage Deviation Principle”[39], it is sufficient to verify that player i cannot gain by deviating from s in a single E-state.

(i) In E-state t, k player i has no incentive to deviate to $d_i^{t,k} = \tilde{N}$ if

$$v_i^{t,k} \left(s^{t+1}, (\tilde{B}N, \tilde{B}N) \right) - v_i^{t,k} \left(s^{t+1}, (\tilde{N}, \tilde{B}N) \right) \geq 0 \quad (\text{A.1})$$

$$\begin{aligned} & v_i^{t,k} \left(s^{t+1}, (\tilde{B}N, \tilde{B}N) \right) - v_i^{t,k} \left(s^{t+1}, (\tilde{N}, \tilde{B}N) \right) \\ & = \left([e_B^{t,k} q_H p_H + e_N^{t,k} (1-q_H) p_L] \right. \\ & \quad \left. + \sum_{m=0}^n \binom{n}{m} q_H^m (1-q_H)^{n-m} v_i^{t+1,k+m} \left(s^{t+1}, (d_i^{t,k+m}, d_i^{t,k+m}) \right) \right) \\ & \quad - \left(e_N^{t,k} [q_H p_H + (1-q_H) p_L] \right. \\ & \quad \left. + \sum_{m=0}^{n-1} \binom{n-1}{m} q_H^m (1-q_H)^{n-1-m} v_i^{t+1,k+m} \left(s^{t+1}, (d_i^{t,k+m}, d_i^{t,k+m}) \right) \right) \\ & = \left(e_B^{t,k} - e_N^{t,k} \right) q_H p_H \\ & \quad + \sum_{m=0}^n q_H^m (1-q_H)^{n-1-m} \left[\binom{n}{m} (1-q_H) - \binom{n-1}{m} \right] v_i^{t+1,k+m} \left(s^{t+1}, (d_i^{t,k+m}, d_i^{t,k+m}) \right) \\ & = \left(e_B^{t,k} - e_N^{t,k} \right) q_H p_H \\ & \quad + \sum_{m=0}^n q_H \cdot q_H^{m-1} (1-q_H)^{n-1-m} \left[\left(\binom{n}{m} - \binom{n-1}{m} \right) - \binom{n}{m} q_H \right] \\ & \quad \cdot v_i^{t+1,k+m} \left(s^{t+1}, (d_i^{t,k+m}, d_i^{t,k+m}) \right) \end{aligned}$$

Since $\binom{n}{m} = \binom{n-1}{m} + \binom{n-1}{m-1}$ we get

$$\begin{aligned}
& \left(e_B^{t,k} - e_N^{t,k} \right) q_H p_H \\
& - q_H \sum_{m=0}^n q_H^{m-1} (1-q_H)^{n-1-m} \left[\binom{n}{m} q_H - \binom{n-1}{m-1} \right] v_i^{t+1,k+m} \left(s^{t+1}, \left(d_i^{t,k+m}, d_i^{t,k+m} \right) \right) \\
& = \left(e_B^{t,k} - e_N^{t,k} \right) q_H p_H \\
& - q_H \sum_{m=0}^n \left[\binom{n}{m} q_H^m (1-q_H)^{n-1-m} - \binom{n-1}{m-1} q_H^{m-1} (1-q_H)^{n-1-m} \right] \\
& \cdot v_i^{t+1,k+m} \left(s^{t+1}, \left(d_i^{t,k+m}, d_i^{t,k+m} \right) \right) \\
& = \left(e_B^{t,k} - e_N^{t,k} \right) q_H p_H \\
& - q_H \sum_{m=0}^n \left[\left(\binom{n-1}{m} + \binom{n-1}{m-1} \right) q_H^m (1-q_H)^{n-1-m} - \binom{n-1}{m-1} q_H^{m-1} (1-q_H)^{n-1-m} \right] \\
& \cdot v_i^{t+1,k+m} \left(s^{t+1}, \left(d_i^{t,k+m}, d_i^{t,k+m} \right) \right) \\
& = \left(e_B^{t,k} - e_N^{t,k} \right) q_H p_H \\
& - q_H \sum_{m=0}^n \left[\binom{n-1}{m} q_H^m (1-q_H)^{n-1-m} - \binom{n-1}{m-1} q_H^{m-1} (1-q_H)^{n-1-m} (-q_H + 1) \right] \\
& \cdot v_i^{t+1,k+m} \left(s^{t+1}, \left(d_i^{t,k+m}, d_i^{t,k+m} \right) \right) \\
& = \left(e_B^{t,k} - e_N^{t,k} \right) q_H p_H \\
& - q_H \sum_{m=0}^n \left[\binom{n-1}{m} q_H^m (1-q_H)^{n-1-m} - \binom{n-1}{m-1} q_H^{m-1} (1-q_H)^{n-m} \right] \\
& \cdot v_i^{t+1,k+m} \left(s^{t+1}, \left(d_i^{t,k+m}, d_i^{t,k+m} \right) \right) \\
& = \left(e_B^{t,k} - e_N^{t,k} \right) q_H p_H \\
& - q_H \sum_{m=0}^{n-1} \left(\binom{n-1}{m} q_H^m (1-q_H)^{n-1-m} \left[v_i^{t+1,k+m} \left(s^{t+1}, \left(d_i^{t,k+m}, d_i^{t,k+m} \right) \right) \right. \right. \\
& \left. \left. - v_i^{t+1,k+m+1} \left(s^{t+1}, \left(d_i^{t,k+m+1}, d_i^{t,k+m+1} \right) \right) \right] \\
& \geq 0
\end{aligned} \tag{A.2}$$

which yields

$$\begin{aligned}
& \left(e_B^{t,k} - e_N^{t,k} \right) p_H \\
& \geq \sum_{m=0}^{n-1} \left(\binom{n-1}{m} q_H^m (1-q_H)^{n-1-m} \left[v_i^{t+1,k+m} \left(s^{t+1}, \left(d_i^{t,k+m}, d_i^{t,k+m} \right) \right) \right. \right. \\
& \left. \left. - v_i^{t+1,k+m+1} \left(s^{t+1}, \left(d_i^{t,k+m+1}, d_i^{t,k+m+1} \right) \right) \right]
\end{aligned} \tag{A.3}$$

(ii) In E-state t, k , Player i has no incentive to deviate to $d_i^{t,k} = \tilde{B}$ if

$$v_i^{t,k} \left(s^{t+1}, (\tilde{B}N, \tilde{B}N) \right) - v_i^{t,k} \left(s^{t+1}, (\tilde{B}, \tilde{B}N) \right) \geq 0 \quad (\text{A.4})$$

$$\begin{aligned} & v_i^{t,k} \left(s^{t+1}, (\tilde{B}N, \tilde{B}N) \right) - v_i^{t,k} \left(s^{t+1}, (\tilde{B}, \tilde{B}N) \right) \\ &= \left(\left[e_B^{t,k} q_H p_H + e_N^{t,k} (1 - q_H) p_L \right] \right. \\ &\quad + \sum_{m=0}^n \binom{n}{m} q_H^m (1 - q_H)^{n-m} v_i^{t+1,k+m} \left(s^{t+1}, (d_i^{t,k+m}, d_i^{t,k+m}) \right) \Big) \\ &\quad - \left(e_B^{t,k} [q_H p_H + (1 - q_H) p_L] \right. \\ &\quad + \sum_{m=0}^{n-1} \binom{n-1}{m} q_H^m (1 - q_H)^{n-1-m} v_i^{t+1,k+m+1} \left(s^{t+1}, (d_i^{t,k+m+1}, d_i^{t,k+m+1}) \right) \Big) \\ &= \left(e_N^{t,k} - e_B^{t,k} \right) (1 - q_H) p_L \\ &\quad + (1 - q_H) \sum_{m=0}^n q_H^{m-1} (1 - q_H)^{n-m-1} \left[\binom{n}{m} q_H - \binom{n-1}{m-1} \right] v_i^{t+1,k+m} \left(s^{t+1}, (d_i^{t,k+m}, d_i^{t,k+m}) \right) \\ &= \left(e_N^{t,k} - e_B^{t,k} \right) (1 - q_H) p_L \\ &\quad + (1 - q_H) \sum_{m=0}^n \left[\binom{n}{m} q_H^m (1 - q_H)^{n-1-m} - \binom{n-1}{m-1} q_H^{m-1} (1 - q_H)^{n-1-m} \right] \\ &\quad \cdot v_i^{t+1,k+m} \left(s^{t+1}, (d_i^{t,k+m}, d_i^{t,k+m}) \right) \\ &\geq 0 \end{aligned} \quad (\text{A.5})$$

which yields

$$\begin{aligned} & \left(e_B^{t,k} - e_N^{t,k} \right) p_L \\ & \leq \sum_{m=0}^{n-1} \binom{n-1}{m} q_H^m (1 - q_H)^{n-1-m} \left[v_i^{t+1,k+m} \left(s^{t+1}, (d_i^{t,k+m}, d_i^{t,k+m}) \right) \right. \\ & \quad \left. - v_i^{t+1,k+m+1} \left(s^{t+1}, (d_i^{t,k+m+1}, d_i^{t,k+m+1}) \right) \right] \end{aligned} \quad (\text{A.6})$$

□

SM.2

Lemma 2. $d_i^{t,k} = \tilde{BN}$, $\forall i \in \{1, \dots, n\}$ is a symmetric stage-optimum if the following two conditions hold:

$$\begin{aligned} & \left(e_B^{t,k} - e_N^{t,k} \right) (1 - q_H) p_L \\ & \leq \sum_{m=0}^n \binom{n}{m} q_H^m (1 - q_H)^{n-m} \left[v_i^{t+1,k+m} \left(s^{t+1}, (d_i^{t,k+m}, d_i^{t,k+m}) \right) \right. \\ & \quad \left. - v_i^{t+1,k+n} \left(s^{t+1}, (d_i^{t,k+n}, d_i^{t,k+n}) \right) \right] \end{aligned}$$

and

$$\begin{aligned} & \left(e_B^{t,k} - e_N^{t,k} \right) q_H p_H \\ & \geq \sum_{m=0}^n \binom{n}{m} q_H^m (1 - q_H)^{n-m} \left[v_i^{t+1,k} \left(s^{t+1}, (d_i^{t,k}, d_i^{t,k}) \right) \right. \\ & \quad \left. - v_i^{t+1,k+m} \left(s^{t+1}, (d_i^{t,k+m}, d_i^{t,k+m}) \right) \right] \end{aligned}$$

Proof. (i) In E-state t, k the social planner has no incentive to deviate to $d^{t,k} = \tilde{N}$ if

$$v^{t,k} \left(s^{t+1}, \tilde{BN} \right) - v^{t,k} \left(s^{t+1}, \tilde{N} \right) \geq 0 \quad (\text{A.7})$$

By (13) this condition is equivalent to

$$v_i^{t,k} \left(s^{t+1}, (\tilde{BN}, \tilde{BN}) \right) - v_i^{t,k} \left(s^{t+1}, (\tilde{N}, \tilde{N}) \right) \geq 0 \quad (\text{A.8})$$

$$\begin{aligned} & v_i^{t,k} \left(s^{t+1}, (\tilde{BN}, \tilde{BN}) \right) - v_i^{t,k} \left(s^{t+1}, (\tilde{N}, \tilde{N}) \right) \\ & = \left(\left[e_B^{t,k} q_H p_H + e_N^{t,k} (1 - q_H) p_L \right] \right. \\ & \quad \left. + \sum_{m=0}^n \binom{n}{m} q_H^m (1 - q_H)^{n-m} v_i^{t+1,k+m} \left(s^{t+1}, (d_i^{t,k+m}, d_i^{t,k+m}) \right) \right) \\ & \quad - \left(e_N^{t,k} [q_H p_H + (1 - q_H) p_L] \right. \\ & \quad \left. + v_i^{t+1,k} \left(s^{t+1}, (d_i^{t,k}, d_i^{t,k}) \right) \right) \\ & = \left(e_B^{t,k} - e_N^{t,k} \right) q_H p_H \\ & \quad + \sum_{m=0}^n \binom{n}{m} q_H^m (1 - q_H)^{n-m} v_i^{t+1,k+m} \left(s^{t+1}, (d_i^{t,k+m}, d_i^{t,k+m}) \right) \\ & \quad - v_i^{t+1,k} \left(s^{t+1}, (d_i^{t,k}, d_i^{t,k}) \right) \geq 0 \end{aligned}$$

which implies

$$\begin{aligned}
& \left(e_B^{t,k} - e_N^{t,k} \right) q_H p_H \\
& \geq \sum_{m=0}^n \binom{n}{m} q_H^m (1-q_H)^{n-m} \left[v_i^{t+1,k} \left(s^{t+1}, (d_i^{t,k}, d_i^{t,k}) \right) \right. \\
& \quad \left. - v_i^{t+1,k+m} \left(s^{t+1}, (d_i^{t,k+m}, d_i^{t,k+m}) \right) \right]
\end{aligned} \tag{A.9}$$

(ii) In E-state t, k the social planner has no incentive to deviate to $d^{t,k} = \tilde{B}$ if

$$v^{t,k} \left(s^{t+1}, \tilde{BN} \right) - v^{t,k} \left(s^{t+1}, \tilde{B} \right) \geq 0 \tag{A.10}$$

By (13) this condition is equivalent to

$$v_i^{t,k} \left(s^{t+1}, (\tilde{BN}, \tilde{BN}) \right) - v_i^{t,k} \left(s^{t+1}, (\tilde{B}, \tilde{B}) \right) \geq 0 \tag{A.11}$$

$$\begin{aligned}
& v_i^{t,k} \left(s^{t+1}, (\tilde{BN}, \tilde{BN}) \right) - v_i^{t,k} \left(s^{t+1}, (\tilde{B}, \tilde{B}) \right) \\
& = \left(\left[e_B^{t,k} q_H p_H + e_N^{t,k} (1-q_H) p_L \right] \right. \\
& \quad + \sum_{m=0}^n \binom{n}{m} q_H^m (1-q_H)^{n-m} v_i^{t+1,k+m} \left(s^{t+1}, (d_i^{t,k+m}, d_i^{t,k+m}) \right) \Big) \\
& \quad - \left(e_B^{t,k} [q_H p_H + (1-q_H) p_L] \right. \\
& \quad \left. + v_i^{t+1,k+n} \left(s^{t+1}, (d_i^{t,k+n}, d_i^{t,k+n}) \right) \right) \\
& = \left(e_N^{t,k} - e_B^{t,k} \right) (1-q_H) p_L \\
& \quad + \sum_{m=0}^n \binom{n}{m} q_H^m (1-q_H)^{n-m} \left[v_i^{t+1,k+m} \left(s^{t+1}, (d_i^{t,k+m}, d_i^{t,k+m}) \right) \right. \\
& \quad \left. - v_i^{t+1,k+n} \left(s^{t+1}, (d_i^{t,k+n}, d_i^{t,k+n}) \right) \right] \geq 0
\end{aligned} \tag{A.12}$$

which implies

$$\begin{aligned}
& \left(e_B^{t,k} - e_N^{t,k} \right) (1-q_H) p_L \\
& \leq \sum_{m=0}^n \binom{n}{m} q_H^m (1-q_H)^{n-m} \left[v_i^{t+1,k+m} \left(s^{t+1}, (d_i^{t,k+m}, d_i^{t,k+m}) \right) \right. \\
& \quad \left. - v_i^{t+1,k+n} \left(s^{t+1}, (d_i^{t,k+n}, d_i^{t,k+n}) \right) \right]
\end{aligned} \tag{A.13}$$

□

SM.3

Theorem 1. *If condition 3 holds then if the decision rule \tilde{BN} at any specific game-tree node (E-state) is part of an MPE, then it is socially optimal at this E-state as well; however, if is socially optimal at any E-state, individual player may have an incentive to deviate towards an excessive use of B .*

Proof. By lemma 1, in E-state t, k , when $d_i^{t,k} = \tilde{B}N, \forall i \in \{1, \dots, n\}$, player i has no incentive to deviate to $d_i^{t,k} = \tilde{B}$ if

$$\begin{aligned} & \left(e_B^{t,k} - e_N^{t,k} \right) p_L \\ & \leq \sum_{m=0}^{n-1} \binom{n-1}{m} q_H^m (1-q_H)^{n-1-m} \left[v_i^{t+1,k+m} \left(s^{t+1}, (d_i^{t,k+m}, d_i^{t,k+m}) \right) \right. \\ & \quad \left. - v_i^{t+1,k+m+1} \left(s^{t+1}, (d_i^{t,k+m+1}, d_i^{t,k+m+1}) \right) \right] \end{aligned} \quad (\text{A.14})$$

And by lemma 2, in E-state t, k , when $d_i^{t,k} = \tilde{B}N, \forall i \in \{1, \dots, n\}$, the social planner has no incentive to deviate to $d_i^{t,k} = \tilde{B}, \forall i \in \{1, \dots, n\}$ if

$$\begin{aligned} & \left(e_B^{t,k} - e_N^{t,k} \right) (1-q_H) p_L \\ & \leq \sum_{m=0}^n \binom{n}{m} q_H^m (1-q_H)^{n-m} \left[v_i^{t+1,k+m} \left(s^{t+1}, (d_i^{t,k+m}, d_i^{t,k+m}) \right) \right. \\ & \quad \left. - v_i^{t+1,k+n} \left(s^{t+1}, (d_i^{t,k+n}, d_i^{t,k+n}) \right) \right] \\ & \quad \sum_{m=0}^n \binom{n}{m} q_H^m (1-q_H)^{n-m} \left[v_i^{t+1,k+m} \left(s^{t+1}, (d_i^{t,k+m}, d_i^{t,k+m}) \right) \right. \\ & \quad \left. - v_i^{t+1,k+n} \left(s^{t+1}, (d_i^{t,k+n}, d_i^{t,k+n}) \right) \right] \\ & = \sum_{m=0}^{n-1} \binom{n}{m} q_H^m (1-q_H)^{n-m} \left[v_i^{t+1,k+m} \left(s^{t+1}, (d_i^{t,k+m}, d_i^{t,k+m}) \right) \right. \\ & \quad \left. - v_i^{t+1,k+n} \left(s^{t+1}, (d_i^{t,k+n}, d_i^{t,k+n}) \right) \right] \\ & = (1-q_H) \sum_{m=0}^{n-1} \binom{n}{m} q_H^m (1-q_H)^{n-m-1} \left[v_i^{t+1,k+m} \left(s^{t+1}, (d_i^{t,k+m}, d_i^{t,k+m}) \right) \right. \\ & \quad \left. - v_i^{t+1,k+n} \left(s^{t+1}, (d_i^{t,k+n}, d_i^{t,k+n}) \right) \right] \end{aligned} \quad (\text{A.15})$$

And therefore (A.15) can be presented as

$$\begin{aligned} & \left(e_B^{t,k} - e_N^{t,k} \right) p_L \\ & \leq \sum_{m=0}^{n-1} \binom{n}{m} q_H^m (1-q_H)^{n-m-1} \left[v_i^{t+1,k+m} \left(s^{t+1}, (d_i^{t,k+m}, d_i^{t,k+m}) \right) \right. \\ & \quad \left. - v_i^{t+1,k+n} \left(s^{t+1}, (d_i^{t,k+n}, d_i^{t,k+n}) \right) \right] \end{aligned} \quad (\text{A.16})$$

Comparing (A.16) and (A.14)

$$\begin{aligned}
& \sum_{m=0}^{n-1} \binom{n}{m} q_H^m (1 - q_H)^{n-1-m} \left[v_i^{t+1, k+m} \left(s^{t+1}, (d_i^{t, k+m}, d_i^{t, k+m}) \right) \right. \\
& \quad \left. - v_i^{t+1, k+n} \left(s^{t+1}, (d_i^{t, k+n}, d_i^{t, k+n}) \right) \right] \\
& \quad - \sum_{m=0}^{n-1} \binom{n-1}{m} q_H^m (1 - q_H)^{n-1-m} \left[v_i^{t+1, k+m} \left(s^{t+1}, (d_i^{t, k+m}, d_i^{t, k+m}) \right) \right. \\
& \quad \left. - v_i^{t+1, k+m+1} \left(s^{t+1}, (d_i^{t, k+m+1}, d_i^{t, k+m+1}) \right) \right] \\
& = \sum_{m=0}^{n-1} \binom{n-1}{m-1} q_H^m (1 - q_H)^{n-1-m} \left[v_i^{t+1, k+m} \left(s^{t+1}, (d_i^{t, k+m}, d_i^{t, k+m}) \right) \right. \\
& \quad \left. - v_i^{t+1, k+m+1} \left(s^{t+1}, (d_i^{t, k+m+1}, d_i^{t, k+m+1}) \right) \right] \\
& \quad + \sum_{m=0}^{n-1} \binom{n}{m} q_H^m (1 - q_H)^{n-1-m} \left[v_i^{t+1, k+m+1} \left(s^{t+1}, (d_i^{t, k+m+1}, d_i^{t, k+m+1}) \right) \right. \\
& \quad \left. - v_i^{t+1, k+n} \left(s^{t+1}, (d_i^{t, k+n}, d_i^{t, k+n}) \right) \right]
\end{aligned} \tag{A.17}$$

If condition 3 holds then both addends are positive. Therefore, (A.14) implies (A.16), but it is possible that (A.16) would hold and (A.14) would not. Meaning, if $d_i^{t,k} = \tilde{BN}, \forall i \in \{1, \dots, n\}$ is a stage-equilibrium then it is necessarily a stage-social-optimum as well; however, it is possible that $d_i^{t,k} = \tilde{BN}, \forall i \in \{1, \dots, n\}$ is a stage-social-optimum, but (each) player i has an incentive to unilaterally deviate to $d_i^{t,k} = \tilde{B}$.

Similarly, it can be shown that if $d_i^{t,k} = \tilde{N}, \forall i \in \{1, \dots, n\}$ is a stage-equilibrium then it is necessarily a stage-social-optimum as well; however, it is possible that $d_i^{t,k} = \tilde{N}, \forall i \in \{1, \dots, n\}$ is a stage-social-optimum, but (each) player i has an incentive to unilaterally deviate to $d_i^{t,k} = \tilde{B}$. \square

SM.4

Claim 1. In MPE and in the socially optimal policy,

$$d_i^{T,k} = \tilde{B}, \forall k \in \{0, 1, \dots, nT\}, \forall i \in \{1, \dots, n\}$$

Proof. In period T , the expected payoff of player i in E-state T, k is:

$$v_i^{T,k} \left(d_i^{T,k}, d_{-i}^{T,k} \right) = \sum_{j \in \{L, H\}} \left[P \left(B \middle| j, d_i^{T,k} \right) q_j p_j e_B^{T,k} + P \left(N \middle| j, d_i^{T,k} \right) q_j p_j e_N^{T,k} \right] \tag{A.18}$$

i.e.

$$\begin{aligned}
v_i^{T,k} \left(\tilde{B}, d_{-i}^{T,k} \right) &= e_B^{T,k} [q_H p_H + (1 - q_H) p_L] \\
v_i^{T,k} \left(\tilde{N}, d_{-i}^{T,k} \right) &= e_B^{T,k} q_H p_H + e_N^{T,k} (1 - q_H) p_L \\
v_i^{T,k} \left(\tilde{N}, d_{-i}^{T,k} \right) &= e_N^{T,k} [q_H p_H + (1 - q_H) p_L]
\end{aligned} \tag{A.19}$$

And because (4)

$$e_B^{T,k} > e_N^{T,k} \forall k \in \{0, 1, \dots, nT\} \tag{A.20}$$

we get that

$$v_i^{T,k} \left(\tilde{B}, d_{-i}^{T,k} \right) > v_i^{T,k} \left(\tilde{BN}, d_{-i}^{T,k} \right) > v_i^{T,k} \left(\tilde{N}, d_{-i}^{T,k} \right) \quad (\text{A.21})$$

□

SM.5

Claim 2. In a fixed symmetric strategy profile where $d_i^{t,k} = \tilde{BN}$, $\forall i \in \{1, \dots, n\}$, $\forall k \in \{0, 1, \dots, n(T-1)\}$, $t = 0, \dots, T-1$ and $d_i^{T,k} = \tilde{B}$, $\forall i \in \{1, \dots, n\}$, $\forall k \in \{0, 1, \dots, nT\}$

$$\begin{aligned} & v_i^{t,k} \left(s^{t+1}, \left(d_i^{t,k}, d_i^{t,k} \right) \right) - v_i^{t,k+1} \left(s^{t+1}, \left(d_i^{t,k+1}, d_i^{t,k+1} \right) \right) \\ &= (T-t) [\alpha_B q_H p_H - I \alpha_N (1-q_H) p_L] + \alpha_B [q_H p_H + (1-q_H) p_L] \end{aligned} \quad (\text{A.22})$$

Proof. By induction.

(A.22) holds for $t = T$:

By claim 1, in period T , the expected payoff of player i in E-state T, k is:

$$v_i^{T,k} \left(\tilde{B}, \tilde{B} \right) = e_B^{T,k} [q_H p_H + (1-q_H) p_L] \quad (\text{A.23})$$

Therefore for $t = T$,

$$\begin{aligned} & v_i^{t,k} \left(s^{t+1}, \left(d_i^{t,k}, d_i^{t,k} \right) \right) - v_i^{t,k+1} \left(s^{t+1}, \left(d_i^{t,k+1}, d_i^{t,k+1} \right) \right) \\ &= v_i^{T,k} \left(\tilde{B}, \tilde{B} \right) - v_i^{T,k+1} \left(\tilde{B}, \tilde{B} \right) \\ &= e_B^{T,k} [q_H p_H + (1-q_H) p_L] - e_B^{T,k+1} [q_H p_H + (1-q_H) p_L] \\ &= \alpha_B [q_H p_H + (1-q_H) p_L] \\ &= (T-T) [\alpha_B q_H p_H - I \alpha_N (1-q_H) p_L] + \alpha_B [q_H p_H + (1-q_H) p_L] \end{aligned} \quad (\text{A.24})$$

Assume that (A.22) holds for some $t+1$; then for a fixed symmetric strategy profile where $d_i^{t,k} = \tilde{BN}$, $\forall k \in \{0, 1, \dots, nt\}$, $\forall i \in \{1, \dots, n\}$ it holds for t as well:

$$\begin{aligned}
& v_i^{t,k} \left(s^{t+1}, \left(\tilde{B}N, \tilde{B}N \right) \right) - v_i^{t,k+1} \left(s^{t+1}, \left(\tilde{B}N, \tilde{B}N \right) \right) \\
&= \left(\left[e_B^{t,k} q_H p_H + e_N^{t,k} (1 - q_H) p_L \right] \right. \\
&\quad + \sum_{m=0}^n \binom{n}{m} q_H^m (1 - q_H)^{n-m} v_i^{t+1,k+m} \left(s^{t+1}, \left(d_i^{t,k+m}, d_i^{t,k+m} \right) \right) \Big) \\
&\quad - \left(\left[e_B^{t,k+1} q_H p_H + e_N^{t,k+1} (1 - q_H) p_L \right] \right. \\
&\quad + \sum_{m=0}^n \binom{n}{m} q_H^m (1 - q_H)^{n-m} v_i^{t+1,k+m+1} \left(s^{t+1}, \left(d_i^{t,k+m+1}, d_i^{t,k+m+1} \right) \right) \Big) \\
&= \alpha_B q_H p_H - I \alpha_N (1 - q_H) p_L \\
&\quad + \sum_{m=0}^n \binom{n}{m} q_H^m (1 - q_H)^{n-m} \left[v_i^{t+1,k+m} \left(s^{t+2}, \left(d_i^{t+1,k+m}, d_i^{t+1,k+m} \right) \right) \right. \\
&\quad \left. - v_i^{t+1,k+m+1} \left(s^{t+2}, \left(d_i^{t+1,k+m+1}, d_i^{t+1,k+m+1} \right) \right) \right] \\
&= \alpha_B q_H p_H - I \alpha_N (1 - q_H) p_L \\
&\quad + \sum_{m=0}^n \binom{n}{m} q_H^m (1 - q_H)^{n-m} \left[(T - (t+1)) [\alpha_B q_H p_H - \alpha_N (1 - q_H) p_L] \right. \\
&\quad \left. + \alpha_B [q_H p_H + (1 - q_H) p_L] \right] \\
&= \alpha_B q_H p_H - I \alpha_N (1 - q_H) p_L \\
&\quad + [(T - t - 1) [\alpha_B q_H p_H - I \alpha_N (1 - q_H) p_L] + \alpha_B [q_H p_H + (1 - q_H) p_L]] \\
&= (T - t) [\alpha_B q_H p_H - I \alpha_N (1 - q_H) p_L] + \alpha_B [q_H p_H + (1 - q_H) p_L]
\end{aligned} \tag{A.25}$$

□

SM.6

Lemma 3. *The fixed symmetric strategy profile where $d_i^{t,k} = \tilde{B}N, \forall k \in \{0, 1, \dots, nt\}, \forall i \in \{1, \dots, n\}, t = 0, \dots, T-1$ and $d_i^{T,k} = \tilde{B}, \forall k \in \{0, 1, \dots, nT\}, \forall i \in \{1, \dots, n\}$ is a MPE if*

$$\begin{aligned}
& (e_B^{t,k} - e_N^{t,k}) p_L \\
&\leq [T - (t+1)] [\alpha_B q_H p_H - I \alpha_N (1 - q_H) p_L] + \alpha_B [q_H p_H + (1 - q_H) p_L] \\
&\leq (e_B^{t,k} - e_N^{t,k}) p_H
\end{aligned}$$

Proof. By the “One-Stage Deviation Principle”[], it is sufficient to verify that player i cannot gain by deviating from s in a single E-state.

(i) By lemma 1, in E-state t, k player i has no incentive to deviate to $d_i^{t,k} = \tilde{N}$ if

$$\begin{aligned}
& (e_B^{t,k} - e_N^{t,k}) p_H \\
&\geq \sum_{m=0}^{n-1} \binom{n-1}{m} q_H^m (1 - q_H)^{n-1-m} \left[v_i^{t+1,k+m} \left(s^{t+1}, \left(d_i^{t,k+m}, d_i^{t,k+m} \right) \right) \right. \\
&\quad \left. - v_i^{t+1,k+m+1} \left(s^{t+1}, \left(d_i^{t,k+m+1}, d_i^{t,k+m+1} \right) \right) \right]
\end{aligned} \tag{A.26}$$

By claim 2:

$$\begin{aligned}
& \sum_{m=0}^{n-1} \binom{n-1}{m} q_H^m (1-q_H)^{n-1-m} \left[v_i^{t+1,k+m} \left(s^{t+1}, (d_i^{t,k+m}, d_i^{t,k+m}) \right) \right. \\
& \quad \left. - v_i^{t+1,k+m+1} \left(s^{t+1}, (d_i^{t,k+m+1}, d_i^{t,k+m+1}) \right) \right] \\
& = (T - (t+1)) [\alpha_B q_H p_H - I \alpha_N (1-q_H) p_L] + \alpha_B [q_H p_H + (1-q_H) p_L]
\end{aligned} \tag{A.27}$$

which yields

$$\begin{aligned}
& (e_B^{t,k} - e_N^{t,k}) p_H \\
& \geq (T - (t+1)) [\alpha_B q_H p_H - I \alpha_N (1-q_H) p_L] + \alpha_B [q_H p_H + (1-q_H) p_L]
\end{aligned} \tag{A.28}$$

(ii) By lemma 1, in E-state t, k , Player i has no incentive to deviate to $d_i^{t,k} = \tilde{B}$ if

$$\begin{aligned}
& (e_B^{t,k} - e_N^{t,k}) p_L \\
& \leq \sum_{m=0}^{n-1} \binom{n-1}{m} q_H^m (1-q_H)^{n-1-m} \left[v_i^{t+1,k+m} \left(s^{t+1}, (d_i^{t,k+m}, d_i^{t,k+m}) \right) \right. \\
& \quad \left. - v_i^{t+1,k+m+1} \left(s^{t+1}, (d_i^{t,k+m+1}, d_i^{t,k+m+1}) \right) \right]
\end{aligned} \tag{A.29}$$

And by claim 2:

$$\begin{aligned}
& (e_B^{t,k} - e_N^{t,k}) p_L \\
& \leq (T - (t+1)) [\alpha_B q_H p_H - I \alpha_N (1-q_H) p_L] + \alpha_B [q_H p_H + (1-q_H) p_L]
\end{aligned} \tag{A.30}$$

□

SM.7

Lemma 4. *The fixed symmetric strategy profile where $d^{t,k} = \tilde{B}N, \forall k \in \{0, 1, \dots, nt\}, t = 0, \dots, T-1$ and $d^{T,k} = \tilde{B}, \forall k \in \{0, 1, \dots, nT\}$ is an optimal policy if*

$$\begin{aligned}
& (e_B^{t,k} - e_N^{t,k}) p_L \\
& \leq n \left([T - (t+1)] [\alpha_B q_H p_H - I \alpha_N (1-q_H) p_L] + \alpha_B [q_H p_H + (1-q_H) p_L] \right) \\
& \leq (e_B^{t,k} - e_N^{t,k}) p_H
\end{aligned}$$

Proof. (i) By lemma 2, in E-state t, k the social planner has no incentive to deviate to $d^{t,k} = \tilde{N}$ if

$$\begin{aligned}
& (e_B^{t,k} - e_N^{t,k}) q_H p_H \\
& \geq \sum_{m=0}^n \binom{n}{m} q_H^m (1-q_H)^{n-m} \left[v_i^{t+1,k} \left(s^{t+1}, (d_i^{t,k}, d_i^{t,k}) \right) \right. \\
& \quad \left. - v_i^{t+1,k+m} \left(s^{t+1}, (d_i^{t,k+m}, d_i^{t,k+m}) \right) \right]
\end{aligned} \tag{A.31}$$

Let $\delta v_i^{t+1,k} = v_i^{t+1,k} \left(s^{t+1}, \left(d_i^{t,k}, d_i^{t,k} \right) \right) - v_i^{t+1,k+1} \left(s^{t+1}, \left(d_i^{t,k+1}, d_i^{t,k+1} \right) \right)$.

$$\begin{aligned} & \sum_{m=0}^n \binom{n}{m} q_H^m (1 - q_H)^{n-m} \left[v_i^{t+1,k} \left(s^{t+1}, \left(d_i^{t,k}, d_i^{t,k} \right) \right) \right. \\ & \quad \left. - v_i^{t+1,k+m} \left(s^{t+1}, \left(d_i^{t,k+m}, d_i^{t,k+m} \right) \right) \right] \\ &= \sum_{m=0}^n \binom{n}{m} q_H^m (1 - q_H)^{n-m} m \delta v_i^{t+1,k} \\ &= \delta v_i^{t+1,k} \left(\sum_{m=0}^n \binom{n}{m} q_H^m (1 - q_H)^{n-m} m \right) \\ &= \delta v_i^{t+1,k} \cdot n q_H \end{aligned}$$

Therefore, (A.31) and claim 2 implies

$$\begin{aligned} & (e_B^{t,k} - e_N^{t,k}) p_H \geq n \delta v_i^{t+1,k} \\ &= n \left[v_i^{t+1,k} \left(s^{t+1}, \left(d_i^{t,k}, d_i^{t,k} \right) \right) \right. \\ & \quad \left. - v_i^{t+1,k+1} \left(s^{t+1}, \left(d_i^{t,k+1}, d_i^{t,k+1} \right) \right) \right] \\ &= n \left[(T - (t + 1)) [\alpha_B q_H p_H - I \alpha_N (1 - q_H) p_L] + \alpha_B [q_H p_H + (1 - q_H) p_L] \right] \end{aligned} \tag{A.32}$$

(ii) By lemma 2, in E-state t, k the social planner has no incentive to deviate to $d^{t,k} = \tilde{B}$ if

$$\begin{aligned} & (e_B^{t,k} - e_N^{t,k}) (1 - q_H) p_L \\ &\leq \sum_{m=0}^n \binom{n}{m} q_H^m (1 - q_H)^{n-m} \left[v_i^{t+1,k+m} \left(s^{t+1}, \left(d_i^{t,k+m}, d_i^{t,k+m} \right) \right) \right. \\ & \quad \left. - v_i^{t+1,k+n} \left(s^{t+1}, \left(d_i^{t,k+n}, d_i^{t,k+n} \right) \right) \right] \end{aligned} \tag{A.33}$$

Using $\delta v_i^{t+1,k} = v_i^{t+1,k} \left(s^{t+1}, \left(d_i^{t,k}, d_i^{t,k} \right) \right) - v_i^{t+1,k+1} \left(s^{t+1}, \left(d_i^{t,k+1}, d_i^{t,k+1} \right) \right)$.

$$\begin{aligned} & \sum_{m=0}^n \binom{n}{m} q_H^m (1 - q_H)^{n-m} \left[v_i^{t+1,k+m} \left(s^{t+1}, \left(d_i^{t,k+m}, d_i^{t,k+m} \right) \right) \right. \\ & \quad \left. - v_i^{t+1,k+n} \left(s^{t+1}, \left(d_i^{t,k+n}, d_i^{t,k+n} \right) \right) \right] \\ &= \sum_{m=0}^n \binom{n}{m} q_H^m (1 - q_H)^{n-m} (n - m) \delta v_i^{t+1,k} \\ &= \delta v_i^{t+1,k} \left(n - \sum_{m=0}^n \binom{n}{m} q_H^m (1 - q_H)^{n-m} m \right) \\ &= \delta v_i^{t+1,k} (n - n q_H) \\ &= n (1 - q_H) \delta v_i^{t+1,k} \end{aligned}$$

Therefore, (A.33) implies

$$\begin{aligned}
(e_B^{t,k} - e_N^{t,k}) p_L &\leq n \delta v_i^{t+1,k} \\
&= n \left[v_i^{t+1,k} \left(s^{t+1}, (d_i^{t,k}, d_i^{t,k}) \right) \right. \\
&\quad \left. - v_i^{t+1,k+1} \left(s^{t+1}, (d_i^{t,k+1}, d_i^{t,k+1}) \right) \right] \\
&= n \left[(T - (t + 1)) [\alpha_B q_H p_H - I \alpha_N (1 - q_H) p_L] + \alpha_B [q_H p_H + (1 - q_H) p_L] \right]
\end{aligned} \tag{A.34}$$

□

SM.8

Theorem 2. *If condition 3 holds, then if the fixed symmetric strategy profile where $d_i^{t,k} = \tilde{B}N, \forall k \in \{0, 1, \dots, nt\}, \forall i \in \{1, \dots, n\}, t = 0, \dots, T-1$ and $d_i^{T,k} = \tilde{B}, \forall k \in \{0, 1, \dots, nT\}, \forall i \in \{1, \dots, n\}$ (“the signal-based policy”) is socially optimal, individual player may have an incentive to deviate towards an excessive use of B. Furthermore, if this strategy profile is not optimal for a given combination of medical parameters ($e_B, e_N, \alpha_B, \alpha_N, q_H, p_H, p_L, I$) when $n = 1$, it may be optimal as the number of patients grows, but will never be an MPE.*

Proof. By lemma 3 the fixed symmetric strategy profile where $d_i^{t,k} = \tilde{B}N, \forall k \in \{0, 1, \dots, nt\}, \forall i \in \{1, \dots, n\}, t = 0, \dots, T-1$ and $d_i^{T,k} = \tilde{B}, \forall k \in \{0, 1, \dots, nT\}, \forall i \in \{1, \dots, n\}$ is a MPE if

$$\begin{aligned}
&(e_B^{t,k} - e_N^{t,k}) p_L \\
&\leq [T - (t + 1)] [\alpha_B q_H p_H - I \alpha_N (1 - q_H) p_L] + \alpha_B [q_H p_H + (1 - q_H) p_L] \\
&\leq (e_B^{t,k} - e_N^{t,k}) p_H
\end{aligned}$$

And by lemma 4 the fixed symmetric strategy profile where $d_i^{t,k} = \tilde{B}N, \forall k \in \{0, 1, \dots, nt\}, t = 0, \dots, T-1$ and $d_i^{T,k} = \tilde{B}, \forall k \in \{0, 1, \dots, nT\}$ is an optimal policy if

$$\begin{aligned}
&(e_B^{t,k} - e_N^{t,k}) p_L \\
&\leq n ([T - (t + 1)] [\alpha_B q_H p_H - I \alpha_N (1 - q_H) p_L] + \alpha_B [q_H p_H + (1 - q_H) p_L]) \\
&\leq (e_B^{t,k} - e_N^{t,k}) p_H
\end{aligned}$$

And if condition 3 holds then

$$\begin{aligned}
&n ([T - (t + 1)] [\alpha_B q_H p_H - I \alpha_N (1 - q_H) p_L] + \alpha_B [q_H p_H + (1 - q_H) p_L]) \\
&\geq [T - (t + 1)] [\alpha_B q_H p_H - I \alpha_N (1 - q_H) p_L] + \alpha_B [q_H p_H + (1 - q_H) p_L]
\end{aligned}$$

□