

# Global landscape of *Streptococcus pneumoniae* serotypes colonising healthy individuals worldwide before vaccine introduction; a systematic review and meta-analysis

## Appendix 5

Samuel Clifford PhD<sup>1</sup>      Maria D Knoll PhD<sup>2</sup>      Katherine L O'Brien MD<sup>2</sup>      Timothy M Pollington PhD<sup>2</sup>      Riya Moodley MD<sup>1</sup>  
 RESPICAR Consortium (group)      W John Edmunds PhD<sup>1</sup>      Stefan Flasche PhD<sup>1</sup>      Olivier le Polain de Waroux PhD<sup>1</sup>

<sup>1</sup> Department of Infectious Disease Epidemiology, London School of Hygiene & Tropical Medicine, London, WC1E 7HT, UK

<sup>2</sup> Department of International Health, Johns Hopkins Bloomberg School of Public Health, Baltimore, 21205, US

Table 1: Datasets included in the RESPICAR systematic review. Design: CS - Cross-sectional; Long. - Longitudinal; Unkn. - Unknown design. Sampling strategy: Rand. - Random/community; Outp. - Outpatients; Trial - Trial arm

First author (date)	Reference	Year started	Country	ISO 3166-1	Continent	Design	Sampling strategy	Ethnic Minority	Age group	Age range (years)	Median age (years)	# Positive	# Total	Prevalence
Adetifa (2012)	Pre-vaccination nasopharyngeal pneumococcal carriage in a Nigerian population: epidemiology and population biology. PLOS ONE 7 (1)	2010	Nigeria	566	Africa	CS	Rand.	No	<5y	0–4	Unknown	375	524	72%
		2010	Nigeria	566	Africa	CS	Rand.	No	5–17y	5–14	Unknown	63	120	52%
		2010	Nigeria	566	Africa	CS	Rand.	No	18+y	≥18	Unknown	90	361	25%
Aho (2016)	Limited impact of neonatal or early infant schedules of 7-valent pneumococcal conjugate vaccination on nasopharyngeal carriage of <i>Streptococcus pneumoniae</i> in Papua New Guinean children: a randomized controlled trial. Vaccine Reports 6	2005	Papua New Guinea	598	Oceania	Long.	Rand.	No	<5y	<1	0	62	79	78%
Al-Lahham (2009)	Resistance Patterns and Risk Factors of <i>Streptococcus pneumoniae</i> Carriage in Healthy Jordanian Children. Abstracts of the Interscience Conference on Antimicrobial Agents and Chemotherapy 49 (C2-1396)	2009	Jordan	400	Asia	CS	Outp.	No	<5y	0–4	Unknown	65	118	55%
Altuzarra (2007)	Nasal carriage of <i>Streptococcus pneumoniae</i> in elderly subjects according to vaccination status. SpanishPortacion nasal de <i>Streptococcus pneumoniae</i> en adulto mayor y su respuesta frente a la vacunacion antineumococica. Revista Medica de Chile 135 (2)	1998	Chile	152	Americas	CS	Unkn.	No	18+y	60–60	Unknown	19	118	16%
Amaro (2018)	Prevalence of naso-pharyngeal Pneumococcal colonization in children between 1 to 5 years old in pre-school educative centers. 2014-2015. Medisur-Revista De Ciencias Medicas De Cienfuegos 16 (3)	2014	Cuba	192	Americas	CS	Unkn.	No	<5y	1–5	3	356	1129	32%
Andrade (2010)	Survey of nonsusceptible nasopharyngeal streptococcus pneumoniae isolates in children attending day-care centers in Brazil. Pediatric Infectious Disease Journal 29	2005	Brazil	76	Americas	CS	Unkn.	No	<5y	<1	0	6	20	30%
		2005	Brazil	76	Americas	CS	Unkn.	No	<5y	1–1	1	80	190	42%
		2005	Brazil	76	Americas	CS	Unkn.	No	<5y	2–4	3	244	979	25%
		2008	Brazil	76	Americas	CS	Unkn.	No	<5y	<1	0	3	7	43%

Andrade (2012)	Molecular epidemiological investigation to determine the source of a fatal case of serotype 22F pneumococcal meningitis. <i>Journal of Medical Microbiology</i> 61	2008	Brazil	76	Americas	CS	Unkn.	No	<5y	1–1	1	4	7	57%
		2008	Brazil	76	Americas	CS	Unkn.	No	<5y	2–4	3	61	102	60%
		1993	Cyprus	196	Asia	CS	Outp.	No	<5y	0–4	Unknown	12	100	12%
		1993	Bulgaria	100	Europe	CS	Outp.	No	<5y	0–4	Unknown	35	216	16%
Appelbaum (1996)	Carriage of antibiotic-resistant <i>Streptococcus pneumoniae</i> by children in eastern and central Europe-a multicenter study with use of standardized methods. <i>Clinical Infectious Diseases</i> 23	1993	Poland	616	Europe	CS	Outp.	No	<5y	0–4	Unknown	42	69	61%
		1993	Romania	642	Europe	CS	Outp.	No	<5y	0–4	Unknown	5	100	5%
		1993	Russia	643	Europe	CS	Outp.	No	<5y	0–4	Unknown	61	253	24%
		1993	Slovakia	703	Europe	CS	Outp.	No	<5y	0–4	Unknown	103	216	48%
Arason (1996)	Do antimicrobials increase the carriage rate of penicillin resistant pneumococci in children? Cross sectional prevalence study. <i>British Medical Journal</i> 313 (7054)	1992	Iceland	352	Europe	CS	Outp.	No	<5y	0–6	Unknown			Unkn.
Aslan (2007)	Serotype distribution of <i>Streptococcus pneumoniae</i> strains in the nasopharynx of healthy Turkish children. <i>Indian Journal of Medical Research</i> 125 (4)	2003	Turkey	792	Asia	CS	Unkn.	No	5–17y	6–13	9	201	1440	14%
Auranen (2010)	Between-strain competition in acquisition and clearance of pneumococcal carriage—epidemiologic evidence from a longitudinal study of day-care children. <i>American Journal of Epidemiology</i> 171	1999	Denmark	208	Europe	Long.	Unkn.	No	<5y	0–3	2	423	571	74%
Badawy (2017)	Serotypes of <i>Streptococcus pneumoniae</i> in Egyptian children: are they covered by pneumococcal conjugate vaccines?. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> 36 (12)	1999	Denmark	208	Europe	Long.	Unkn.	No	18+y	≥18	Unknown	35	161	22%
Bae (2013)	Prevalent Multidrug-resistant Nonvaccine Serotypes in Pneumococcal Carriage of Healthy Korean Children Associated with the Low Coverage of the Seven-valent Pneumococcal Conjugate Vaccine. <i>Osong Public Health and Research Perspectives</i> 4	2012	Egypt	818	Africa	CS	Outp.	No	<5y	0–5	2	62	200	31%
Balicer (2010)	Control of <i>Streptococcus pneumoniae</i> serotype 5 epidemic of severe pneumonia among young army recruits by mass antibiotic treatment and vaccination. <i>Vaccine</i> 28 (34)	2006	South Korea	410	Asia	Long.	Unkn.	No	5–17y	6–10	8	155	1668	11%
Bayraktar (2005)	Nasopharyngeal carriage of <i>Streptococcus pneumoniae</i> in healthy children attending day care centres in Malatya. <i>Infeksiyon Dergisi. Turkish Journal of Infection</i> 19 (3)	2005	Israel	376	Asia	CS	Unkn.	No	18+y	18–20	18	58	142	41%
Berezin (2012)	Pneumococcal nasopharyngeal carriage in infants of mothers immunized with 23V non-conjugate pneumococcal polysaccharide vaccine. <i>Journal of Tropical Pediatrics</i> 58	2005	Brazil	76	Americas	CS	Outp.	No	<5y	<1	Unknown	31	139	22%
Berkovitch (2002)	Colonization rate of bacteria in the throat of healthy infants. <i>International Journal of Pediatric Otorhinolaryngology</i> 63	2000	Israel	376	Asia	CS	Outp.	No	<5y	0–1	1	23	1000	2%
Blossom (2007)	Characterization of penicillin intermediate serotypes of <i>Streptococcus pneumoniae</i> carried by human immunodeficiency virus-infected adults and healthy children in Uganda. <i>Microbial Drug Resistance</i> 13	2004	Uganda	800	Africa	CS	Outp.	No	<5y	0–2	Unknown	113		Unkn.
Bogaert (2001)	Pneumococcal carriage in children in The Netherlands: a molecular epidemiological study. <i>Journal of Clinical Microbiology</i> 39	1999	Netherlands	528	Europe	CS	Rand.	No	<5y	0–3	1	305		Unkn.
Bokaeian (2011)	Nasopharyngeal carriage, antibiotic resistance and serotype distribution of <i>Streptococcus pneumoniae</i> among healthy adolescents in Zahedan. <i>Iranian Red Crescent Medical Journal</i> 13 (5)	2007	Iran	364	Asia	CS	Unkn.	No	5–17y	10–19	Unknown	136	865	16%
Boken (1995)	Colonization with penicillin-resistant <i>Streptococcus pneumoniae</i> in a child-care center. <i>Pediatric Infectious Disease Journal</i> 14 (10)	1994	United States	840	Americas	CS	Unkn.	No	<5y	1–2	Unknown	32	54	59%
Boken (1996)	Colonization with penicillin-nonsusceptible <i>Streptococcus pneumoniae</i> in urban and rural child-care centers. <i>Pediatric Infectious Disease Journal</i> 15 (8)	1990	United States	840	Americas	CS	Unkn.	No	<5y	0–1	1	121	215	56%
Browall (2014)	Intraclonal variations among <i>Streptococcus pneumoniae</i> isolates influence the likelihood of invasive disease in children. <i>Journal of Infectious Diseases</i> 209 (3)	1997	Sweden	752	Europe	CS	Unkn.	No	<5y	<1	Unknown	55	550	10%
Brueggemann (2003)	Clonal relationships between invasive and carriage <i>Streptococcus pneumoniae</i> and serotype- and clone-specific differences in invasive disease potential. <i>Journal of Infectious Diseases</i> 187	1994	United Kingdom	826	Europe	Long.	Rand.	No	<5y	0–4	Unknown			Unkn.
Calderón-Jaimes (1993)	The resistance and serotyping of 83 strains of <i>Streptococcus pneumoniae</i> isolated from asymptomatic carriers and ill children. <i>Boletín Medico del Hospital Infantil de Mexico</i> 50 (12)	1992	Mexico	484	Americas	CS	Unkn.	No	<5y	2–5	Unknown	35	44	80%
Camurdan (2008)	Nasopharyngeal carriage of <i>Streptococcus pneumoniae</i> in healthy Turkish infants. <i>Journal of Infection</i> 56	2003	Turkey	792	Asia	CS	Outp.	No	<5y	1–2	1	127	564	23%

Cardozo (2006)	Antimicrobial resistance and serotypes of nasopharyngeal strains of <i>Streptococcus pneumoniae</i> in Brazilian adolescents. <i>Microbial Drug Resistance</i> 12 (1)	2003	Brazil	76	Americas	CS	Unkn.	No	5–17y	10–19	Unknown	83	1013	8%
		2003	Norway	578	Europe	Long.	Unkn.	No	<5y	1–1	1	6	10	60%
		2003	Norway	578	Europe	Long.	Unkn.	No	<5y	1–1	1	27	46	59%
		2003	Norway	578	Europe	Long.	Unkn.	No	<5y	2–4	Unknown	5	8	62%
		2003	Norway	578	Europe	Long.	Unkn.	No	<5y	2–4	Unknown	9	23	39%
Caugant (2006)	Carriage of <i>Streptococcus pneumoniae</i> in healthy Norwegian children attending day-care centres. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> 25	2003	Norway	578	Europe	Long.	Unkn.	No	5–17y	5–6	Unknown	6	16	38%
		2003	Norway	578	Europe	Long.	Unkn.	No	5–17y	5–6	Unknown	7	24	29%
		2003	Norway	578	Europe	Long.	Unkn.	No	<5y	1–1	1	33	56	59%
		2003	Norway	578	Europe	Long.	Unkn.	No	<5y	2–4	Unknown	14	31	45%
		2003	Norway	578	Europe	Long.	Unkn.	No	5–17y	5–6	Unknown	13	40	32%
		2004	Norway	578	Europe	Long.	Unkn.	No	<5y	1–1	Unknown	6	11	55%
		2004	Norway	578	Europe	Long.	Unkn.	No	<5y	2–4	Unknown	2	9	22%
		2004	Norway	578	Europe	Long.	Unkn.	No	5–17y	5–6	Unknown	5	16	31%
		2006	Norway	578	Europe	CS	Unkn.	No	<5y	<1	Unknown	2	3	67%
Caugant (2010)	Impact of a pneumococcal conjugate vaccination program on carriage among children in Norway. <i>Clinical and Vaccine Immunology</i> 17	2006	Norway	578	Europe	CS	Unkn.	No	<5y	1–1	Unknown	48	55	87%
		2006	Norway	578	Europe	CS	Unkn.	No	<5y	2–4	Unknown	325	409	79%
		2006	Norway	578	Europe	CS	Unkn.	No	<5y	5–5	5	74	106	70%
Cekmez (2009)	Pneumococcal serotypes recovered from healthy children and their possible association with risk factor in Istanbul, Turkey. <i>International Journal of Biomedical Science</i> 5 (2)	2007	Turkey	792	Asia	CS	Outp.	No	5–17y	4–6	Unknown	9	125	7%
Charveriat (2005)	Nasopharyngeal carriage of <i>Streptococcus pneumoniae</i> in healthy children, 2 to 24 months of age, in New-Caledonia. <i>French Etude du portage rhinopharyngé de Streptococcus pneumoniae chez les enfants sains ages de 2 a 24 mois en Nouvelle-Calédonie. Medecine et Maladies Infectieuses</i> 35	2002	New Caledonia	540	Oceania	CS	Outp.	No	<5y	0–1	1	544	1040	52%
Cherian (1999)	Nasopharyngeal colonization of infants in southern India with <i>Streptococcus pneumoniae</i> . <i>Epidemiology and Infection</i> 123	1994	India	356	Asia	Long.	Outp.	No	<5y	0–1	0	202	506	40%
Cheung (2009)	Nasopharyngeal carriage of <i>Streptococcus pneumoniae</i> in Gambian children who participated in a 9-valent pneumococcal conjugate vaccine trial and in their younger siblings. <i>Pediatric Infectious Disease Journal</i> 28	2003	Gambia	270	Africa	CS	Trial	No	<5y	0–1	1	996	1061	94%
		2003	Gambia	270	Africa	CS	Trial	No	<5y	1–3	1	910	961	95%
		2004	Gambia	270	Africa	CS	Trial	No	<5y	<1	0	305	329	93%
Coles (2002)	Nasopharyngeal carriage of resistant pneumococci in young South Indian infants. <i>Epidemiology and Infection</i> 129	1998	India	356	Asia	Long.	Rand.	No	<5y	<1	0	247	352	70%
		1998	India	356	Asia	Long.	Rand.	No	<5y	<1	0	259	404	64%
		1998	India	356	Asia	Long.	Rand.	No	<5y	<1	0	183	462	40%
Coles (2009)	Nasopharyngeal carriage of S-pneumoniae among young children in rural Nepal. <i>Tropical Medicine and International Health</i> 14	2003	Nepal	524	Asia	CS	Rand.	No	<5y	<1	0	118	149	79%
		2003	Nepal	524	Asia	CS	Rand.	No	<5y	1–1	1	249	300	83%
		2003	Nepal	524	Asia	CS	Rand.	No	<5y	2–4	3	84	101	83%
Coles (2011)	Newborn vitamin A supplementation does not affect nasopharyngeal carriage of <i>Streptococcus pneumoniae</i> in Bangladeshi infants at age 3 months. <i>Journal of Nutrition</i> 141	2004	Bangladesh	50	Asia	CS	Rand.	No	<5y	<1	0	354	500	71%
Conklin (2016)	High <i>Streptococcus pneumoniae</i> colonization prevalence among HIV-infected Kenyan parents in the year before pneumococcal conjugate vaccine introduction. <i>BMC Infectious Diseases</i> 16	2009	Kenya	404	Africa	CS	Unkn.	No	18+y	30–40	Unknown	41	153	27%
da Gloria Carvalho (2013)	Non-pneumococcal mitis-group streptococci confound detection of pneumococcal capsular serotype-specific loci in upper respiratory tract. <i>PeerJ</i> 1 (e97)	2009	Kenya	404	Africa	CS	Outp.	No	<5y	0–4	Unknown	202	237	85%
		2009	Kenya	404	Africa	CS	Outp.	No	18+y	≥18	Unknown	5	40	12%
		2009	Israel	376	Asia	CS	Outp.	Yes	<5y	<1	Unknown	23	84	27%
		2009	Israel	376	Asia	CS	Outp.	Yes	<5y	1–1	Unknown	29	83	35%

Daana (2015)	Measuring the effects of pneumococcal conjugate vaccine (PCV7) on <i>Streptococcus pneumoniae</i> carriage and antibiotic resistance: The Palestinian-Israeli Collaborative Research (PICR). <i>Vaccine</i> 33 (8)	2009	Israel	376	Asia	CS	Outp.	Yes	<5y	2–4	Unknown	49	180	27%
		2009	Palestinian Territories	275	Asia	CS	Outp.	Yes	<5y	<1	Unknown	100	270	37%
		2009	Palestinian Territories	275	Asia	CS	Outp.	Yes	<5y	1–1	Unknown	65	165	39%
		2009	Palestinian Territories	275	Asia	CS	Outp.	Yes	<5y	2–4	Unknown	58	186	31%
Dagan (2005)	Serum serotype-specific pneumococcal capsular immunoglobulin G concentrations after immunization with a 9-valent conjugate pneumococcal vaccine correlate with nasopharyngeal acquisition of pneumococcus. <i>Journal of Infectious Diseases</i> 192 (3)	1996	Israel	376	Asia	Long.	Unkn.	No	<5y	2–4	2	284	367	77%
Dagan (2010)	Nasopharyngeal Carriage of <i>Streptococcus pneumoniae</i> Shortly before Vaccination with a Pneumococcal Conjugate Vaccine Causes Serotype-Specific Hyporesponsiveness in Early Infancy. <i>Journal of Infectious Diseases</i> 201	2005	Israel	376	Asia	CS	Trial	No	<5y	<1	Unknown	204	459	44%
		2005	Israel	376	Asia	Long.	Trial	No	<5y	<1	Unknown	33	95	35%
		2005	Israel	376	Asia	Long.	Trial	No	<5y	<1	Unknown	35	97	36%
		2005	Israel	376	Asia	Long.	Trial	No	<5y	<1	0	18	98	18%
Dagan (2012)	The effect of an alternative reduced-dose infant schedule and a second year catch-up schedule with 7-valent pneumococcal conjugate vaccine on pneumococcal carriage: a randomized controlled trial. <i>Vaccine</i> 30	2005	Israel	376	Asia	Long.	Trial	No	<5y	<1	Unknown	42	92	46%
		2005	Israel	376	Asia	Long.	Trial	No	<5y	<1	Unknown	62	79	78%
		2005	Israel	376	Asia	Long.	Trial	No	<5y	<1	Unknown	60	78	77%
		2005	Israel	376	Asia	Long.	Trial	No	<5y	<1	0	53	87	61%
		2005	Israel	376	Asia	Long.	Trial	No	<5y	<1	Unknown	56	79	71%
		2005	Israel	376	Asia	Long.	Trial	No	<5y	1–1	1	45	91	49%
		2005	Israel	376	Asia	Long.	Trial	No	<5y	1–1	1	55	78	71%
Darboe (2010)	The dynamics of nasopharyngeal <i>streptococcus pneumoniae</i> carriage among rural Gambian mother-infant pairs. <i>BMC Infectious Diseases</i> 10	2001	Gambia	270	Africa	Long.	Rand.	No	<5y	<1	Unknown	169	196	86%
		2001	Gambia	270	Africa	Long.	Rand.	No	<5y	1–1	1	182	196	93%
		2001	Gambia	270	Africa	Long.	Rand.	No	18+y	≥18	Unknown	43	196	22%
		2001	Gambia	270	Africa	Long.	Rand.	No	18+y	≥18	Unknown	45	196	23%
de Lencastre (1999)	Carriage and antibiotic resistance of respiratory pathogens and molecular epidemiology of antibiotic-resistant <i>Streptococcus pneumoniae</i> colonizing children in day-care centers in Lisbon: The Portuguese day-care center initiative. <i>Clinical Microbiology and Infection</i> 5	1996	Portugal	620	Europe	CS	Unkn.	No	<5y	<1	0	9	20	45%
		1996	Portugal	620	Europe	CS	Unkn.	No	<5y	1–1	1	34	46	74%
		1996	Portugal	620	Europe	CS	Unkn.	No	<5y	2–4	Unknown	147	303	49%
		1996	Portugal	620	Europe	CS	Unkn.	No	5–17y	5–6	5	84	217	39%
		1997	Portugal	620	Europe	CS	Unkn.	No	<5y	<1	Unknown	15	29	52%
		1997	Portugal	620	Europe	CS	Unkn.	No	<5y	1–1	1	42	65	65%
		1997	Portugal	620	Europe	CS	Unkn.	No	<5y	2–4	Unknown	200	414	48%
		1997	Portugal	620	Europe	CS	Unkn.	No	5–17y	5–6	5	92	237	39%
		1998	Portugal	620	Europe	CS	Unkn.	No	<5y	<1	0	22	31	71%
		1998	Portugal	620	Europe	CS	Unkn.	No	<5y	1–1	1	50	80	62%
		1998	Portugal	620	Europe	CS	Unkn.	No	<5y	2–4	Unknown	242	398	61%
		1998	Portugal	620	Europe	CS	Unkn.	No	5–17y	5–6	5	139	271	51%
		1999	Portugal	620	Europe	CS	Unkn.	No	<5y	<1	Unknown	26	43	60%
		1999	Portugal	620	Europe	CS	Unkn.	No	<5y	1–1	Unknown	74	109	68%

de Lencastre (2005)	Trends in drug resistance, serotypes, and molecular types of <i>Streptococcus pneumoniae</i> colonizing preschool-age children attending day care centers in Lisbon, Portugal: A summary of 4 years of annual surveillance. <i>Journal of Clinical Microbiology</i> 43	1999	Portugal	620	Europe	CS	Unkn.	No	<5y	2–4	Unknown	335	528	63%
de Miguel-Martinez (2008)	Efficacy of heptavalent pneumococcal conjugate vaccine in children with cochlear implant. <i>Acta Otorrinolaringologica Espanola</i> 59	1999	Portugal	620	Europe	CS	Unkn.	No	5–17y	5–6	5	155	254	61%
de Waard (2007)	Pneumococcal carriage among indigenous Warao children in Venezuela: serotypes, susceptibility patterns, and molecular epidemiology. <i>Clinical Infectious Diseases</i> 45	2005	Spain	724	Europe	CS	Unkn.	No	<5y	2–5	3	15	60	25%
de Waard (2007)	Pneumococcal carriage among indigenous Warao children in Venezuela: serotypes, susceptibility patterns, and molecular epidemiology. <i>Clinical Infectious Diseases</i> 45	2000	Venezuela	862	Americas	CS	Rand.	Yes	<5y	1–2	2	72	140	51%
de Waard (2007)	Pneumococcal carriage among indigenous Warao children in Venezuela: serotypes, susceptibility patterns, and molecular epidemiology. <i>Clinical Infectious Diseases</i> 45	2004	Venezuela	862	Americas	CS	Rand.	Yes	<5y	<1	0	24	57	42%
de Waard (2007)	Pneumococcal carriage among indigenous Warao children in Venezuela: serotypes, susceptibility patterns, and molecular epidemiology. <i>Clinical Infectious Diseases</i> 45	2004	Venezuela	862	Americas	CS	Rand.	Yes	<5y	3–4	3	51	115	44%
de Waard (2007)	Pneumococcal carriage among indigenous Warao children in Venezuela: serotypes, susceptibility patterns, and molecular epidemiology. <i>Clinical Infectious Diseases</i> 45	2004	Venezuela	862	Americas	CS	Rand.	Yes	<5y	5–5	5	14	44	32%
de Waard (2010)	Pneumococcal carriage in mothers and children of the panare amerindians from the state of Bolivar, Venezuela. SpanishEstado de portador nasofaringeo de streptococcus pneumoniae en madres e hijos de la poblacion indigena panare del estado Bolivar, Venezuela. <i>Revista Argentina de Microbiologia</i> 42	2008	Venezuela	862	Americas	CS	Rand.	Yes	<5y	<1	0	7	11	64%
de Waard (2010)	Pneumococcal carriage in mothers and children of the panare amerindians from the state of Bolivar, Venezuela. SpanishEstado de portador nasofaringeo de streptococcus pneumoniae en madres e hijos de la poblacion indigena panare del estado Bolivar, Venezuela. <i>Revista Argentina de Microbiologia</i> 42	2008	Venezuela	862	Americas	CS	Rand.	Yes	<5y	1–2	Unknown	21	27	78%
de Waard (2010)	Pneumococcal carriage in mothers and children of the panare amerindians from the state of Bolivar, Venezuela. SpanishEstado de portador nasofaringeo de streptococcus pneumoniae en madres e hijos de la poblacion indigena panare del estado Bolivar, Venezuela. <i>Revista Argentina de Microbiologia</i> 42	2008	Venezuela	862	Americas	CS	Rand.	Yes	<5y	3–4	Unknown	30	46	65%
de Waard (2011)	Carriage and invasive isolates of <i>Streptococcus pneumoniae</i> in Caracas, Venezuela: The relative invasiveness of serotypes and vaccine coverage. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> 30	2007	Venezuela	862	Americas	CS	Outp.	No	<5y	0–3	Unknown	182	894	20%
Dunais (2011)	A decade-long surveillance of nasopharyngeal colonisation with <i>Streptococcus pneumoniae</i> among children attending day-care centres in south-eastern France: 1999–2008. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> 30	1999	France	250	Europe	CS	Unkn.	No	<5y	<1	0	25	44	57%
Dunais (2011)	A decade-long surveillance of nasopharyngeal colonisation with <i>Streptococcus pneumoniae</i> among children attending day-care centres in south-eastern France: 1999–2008. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> 30	1999	France	250	Europe	CS	Unkn.	No	<5y	1–1	1	76	123	62%
Dunais (2011)	A decade-long surveillance of nasopharyngeal colonisation with <i>Streptococcus pneumoniae</i> among children attending day-care centres in south-eastern France: 1999–2008. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> 30	1999	France	250	Europe	CS	Unkn.	No	<5y	2–4	Unknown	60	131	46%
Dunais (2011)	A decade-long surveillance of nasopharyngeal colonisation with <i>Streptococcus pneumoniae</i> among children attending day-care centres in south-eastern France: 1999–2008. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> 30	2002	France	250	Europe	CS	Unkn.	No	<5y	<1	0	33	57	58%
Dunais (2011)	A decade-long surveillance of nasopharyngeal colonisation with <i>Streptococcus pneumoniae</i> among children attending day-care centres in south-eastern France: 1999–2008. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> 30	2002	France	250	Europe	CS	Unkn.	No	<5y	1–1	1	67	115	58%
Dunais (2011)	A decade-long surveillance of nasopharyngeal colonisation with <i>Streptococcus pneumoniae</i> among children attending day-care centres in south-eastern France: 1999–2008. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> 30	2002	France	250	Europe	CS	Unkn.	No	<5y	2–4	Unknown	72	122	59%
Dunne (2018)	Carriage of <i>streptococcus pneumoniae</i> , <i>haemophilus influenzae</i> , <i>moraxella catarrhalis</i> , and <i>staphylococcus aureus</i> in Indonesian children: A cross-sectional study. <i>PLOS ONE</i> 13 (4)	2016	Indonesia	360	Asia	CS	Rand.	No	<5y	1–2	Unknown	147	302	49%
Egere (2012)	Indirect effect of 7-valent pneumococcal conjugate vaccine on pneumococcal carriage in newborns in rural Gambia: a randomised controlled trial. <i>PLOS ONE</i> 7	2006	Gambia	270	Africa	Long.	Rand.	No	<5y	0–1	Unknown	572	963	59%
El-Nawawy (2015)	Nasopharyngeal Carriage, Capsular and Molecular Serotyping and Antimicrobial Susceptibility of <i>Streptococcus pneumoniae</i> among Asymptomatic Healthy Children in Egypt. <i>Journal of Tropical Pediatrics</i> 61 (1)	2013	Egypt	818	Africa	CS	Outp.	No	<5y	0–5	1	175	600	29%
Espinosa-de los Monteros (2007)	<i>Streptococcus pneumoniae</i> isolates in healthy children attending day-care centers in 12 state in Mexico. <i>Salud Publica de Mexico</i> 49	2002	Mexico	484	Americas	CS	Unkn.	No	<5y	1–6	Unknown	829	2777	30%
Espinosa-de los Monteros (2010)	Serotype replacement of <i>Streptococcus pneumoniae</i> in children with pneumococcal conjugate vaccine 7V in Mexico. (Spanish). <i>Salud Publica de Mexico</i> 52 (1)	2004	Mexico	484	Americas	CS	Outp.	No	<5y	<1	Unknown	58	183	32%
Factor (2005)	<i>Streptococcus pneumoniae</i> and <i>Haemophilus influenzae</i> type B Carriage, Central Asia. <i>Emerging Infectious Diseases</i> 11	1997	Kazakhstan	398	Asia	CS	Outp.	No	<5y	0–4	Unknown	375	630	60%
Farida (2014)	Nasopharyngeal carriage of <i>Streptococcus pneumoniae</i> in pneumonia-prone age groups in Semarang, Java Island, Indonesia. <i>PLOS ONE</i> 9	2010	Indonesia	360	Asia	CS	Rand.	No	<5y	<1	0	21	45	47%
Farida (2014)	Nasopharyngeal carriage of <i>Streptococcus pneumoniae</i> in pneumonia-prone age groups in Semarang, Java Island, Indonesia. <i>PLOS ONE</i> 9	2010	Indonesia	360	Asia	CS	Rand.	No	<5y	1–1	Unknown	24	57	42%
Farida (2014)	Nasopharyngeal carriage of <i>Streptococcus pneumoniae</i> in pneumonia-prone age groups in Semarang, Java Island, Indonesia. <i>PLOS ONE</i> 9	2010	Indonesia	360	Asia	CS	Rand.	No	<5y	2–4	Unknown	60	141	43%
Feikin (2003)	Antibiotic resistance and serotype distribution of <i>Streptococcus pneumoniae</i> colonizing rural Malawian children. <i>Pediatric Infectious Disease Journal</i> 22	1997	Malawi	454	Africa	CS	Outp.	No	<5y	0–4	Unknown	761	906	84%
Feikin (2003)	Antibiotic resistance and serotype distribution of <i>Streptococcus pneumoniae</i> colonizing rural Malawian children. <i>Pediatric Infectious Disease Journal</i> 22	2000	United Kingdom	826	Europe	Long.	Rand.	No	<5y	2–5	Unknown	34	126	27%
Feikin (2003)	Antibiotic resistance and serotype distribution of <i>Streptococcus pneumoniae</i> colonizing rural Malawian children. <i>Pediatric Infectious Disease Journal</i> 22	2000	United Kingdom	826	Europe	Long.	Rand.	No	18+y	18–59	Unknown	6	138	4%
Feikin (2003)	Antibiotic resistance and serotype distribution of <i>Streptococcus pneumoniae</i> colonizing rural Malawian children. <i>Pediatric Infectious Disease Journal</i> 22	2001	United Kingdom	826	Europe	Long.	Rand.	No	<5y	2–5	Unknown	5	203	2%

Finn (2003)	Pneumococcal nasopharyngeal carriage in children following heptavalent pneumococcal conjugate vaccination in infancy. Archives of Disease in Childhood 88		2001	United Kingdom	826	Europe	Long.	Rand.	No	<5y	2–5	Unknown	78	188	41%
Frazão (2010)	Impact of a single dose of the 7-valent pneumococcal conjugate vaccine on colonization. Vaccine 28 (19)	2001	Portugal	620	Europe	Long.	Trial	No	<5y	0–2	Unknown	68	85	80%	
Galanis (2016)	Effects of PCV7 and PCV13 on invasive pneumococcal disease and carriage in Stockholm, Sweden. European Respiratory Journal 47 (4)	2004	Sweden	752	Europe	CS	Unkn.	No	<5y	1–5	Unknown	260	719	36%	
Ganaie (2018)	Impact of Hajj on the <i>S. pneumoniae</i> carriage among Indian pilgrims during 2016- a longitudinal molecular surveillance study. Travel Medicine and Infectious Disease 23	2016	India	356	Asia	CS	Unkn.	No	18+y	18–100	56	145	807	18%	
Gentile (2009)	First National Study of Prevalence for Nasopharyngeal Carriage (NPC) of <i>Streptococcus pneumoniae</i> (Spn) among Non-Vaccinated Children Attending Daycare Centers in Argentina. Abstracts of the Interscience Conference on Antimicrobial Agents and Chemotherapy 49 (C2-1397)	2007	Argentina	32	Americas	CS	Unkn.	No	<5y	0–2	Unknown	211	381	55%	
Gessner (2001)	<i>Streptococcus pneumoniae</i> nasopharyngeal carriage prevalence, serotype distribution, and resistance patterns among children on Lombok Island, Indonesia. Clinical Infectious Diseases 32	1997	Indonesia	360	Asia	CS	Rand.	No	<5y	0–1	1	221	484	46%	
Gessner (2012)	Pneumococci in the African meningitis belt: meningitis incidence and carriage prevalence in children and adults. PLOS ONE 7	2008	Burkina Faso	854	Africa	Long.	Rand.	No	<5y	<1	Unknown	43	62	69%	
		2008	Burkina Faso	854	Africa	Long.	Rand.	No	<5y	1–4	Unknown	38	88	43%	
		2008	Burkina Faso	854	Africa	Long.	Rand.	No	18+y	5–39	Unknown	85	514	17%	
Ghaffar (2002)	Effects of large dosages of amoxicillin/clavulanate or azithromycin on nasopharyngeal carriage of <i>Streptococcus pneumoniae</i> , <i>Haemophilus influenzae</i> , nonpneumococcal alpha-hemolytic streptococci, and <i>Staphylococcus aureus</i> in children with acute otitis media. Clinical Infectious Diseases 34	1997	United States	840	Americas	CS	Rand.	No	<5y	0–5	Unknown	5	45	11%	
Giamarellou (2007)	Characterisation of macrolide-non-susceptible <i>Streptococcus pneumoniae</i> colonising children attending day-care centres in Athens, Greece during 2000 and 2003. Clinical Microbiology and	2000	Greece	300	Europe	CS	Unkn.	No	<5y	1–6	Unknown	461	1451	32%	
		2003	Greece	300	Europe	CS	Unkn.	No	<5y	1–6	Unknown	485	1396	35%	
Giamarellou (2007)	Infection 13 Nationwide surveillance of <i>Streptococcus pneumoniae</i> in Greece: patterns of resistance and serotype epidemiology. International Journal of Antimicrobial Agents 30	2004	Greece	300	Europe	CS	Unkn.	No	5–17y	0–6	5	793	2595	31%	
Glennie (2013)	Defective pneumococcal-specific Th1 responses in HIV-infected adults precedes a loss of control of pneumococcal colonization. Clinical Infectious Diseases 56	2010	Malawi	454	Africa	CS	Outp.	No	18+y	21–51	30	15	32	47%	
Gómez-Barreto (2002)	Carriage of antibiotic-resistant pneumococci in a cohort of a daycare center. Salud Publica de Mexico 44 (1)	1997	Mexico	484	Americas	Long.	Unkn.	No	<5y	1–5	Unknown	178	408	44%	
Gordon (2003)	Poor potential coverage for 7-valent pneumococcal conjugate vaccine, Malawi. Emerging Infectious Diseases 9 (6)	1998	Malawi	454	Africa	CS	Rand.	No	18+y	≥18	Unknown	54	500	11%	
Granat (2007)	Longitudinal study on pneumococcal carriage during the first year of life in Bangladesh. Pediatric Infectious Disease Journal 26	2000	Bangladesh	50	Asia	Long.	Rand.	No	<5y	0–1	Unknown	626	1459	43%	
Greenberg (2011)	Nasopharyngeal carriage of individual <i>Streptococcus pneumoniae</i> serotypes during pediatric pneumonia as a means to estimate serotype disease potential. Pediatric Infectious Disease Journal 30	2001	Israel	376	Asia	CS	Outp.	No	<5y	0–4	Unknown	1504	2055	73%	
Guillemot (1998)	Low dosage and long treatment duration of beta-lactam: Risk factors for carriage of penicillin-resistant <i>Streptococcus pneumoniae</i> . Journal of the American Medical Association 279 (5)	1995	France	250	Europe	CS	Unkn.	No	<5y	3–6	Unknown			Unkn.	
		2000	France	250	Europe	Long.	Unkn.	No	<5y	2–4	Unknown	47	212	22%	
		2000	France	250	Europe	Long.	Unkn.	No	<5y	2–4	Unknown	53	377	14%	
		2000	France	250	Europe	Long.	Unkn.	No	<5y	2–4	Unknown	100	257	39%	
		2000	France	250	Europe	Long.	Unkn.	No	<5y	2–4	Unknown	90	310	29%	
		2000	France	250	Europe	Long.	Unkn.	No	<5y	2–4	Unknown	50	183	27%	
		2000	France	250	Europe	Long.	Unkn.	No	<5y	2–4	Unknown	135	321	42%	
		2000	France	250	Europe	Long.	Unkn.	No	5–17y	5–6	Unknown	27	222	12%	
		2000	France	250	Europe	Long.	Unkn.	No	5–17y	5–6	Unknown	41	192	21%	
		2000	France	250	Europe	Long.	Unkn.	No	5–17y	5–6	Unknown	41	220	19%	
		2000	France	250	Europe	Long.	Unkn.	No	5–17y	5–6	Unknown	74	224	33%	

		2000	France	250	Europe	Long.	Unkn.	No	5–17y	5–6	Unknown	46	172	27%
		2000	France	250	Europe	Long.	Unkn.	No	5–17y	5–6	Unknown	114	278	41%
Hadinegoro (2016)	Nasopharyngeal Carriage of Streptococcus Pneumoniae in Healthy Children under Five Years Old in Central Lombok Regency, Indonesia. Southeast Asian Journal of Tropical Medicine and Public Health 47 (3)	2012	Indonesia	360	Asia	CS	Rand.	No	<5y	0–5	Unknown	554	1200	46%
Hammitt (2014)	Population effect of 10-valent pneumococcal conjugate vaccine on nasopharyngeal carriage of Streptococcus pneumoniae and non-typeable Haemophilus influenzae in Kilifi, Kenya: findings from cross-sectional carriage studies. Lancet Global Health 2	2009	Kenya	404	Africa	CS	Rand.	No	<5y	0–4	Unknown	229	308	74%
Hanieh (2014)	Streptococcus pneumoniae carriage prevalence in Nepal: Evaluation of a method for delayed transport of samples from remote regions and implications for vaccine implementation. PLOS ONE	2009	Nepal	524	Asia	CS	Outp.	No	<5y	0–2	Unknown	337	574	57%
Hanke (2016)	<sup>9</sup> Bacterial density, serotype distribution and antibiotic resistance of pneumococcal strains from the nasopharynx of peruvian children before and after pneumococcal conjugate vaccine 7. Pediatric Infectious Disease Journal 35 (4)	2009	Peru	604	Americas	CS	Rand.	No	<5y	0–3	Unknown	125		Unkn.
Harboe (2012)	A Pneumococcal carriage study in danish pre-school children before the introduction of pneumococcal conjugate vaccination. Open Microbiology Journal 6	1999	Denmark	208	Europe	CS	Unkn.	No	<5y	1–1	Unknown	247	437	57%
		1999	Denmark	208	Europe	CS	Unkn.	No	<5y	2–2	Unknown	247	437	57%
		1999	Denmark	208	Europe	CS	Unkn.	No	<5y	3–3	Unknown	247	437	57%
		1999	Denmark	208	Europe	CS	Unkn.	No	<5y	4–4	Unknown	247	437	57%
		1999	Denmark	208	Europe	CS	Unkn.	No	<5y	5–5	Unknown	247	437	57%
Heath (2018)	Nasopharyngeal carriage of streptococcus pneumoniae in children in Coastal Kenya. American Journal of Tropical Medicine and Hygiene 98 (4)	2006	Kenya	404	Africa	CS	Rand.	No	<5y	0–1	0	65	323	20%
		2014	Kenya	404	Africa	CS	Rand.	No	5–17y	4–7	6.1	65	323	20%
Hennessy (2002)	Changes in antibiotic-prescribing practices and carriage of penicillin-resistant Streptococcus pneumoniae: A controlled intervention trial in rural Alaska. Clinical Infectious Diseases 34	1998	United States	840	Americas	CS	Rand.	Yes	<5y	<1	0	14	29	48%
		1998	United States	840	Americas	CS	Rand.	Yes	<5y	1–1	Unknown	19	34	56%
		1998	United States	840	Americas	CS	Rand.	Yes	<5y	2–4	Unknown	64	102	63%
		1998	United States	840	Americas	CS	Rand.	Yes	5–17y	5–17	Unknown	201	428	47%
		1998	United States	840	Americas	CS	Rand.	Yes	18+y	≥60	Unknown	6	62	10%
		1998	United States	840	Americas	CS	Rand.	Yes	18+y	18–59	Unknown	61	448	14%
		1999	United States	840	Americas	CS	Rand.	Yes	<5y	<1	0	13	25	52%
		1999	United States	840	Americas	CS	Rand.	Yes	<5y	1–1	1	13	25	52%
		1999	United States	840	Americas	CS	Rand.	Yes	<5y	2–4	Unknown	46	87	53%
		1999	United States	840	Americas	CS	Rand.	Yes	5–17y	5–18	Unknown	170	425	40%
		1999	United States	840	Americas	CS	Rand.	Yes	18+y	≥60	Unknown	5	50	10%
		1999	United States	840	Americas	CS	Rand.	Yes	18+y	18–59	Unknown	48	400	12%
		2000	United States	840	Americas	CS	Rand.	Yes	<5y	<1	0	13	19	68%
		2000	United States	840	Americas	CS	Rand.	Yes	<5y	1–1	Unknown	11	19	58%
		2000	United States	840	Americas	CS	Rand.	Yes	<5y	2–4	Unknown	34	81	42%
		2000	United States	840	Americas	CS	Rand.	Yes	5–17y	5–17	Unknown	193	435	44%
		2000	United States	840	Americas	CS	Rand.	Yes	18+y	≥60	Unknown	4	61	7%
		2000	United States	840	Americas	CS	Rand.	Yes	18+y	18–59	Unknown	58	411	14%
Heath (2018)	Nasopharyngeal carriage of streptococcus pneumoniae in children in Coastal Kenya. American Journal of Tropical Medicine and Hygiene 98 (4)	1998	United States	840	Americas	CS	Rand.	Yes	<5y	<1	0	14	28	50%
		1998	United States	840	Americas	CS	Rand.	Yes	<5y	2–4	Unknown	40	86	47%
		1998	United States	840	Americas	CS	Rand.	Yes	5–17y	5–17	Unknown	152	340	45%

Hennessy (2002)	Effect of high-dose amoxicillin on the prevalence of penicillin-resistant <i>Streptococcus pneumoniae</i> in rural Alaska. <i>Journal of the American Medical Association</i> 287		1998	United States	840	Americas	CS	Rand.	Yes	18+y	≥60	Unknown	9	53	17%
			1998	United States	840	Americas	CS	Rand.	Yes	18+y	18-59	Unknown	49	357	14%
Henriques Normark (2003)	Clonal analysis of <i>Streptococcus pneumoniae</i> nonsusceptible to penicillin at day-care centers with index cases, in a region with low incidence of resistance: emergence of an invasive type 35B clone among carriers. <i>Microbial Drug Resistance</i> 9 (4)	1997	Sweden	752	Europe	CS	Unkn.	No	<5y	1-6	3	246	611	40%	
Hermans (2011)	Epidemiology of <i>Streptococcus pneumoniae</i> and <i>Staphylococcus aureus</i> colonization in healthy Venezuelan children. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> 30	2007	Venezuela	862	Americas	CS	Unkn.	No	<5y	2-5	5	71	250	28%	
Hill (2008)	Nasopharyngeal carriage of <i>Streptococcus pneumoniae</i> in Gambian infants: A longitudinal study. <i>Clinical Infectious Diseases</i> 46	2005	Gambia	270	Africa	Long.	Trial	No	<5y	0-1	0	2710	3145	86%	
Hjalmarsdottir (2015)	Prevalence of pilus genes in pneumococci isolated from healthy preschool children in Iceland: association with vaccine serotypes and antibiotic resistance. <i>Journal of Antimicrobial Chemotherapy</i> 70 (8)	2009	Iceland	352	Europe	CS	Unkn.	No	<5y	1.2-6.3	Unknown	372	516	72%	
Hjalmarsdottir (2016)	Cocolonization of Pneumococcal Serotypes in Healthy Children Attending Day Care Centers: Molecular Versus Conventional Methods. <i>Pediatric Infectious Disease Journal</i> 35 (5)	2009	Iceland	352	Europe	CS	Unkn.	No	<5y	1.2-6.3	4.2	371	514	72%	
Ho (2004)	Serotype distribution and antimicrobial resistance patterns of nasopharyngeal and invasive <i>Streptococcus pneumoniae</i> isolates in Hong Kong children. <i>Vaccine</i> 22	1999	Hong Kong SAR China	344	Asia	CS	Unkn.	No	<5y	2-4	3	209	1079	19%	
		1999	Hong Kong SAR China	344	Asia	CS	Unkn.	No	5-17y	5-6	Unknown	174	898	19%	
Hogberg (2007)	Age- and serogroup-related differences in observed durations of nasopharyngeal carriage of penicillin-resistant pneumococci. <i>Journal of Clinical Microbiology</i> 45	1995	Sweden	752	Europe	CS	Unkn.	No	<5y	1-1	1			Unkn.	
		1995	Sweden	752	Europe	CS	Unkn.	No	5-17y	5-6	Unknown	339		Unkn.	
		1995	Sweden	752	Europe	CS	Unkn.	No	5-17y	7-18	Unknown			Unkn.	
		1995	Sweden	752	Europe	CS	Unkn.	No	18+y	≥18	Unknown	256		Unkn.	
		1998	Sweden	752	Europe	CS	Unkn.	No	<5y	3-4	Unknown	632		Unkn.	
Hu (2016)	Streptococcus pneumoniae and <i>Haemophilus influenzae</i> type b carriage in Chinese children aged 12-18 months in Shanghai, China: a cross-sectional study. <i>BMC Infectious Diseases</i> 16	2009	China	156	Asia	CS	Outp.	No	<5y	1-1.5	Unknown	102	614	17%	
Huebner (1997)	Nasopharyngeal carriage of community-acquired, antibiotic-resistant <i>Streptococcus pneumoniae</i> in a Zambian paediatric population. <i>Bulletin of the World Health Organization</i> 75	1994	Zambia	894	Africa	CS	Outp.	No	<5y	0-5	Unknown	187	260	72%	
Huebner (2000)	Prevalence of nasopharyngeal antibiotic-resistant pneumococcal carriage in children attending private paediatric practices in Johannesburg. <i>South African Medical Journal</i> 90	1999	South Africa	710	Africa	CS	Outp.	No	<5y	1-5	Unknown	121	303	40%	
Hussain (2005)	A longitudinal household study of <i>Streptococcus pneumoniae</i> nasopharyngeal carriage in a UK setting. <i>Epidemiology and Infection</i> 133 (5)	2001	United Kingdom	826	Europe	CS	Unkn.	No	<5y	0-4	Unknown			Unkn.	
		2001	United Kingdom	826	Europe	CS	Unkn.	No	5-17y	5-19	Unknown			Unkn.	
		2001	United Kingdom	826	Europe	CS	Unkn.	No	18+y	≥20	Unknown			Unkn.	
Ishihara (2015)	Detection and Serotyping of <i>Streptococcus pneumoniae</i> Carried in Healthy Adults with a Modified PCR Method. (Japanese). <i>Kansenshogaku zasshi. The Journal of the Japanese Association for Infectious Diseases</i> 89 (3)	2011	Japan	392	Asia	Unkn.	Unkn.	No	18+y	≥40	Unknown	36	110	33%	
Joloba (2001)	High prevalence of carriage of antibiotic-resistant <i>Streptococcus pneumoniae</i> in children in Kampala Uganda. <i>International Journal of Antimicrobial Agents</i> 17	1995	Uganda	800	Africa	CS	Outp.	No	<5y	0-3	Unknown	118	191	62%	
Jourdain (2011)	Differences in nasopharyngeal bacterial carriage in preschool children from different socio-economic origins. <i>Clinical Microbiology and Infection</i> 17	2006	Belgium	56	Europe	CS	Unkn.	No	<5y	3-6	Unknown	346	1347	26%	
Kamng'ona (2015)	High multiple carriage and emergence of <i>Streptococcus pneumoniae</i> vaccine serotype variants in Malawian children. <i>BMC Infectious Diseases</i> 15	2008	Malawi	454	Africa	CS	Rand.	No	<5y	0-13	4.9	72		Unkn.	
Kandasamy (2015)	Multi-serotype pneumococcal nasopharyngeal carriage prevalence in vaccine naïve Nepalese children, assessed using molecular serotyping. <i>PLOS ONE</i> 10 (2)	2012	Nepal	524	Asia	CS	Unkn.	No	<5y	0-2	Unknown	309	600	52%	
Katsarolis (2009)	Risk factors for nasopharyngeal carriage of drug-resistant <i>Streptococcus pneumoniae</i> : data from a nation-wide surveillance study in Greece. <i>BMC Infectious Diseases</i> 9	2004	Greece	300	Europe	CS	Unkn.	No	<5y	0-6	4	317		Unkn.	
		2006	Ethiopia	231	Africa	CS	Trial	No	<5y	0-9	Unknown	76	110	69%	

Keenan (2016)	Nasopharyngeal Pneumococcal Serotypes Before and After Mass Azithromycin Distributions for Trachoma. <i>Journal of the Pediatric Infectious Diseases Society</i> 5 (2)	2006	Ethiopia	231	Africa	CS	Trial	No	<5y	0–9	Unknown	98	120	82%
Kellner (1999)	Streptococcus pneumoniae carriage in children attending 59 Canadian child care centers. <i>Archives of Pediatrics and Adolescent Medicine</i> 153	1995	Canada	124	Americas	CS	Outp.	No	<5y	1–2	Unknown	568	1322	43%
Kim (2011)	Nasopharyngeal Pneumococcal Carriage of Children Attending Day Care Centers in Korea: Comparison between Children Immunized with 7-valent Pneumococcal Conjugate Vaccine and Non-immunized. <i>Journal of Korean Medical Science</i> 26 (2)	2008	South Korea	410	Asia	CS	Unkn.	No	<5y	1–4	Unknown	63	200	32%
Klugman (1998)	Antibiotic resistance of nasopharyngeal isolates of Streptococcus pneumoniae from children in Lesotho. <i>Bulletin of the World Health Organization</i> 76	1995	Lesotho	426	Africa	CS	Rand.	No	<5y	0–4	Unknown	310		Unkn.
Kobayashi (2017)	Pneumococcal carriage and antibiotic susceptibility patterns from two cross-sectional colonization surveys among children aged <5 years prior to the introduction of 10-valent pneumococcal conjugate vaccine - Kenya, 2009-2010. <i>BMC Infectious Diseases</i> 17	2009	Kenya	404	Africa	CS	Rand.	No	<5y	0–4	Unknown	983	1087	90%
Kozlov (2006)	Antimicrobial resistance of nasopharyngeal pneumococci from children from day-care centres and orphanages in Russia: results of a unique prospective multicentre study. <i>Clinical Microbiology and Infection</i> 12	2001	Russia	643	Europe	CS	Unkn.	No	<5y	0–4	Unknown	2056	4153	50%
Kumar (2014)	Nasopharyngeal carriage, antibiogram and serotype distribution of Streptococcus pneumoniae among healthy under five children. <i>Indian Journal of Medical Research</i> 140 (2)	2010	India	356	Asia	CS	Outp.	No	<5y	≤5	Unknown	53	190	28%
Lagos (2008)	Age- and serotype-specific pediatric invasive pneumococcal disease: insights from systematic surveillance in Santiago, Chile, 1994–2007. <i>Journal of Infectious Diseases</i> 198	2000	Chile	152	Americas	Long.	Rand.	No	<5y	1–1	1	184	457	40%
		2001	Chile	152	Americas	Long.	Rand.	No	<5y	<1	0	177	464	38%
		2001	Chile	152	Americas	Long.	Rand.	No	<5y	<1	0	127	420	30%
		2001	Chile	152	Americas	Long.	Rand.	No	<5y	1–1	1	167	440	38%
		2001	Chile	152	Americas	Long.	Rand.	No	<5y	2–2	2	161	434	37%
Lauderdale (2005)	High carriage rate of high-level penicillin-resistant Streptococcus pneumoniae in a Taiwan kindergarten associated with a case of pneumococcal meningitis. <i>BMC Infectious Diseases</i> 5 (1)	2002	Taiwan	158	Asia	CS	Unkn.	No	5–17y	4–6	Unknown	31	77	40%
Laval (2006)	Serotypes of carriage and invasive isolates of Streptococcus pneumoniae in Brazilian children in the era of pneumococcal vaccines. <i>Clinical Microbiology and Infection</i> 12 (1)	2000	Brazil	76	Americas	CS	Outp.	No	<5y	<1	0	50	120	42%
		2000	Brazil	76	Americas	CS	Outp.	No	<5y	1–1	Unknown	75	182	41%
Leach (1997)	A prospective study of the impact of community-based azithromycin treatment of trachoma on carriage and resistance of Streptococcus pneumoniae. <i>Clinical Infectious Diseases</i> 24	1995	Australia	36	Oceania	CS	Unkn.	Yes	5–17y	5–14	Unknown	54	79	68%
		1995	Australia	36	Oceania	CS	Unkn.	Yes	5–17y	6–14	Unknown	34	39	87%
Leibovitz (1999)	Nasopharyngeal carriage of multidrug-resistant Streptococcus pneumoniae in institutionalized HIV-infected and HIV-negative children in northeastern Romania. <i>International Journal of Infectious Diseases</i> 3 (4)	1996	Romania	642	Europe	CS	Unkn.	No	<5y	0–5	1	93	202	46%
Leibovitz (2007)	Antibiotic susceptibility, serotype distribution and vaccine coverage of nasopharyngeal and oropharyngeal streptococcus pneumoniae in a day-care in St. Petersburg, Russia. <i>Scandinavian Journal of Infectious Diseases</i> 39	2003	Russia	643	Europe	CS	Unkn.	No	<5y	1–5	Unknown	75	125	60%
Leino (2001)	Pneumococcal carriage in children during their first two years: important role of family exposure. <i>Pediatric Infectious Disease Journal</i> 20	1994	Finland	246	Europe	Long.	Unkn.	No	<5y	0–4	Unknown	189	676	28%
Leino (2008)	Clustering of serotypes in a longitudinal study of Streptococcus pneumoniae carriage in three day care centres. <i>BMC Infectious Diseases</i> 8	2001	Finland	246	Europe	Long.	Unkn.	No	<5y	1–6	Unknown	132	521	25%
		2001	Finland	246	Europe	Long.	Unkn.	No	5–17y	5–10	Unknown	36	287	13%
		2001	Finland	246	Europe	Long.	Unkn.	No	18+y	≥18	Unknown	35	1133	3%
Levidiotou (2006)	Serotype distribution of Streptococcus pneumoniae in north-western Greece and implications for a vaccination programme. <i>FEMS Immunology and Medical Microbiology</i> 48 (2)	2000	Greece	300	Europe	CS	Unkn.	No	<5y	3–4	Unknown	172	464	37%
Levine (2012)	Dynamics of pneumococcal acquisition and carriage in young adults during training in confined settings in Israel. <i>PLOS ONE</i> 7	2007	Israel	376	Asia	Long.	Unkn.	No	18+y	≥18	Unknown	202	1872	11%
Li (2001)	Nasal carriage of Streptococcus pneumoniae among children in Beijing. <i>Chinese Medical Journal</i> 114 (11)	1999	China	156	Asia	CS	Outp.	No	<5y	0–5	Unknown	100	269	37%
Lin (2009)	National survey of invasive pneumococcal diseases in Taiwan under partial PCV7 vaccination in 2007: emergence of serotype 19A with high invasive potential. <i>Vaccine</i> 27	2007	Taiwan	158	Asia	CS	Outp.	No	<5y	0–5	Unknown	165	1128	15%

Lindstrand (2016)	Pneumococcal Carriage in Children under Five Years in Uganda-Will Present Pneumococcal Conjugate Vaccines Be Appropriate?. PLOS ONE 11 (11)	2008	Uganda	800	Africa	CS	Rand.	No	<5y	0–5	Unknown	957	1723	101%
Lloyd-Evans (1996)	Nasopharyngeal carriage of pneumococci in Gambian children and in their families. Pediatric Infectious Disease Journal 15 (10)	1990	Gambia	270	Africa	CS	Rand.	No	<5y	0–4	Unknown	86	113	76%
Lopez (1999)	Epidemiological study of Streptococcus pneumoniae carriers in healthy primary-school children. European Journal of Clinical Microbiology and Infectious Diseases 18 (11)	1997	Spain	724	Europe	Long.	Unkn.	No	5–17y	6–6	6	120	996	12%
Lucarevschi (2003)	Oropharyngeal carriage of Streptococcus pneumoniae by children attending day care centers in Taubate, SP: Correlation between serotypes and the conjugated heptavalent pneumococcal vaccine. Portuguese Colonizacao de orofaringe por Streptococcus pneumoniae em criancas de creches municipais de Taubate-SP: Correlacao entre os principais sorotipos e a vacina pneumococica conjugada heptavalente. Jornal de Pediatria 79	1998	Brazil	76	Americas	CS	Unkn.	No	<5y	1–6	5	209	987	21%
Luminos (2014)	Nasopharyngeal carriage of Streptococcus pneumoniae in Romanian children before the introduction of the pneumococcal conjugated vaccination into the national immunization programme: a national, multi-centre, cross-sectional observational study. International Journal of	2011	Romania	642	Europe	CS	Outp.	No	<5y	0–1	Unknown	31	186	17%
		2011	Romania	642	Europe	CS	Outp.	No	<5y	1–2	Unknown	162	751	22%
		2011	Romania	642	Europe	CS	Outp.	No	<5y	3–4	Unknown	312	1063	29%
Madhi (2007)	Infectious Diseases 29 Long-term effect of pneumococcal conjugate vaccine on nasopharyngeal colonization by Streptococcus pneumoniae-and associated interactions with Staphylococcus aureus and Haemophilus influenzae colonization-in HIV-Infected and HIV-uninfected children. Journal of Infectious Diseases 196 (11)	2001	South Africa	710	Africa	CS	Trial	No	5–17y	5–6	5	79	150	53%
Madhi (2013)	Acquisition of Streptococcus pneumoniae in pneumococcal conjugate vaccine-naive South African children and their mothers. Pediatric Infectious Disease Journal 32	2007	South Africa	710	Africa	Long.	Outp.	No	<5y	1–1	0	1093	1851	59%
		2007	South Africa	710	Africa	Long.	Outp.	No	18+y	≥18	28	343	1846	19%
Mahanta (2012)	Serotype distribution and sensitivity pattern of nasopharyngeal colonizing streptococcus pneumoniae among rural children of Eastern India. Indian Journal of Medical Research 136	2009	India	356	Asia	CS	Unkn.	No	<5y	0–4	Unknown	104	811	13%
Malfront (2004)	A cross-sectional survey of the prevalence of Streptococcus pneumoniae nasopharyngeal carriage in Belgian infants attending day care centres. Clinical Microbiology and Infection 10	2000	Belgium	56	Europe	CS	Unkn.	No	<5y	1–3	Unknown	98	467	21%
Masri (2013)	Determination of phenotypes and pneumococcal surface protein a family types of Streptococcus pneumoniae from Malaysian healthy children. Journal of Microbiology, Immunology and Infection 46	2010	Malaysia	458	Asia	CS	Unkn.	No	<5y	0–5	Unknown	69	195	35%
Mastro (1993)	Use of nasopharyngeal isolates of Streptococcus pneumoniae and Haemophilus influenzae from children in Pakistan for surveillance for antimicrobial resistance. Pediatric Infectious Disease Journal 12 (10)	1989	Pakistan	586	Asia	CS	Rand.	No	<5y	0–4	1	244	418	58%
Mbelle (1999)	Immunogenicity and impact on nasopharyngeal carriage of a nonvalent pneumococcal conjugate vaccine. Journal of Infectious Diseases 180 (4)	NA	South Africa	710	Africa	CS	Trial	No	<5y	<1	Unknown	239	Unkn.	
Mbelle (1999)	Streptococcus pneumoniae and haemophilus influenzae type B carriage in infants presenting to Zola Community Health centre for routine immunization. Doctoral dissertation, University of the Witwatersrand	1996	South Africa	710	Africa	CS	Outp.	No	<5y	0–5	Unknown	121	278	44%
McGee (2001)	Prevalence of serotypes and molecular epidemiology of Streptococcus pneumoniae strains isolated from children in Beijing, China: identification of two novel multiply-resistant clones. Microbial Drug Resistance 7	1997	China	156	Asia	CS	Outp.	No	<5y	0–5	Unknown	326	Unkn.	
Menezes (2016)	Nasopharyngeal carriage of Streptococcus pneumoniae among children in an urban setting in Brazil prior to PCV10 introduction. Vaccine 34 (6)	2008	Brazil	76	Americas	Long.	Rand.	No	<5y	0–5	Unknown	398	721	55%
Mercado (2012)	Pneumococcal serotypes in carrier children prior to the introduction of anti-pneumococcal vaccines in Peru (Spanish). Revista Peruana de Medicina Experimental y Salud Publica 29 (1)	2003	Peru	604	Americas	CS	Outp.	No	<5y	0–1	1	80	270	30%
		2007	Peru	604	Americas	CS	Outp.	No	<5y	<1	Unknown	286	1145	25%
Millar (2008)	Indirect effect of 7-valent pneumococcal conjugate vaccine on pneumococcal colonization among unvaccinated household members. Clinical Infectious Diseases 47	2001	United States	840	Americas	Long.	Trial	Yes	<5y	0–1	1	19	37	51%
		2001	United States	840	Americas	Long.	Trial	Yes	<5y	2–4	3	40	62	65%
		2001	United States	840	Americas	Long.	Trial	Yes	5–17y	5–17	Unknown	210	568	37%
		2001	United States	840	Americas	Long.	Trial	Yes	18+y	18–64	Unknown	54	677	8%
		2001	United States	840	Americas	Long.	Trial	Yes	18+y	65–88	Unknown	5	29	17%

Mills (2015)	Epidemiology of pneumococcal carriage in children under five years of age in Accra, Ghana. Infectious Diseases 47 (5)	2011	Ghana	288	Africa	CS	Rand.	No	<5y	0.25–5	Unknown	207	423	49%
Miranda Novales (1997)	Streptococcus pneumoniae: low frequency of penicillin resistance and high resistance to trimethoprim-sulfamethoxazole in nasopharyngeal isolates from children in a rural area in Mexico. Archives of Medical Research 28 (4)	1994	Mexico	484	Americas	CS	Outp.	No	<5y	0–4	Unknown	65	127	51%
Moll (2008)	Factors associated with pneumococcal carriage in healthy Dutch infants: the generation R study. Journal of Pediatrics 153	2003	Netherlands	528	Europe	Long.	Rand.	No	<5y	<1	0	52	627	8%
		2003	Netherlands	528	Europe	Long.	Rand.	No	<5y	<1	0	260	832	31%
Moniri (2014)	Serotyping, Antibiotic Susceptibility and Related Risk Factors Aspects of Nasopharyngeal Carriage of Streptococcus pneumoniae in Healthy School Students. Iranian Journal of Public Health 43	2011	Iran	364	Asia	CS	Unkn.	No	5–17y	7–19	Unknown	291	2100	14%
Moreno (2013)	Changes in Streptococcus pneumoniae serotype distribution in invasive disease and nasopharyngeal carriage after the heptavalent pneumococcal conjugate vaccine introduction in Bogota, Colombia. Vaccine 31	2005	Colombia	170	Americas	CS	Rand.	No	<5y	1–1	1	137	246	56%
Mousavi (2013)	Serotyping of Streptococcus pneumoniae isolated from Tehran by Multiplex PCR: Are serotypes of clinical and carrier isolates identical?. Iranian Journal of Microbiology 5	2011	Iran	364	Asia	CS	Outp.	No	<5y	0–4	Unknown	40	150	27%
Moyo (2012)	Penicillin resistance and serotype distribution of Streptococcus pneumoniae in nasopharyngeal carrier children under 5 years of age in Dar es Salaam, Tanzania. Journal of Medical Microbiology 61	2010	Tanzania	834	Africa	CS	Outp.	No	<5y	<1	Unknown	27	63	43%
		2010	Tanzania	834	Africa	CS	Outp.	No	<5y	1–1	1	28	73	38%
		2010	Tanzania	834	Africa	CS	Outp.	No	<5y	2–4	Unknown	50	164	30%
Müller-Graf (1999)	Population biology of Streptococcus pneumoniae isolated from oropharyngeal carriage and invasive disease. Microbiology 145 (11)	2006	Poland	616	Europe	CS	Unkn.	No	<5y	2–5	Unknown	13	95	14%
		2014	Uganda	800	Africa	CS	Rand.	No	<5y	0–1	Unknown	86	205	42%
		2014	Uganda	800	Africa	CS	Rand.	No	<5y	1–2	Unknown	78	182	43%
Nackers (2017)	Carriage prevalence and serotype distribution of Streptococcus pneumoniae prior to 10-valent pneumococcal vaccine introduction: A population-based cross-sectional study in South Western Uganda, 2014. Vaccine 35 (39)	2014	Uganda	800	Africa	CS	Rand.	No	<5y	2–4	Unknown	74	217	34%
		2014	Uganda	800	Africa	CS	Rand.	No	5–17y	5–14	Unknown	68	417	16%
		2014	Uganda	800	Africa	CS	Rand.	No	18+y	≥30	Unknown	2	208	1%
		2014	Uganda	800	Africa	CS	Rand.	No	18+y	15–29	Unknown	1	117	1%
		2010	Brazil	76	Americas	CS	Outp.	No	<5y	<1	0	11	37	30%
Neves (2013)	Nasopharyngeal carriage, serotype distribution and antimicrobial resistance of Streptococcus pneumoniae among children from Brazil before the introduction of the 10-valent conjugate vaccine. BMC Infectious Diseases 13	2010	Brazil	76	Americas	CS	Outp.	No	<5y	1–1	1	20	38	53%
		2010	Brazil	76	Americas	CS	Outp.	No	<5y	2–4	Unknown	74	124	60%
Neves (2018)	Population structure of Streptococcus pneumoniae colonizing children before and after universal use of pneumococcal conjugate vaccines in Brazil: Emergence and expansion of the MDR serotype 6C-CC386 lineage. Journal of Antimicrobial Chemotherapy 73 (5)	2010	Brazil	76	Americas	CS	Unkn.	No	<5y	0–6	3		102	Unkn.
Niedzielski (2012)	Distribution of vaccine serotypes among Streptococcus pneumoniae colonizing the upper respiratory tract in healthy pre-school children in south-east Poland. Otolaryngologia Polska 66 (6)	2002	Poland	616	Europe	Long.	Unkn.	No	<5y	3–5	Unknown	342	933	37%
Nissinen (1995)	Antimicrobial resistance of Streptococcus pneumoniae in Finland, 1987–1990. Clinical Infectious Diseases 20 (5)	1987	Finland	246	Europe	CS	Outp.	No	<5y	3–6	Unknown			Unkn.
O'Brien (2006)	Effect of community-wide conjugate pneumococcal vaccine use in infancy on nasopharyngeal carriage through 3 years of age: a cross-sectional study in a high-risk population. Clinical Infectious Diseases 43	1997	United States	840	Americas	Long.	Trial	Yes	<5y	0–1	1	6	8	75%
		1997	United States	840	Americas	Long.	Trial	Yes	<5y	2–4	Unknown	163	262	62%
		1998	United States	840	Americas	Long.	Trial	Yes	<5y	<1	0	175	262	67%
		1998	United States	840	Americas	Long.	Trial	Yes	<5y	0–6	Unknown	63	96	66%
		1998	United States	840	Americas	Long.	Trial	Yes	<5y	1–1	1	147	239	62%
		1998	United States	840	Americas	Long.	Trial	Yes	<5y	1–1	1	154	250	62%
		1998	United States	840	Americas	Long.	Trial	Yes	<5y	1–6	Unknown	79	120	66%

		1998	United States	840	Americas	Long.	Trial	Yes	<5y	1–6	Unknown	58	100	58%
		1999	United States	840	Americas	Long.	Trial	Yes	<5y	<1	Unknown	113	280	40%
Ochoa (2005)	Penicillin resistance and serotypes/serogroups of <i>Streptococcus pneumoniae</i> in nasopharyngeal carrier children younger than 2 years in Lima, Peru. <i>Diagnostic Microbiology and Infectious Disease</i> 52	1997	Peru	604	Americas	CS	Outp.	No	<5y	<1	Unknown	66	170	39%
		2001	Peru	604	Americas	CS	Outp.	No	<5y	<1	0	65	226	29%
		2003	Peru	604	Americas	CS	Outp.	No	<5y	0–1	1	80	270	30%
Otsuka (2013)	Individual Risk Factors Associated With Nasopharyngeal Colonization With <i>Streptococcus pneumoniae</i> and <i>Haemophilus influenzae</i> : A Japanese Birth Cohort Study. <i>Pediatric Infectious Disease Journal</i> 32	2008	Japan	392	Asia	Long.	Outp.	No	<5y	<1	0	121	334	36%
		2008	Japan	392	Asia	Long.	Outp.	No	<5y	<1	0	92	334	28%
		2008	Japan	392	Asia	Long.	Outp.	No	<5y	<1	0	59	341	17%
		2008	Japan	392	Asia	Long.	Outp.	No	<5y	1–1	1.5	156	324	48%
		2008	Japan	392	Asia	Long.	Outp.	No	<5y	3–3	3	86	191	45%
Ousmane (2017)	Serotype Distribution and Antimicrobial Sensitivity Profile of <i>Streptococcus pneumoniae</i> Carried in Healthy Toddlers before PCV13 Introduction in Niamey, Niger. <i>PLOS ONE</i> 12 (1)	2007	Niger	562	Africa	CS	Outp.	No	<5y	0–2	Unknown	654	1200	55%
Palmu (2012)	A longitudinal study of <i>Streptococcus pneumoniae</i> carriage in a cohort of infants and their mothers on the Thailand-Myanmar border. <i>Scandinavian Journal of Infectious Diseases</i> 44 (6)	2007	Thailand	764	Asia	Long.	Outp.	No	<5y	<1	0	91	232	39%
Palmu (2012)	Nasopharyngeal carriage of <i>Streptococcus pneumoniae</i> and pneumococcal urine antigen test in healthy elderly subjects. <i>Scandinavian Journal of Infectious Diseases</i> 44 (6)	2003	Finland	246	Europe	CS	Unkn.	No	18+y	65–92	70	31	590	5%
Paraskakis (2006)	Serotypes and antimicrobial susceptibilities of 1033 pneumococci isolated from children in Greece during 2001–2004. <i>Clinical Microbiology and Infection</i> 12 (5)	2003	Greece	300	Europe	CS	Unkn.	No	<5y	3–6	Unknown	206	873	24%
Park (2008)	Impact of conjugate vaccine on transmission of antimicrobial-resistant <i>Streptococcus pneumoniae</i> among Alaskan children. <i>Pediatric Infectious Disease Journal</i> 27	2000	United States	840	Americas	CS	Outp.	No	<5y	<1	Unknown	37	108	34%
		2000	United States	840	Americas	CS	Outp.	No	<5y	1–1	Unknown	56	127	44%
Peñuela (1999)	Colonizacion nasofarinea y resistencia antimicrobiana de <i>Streptococcus pneumoniae</i> en ninos de una guarderia en Santa Fe de Bogota. <i>Biomedica</i> 19	1997	Colombia	170	Americas	Long.	Unkn.	No	<5y	0–1	Unknown	51	82	62%
Petrosillo (2002)	Prevalence, determinants, and molecular epidemiology of <i>Streptococcus pneumoniae</i> isolates colonizing the nasopharynx of healthy children in Rome. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> 21	1999	Italy	380	Europe	CS	Unkn.	No	<5y	0–5	Unknown	91	610	15%
Principi (2002)	Nasopharyngeal carriage of <i>Streptococcus pneumoniae</i> in healthy children: implications for the use of heptavalent pneumococcal conjugate vaccine. <i>Emerging Infectious Diseases</i> 8	2000	Italy	380	Europe	CS	Unkn.	No	<5y	0–6	Unknown	242	2799	9%
Prymula (2009)	Effect of vaccination with pneumococcal capsular polysaccharides conjugated to <i>Haemophilus influenzae</i> -derived protein D on nasopharyngeal carriage of <i>Streptococcus pneumoniae</i> and H. influenzae in children under 2 years of age. <i>Vaccine</i> 28	2004	Czechia	203	Europe	CS	Trial	No	<5y	0–2	1	39	175	22%
Prymula (2011)	Impact of the 10-valent pneumococcal non-typeable <i>Haemophilus influenzae</i> Protein D conjugate vaccine (PHID-CV) on bacterial nasopharyngeal carriage. <i>Vaccine</i> 29	2007	Czechia	203	Europe	CS	Trial	No	<5y	1–1	1	161	336	48%
Raman (2017)	Demographic profile of healthy children with nasopharyngeal colonisation of <i>Streptococcus pneumoniae</i> : A research paper. <i>Indian Journal of Medical Microbiology</i> 35 (4)	2012	India	356	Asia	CS	Outp.	No	<5y	0.5–5	Unknown	45	450	10%
Rashid (2013)	Oro-pharyngeal carriage and antimicrobial susceptibility of <i>streptococcus pneumoniae</i> from healthy children. <i>Internet Journal of Microbiology</i> 11 (1)	2010	Malaysia	458	Asia	CS	Unkn.	No	<5y	1–2	Unknown	2	65	3%
Raymond (2000)	Sequential colonization by <i>Streptococcus pneumoniae</i> of healthy children living in an orphanage. <i>Journal of Infectious Diseases</i> 181 (6)	1996	France	250	Europe	Long.	Unkn.	No	<5y	0–1	Unknown	167	289	58%
Raymond (2002)	Factors influencing <i>Streptococcus pneumoniae</i> carriage. <i>Medecine et Maladies Infectieuses</i> 32	1996	France	250	Europe	Long.	Unkn.	No	<5y	0–2	Unknown	111	852	13%
Regev-Yochay (2004)	Nasopharyngeal carriage of <i>Streptococcus pneumoniae</i> by adults and children in community and family settings. <i>Clinical Infectious Diseases</i> 38	2001	Israel	376	Asia	CS	Outp.	No	18+y	≥18	Unknown	48	1300	4%
		2009	Palestinian Territories	275	Asia	CS	Rand.	Yes	<5y	0–5	2	189	379	50%

Regev-Yochay (2012)	Streptococcus pneumoniae carriage in the Gaza strip. PLOS ONE 7	2009	Palestinian Territories	275	Asia	CS	Rand.	Yes	18+y	≥18	Unknown	34	379	9%
		2000	Brazil	76	Americas	CS	Unkn.	No	<5y	<1	Unknown	6	8	75%
Reis (2008)	Transmission of Streptococcus pneumoniae in an urban slum community. Journal of Infection 57	2000	Brazil	76	Americas	CS	Unkn.	No	<5y	1–1	Unknown	4	7	57%
		2000	Brazil	76	Americas	CS	Unkn.	No	<5y	2–4	Unknown	23	35	66%
		2000	Brazil	76	Americas	CS	Unkn.	No	<5y	Unreported	Unknown	19	117	16%
Rey (2002)	Antimicrobial susceptibility and serotypes of nasopharyngeal Streptococcus pneumoniae in children with pneumonia and in children attending day-care centres in Fortaleza, Brazil. International Journal of Antimicrobial Agents 20	1998	Brazil	76	Americas	CS	Unkn.	No	<5y	1–4	Unknown	269	374	72%
Roca (2006)	Serotype distribution and antibiotic susceptibility of invasive and nasopharyngeal isolates of Streptococcus pneumoniae among children in rural Mozambique. Tropical Medicine and International Health 11	2003	Mozambique	508	Africa	CS	Outp.	No	<5y	0–4	1	192	248	77%
		2003	Gambia	270	Africa	CS	Trial	No	<5y	2–4	3	197	219	90%
Roca (2011)	Effects of community-wide vaccination with PCV-7 on pneumococcal nasopharyngeal carriage in the Gambia: a cluster-randomized trial. PLOS Medicine 8	2003	Gambia	270	Africa	CS	Trial	No	5–17y	5–17	Unknown	741	896	83%
		2003	Gambia	270	Africa	CS	Trial	No	18+y	≥60	Unknown	106	206	51%
		2003	Gambia	270	Africa	CS	Trial	No	18+y	18–59	Unknown	444	773	57%
Roche (2007)	Prevalence of nasopharyngeal carriage of pneumococcus in preschool children attending day care in London. Archives of Disease in Childhood 92	2003	United Kingdom	826	Europe	CS	Unkn.	No	<5y	<1	Unknown			Unkn.
		2003	United Kingdom	826	Europe	CS	Unkn.	No	<5y	1–1	1			Unkn.
Ronchetti (1999)	Resistance patterns of Streptococcus pneumoniae from children in central Italy. European Journal of Clinical Microbiology and Infectious Diseases 18 (5)	1997	Italy	380	Europe	CS	Outp.	No	<5y	3–5	Unknown	121	1146	11%
Rosen (1996)	Antibodies to pneumococcal polysaccharides in human milk: lack of relationship to colonization and acute otitis media. Pediatric Infectious Disease Journal 15 (6)	1995	Sweden	752	Europe	Long.	Rand.	No	<5y	<1	Unknown	113	423	27%
		1995	Sweden	752	Europe	Long.	Rand.	No	<5y	<1	0	52	448	12%
		1995	Sweden	752	Europe	Long.	Rand.	No	<5y	<1	Unknown	115	404	28%
Rowe (2000)	Antimicrobial resistance of nasopharyngeal isolates of Streptococcus pneumoniae and Haemophilus influenzae from children in the Central African Republic. Pediatric Infectious Disease Journal 19	1995	Central African Republic	140	Africa	CS	Outp.	No	<5y	1–1	Unknown	27	36	75%
		1995	Central African Republic	140	Africa	CS	Outp.	No	<5y	2–4	Unknown	23	31	74%
Rusen (1997)	Nasopharyngeal pneumococcal colonization among Kenyan children: antibiotic resistance, strain types and associations with human immunodeficiency virus type 1 infection. Pediatric Infectious Disease Journal 16 (7)	1990	Kenya	404	Africa	CS	Outp.	No	<5y	0–5	Unknown	92	207	44%
Russell (2006)	Pneumococcal nasopharyngeal carriage and patterns of penicillin resistance in young children in Fiji. Annals of Tropical Paediatrics 26 (3)	2003	Fiji	242	Oceania	CS	Outp.	No	<5y	0–1	0	195	440	44%
Russell (2010)	Pneumococcal nasopharyngeal carriage following reduced doses of a 7-valent pneumococcal conjugate vaccine and a 23-valent pneumococcal polysaccharide vaccine booster. Clinical and Vaccine Immunology 17	2004	Fiji	242	Oceania	Long.	Trial	No	<5y	<1	0	54	120	45%
		2004	Fiji	242	Oceania	Long.	Trial	No	<5y	<1	Unknown	49	121	40%
Sá-Leao (2008)	High rates of transmission of and colonization by Streptococcus pneumoniae and Haemophilus influenzae within a day care center revealed in a longitudinal study. Journal of Clinical Microbiology 46 (1)	1998	Portugal	620	Europe	Long.	Unkn.	No	<5y	1–3	Unknown	254	414	61%
Saeed (2011)	Carriage rates, circulating serotypes and antibiotic resistance among Streptococcus pneumoniae in healthy infants in Yei, South Sudan. South Sudan Medical Journal 4	2000	South Sudan	728	Africa	CS	Outp.	No	<5y	0–1	Unknown	14	38	37%

Safari (2012)	Nasopharyngeal colonization of <i>Streptococcus pneumoniae</i> in elderly people, in Jakarta, Indonesia. International Journal of Infectious Diseases 16	2010	Indonesia	360	Asia	CS	Outp.	No	18+y	≥60	Unknown	4	155	3%
Saha (2003)	Comparison of antibiotic resistance and serotype composition of carriage and invasive pneumococci among Bangladeshi children: implications for treatment policy and vaccine formulation. Journal of Clinical Microbiology 41	1999	Bangladesh	50	Asia	CS	Rand.	No	<5y	0–5	Unknown	1301	2831	46%
Salt (2007)	Social mixing with other children during infancy enhances antibody response to a pneumococcal conjugate vaccine in early childhood. Clinical and Vaccine Immunology 14 (5)	2003	United Kingdom	826	Europe	CS	Rand.	No	<5y	1–1	Unknown	99	159	62%
Salter (2017)	A longitudinal study of the infant nasopharyngeal microbiota: The effects of age, illness and antibiotic use in a cohort of South East Asian children. PLOS Neglected Tropical Diseases 11 (10)	2007	Thailand	764	Asia	Long.	Unkn.	No	<5y	0–2	1	468	517	91%
Sanders (2009)	Effect of reduced-dose schedules with 7-valent pneumococcal conjugate vaccine on nasopharyngeal pneumococcal carriage in children: A randomized controlled trial. Journal of the American Medical Association 302	2005	Netherlands	528	Europe	Long.	Trial	No	<5y	1–1	1	214	319	67%
Sandgen (2004)	Effect of clonal and serotype-specific properties on the invasive capacity of <i>Streptococcus pneumoniae</i> . Journal of Infectious Diseases 189 (5)	1997	Sweden	752	Europe	CS	Unkn.	No	<5y	1–6	Unknown	246	611	40%
Schaumburg (2013)	Streptococcus pneumoniae colonization in remote African Pygmies. Transactions of the Royal Society of Tropical Medicine and Hygiene 107	2011	Gabon	266	Africa	CS	Rand.	Yes	<5y	<1	Unknown	0	1	0%
Scott (2008)	The descriptive epidemiology of <i>Streptococcus pneumoniae</i> and <i>Haemophilus influenzae</i> nasopharyngeal carriage in children and adults in Kilifi district, Kenya. Pediatric Infectious Disease Journal 27	2004	Kenya	404	Africa	CS	Rand.	No	<5y	0–4	2	198	349	57%
Scott (2012)	Rates of acquisition of pneumococcal colonization and transmission probabilities, by serotype, among newborn infants in Kilifi District, Kenya. Clinical Infectious Diseases 55	2006	Kenya	404	Africa	Long.	Outp.	No	18+y	≥18	Unknown	205	2428	8%
Scott (2012)	The prevalence and risk factors for pneumococcal colonization of the nasopharynx among children in Kilifi District, Kenya. PLOS ONE 7	2006	Kenya	404	Africa	CS	Rand.	No	<5y	1–4	Unknown	1868	2840	66%
Sener (1998)	Rate of carriage, serotype distribution and penicillin resistance of <i>Streptococcus pneumoniae</i> in healthy children. Zentralblatt für Bakteriologie 288 (3)	1995	Turkey	792	Asia	CS	Outp.	No	<5y	1–4	Unknown	71	248	29%
Shaumburg (2013)	Carriage of encapsulated bacteria in Gabonese children with sickle cell anaemia. Clinical Microbiology and Infection 19	2010	Gabon	266	Africa	CS	Outp.	No	<5y	<1	Unknown	0	2	0%
Simões (2011)	Clonal evolution leading to maintenance of antibiotic resistance rates among colonizing pneumococci in the PCV7 era in Portugal. Journal of Clinical Microbiology 49 (8)	2001	Portugal	620	Europe	CS	Unkn.	No	<5y	1–1	1	45	60	75%
Skovberg (2013)	Low rate of pneumococci non-susceptible to penicillin in healthy Swedish toddlers. Scandinavian Journal of Infectious Diseases 45	2004	Sweden	752	Europe	CS	Outp.	No	<5y	1–1	Unknown	297	663	45%
Sleeman (2005)	Acquisition of <i>Streptococcus pneumoniae</i> and nonspecific morbidity in infants and their families: a cohort study. Pediatric Infectious Disease Journal 24 (2)	1999	United Kingdom	826	Europe	Long.	Rand.	No	<5y	<1	Unknown	518	1907	27%
Slotved (2013)	Penicillin resistance and serotype distribution of <i>Streptococcus pneumoniae</i> in Ghanaian children less than six years of age. BMC Infectious Diseases 13	2011	Ghana	288	Africa	CS	Unkn.	No	<5y	<1	0	6	7	86%
		2011	Ghana	288	Africa	CS	Unkn.	No	<5y	1–1	1	33	73	45%
		2011	Ghana	288	Africa	CS	Unkn.	No	<5y	2–5	3	232	341	68%

Sluijter (1998)	Molecular characterization of pneumococcal nasopharynx isolates collected from children during their first 2 years of life. <i>Journal of Clinical Microbiology</i> 36 (8)	1995	Netherlands	528	Europe	Long.	Rand.	No	<5y	0–2	Unknown	58	247	23%
Solorzano (2005)	Prevalence of <i>Streptococcus pneumoniae</i> serotypes on nasopharyngeal colonization in children of Mexico City. SpanishSerotipos prevalentes de <i>Streptococcus pneumoniae</i> colonizadores de nasofaringe, en ninos del Distrito Federal. <i>Salud Publica de Mexico</i> 47	2000	Mexico	484	Americas	CS	Rand.	No	<5y	0–5	Unknown	122	573	21%
Song (2001)	Carriage of antibiotic-resistant pneumococci among Asian children: a multinational surveillance by the Asian Network for Surveillance of Resistant Pathogens (ANSRP). <i>Clinical Infectious Diseases</i> 32	1998	China	156	Asia	CS	Rand.	No	<5y	0–4	Unknown	95	267	36%
		1998	India	356	Asia	CS	Rand.	No	<5y	0–4	Unknown	77	227	34%
		1998	Malaysia	458	Asia	CS	Rand.	No	<5y	0–4	Unknown	58	762	8%
		1998	Philippines	608	Asia	CS	Rand.	No	<5y	0–4	Unknown	95	307	31%
		1998	Saudi Arabia	682	Asia	CS	Rand.	No	<5y	0–4	Unknown	26	830	3%
		1998	Singapore	702	Asia	CS	Rand.	No	<5y	0–4	Unknown	41	491	8%
		1998	South Korea	410	Asia	CS	Rand.	No	<5y	0–4	Unknown	62	500	12%
		1998	Sri Lanka	144	Asia	CS	Rand.	No	<5y	0–4	Unknown	16	493	3%
		1998	Taiwan	158	Asia	CS	Rand.	No	<5y	0–4	Unknown	23	288	8%
		1998	Thailand	764	Asia	CS	Rand.	No	<5y	0–4	Unknown	165	503	33%
		1998	Vietnam	704	Asia	CS	Rand.	No	<5y	0–4	Unknown	92	295	31%
Soraa (2011)	Study of nasopharyngeal colonization by <i>Streptococcus pneumoniae</i> and its antibiotics resistance in healthy children less than 2 years of age in the Marrakech region (Morocco). (French). <i>Archives de Pediatrie</i> 18	2008	Morocco	504	Africa	CS	Outp.	No	<5y	0–1	1	302	660	46%
Stubbs (2005)	Streptococcus pneumoniae and noncapsular <i>Haemophilus influenzae</i> nasal carriage and hand contamination in children - A comparison of two populations at risk of otitis media. <i>Pediatric Infectious Disease Journal</i> 24 (5)	NA	Australia	36	Oceania	CS	Rand.	Yes	<5y	0–3	Unknown	294	Unkn.	
Sulikowska (2003)	The carriage of <i>Streptococcus pneumoniae</i> in the nasopharynx of children under 5 years of age in selected settings in Warsaw. PolishNosicielstwo nosogardlowe <i>Streptococcus pneumoniae</i> u dzieci do 5 roku zycia w wybranych srodowiskach w Warszawie. <i>Pediatria Polska</i> 78	2000	Poland	616	Europe	CS	Unkn.	No	<5y	1–5	Unknown	76	125	61%
		2001	Poland	616	Europe	CS	Unkn.	No	<5y	1–5	Unknown	63	120	52%
Sun (2007)	Epidemiological study of <i>Streptococcus pneumoniae</i> in the nasopharynx of healthy children under 5 years of age in Wuhan. (Chinese). <i>Zhonghua Er Ke Za Zhi. Chinese Journal of Pediatrics</i> 45	2003	China	156	Asia	CS	Unkn.	No	<5y	0–4	Unknown	135	605	22%
Syrjanen (2001)	Nasopharyngeal carriage of <i>Streptococcus pneumoniae</i> in Finnish children younger than 2 years old. <i>Journal of Infectious Diseases</i> 184	1994	Finland	246	Europe	Long.	Rand.	No	<5y	1–2	Unknown	649	3024	21%
Syrogiannopoulos (1997)	Resistance patterns of <i>streptococcus pneumoniae</i> from carriers attending day-care centers in southwestern Greece. <i>Clinical Infectious Diseases</i> 25	1995	Greece	300	Europe	CS	Unkn.	No	<5y	1–1	Unknown	9	20	45%
		1995	Greece	300	Europe	CS	Unkn.	No	<5y	2–4	Unknown	96	236	41%
		1995	Greece	300	Europe	CS	Unkn.	No	5–17y	5–6	Unknown	27	82	33%
Syrogiannopoulos (2002)	Antimicrobial use and serotype distribution of nasopharyngeal <i>Streptococcus pneumoniae</i> isolates recovered from Greek children younger than 2 years old. <i>Clinical Infectious Diseases</i> 35	1997	United States	840	Americas	CS	Outp.	No	<5y	1–1	Unknown	395	1190	33%
		1997	Greece	300	Europe	CS	Outp.	No	<5y	<1	Unknown	371	1258	29%
Syrogiannopoulos (2008)	Impact of heptavalent pneumococcal conjugate vaccine on nasopharyngeal carriage of penicillin-resistant <i>Streptococcus pneumoniae</i> among day-care center attendees in central Greece. <i>Pediatric Infectious Disease Journal</i> 27	2005	Greece	300	Europe	CS	Unkn.	No	<5y	1–1	Unknown	8	16	50%
		2005	Greece	300	Europe	CS	Unkn.	No	<5y	2–4	Unknown	263	507	52%
		2005	Greece	300	Europe	CS	Unkn.	No	5–17y	5–6	5	50	147	34%
Takala (1996)	Subtyping of common pediatric pneumococcal serotypes from invasive disease and pharyngeal carriage in Finland. <i>Journal of Infectious Diseases</i> 173 (1)	1987	Finland	246	Europe	CS	Outp.	No	<5y	Unreported	3	50	Unkn.	
Talarico (2010)	Epidemiologic characteristics of <i>streptococcus pneumoniae</i> in Vietnam and implications for population vaccination. Doctoral dissertation, University of Michigan	2006	Vietnam	704	Asia	CS	Rand.	No	<5y	0–5	Unknown	42	104	40%
		2006	Vietnam	704	Asia	CS	Rand.	No	5–17y	6–17	Unknown	6	55	11%
		2006	Vietnam	704	Asia	CS	Rand.	No	18+y	18–86	Unknown	8	360	2%
		2013	Cuba	192	Americas	CS	Rand.	No	<5y	<1.5	Unknown	48	195	25%
		2013	Cuba	192	Americas	CS	Rand.	No	<5y	0.5–1	Unknown	75	365	21%

Toledo (2017)	Prevalence of Pneumococcal Nasopharyngeal Carriage Among Children 2-18 Months of Age: Baseline Study Pre Introduction of Pneumococcal Vaccination in Cuba. <i>Pediatric Infectious Disease Journal</i> 36 (1)	2013	Cuba	192	Americas	CS	Rand.	No	<5y	1-1.5	Unknown	89	420	21%
Tóthpál (2012)	Nasal carriage of streptococcus pneumoniae among Hungarian children before the wide use of the conjugate vaccine. <i>Acta Microbiologica et Immunologica Hungarica</i> 59 (1)	2009	Hungary	348	Europe	CS	Unkn.	No	<5y	3-6	Unknown	135	358	38%
Trojanek (2013)	Pneumococcal urinary antigen positivity in healthy colonized children: is it age dependent?. <i>Wiener Klinische Wochenschrift</i> 125	2010	Czechia	203	Europe	CS	Unkn.	No	5-17y	3-6	5	105	197	53%
Trucco (1996)	Penicillin resistant Streptococcus pneumoniae among children attending day care centers. SpanishPrevalencia de Streptococcus pneumoniae resistente a penicilina en ninos que asisten a jardines infantiles en Santiago. <i>Revista Chilena de Pediatría</i> 67	1994	Chile	152	Americas	CS	Unkn.	No	<5y	1-4	Unknown	120	200	60%
Tsolia (1999)	Prevalence and patterns of resistance of Streptococcus pneumoniae strains isolated from carriers attending day care centers in the area of Athens. <i>Microbial Drug Resistance</i> 5	1997	Greece	300	Europe	CS	Unkn.	No	<5y	0-6	4	136	382	36%
Turner (2012)	A longitudinal study of Streptococcus pneumoniae carriage in a cohort of infants and their mothers on the Thailand-Myanmar border. <i>PLOS ONE</i> 7	2007	Thailand	764	Asia	Long.	Outp.	No	<5y	<1	0	162	196	83%
		2007	Thailand	764	Asia	Long.	Outp.	No	<5y	<1	0	149	184	81%
		2007	Thailand	764	Asia	Long.	Outp.	No	<5y	1-1	1	110	146	75%
		2007	Thailand	764	Asia	Long.	Outp.	No	<5y	1-1	1	119	154	77%
		2007	Thailand	764	Asia	Long.	Outp.	No	18+y	≥18	Unknown	24	127	19%
		2007	Thailand	764	Asia	Long.	Outp.	No	18+y	≥18	Unknown	50	179	28%
		2007	Thailand	764	Asia	Long.	Outp.	No	18+y	≥18	Unknown	37	141	26%
		2007	Thailand	764	Asia	Long.	Outp.	No	18+y	≥18	Unknown	45	192	23%
Vakevainen (2010)	Serotype-specific hyporesponsiveness to pneumococcal conjugate vaccine in infants carrying pneumococcus at the time of vaccination. <i>Journal of Pediatrics</i> 157	2000	Philippines	608	Asia	CS	Rand.	No	<5y	<1	Unknown	297	1059	28%
Veenhoven (2004)	Nasopharyngeal pneumococcal carriage after combined pneumococcal conjugate and polysaccharide vaccination in children with a history of recurrent acute otitis media. <i>Clinical Infectious Diseases</i> 39	1998	Netherlands	528	Europe	CS	Rand.	No	<5y	1-2	1	41	Unkn.	
Verani (2018)	Nasopharyngeal carriage of Streptococcus pneumoniae leamong HIV-infected and - uninfected children <5 years of age before introduction of pneumococcal conjugate vaccine in Mozambique. <i>PLOS ONE</i> 13 (2)	1999	Netherlands	528	Europe	CS	Rand.	No	<5y	1-2	1	63	Unkn.	
		2012	Mozambique	508	Africa	CS	Unkn.	No	<5y	0-5	Unknown	255	320	80%
Wang (2003)	Rate of nasopharyngeal carriage, antimicrobial resistance and serotype of Streptococcus pneumoniae among children in northern Taiwan. <i>Journal of Microbiology, Immunology and Infection</i> 36	1998	Taiwan	158	Asia	CS	Outp.	No	<5y	0-1	Unknown	24	180	13%
		1998	Taiwan	158	Asia	CS	Outp.	No	<5y	2-5	Unknown	50	180	28%
		1998	Taiwan	158	Asia	CS	Outp.	No	5-17y	6-14	Unknown	21	118	18%
Warda (2013)	Antibiotic resistance and serotype distribution of nasopharyngeal isolates of Streptococcus pneumoniae from children in Marrakech region (Morocco). <i>Journal of Infection and Public Health</i> 6 (6)	2007	Morocco	504	Africa	CS	Outp.	No	<5y	0-2	1	302	660	46%
Wattal (2007)	Nasopharyngeal carriage of Streptococcus pneumoniae. <i>Indian Journal of Pediatrics</i> 74 (10)	2000	India	356	Asia	CS	Outp.	No	<5y	1-3	Unknown	13	200	6%
Xie (2018)	A Cross-sectional Survey Assessing Carriage of Streptococcus pneumoniae in a Healthy Population in Xinjiang Uygur Autonomous Region of China. <i>Biomedical and Environmental Sciences</i> 31 (3)	2015	China	156	Asia	CS	Unkn.	Yes	5-17y	0-53	11	361	513	70%
Yagupsky (1998)	Acquisition, carriage, and transmission of pneumococci with decreased antibiotic susceptibility in young children attending a day care facility in southern Israel. <i>Journal of Infectious Diseases</i> 177	1993	Israel	376	Asia	Long.	Unkn.	No	<5y	1-3	Unknown	362	576	63%
Yeh (2003)	Heptavalent pneumococcal vaccine conjugated to outer membrane protein of Neisseria meningitidis serogroup b and nasopharyngeal carriage of Streptococcus pneumoniae in infants. <i>Vaccine</i> 21	1995	United States	840	Americas	CS	Trial	No	<5y	0-1	0	31	Unkn.	
Yen-Chen, Yien-Lin (2011)	Nasopharyngeal carriage of Streptococcus pneumoniae in Taiwan before and after the introduction of a conjugate vaccine. <i>Vaccine</i> 29	2005	Taiwan	158	Asia	CS	Outp.	No	<5y	0-5	Unknown	195	1506	13%
		2006	Taiwan	158	Asia	CS	Outp.	No	<5y	0-5	Unknown	407	2633	15%
Yoshida (2011)	Association between nasopharyngeal load of Streptococcus pneumoniae, viral coinfection, and radiologically confirmed pneumonia in Vietnamese children. <i>Pediatric Infectious Disease Journal</i> 30	2008	Vietnam	704	Asia	CS	Rand.	No	<5y	0-4	Unknown	175	350	50%

Zemlickova (2006)	Characteristics of Streptococcus pneumoniae, Haemophilus influenzae, Moraxella catarrhalis and Staphylococcus aureus isolated from the nasopharynx of healthy children attending day-care centres in the Czech Republic. <i>Epidemiology and Infection</i> 134	2004	Czechia	203	Europe	CS	Unkn.	No	<5y	3–6	Unknown	162	425	38%
Zemlickova (2010)	Serotype-specific invasive disease potential of Streptococcus pneumoniae in Czech children. <i>Journal of Medical Microbiology</i> 59 (Pt 9)	2004	Czechia	203	Europe	CS	Unkn.	No	<5y	0–5	Unknown	138		Unkn.