

Serum lipidome associates with neuroimaging features in patients with traumatic brain injury

Ilias Thomas et al.

Supplementary Material

Supplementary Table 1. The volumetric data ROIs as segmented into 51 regions.

ROI Index	Collapsed ROI name
1	BrainStem
2	CerebellarVermis
3	LeftAcumbens
4	LeftAmygdala
5	LeftBasalForebrain
6	LeftCaudate
7	LeftCerebellarWhite
8	LeftCerebellumGrey
9	LeftCerebralWhiteMatter
10	LeftDorsolateralFrontal
11	LeftFrontalPole
12	LeftFusiformGyrus
13	LeftHippocampalComplex
14	LeftInsula
15	LeftLateralParietalLobe
16	LeftMedialFrontal
17	LeftMedialParietalLobe
18	LeftOccipitalLobe
19	LeftOrbitofrontal
20	LeftPallidum
21	LeftPrecentral
22	LeftPutamen
23	LeftSubcallosal
24	LeftTemporalLobe
25	LeftTemporalPole
26	LeftThalamus
27	RightAcumbens
28	RightAmygdala
29	RightBasalForebrain
30	RightCaudate
31	RightCerebellarWhite
32	RightCerebellumGrey

33	RightCerebralWhiteMatter
34	RightDorsolateralFrontal
35	RightFrontalPole
36	RightFusiformGyrus
37	RightHippocampalComplex
38	RightInsula
39	RightLateralParietalLobe
40	RightMedialFrontal
41	RightMedialParietalLobe
42	RightOccipitalLobe
43	RightOrbitofrontal
44	RightPallidum
45	RightPrecentral
46	RightPutamen
47	RightSubcallosal
48	RightTemporalLobe
49	RightTemporalPole
50	RightThalamus
51	Ventricle

Supplementary Table 2. The white matter track data as segmented into 48 regions ROIs.

ROI index	FA and MD ROIs
1	Middle cerebellar peduncle
2	Pontine crossing tract (a part of MCP)
3	Genu of corpus callosum
4	Body of corpus callosum
5	Splenium of corpus callosum
6	Fornix (column and body of fornix)
7	Corticospinal tract R
8	Corticospinal tract L
9	Medial lemniscus R
10	Medial lemniscus L
11	Inferior cerebellar peduncle R
12	Inferior cerebellar peduncle L
13	Superior cerebellar peduncle R
14	Superior cerebellar peduncle L
15	Cerebral peduncle R
16	Cerebral peduncle L
17	Anterior limb of internal capsule R
18	Inferior cerebellar peduncle L
19	Posterior limb of internal capsule R
20	Posterior limb of internal capsule L
21	Retrolenticular part of internal capsule R
22	Retrolenticular part of internal capsule L
23	Anterior corona radiata R
24	Anterior corona radiata L
25	Superior corona radiata R
26	Superior corona radiata L
27	Posterior corona radiata R
28	Posterior corona radiata L
29	Posterior thalamic radiation (include optic radiation) R
30	Posterior thalamic radiation (include optic radiation) L
31	Sagittal stratum (include inferior longitudinal fasciculus and inferior fronto-occipital fasciculus) R

32	Sagittal stratum (include inferior longitudinal fasciculus and inferior fronto-occipital fasciculus) L
33	External capsule R
34	External capsule L
35	Cingulum (cingulate gyrus) R
36	Cingulum (cingulate gyrus) L
37	Cingulum (hippocampus) R
38	Cingulum (hippocampus) L
39	Fornix (cres) / Stria terminalis (can not be resolved with current resolution) R
40	Fornix (cres) / Stria terminalis (can not be resolved with current resolution) L
41	Superior longitudinal fasciculus R
42	Superior longitudinal fasciculus L
43	Superior fronto-occipital fasciculus (could be a part of anterior internal capsule) R
44	Superior fronto-occipital fasciculus (could be a part of anterior internal capsule) L
45	Uncinate fasciculus R
46	Uncinate fasciculus L
47	Tapetum R
48	Tapetum L

Supplementary Table 3. The FA ROIs that show the most correlations to the lipids together with the frequencies and the sign of the average correlations.

Frequency	Sign of correlation	Name
0.323	+ (positive)	Superior corona radiata L
0.209	+ (positive)	Superior cerebellar peduncle R
0.204	+ (positive)	Medial Lemniscus L
0.194	+ (positive)	Corticospinal L
0.184	+ (positive)	Superior longitudinal fasciculus L
0.159	+ (positive)	Posterior limb of internal capsule L
0.159	+ (positive)	Superior corona radiata R
0.154	+ (positive)	Retrolenticular part of internal capsule R
0.149	+ (positive)	Cerebral peduncle L
0.139	+ (positive)	Posterior limb of internal capsule R
0.124	+ (positive)	Inferior cerebellar peduncle L
0.124	+ (positive)	Posterior corona radiata L
0.114	+ (positive)	Anterior corona radiata L

Supplementary Table 4. The MD ROIs that show the most correlations to the lipids together with the frequencies and the sign of the average correlations.

Frequency	Sign of correlation	Name
0.184	- (negative)	Corticospinal L
0.154	- (negative)	Fornix (cres) L
0.119	- (negative)	Superior longitudinal fasciculus L
0.1	- (negative)	Retrolemniscal part of internal capsule R

Supplementary Table 5. Findings of the MRI classification performance of the lipids. The results of the ridge reduced model are shown.

	(1/0/NA)	AUC (CI)
MRI findings (n=102)	(62/40)	0.85 (0.71- 0.98)
Subset of patients with negative CT (n=45)	(11/33/1)	0.7 (0.37- 0.98)

Supplementary Table 6. The volumetric ROIs that show the most correlations to the lipids together with the frequencies and the sign of the average correlations.

Frequency	Sign of correlation	Name
0.159	+ (positive)	RightAcumbens
0.129	- (negative)	LeftMedialParietalLobe
0.129	+ (positive)	RightSubcallosal
0.119	+ (positive)	LeftBasalForebrain
0.119	- (negative)	LeftFusiformGyrus
0.114	- (negative)	RightBasalForebrain
0.109	+ (positive)	LeftSubcallosal
0.104	+ (positive)	LeftFrontalPole

Supplementary Figure 1. Beanpot of the correlation values of the volumetric ROIs to all the lipids. Predominantly negative correlations are seen which, on average, are at about -0.2.

