

The importance of identifying red flags in wrist and hand pain: a scoping review protocol

Federico Rossi - Department of Medicine and Health Science “Vincenzo Tiberio”, University of Molise, Campobasso, Italy

Marco Cordella - Department of Medicine and Health Science “Vincenzo Tiberio”, University of Molise, Campobasso, Italy

Elena Lanfranchi - Department of Medicine and Health Science “Vincenzo Tiberio”, University of Molise, Campobasso, Italy

Roberta La Marca - Department of Medicine and Health Science “Vincenzo Tiberio”, University of Molise, Campobasso, Italy

Ruggero Mennea - Department of Medicine and Health Science “Vincenzo Tiberio”, University of Molise, Campobasso, Italy

Daniele Pierazzoli - Department of Medicine and Health Science “Vincenzo Tiberio”, University of Molise, Campobasso, Italy

Matteo Cioeta - Department of Neurological and Rehabilitation Sciences, IRCCS San Raffaele Roma, Rome, Italy

Leonardo Pellicciari – IRCCS Institute of Neurological Sciences, Bologna, Italy

CORRESPONDING AUTHOR

Federico Rossi

Department of Medicine and Health Science “Vincenzo Tiberio”, University of Molise
Via Francesco De Sanctis 1, I-86100 – Campobasso, Italy
Email address: federico.rossi992@gmail.com

Declarations

Ethics approval and consent to participate. Not applicable.

Consent for publication. Not applicable.

Availability of data and materials. Not applicable.

Competing interests. The authors declare that they have no competing interest.

Funding. None to declare.

Authors' contributions. All authors conceived, designed, drafted and approved the final manuscript.

Acknowledgements. Not applicable.

ABSTRACT

Background: Musculoskeletal pain can be defined as a consequence of a trauma or as a disorder of varying nature, which can be manifested in bones, muscles, tendinous and ligamentous structures, including those of the wrist and hand. However, such pain can mimic pathologies that need further diagnostic investigations; as a consequence, healthcare practitioners have to be able to detect their signs and symptoms, in order to refer the patient to the most appropriate clinician.

The current literature lacks of reviews that analyze red flags in the field of wrist and hand pain. The reviewers would like to look for any correlations that could be useful in a correct screening process by clinicians.

Methods: This scoping review will be performed in accordance with the PRISMA extensions for Scoping Reviews (PRISMA-ScR). Studies will be included if they meet the following inclusion criteria: population characterized by wrist and hand pain with or without comorbidities either at the present or in the past. No limits of age, gender and sport activity will be applied. No study design, publication type, and data restrictions will be applied. MEDLINE, Web of Science, Cochrane Library, CINAHL, Embase, PEDro databases will be searched up to February 2023. Two reviewers will independently screen all title, abstracts and full-text studies for inclusion. A data collection form will be developed by the research team to extract the characteristics of the studies included. A tabular and accompanying narrative summary of the information will be provided.

Conclusions: This will be the first scoping review to provide a comprehensive overview of the topic. The results will add meaningful information for future research and clinical practice. The results of this research will be published in a peer-reviewed journal and will be presented at relevant (inter)national scientific events.

Keywords: wrist, hand, red flags, differential diagnosis, review, protocol

Introduction

Musculoskeletal disorders include a wide range of inflammatory and degenerative conditions affecting the muscles, tendons, ligaments, joints, peripheral nerves, and supporting blood vessels. These include clinical syndromes such as tendon inflammations and related conditions (tenosynovitis, epicondylitis, bursitis etc.), nerve compression disorders (carpal tunnel syndrome, sciatica etc), and osteoarthritis, as well as less standardized conditions such as myalgia, low back pain and other regional pain syndromes not attributable to known pathology. The most involved body regions are the low back, neck, shoulder, forearm and, least but not last, wrist and hand.¹

Specifically, upper limb musculoskeletal pain is common in adulthood and can be an important cause of disability, it leads to reduced quality of life, and results in a huge financial burden.

For example, shoulder pain affects roughly 7-34% of people in westernised countries²⁻³ while hand-wrist pain affects 9-23%⁴.

In a population survey of working-aged English adults⁵, 48% reported experiencing upper limb pain in the past year, with 14% describing persistent pain (>6 months).

Furthermore, the 2016 guideline shows that hand, wrist and forearm symptoms in workers are one of the five most common causes of reported work-related complaints⁶.

Ryall et al.⁷ found that, of those presenting to primary care or physiotherapy with upper limb pain, 42% reported pain in the distal region (elbow, forearm, wrist and hand), with 48% reporting persistent symptoms and 19% describing unremitting pain a year later.

Among the main recommendations for the evaluation and treatment of patients with acute, subacute or chronic disorders of the hand, wrist or forearm is the exclusion of pathologies that require urgent medical evaluation or that need to be better clinical view.

In fact, musculoskeletal pain can sometimes mimic pathologies that are not the responsibility of the physiotherapist, defined as red flags (RFs).

These are signs and symptoms detected during the medical history and physical examination that could be related to a serious underlying disease, indicating the need for further diagnostic tests before the patient can be appropriately managed by the healthcare professional⁸.

The ability to recognize a serious pathology is, therefore, a key component of the practice of the Physiotherapist to provide the most accurate and optimal therapy to the patient.

In the current literature there are no systematic reviews analyzing RF of the wrist-hand area. In the management of pathologies of the wrist-hand district

clinicians can use guidelines⁶, which, however, do not elaborate on the process of screening for differential diagnosis.

According to the recent literature there is a strong need to investigate which are the possible RFs affecting the wrist-hand district to improve the process of differential diagnosis of serious diseases by health professionals.

The objective of this study is, therefore, to identify and evaluate the main musculoskeletal pathologies at the wrist and hand level which, however, may not be the responsibility of the physiotherapist and which, therefore, require a referral to other health professionals.

Methods

This study will be prepared using the Joanna Briggs Institute guidelines¹⁰⁻¹¹ and following the Preferred Reporting Items for Systematic Reviews and Meta-analysis Protocol extension for Scoping Reviews (PRISMA-ScR)¹².

Research question

We formulated the following research question: “What are the non-musculoskeletal pathologies that mimic musculoskeletal disorders in the wrist and hand?”

Inclusion criteria

Studies will be considered eligible for inclusion if they meet the Population, Concept and Context (PCC) criteria.

Population

This scoping review will consider studies that include a population presenting with hand-wrist pain, attributable to red flag, in the presence and absence of present or past comorbidities, regardless of age and gender, sports athletes and non-athletes.

Concept

This scoping review will consider studies examining different pathologies that mimic musculoskeletal disorders in the wrist-hand region.

Context

This scoping review will consider studies conducted in any setting.

Sources

Primary studies with any type of design will be included. No time, geographical or study setting limitations will apply. No language restrictions will apply.

Exclusion criteria

Studies involving patients with shoulder or elbow-related symptoms will be excluded.

Search strategies

The search will be conducted across 7 databases (Pubmed, Web of Science, Cochrane Library, PEDro database, CINAHL, Embase and Scopus). In addition, a manual search will be carried out via cross-referencing, on the bibliographies of other relevant reviews and other sources of gray literature (Google Scholar). Authors whose documents are missing useful information for this piece of research will be contacted. The complete search strategy will be reported according to PRISMA-S¹³ (extension for literature searches in systematic reviews) and will be detailed in an additional file.

Selection of studies

The selection process will consist of two levels of screening using the Rayyan QCR¹⁴ online software: a title and abstract and (2) a full-text screening. For both levels, two reviewers (RM and DP) will independently screen the articles to determine if they meet the inclusion/exclusion criteria. In case of disagreements, these will be resolved by a third reviewer (FR). The reasons for the exclusion will be recorded and reflected in the supplementary materials. The entire selection process will be reported and presented in a PRISMA flowchart¹⁵.

Data extraction

The data extraction process will be carried out by two reviewers (RM, DP) independently using a standardized data extraction table, in which the following have been considered: title and author, objective, typology and result of the study. In case of disagreement between the two reviewers, the third reviewer (FR) will be consulted for a final decision. (Table 3)

Data management

As a scoping review, the purpose of this study is to aggregate the findings and present an overview on the research rather than to evaluate the quality of the single studies. The results will be presented in two ways:

1. Numerically. Data extraction will be summarized in tabular form. Further categories may be added if considered appropriate.
2. Thematically. A descriptive analysis will be performed pertaining to themes and key concepts relevant to the research questions and according to subgroups that could emerge.

Ethics and dissemination

A manuscript with results will be prepared and submitted for journal publication upon project completion. The findings of the study will be disseminated at a relevant (inter)national conference. The results of this research will be published in a relevant peer-reviewed journal in the rehabilitation and physical therapy field. All results of this scoping review will also be announced at (inter)national scientific events in the area of rehabilitation of musculoskeletal disorders.

List of abbreviations

RFs: Red Flags; PCC: Population-Concept-Context; JBI:Joanna Briggs Institute; PRISMA:Preferred Reporting Items for Systematic Reviews and Meta- Analyses.

List of additional files

TABLE 1: research strategies for each database.

TABLE 2: Population, Concept and Context (PCC) of the scoping review.

TABLE 3: Data extracted from the included studies

REFERENCES

1. Punnett L., Wagman H.D. Work-related musculoskeletal disorders: the epidemiologic evidence and the debate. *Journal of Electromyography and Kinesiology*, Volume 14, Issue 1, February 2004, Pages 13-23.
2. Bjelle A. Epidemiology of health problems. *Ballieres Clin Rheumatol*. 1989;3:437–51.
3. Badley E, Tennant A. Changing profile of joint disorders with age: findings from a postal survey of Calderdale, West Yorkshire, UK. *Ann Rheum Dis*. 1991;51:366–71.
4. Palmer KT, Kvien TK, Brox JI, editors. Pain in the forearm, wrist and hand. *Regional Musculoskeletal Conditions. Best Practice & Research: Clinical Rheumatology*. 2003;17:113–135.
5. Palmer KT, Calnan M, Wainwright D, et al. Upper limb pain in primary care: health beliefs, somatic distress, consulting and patient satisfaction. *Fam Pract* 2006; 23(6): 609–617.
6. Hegmann T.K., Melhorn J.M., Hand Wrist and Forearm Disorders Guideline; June 30, 2016.
7. Ryall C, Coggon D, Peveler R, et al. A prospective cohort study of arm pain in primary care and physiotherapy – prognostic determinants. *Rheumatology* 2007; 46(3): 508–515.
8. Sizer Jr PS, Brismée JM, Cook C. Medical screening for red flags in the diagnosis and management of musculoskeletal spine pain. *Pain Pract*. 2007;7(1):53–71.
9. Maselli F, Pennella D, Cataldi F, et al. Nonspecific low back pain (LBP) can occult a serious pathology: case report of Multiple Sclerosis (MS) in a young patient. *Acta Medica International* Jan2016;3:20.
10. Peters, M. et al. The Joanna Briggs Institute reviewers' manual 2015: methodology for JBI scoping reviews. (2015).
11. Peters, M.D.J. et al. Updated methodological guidance for the conduct of scoping reviews. *JBI Evid. Synth.* 18,2119–2126 (2020).
12. Tricco, A. C. et al. PRISMA extension for scoping reviews (PRISMA-ScR): checklist and explanation. *Ann. Intern. Med.* 169, 467–473 (2018).
13. Rethlefsen, M. L. et al. PRISMA-S: an extension to the PRISMA Statement for Reporting Literature Searches in Systematic Reviews. *Syst. Rev.* 10, 1–19 (2021).
14. Ouzzani, M., Hammady, H., Fedorowicz, Z. & Elmagarmid, A. Rayyan-a web and mobile app for systematic reviews. *Syst. Rev.* 5, 1-10 (2016).

15. Moher, D., Liberati, A., Tetzlaff, J., Altman, D. G. & Group, P. Preferred reporting items for systematic reviews and meta-analyses: the PRISMA statement. *PLoS med* 6, e1000097 (2009).

ADDITIONAL FILES

TABLE 1: research strategies for each database

DATABASE	STRATEGIE DI RICERCA
PUBMED	<p>QUERY FOR PUBMED</p> <p>(wrist pain) OR hand pain) OR thumb pain) OR upper arm pain) OR wrist injury) OR hand injury) OR thumb injury) OR upper arm injury) OR wrist disease*) OR hand disease*) OR thumb disease*) OR finger* disease*) AND (((((((("Diagnosis, Differential"[Mesh] OR "differential diagnosis") OR diagnosis) OR screening*) OR ("Referral and Consultation"[Mesh])) OR referral*) OR finding*) OR consultation*) OR observation*) OR (physical examination [MeSH Terms])) OR "physical exam*") AND (((((((red flag*) OR red herring*) OR referral*) OR "specific patholog*") OR "specific disease*") OR "specific disorder*") OR "serious patholog*") OR "serious disease*") OR "serious disorder*")</p>
WEB OF SCIENCE	<p>("wrist pain") OR "hand pain") OR "thumb pain") OR "upper arm pain") OR "wrist injury") OR "hand injury") OR "thumb injury") OR "upper arm injury") OR "wrist disease*") OR "hand disease*") OR "thumb disease*") OR "finger* disease*") AND (((((((("differential diagnosis") OR "diagnosis") OR "screening*") OR</p>

“referral*”) OR “finding*”) OR
“consultation*”) OR “observation*”) OR
“physical exam*”) AND (((((((“red
flag*”) OR “red herring*”) OR
“referral*”) OR “specific patholog*”) OR
“specific disease*”) OR “specific
disorder*”) OR “serious patholog*”) OR
“serious disease*”) OR “serious
disorder*”)

COCHRANE LIBRARY

(“wrist pain”) OR “hand pain”) OR
“thumb pain”) OR “upper arm pain”) OR
“wrist injury”) OR “hand injury”) OR
“thumb injury”) OR “upper arm injury”)
OR “wrist disease*”) OR “hand
disease*”) OR “thumb disease*”) OR
“finger* disease*”) AND
(((((((“differential diagnosis”) OR
“diagnosis”) OR “screening*”) OR
“referral*”) OR “finding*”) OR
“consultation*”) OR “observation*”) OR
“physical exam*”) AND (((((((“red
flag*”) OR “red herring*”) OR
“referral*”) OR “specific patholog*”) OR
“specific disease*”) OR “specific
disorder*”) OR “serious patholog*”) OR
“serious disease*”) OR “serious
disorder*”)

CINAHL

”)(“red flag*”) OR “red herring”) OR
“serious pathology”)) AND
(((((((“differential diagnosis”) OR
“screening”) OR “physical examination”)
OR “referral”)) OR (“physiotherapy”)
OR “physical therapy”)) OR (((“wrist
pain”) OR “hand pain”) OR “thumb
pain”) OR “upper arm pain

PEDro

-Referral AND wrist
-Referral AND hand

SCOPUS

ALL ("Wrist pain") OR ALL ("hand pain") OR ALL ("thumb pain") OR ALL ("upper limb pain") OR ALL ("wrist injury") OR ALL ("thumb injury") OR ALL ("upper arm injury") OR ALL ("finger disease") AND ALL ("red flag") OR ALL ("red herring") OR ALL ("screening") OR ALL ("referral") OR ALL ("screening for referral")

GOOGLE SCHOLAR

-allintitle: "red flags", ("wrist pain" OR "hand pain" OR "thumb pain" OR "upper arm pain" OR "wrist injury" OR "hand injury" OR "thumb injury" OR "upper arm injury" OR "wrist disease" OR "hand disease" OR "thumb disease" OR "upper arm disease")

-allintitle: "serious pathology", ("wrist pain" OR "hand pain" OR "thumb pain" OR "upper arm pain" OR "wrist injury" OR "hand injury" OR "thumb injury" OR "upper arm injury" OR "wrist disease" OR "hand disease" OR "thumb disease" OR "upper arm disease")

-allintitle: "differential diagnosis", ("wrist pain" OR "hand pain" OR "thumb pain" OR "upper arm pain" OR "wrist injury" OR "hand injury" OR "thumb injury" OR "upper arm injury" OR "wrist disease" OR "hand disease" OR "thumb disease" OR "upper arm disease")

-allintitle: "referral", ("wrist pain" OR "hand pain" OR "thumb pain" OR "upper arm pain" OR "wrist injury" OR "hand injury" OR "thumb injury" OR "upper arm injury" OR "wrist disease" OR "hand disease" OR "thumb disease" OR "upper arm disease")

EMBASE

ALL ("Wrist pain") OR ALL ("hand pain") OR ALL ("thumb pain") OR ALL ("upper limb pain") OR ALL ("wrist injury") OR

ALL ("thumb injury") OR ALL ("upper arm injury") OR ALL ("finger disease")) AND ALL ("differential diagnosis") OR ALL ("diagnosis") OR ALL ("screening") OR ALL ("referral") OR ALL ("finding") OR ALL ("consultation") OR ALL ("consultation") OR ALL ("observation") OR ALL ("physical exam")) AND (ALL ("red flag") OR ALL ("red herring") OR ALL ("referral") OR ALL ("screening for referral") OR ALL ("serious disease") OR ALL ("serious pathology") OR ALL ("specific disease") OR ALL ("specific pathology"))

TABLE 2: Population, Concept and Context (PCC)) of the systematic review.

	INCLUSION CRITERIA	EXCLUSION CRITERIA
Population	Population presenting with hand-wrist pain in the presence and absence of present or past comorbidities, regardless of age and gender, sports athletes and non-athletes.	patients with symptoms related to the shoulder or elbow.
Concept	studies examining various pathologies that mimic musculoskeletal disorders in the wrist-hand area.	-
Context	studies conducted in any setting.	-

TABLE 3: Data extracted from the included studies

AUTHOR	OBJECTIVE	TYPOLOGY	RESULT
--------	-----------	----------	--------