

Table 1: Characteristics of included studies - PRS and neurodevelopmental outcomes

Reference	Discovery Cohort	Target Cohort	Age (years)	Outcome phenotype (scale)	Sample Size	Polygenic Risk Score	Relevant findings
(Aguilar-Lacasaña et al., 2020)	<ul style="list-style-type: none"> ADHD GWAS N= 55 374 ASD GWAS N= 46 351 	Population-based cohort (BREATHE project)	7 - 11	<ul style="list-style-type: none"> Working Memory: n-back task Attention performance: n-back task, ANT (computer version) ADHD symptoms: DSM-IV 	N= 1667	<ul style="list-style-type: none"> ADHD PRS ASD PRS 	<ul style="list-style-type: none"> ↑ADHD PRS assoc with ↓working memory performance
(Jansen et al., 2020)	<ul style="list-style-type: none"> Discovery sample ADHD cases N= 20 183, controls N= 35 191 Discovery sample ASD cases N= 18 381, controls N= 27 969 Discovery sample SCZ cases N= 40 675, controls N=64 643 NESCOG 	“Inside out” outpatient sample <ul style="list-style-type: none"> ADHD ASD Controls 	6 - 18	<ul style="list-style-type: none"> ADHD symptoms (CBCL 1.5-5) ASD symptoms 	<ul style="list-style-type: none"> ADHD/ASD N= 688 ADHD N= 280 ASD N= 295 	<ul style="list-style-type: none"> ADHD PRS ASD PRS SCZ PRS 	ADHD PRS assoc with : <ul style="list-style-type: none"> ADHD symptoms Combined ADHD /ASD symptoms
(Martin et al., 2015)	GWAS of British & Irish children with ADHD diagnosis cases N=727 and controls N= 5081	ALSPAC	7 - 10	<ul style="list-style-type: none"> IQ (WISC-III) Verbal working memory: WISC-III digit span task Cognitive inhibitory control: Diagnostic Analysis of the Faces subtest, Counting span task (TEACH), Opposite worlds task Facial emotional recognition ADHD inattentive & impulsive traits: DAWBA social communication: SCDC pragmatic language scales: CCC 	N= 6832	<ul style="list-style-type: none"> ADHD PRS (in children) 	ADHD PRS assoc with: <ul style="list-style-type: none"> ↓IQ & working memory performance

<p>(Mistry et al., 2019b)</p>	<p>PGC working groups:</p> <ul style="list-style-type: none"> • BD • SCZ • SCZ vs BD GWAS <p>BD cases N= 20 129 and SCZ cases N= 33 426</p>	<p>ALSPAC</p>	<p>8</p>	<ul style="list-style-type: none"> ○ Cognitive domains : (WISC-III) <p>General intelligence:</p> <ul style="list-style-type: none"> ○ Verbal IQ: (derived from the information, similarities, arithmetic, vocabulary, comprehension, and forward and backward digit span subtests) ○ Performance IQ: (derived from the picture completion, picture arrangement, block design, coding and object assembly subtests) ○ Total IQ: (sum of PIQ and VIQ) ○ Processing speed: (WISC-III) ○ Working memory: (Freedom from distractibility score) ○ Problem-solving: (WISC-III) ○ Executive function: (TEACH) ○ Attention: (TEACH) ○ Verbal Learning: (CTNWR) ○ Emotion recognition: (DANVA) 	<p>N= 8230</p>	<p>- BD PRS</p>	<p>BD PRS assoc with :</p> <ul style="list-style-type: none"> - ↓executive functioning - ↓processing speed - ↓performance IQ
--------------------------------------	--	---------------	----------	---	----------------	-----------------	---

Table 2: Characteristics of included studies – PRS and mental health outcomes

Reference	Discovery Cohort	Target Cohort	Age (years)	Outcome phenotype (scale)	Sample Size	Polygenic Risk Score	Relevant findings
Akingbuwa et al., 2020	<p>GWAS data from 7 cohorts:</p> <ul style="list-style-type: none"> • ALSPAC • Child and adolescent twin study (Sweden) • Generation R • MoBa • Northern Finland Birth Cohort of 1986 • Twins Early Development Study 	Meta-analysis	6 – 17	<ul style="list-style-type: none"> ○ ADHD symptoms ○ Internalising symptoms ○ Social problems <p>Scales used:</p> <ul style="list-style-type: none"> ○ SDQ ○ CBCL ○ CBCL(Youth Self Report) ○ SDQ (Conners' Parent Rating Scale) ○ Autism-Tics, ADHD and Other Comorbidities Inventory ○ Screen for Child Anxiety Related Emotional Disorders ○ Short Mood and Feelings Questionnaire ○ Screen for Child Anxiety Related Emotional Disorders ○ Short Mood and Feelings Questionnaire ○ Rating Scale for Disruptive Behavior Disorders 	N= 42 998	<ul style="list-style-type: none"> - MDD PRS - NEU PRS 	<p>MD PRS assoc with :</p> <ul style="list-style-type: none"> - Childhood ADHD symptoms, - Internalising problems
Kwong et al., 2021	<p>PGC working groups:</p> <ul style="list-style-type: none"> • DEP • MDD • ANX • NEU • SCZ 	ALSPAC	10 - 24	<ul style="list-style-type: none"> ○ Depressive symptoms (self-reported) (SMFQ) 	N= 6302	<ul style="list-style-type: none"> - DEP PRS - MDD PRS - ANX PRS - NEU PRS - SCZ PRS 	<ul style="list-style-type: none"> - ↑ PRS for DEP, MDD, NEU: assoc with adverse DEP symptoms

(Mistry et al., 2019a)	PGC-BD	ALSPAC	7 - 11	<ul style="list-style-type: none"> ○ Emotional and Behavioural difficulties: SDQ ○ Assessment of childhood ADHD: DAWBA and DSM-IV ○ Assessment of borderline personality trait: CI-BPD 	N= 8230	- BD PRS	- BD PRS assoc with ADHD symptoms
(Nivard et al., 2017)	PGC -SCZ2	<ul style="list-style-type: none"> • NTR • ALSPAC 	7 - 15	<p>NTR:</p> <ul style="list-style-type: none"> ○ Psychopathology: DSM-IV ○ Anxiety: CBCL (maternal rating) ○ Depression: CBCL ○ OCD/ODD: CBCL (maternal rating) <p>ALSPAC:</p> <ul style="list-style-type: none"> ○ Psychopathology: (DAWBA) 	<ul style="list-style-type: none"> • NTR: N=2588 • ALSPAC: N= 6127 	- SCZ PRS	- SCZ PRS assoc with childhood psychopathology
(Rice et al., 2019)	<ul style="list-style-type: none"> • PGC-MDD • PGC-ADHD • PGC-SCZ 	ALSPAC	10 - 18	<ul style="list-style-type: none"> ○ Depressive symptoms trajectories : SMFQ 	N= 7543	<ul style="list-style-type: none"> - MDD PRS - SCZ PRS - ADHD PRS 	- MDD, ADHD and SCZ PRS assoc with DEP symptoms (age 12)
(Salvatore et al., 2015)	COGA adult GWAS	COGA	12 - 17	<ul style="list-style-type: none"> ○ Subclinical externalising behaviour externalising disorders psychiatric interview ○ Impulsivity-related traits: externalising disorders psychiatric interview 	N= 248	- Externalising disorders PRS	- Externalising disorders PRS assoc with subclinical externalising behaviour

(Riglin et al., 2018)	<ul style="list-style-type: none"> • PGC- SCZ • PGC-MDD 	NCDS	7 - 16	<ul style="list-style-type: none"> ○ Emotional problems ○ Parent report of two depression/anxiety items: Rutter A scale for children (abbreviated version) 	N= 5257	<ul style="list-style-type: none"> - ADHD PRS - MDD PRS 	<ul style="list-style-type: none"> - SCZ PRS assoc with emotional problems (age 7)
(Hannigan et al., 2021)	PGC-SCZ	MoBa	18 months - 8	<ul style="list-style-type: none"> ○ Emotional and behavioural psychopathology: (BCL ○ Anxiety: SCARED ○ Depression: (MFQ ○ Disruptive Behaviour Disorders: RS-DBD ○ Conduct problems: RS-DBD ○ Hyperactivity and inattention: RS-DBD 	N= 15 105	<ul style="list-style-type: none"> - SCZ PRS 	<ul style="list-style-type: none"> - ↑ SCZ PRS assoc with ↑ behavioural and emotional problems - ↑ symptoms of conduct disorder, ODD, ADHD in middle childhood

- **Phenotypes:** DEP=depression, MDD= major depressive disorder, ANX= anxiety, NEU= neuroticism and SCZ= schizophrenia SLI= specific language impairment, ASD= Autism spectrum disorder
- **Measures:** SMFQ= short mood and feelings questionnaire; WISC-III= Wechsler Intelligence Scale - III; TEACH= Test of Everyday Attention for Children; DANVA= Diagnostic Analysis of Nonverbal Accuracy; CI-BPD= the Childhood Interview for DSM-IV Borderline Personality Disorder; SCDC= Social & communication Disorders Checklist; CCC= Children’s Communication Checklist, K-SADS Danish version of Schedule for Affective Disorders and Schizophrenia for School-Age Children; TROG-2= Test for Reception of Grammar (Danish version); RIST= Reynolds Intellectual Screening Test. SCARED= Screen for Child Anxiety Related Disorders; RS-DBD= Rating Scale for Disruptive Behaviour Disorders; HRTSE= Hit reaction time; ANT= Attention Network Test; CTNWR= Children’s Test of Nonword Repetition
- **Cohorts:** PGC= Psychiatric Genomics Consortium, ALSPAC= Avon Longitudinal Study of Parents and Children; COGA = Collaborative Study on the Genetics of Alcoholism, NCDS= National Child Development Study, SAGE= Study of ADHD, Genes and Environment, MoBa= Norwegian Mother, Father, and Child Cohort, NTR= Netherlands Twin Registry, NESCOG= Netherlands Study of Cognition, Environment and Genes, BREATHE = BRain dEvelopment and Air polluTion ultrafine particles in scHool childrEn
- N’s shown only for summary statistics generated by each particular study
- ↑ denotes an increase or higher variable
- ↓ denotes a decrease in a particular variable