

Faust *et al.* An estimate of pediatric lives saved due to non-pharmacologic interventions during the early COVID-19 pandemic.

### **Supplemental Exhibits List**

Figure 1. Monthly expected and observed deaths, all, medical and external causes, Ages 0-9 years, 3- and 4-year baseline periods for modeling, January 2015-February 2022.

Table 1. Excess deaths, all, medical and external causes, and COVID-19 deaths, March 2020-February 2022, modeled using 4-year baseline period.

Table 2. Excess deaths, all, medical and external causes, and COVID-19 deaths, March 2020-February 2022, modeled using 3-year baseline period.

Figure 2. Monthly expected and observed deaths, all, medical and external causes, Ages 0-9 years, January 2015-February 2022.

Figure 3. Monthly expected and observed deaths, all, medical and external causes, Ages <1, 1-4, 5-9 years, January 2015-February 2022.

Table 3. Excess deaths, all, medical and external causes, by month, Ages < 1 years, March 2020-February 2022.

Table 4. Excess deaths, all, medical and external causes, by month, Ages 1-4 years, March 2020-February 2022.

Table 5. Excess deaths, all, medical and external causes, by month, Ages 5-9 years, March 2020-February 2022.


Figure 4. Deaths by ICD-10 chapter, 12-month periods beginning each March, ages <1 years, March 2010-February 2022.

Figure 5. Deaths by ICD-10 chapter, 12-month periods beginning each March, ages 1-9 years, March 2010-February 2022.

Figure 6. Deaths from external causes by ICD-10 Sub-chapter, ages 0-9 years, March 2010-February 2022 (select causes not shown due to suppression constraints).

# Supplemental Figure 1

## Expected and Observed Deaths: 0-9 Years



## Supplemental Table 1


Period	Field	< 1 years	1-4 years	5-9 years	1-9 years	0-9 years
March 2020-February 2021	All Causes	-936 (-1360 to -512)	-187 (-366 to -8)	-146 (-227 to -65)	-334 (-542 to -126)	-1270 (-3808 to 1268)
March 2020-February 2021	Medical	-913 (-1315 to -511)	-374 (-573 to -176)	-195 (-257 to -134)	-570 (-784 to -356)	-1483 (-1977 to -989)
March 2020-February 2021	External	-23 (-120 to 74)	187 (121 to 253)	49 (-21 to 119)	236 (152 to 319)	213 (100 to 327)
March 2020-February 2021	COVID UCD (MCD) Deaths	44 (69)	25 (32)	24 (38)	49 (70)	93 (139)
March 2020-February 2021	All Causes Observed/Expected Ratio	0.95	0.95	0.94	0.94	0.95
March 2020-February 2021	Medical Observed/Expected Ratio	0.95	0.83	0.86	0.84	0.93
March 2020-February 2021	External Observed/Expected Ratio	0.99	1.13	1.05	1.1	1.05
March 2021-February 2022	All Causes	252 (-165 to 669)	105 (-71 to 281)	115 (36 to 194)	220 (16 to 424)	472 (-2082 to 3026)
March 2021-February 2022	Medical	129 (-267 to 525)	-15 (-213 to 183)	-33 (-93 to 26)	-48 (-259 to 163)	81 (-405 to 566)
March 2021-February 2022	External	123 (27 to 218)	120 (54 to 185)	148 (80 to 217)	268 (185 to 351)	391 (280 to 502)
March 2021-February 2022	COVID UCD (MCD) Deaths	139 (242)	75 (107)	82 (99)	157 (206)	296 (448)
March 2021-February 2022	All Causes Observed/Expected Ratio	1.01	1.03	1.05	1.04	1.02
March 2021-February 2022	Medical Observed/Expected Ratio	1.01	0.99	0.98	0.99	1
March 2021-February 2022	External Observed/Expected Ratio	1.08	1.08	1.16	1.11	1.1
Pandemic period	All Causes	-684 (-1292 to -76)	-82 (-398 to 234)	-32 (-176 to 112)	-114 (-435 to 207)	-798 (-8315 to 6719)
Pandemic period	Medical	-784 (-1361 to -207)	-389 (-753 to -26)	-229 (-326 to -132)	-618 (-1005 to -231)	-1402 (-2110 to -694)
Pandemic period	External	100 (-39 to 239)	307 (185 to 429)	197 (66 to 328)	504 (350 to 659)	604 (401 to 808)
Pandemic period	COVID UCD (MCD) Deaths	183 (311)	100 (139)	106 (137)	206 (276)	389 (587)
Pandemic period	All Causes Observed/Expected Ratio	0.98	0.99	0.99	0.99	0.98
Pandemic period	Medical Observed/Expected Ratio	0.98	0.91	0.92	0.91	0.97
Pandemic period	External Observed/Expected Ratio	1.03	1.1	1.11	1.1	1.08

## Supplemental Table 2

Period	Field	< 1 years	1-4 years	5-9 years	1-9 years	0-9 years
March 2020-February 2021	All Causes	-1219 (-1662 to -776)	-172 (-331 to -13)	-156 (-219 to -93)	-329 (-576 to -82)	-1548 (-1994 to -1102)
March 2020-February 2021	Medical	-1182 (-1596 to -768)	-277 (-369 to -185)	-213 (-286 to -140)	-490 (-644 to -336)	-1672 (-2164 to -1180)
March 2020-February 2021	External	-37 (-132 to 58)	105 (34 to 175)	57 (-11 to 124)	161 (42 to 281)	124 (8 to 240)
March 2020-February 2021	COVID UCD (MCD) Deaths	44 (69)	25 (32)	24 (38)	49 (70)	93 (139)
March 2020-February 2021	All Causes Observed/Expected Ratio	0.94	0.95	0.93	0.94	0.94
March 2020-February 2021	Medical Observed/Expected Ratio	0.94	0.87	0.85	0.86	0.93
March 2020-February 2021	External Observed/Expected Ratio	0.98	1.07	1.06	1.07	1.03
March 2021-February 2022	All Causes	-621 (-1057 to -185)	190 (34 to 346)	116 (54 to 178)	306 (63 to 549)	-316 (-755 to 123)
March 2021-February 2022	Medical	-710 (-1117 to -303)	243 (152 to 333)	-34 (-105 to 37)	209 (57 to 360)	-501 (-985 to -17)
March 2021-February 2022	External	89 (-5 to 182)	-53 (-123 to 17)	150 (83 to 216)	97 (-21 to 214)	185 (72 to 299)
March 2021-February 2022	COVID UCD (MCD) Deaths	139 (242)	75 (107)	82 (99)	157 (206)	296 (448)
March 2021-February 2022	All Causes Observed/Expected Ratio	0.97	1.05	1.05	1.05	0.99
March 2021-February 2022	Medical Observed/Expected Ratio	0.96	1.13	0.98	1.06	0.98
March 2021-February 2022	External Observed/Expected Ratio	1.06	0.97	1.16	1.04	1.04
Pandemic period	All Causes	-1841 (-2477 to -1205)	18 (-239 to 275)	-41 (-172 to 90)	-23 (-454 to 408)	-1864 (-2581 to -1147)
Pandemic period	Medical	-1892 (-2485 to -1298)	-34 (-177 to 108)	-247 (-404 to -90)	-281 (-534 to -29)	-2173 (-2879 to -1467)
Pandemic period	External	51 (-85 to 187)	52 (-103 to 207)	206 (55 to 358)	258 (51 to 465)	309 (104 to 515)
Pandemic period	COVID UCD (MCD) Deaths	183 (311)	100 (139)	106 (137)	206 (276)	389 (587)
Pandemic period	All Causes Observed/Expected Ratio	0.96	1	0.99	1	0.96
Pandemic period	Medical Observed/Expected Ratio	0.95	0.99	0.91	0.96	0.95
Pandemic period	External Observed/Expected Ratio	1.02	1.02	1.11	1.05	1.04

## Supplemental Figure 2


### Expected and Observed Deaths: 0-9 Years



# Supplemental Figure 3

## Expected and Observed Deaths: 0-9 Years

Expected Deaths Observed Deaths



### Supplemental Table 3

Month	Age group	Excess Deaths (95% CI)			Ratio of Observed/Expected (95% CI)		
		All Causes	Medical	External	All Causes	Medical	External
202003	< 1 years	-85 (-166 - -3)	-77 (-159 - 6)	-8 (-29 - 13)	0.95 (0.91 - 1.00)	0.95 (0.90 - 1.00)	0.94 (0.81 - 1.12)
202004	< 1 years	-102 (-183 - -21)	-98 (-181 - -16)	-3 (-25 - 18)	0.94 (0.90 - 0.99)	0.94 (0.89 - 0.99)	0.97 (0.84 - 1.16)
202005	< 1 years	-30 (-113 - 52)	-22 (-106 - 62)	-9 (-30 - 13)	0.98 (0.94 - 1.03)	0.99 (0.94 - 1.04)	0.94 (0.81 - 1.11)
202006	< 1 years	1 (-81 - 84)	-1 (-85 - 82)	3 (-19 - 24)	1.00 (0.95 - 1.05)	1.00 (0.95 - 1.06)	1.02 (0.88 - 1.22)
202007	< 1 years	-69 (-149 - 11)	-59 (-141 - 22)	-10 (-30 - 11)	0.96 (0.92 - 1.01)	0.96 (0.92 - 1.01)	0.93 (0.80 - 1.10)
202008	< 1 years	-97 (-179 - -15)	-98 (-180 - -15)	0 (-21 - 22)	0.94 (0.90 - 0.99)	0.94 (0.89 - 0.99)	1.00 (0.87 - 1.19)
202009	< 1 years	-61 (-142 - 20)	-63 (-146 - 19)	3 (-18 - 24)	0.96 (0.92 - 1.01)	0.96 (0.91 - 1.01)	1.02 (0.88 - 1.22)
202010	< 1 years	-131 (-214 - -48)	-132 (-216 - -47)	0 (-21 - 22)	0.92 (0.88 - 0.97)	0.92 (0.87 - 0.97)	1.00 (0.86 - 1.20)
202011	< 1 years	-104 (-186 - -22)	-109 (-192 - -25)	5 (-17 - 26)	0.94 (0.89 - 0.99)	0.93 (0.88 - 0.98)	1.04 (0.89 - 1.24)
202012	< 1 years	-175 (-258 - -92)	-164 (-248 - -79)	-12 (-33 - 10)	0.90 (0.86 - 0.94)	0.90 (0.85 - 0.95)	0.91 (0.79 - 1.09)
202101	< 1 years	-48 (-129 - 33)	-62 (-144 - 20)	13 (-8 - 35)	0.97 (0.93 - 1.02)	0.96 (0.91 - 1.01)	1.10 (0.95 - 1.30)
202102	< 1 years	-70 (-152 - 12)	-66 (-148 - 17)	-5 (-26 - 17)	0.95 (0.91 - 1.01)	0.95 (0.90 - 1.01)	0.96 (0.82 - 1.17)
202103	< 1 years	-58 (-140 - 23)	-78 (-160 - 5)	19 (-2 - 41)	0.97 (0.92 - 1.01)	0.95 (0.90 - 1.00)	1.14 (0.99 - 1.36)
202104	< 1 years	-10 (-91 - 71)	-19 (-101 - 63)	9 (-12 - 30)	0.99 (0.95 - 1.04)	0.99 (0.94 - 1.04)	1.07 (0.92 - 1.27)
202105	< 1 years	-9 (-93 - 74)	-14 (-99 - 71)	4 (-17 - 26)	0.99 (0.95 - 1.05)	0.99 (0.94 - 1.05)	1.03 (0.89 - 1.23)
202106	< 1 years	-53 (-134 - 28)	-60 (-142 - 22)	7 (-14 - 28)	0.97 (0.92 - 1.02)	0.96 (0.91 - 1.02)	1.05 (0.91 - 1.26)
202107	< 1 years	-30 (-111 - 50)	-34 (-116 - 48)	3 (-18 - 25)	0.98 (0.94 - 1.03)	0.98 (0.93 - 1.03)	1.03 (0.89 - 1.22)
202108	< 1 years	-16 (-98 - 66)	-39 (-122 - 44)	22 (1 - 44)	0.99 (0.95 - 1.04)	0.98 (0.93 - 1.03)	1.17 (1.01 - 1.39)
202109	< 1 years	57 (-24 - 138)	16 (-66 - 98)	41 (20 - 62)	1.03 (0.99 - 1.09)	1.01 (0.96 - 1.07)	1.31 (1.13 - 1.57)
202110	< 1 years	-1 (-83 - 81)	0 (-83 - 83)	-2 (-23 - 20)	1.00 (0.95 - 1.05)	1.00 (0.95 - 1.06)	0.99 (0.85 - 1.18)
202111	< 1 years	-74 (-155 - 8)	-53 (-136 - 30)	-21 (-43 - 0)	0.96 (0.91 - 1.00)	0.97 (0.92 - 1.02)	0.84 (0.72 - 1.00)
202112	< 1 years	2 (-79 - 82)	-5 (-87 - 77)	6 (-15 - 27)	1.00 (0.96 - 1.05)	1.00 (0.95 - 1.05)	1.05 (0.91 - 1.24)
202201	< 1 years	-54 (-136 - 27)	-60 (-143 - 23)	5 (-16 - 27)	0.97 (0.92 - 1.02)	0.96 (0.91 - 1.02)	1.04 (0.90 - 1.24)
202202	< 1 years	-56 (-138 - 26)	-66 (-149 - 18)	9 (-12 - 31)	0.96 (0.92 - 1.02)	0.95 (0.90 - 1.01)	1.08 (0.92 - 1.31)

## Supplemental Table 4

Month	Age group	Excess Deaths (95% CI)			Ratio of Observed/Expected (95% CI)		
		All Causes	Medical	External	All Causes	Medical	External
202003	1-4 years	52 (16 - 89)	34 (18 - 50)	18 (-7 - 43)	1.19 (1.05 - 1.37)	1.40 (1.18 - 1.73)	1.10 (0.97 - 1.26)
202004	1-4 years	-33 (-69 - 3)	8 (-7 - 23)	-40 (-65 - -16)	0.88 (0.78 - 1.01)	1.06 (0.95 - 1.21)	0.74 (0.64 - 0.88)
202005	1-4 years	-29 (-66 - 8)	-9 (-25 - 6)	-20 (-45 - 6)	0.92 (0.83 - 1.03)	0.94 (0.86 - 1.05)	0.90 (0.79 - 1.03)
202006	1-4 years	-5 (-42 - 32)	9 (-7 - 24)	-14 (-39 - 12)	0.98 (0.88 - 1.12)	1.06 (0.96 - 1.17)	0.91 (0.79 - 1.09)
202007	1-4 years	18 (-18 - 54)	40 (24 - 55)	-22 (-47 - 3)	1.05 (0.95 - 1.18)	1.22 (1.12 - 1.33)	0.85 (0.73 - 1.02)
202008	1-4 years	-40 (-77 - -3)	-7 (-22 - 9)	-33 (-59 - -8)	0.87 (0.78 - 0.99)	0.96 (0.87 - 1.06)	0.79 (0.68 - 0.94)
202009	1-4 years	-15 (-52 - 21)	9 (-6 - 24)	-25 (-49 - 0)	0.94 (0.84 - 1.09)	1.07 (0.96 - 1.22)	0.84 (0.72 - 1.00)
202010	1-4 years	11 (-26 - 48)	14 (-2 - 30)	-3 (-29 - 22)	1.04 (0.92 - 1.21)	1.14 (0.99 - 1.34)	0.98 (0.85 - 1.16)
202011	1-4 years	-19 (-56 - 17)	21 (5 - 36)	-40 (-65 - -15)	0.93 (0.82 - 1.07)	1.23 (1.05 - 1.49)	0.79 (0.69 - 0.91)
202012	1-4 years	-56 (-94 - -19)	-7 (-22 - 9)	-49 (-75 - -24)	0.82 (0.73 - 0.93)	0.93 (0.81 - 1.10)	0.77 (0.69 - 0.87)
202101	1-4 years	-46 (-83 - -10)	13 (-3 - 28)	-59 (-84 - -34)	0.85 (0.77 - 0.96)	1.13 (0.98 - 1.34)	0.73 (0.66 - 0.82)
202102	1-4 years	-34 (-71 - 3)	30 (15 - 46)	-64 (-90 - -39)	0.89 (0.79 - 1.01)	1.33 (1.14 - 1.60)	0.69 (0.61 - 0.78)
202103	1-4 years	-31 (-67 - 6)	19 (4 - 35)	-50 (-75 - -25)	0.90 (0.80 - 1.02)	1.19 (1.04 - 1.40)	0.74 (0.66 - 0.85)
202104	1-4 years	6 (-30 - 42)	12 (-4 - 27)	-5 (-30 - 19)	1.02 (0.91 - 1.15)	1.08 (0.97 - 1.21)	0.97 (0.85 - 1.13)
202105	1-4 years	-16 (-53 - 22)	0 (-16 - 16)	-16 (-41 - 10)	0.96 (0.87 - 1.07)	1.00 (0.92 - 1.10)	0.92 (0.81 - 1.06)
202106	1-4 years	-3 (-39 - 34)	0 (-15 - 16)	-3 (-28 - 22)	0.99 (0.90 - 1.11)	1.00 (0.92 - 1.10)	0.98 (0.85 - 1.16)
202107	1-4 years	5 (-31 - 42)	-8 (-24 - 7)	14 (-11 - 38)	1.02 (0.92 - 1.13)	0.96 (0.89 - 1.04)	1.10 (0.93 - 1.33)
202108	1-4 years	2 (-34 - 38)	4 (-11 - 20)	-2 (-27 - 23)	1.01 (0.91 - 1.13)	1.02 (0.94 - 1.12)	0.99 (0.85 - 1.17)
202109	1-4 years	41 (5 - 77)	-9 (-24 - 6)	50 (25 - 75)	1.14 (1.01 - 1.30)	0.94 (0.85 - 1.05)	1.33 (1.14 - 1.59)
202110	1-4 years	34 (-3 - 70)	20 (4 - 36)	14 (-11 - 39)	1.12 (0.99 - 1.28)	1.16 (1.03 - 1.33)	1.08 (0.94 - 1.28)
202111	1-4 years	27 (-9 - 64)	4 (-12 - 20)	23 (-2 - 48)	1.10 (0.97 - 1.26)	1.04 (0.90 - 1.24)	1.13 (0.99 - 1.30)
202112	1-4 years	-3 (-39 - 33)	-13 (-29 - 2)	10 (-14 - 35)	0.99 (0.90 - 1.11)	0.89 (0.79 - 1.02)	1.05 (0.94 - 1.18)
202201	1-4 years	-25 (-62 - 12)	-6 (-21 - 10)	-20 (-45 - 6)	0.92 (0.83 - 1.04)	0.95 (0.83 - 1.11)	0.91 (0.82 - 1.03)
202202	1-4 years	-23 (-60 - 13)	3 (-13 - 18)	-26 (-51 - -1)	0.93 (0.83 - 1.05)	1.03 (0.89 - 1.21)	0.88 (0.78 - 0.99)




### Supplemental Table 5

Month	Age group	Excess Deaths (95% CI)			Ratio of Observed/Expected (95% CI)		
		All Causes	Medical	External	All Causes	Medical	External
202003	5-9 years	-48 (-70 - -25)	-15 (-29 - -1)	-33 (-50 - -15)	0.78 (0.71 - 0.87)	0.81 (0.68 - 0.99)	0.77 (0.69 - 0.88)
202004	5-9 years	-16 (-38 - 6)	2 (-12 - 16)	-18 (-35 - 0)	0.91 (0.81 - 1.04)	1.03 (0.85 - 1.31)	0.84 (0.73 - 1.00)
202005	5-9 years	-3 (-26 - 19)	1 (-14 - 15)	-4 (-22 - 14)	0.98 (0.88 - 1.11)	1.01 (0.86 - 1.23)	0.96 (0.84 - 1.14)
202006	5-9 years	23 (1 - 46)	10 (-5 - 24)	14 (-4 - 32)	1.12 (1.00 - 1.26)	1.09 (0.96 - 1.26)	1.14 (0.96 - 1.41)
202007	5-9 years	-1 (-23 - 21)	1 (-13 - 15)	-2 (-20 - 15)	1.00 (0.91 - 1.11)	1.01 (0.90 - 1.15)	0.98 (0.84 - 1.17)
202008	5-9 years	3 (-20 - 25)	2 (-12 - 16)	1 (-17 - 19)	1.01 (0.91 - 1.15)	1.02 (0.87 - 1.24)	1.01 (0.86 - 1.21)
202009	5-9 years	-6 (-29 - 16)	10 (-5 - 24)	-16 (-34 - 2)	0.96 (0.85 - 1.11)	1.14 (0.94 - 1.43)	0.85 (0.72 - 1.02)
202010	5-9 years	4 (-19 - 27)	24 (9 - 38)	-20 (-38 - -2)	1.02 (0.91 - 1.17)	1.40 (1.13 - 1.86)	0.84 (0.73 - 0.98)
202011	5-9 years	-4 (-27 - 19)	-5 (-19 - 9)	1 (-17 - 19)	0.98 (0.87 - 1.12)	0.92 (0.75 - 1.19)	1.01 (0.87 - 1.20)
202012	5-9 years	-55 (-78 - -32)	-5 (-20 - 9)	-50 (-68 - -32)	0.73 (0.66 - 0.82)	0.92 (0.76 - 1.17)	0.64 (0.57 - 0.74)
202101	5-9 years	-24 (-46 - -2)	12 (-2 - 26)	-36 (-54 - -19)	0.88 (0.79 - 0.99)	1.19 (0.97 - 1.54)	0.74 (0.66 - 0.85)
202102	5-9 years	-6 (-29 - 16)	17 (3 - 32)	-24 (-42 - -6)	0.96 (0.85 - 1.11)	1.32 (1.04 - 1.78)	0.80 (0.69 - 0.94)
202103	5-9 years	-29 (-51 - -6)	13 (-1 - 27)	-41 (-59 - -24)	0.87 (0.79 - 0.97)	1.17 (0.98 - 1.44)	0.71 (0.63 - 0.81)
202104	5-9 years	24 (2 - 47)	17 (3 - 32)	7 (-11 - 24)	1.14 (1.01 - 1.31)	1.26 (1.04 - 1.59)	1.06 (0.91 - 1.28)
202105	5-9 years	14 (-9 - 37)	18 (3 - 32)	-4 (-22 - 14)	1.07 (0.96 - 1.21)	1.22 (1.03 - 1.48)	0.97 (0.84 - 1.14)
202106	5-9 years	1 (-21 - 24)	2 (-12 - 16)	-1 (-19 - 17)	1.01 (0.91 - 1.13)	1.02 (0.90 - 1.17)	0.99 (0.84 - 1.20)
202107	5-9 years	0 (-23 - 22)	9 (-5 - 23)	-9 (-27 - 8)	1.00 (0.91 - 1.11)	1.08 (0.96 - 1.23)	0.92 (0.79 - 1.09)
202108	5-9 years	47 (25 - 70)	18 (4 - 32)	29 (12 - 47)	1.26 (1.12 - 1.44)	1.22 (1.04 - 1.49)	1.30 (1.10 - 1.58)
202109	5-9 years	13 (-9 - 36)	2 (-12 - 16)	11 (-6 - 29)	1.08 (0.95 - 1.24)	1.03 (0.85 - 1.28)	1.11 (0.95 - 1.35)
202110	5-9 years	-2 (-25 - 21)	15 (1 - 30)	-18 (-35 - 0)	0.99 (0.88 - 1.13)	1.25 (1.01 - 1.63)	0.85 (0.74 - 1.00)
202111	5-9 years	30 (7 - 53)	17 (2 - 31)	13 (-5 - 31)	1.17 (1.03 - 1.33)	1.26 (1.03 - 1.61)	1.11 (0.97 - 1.31)
202112	5-9 years	15 (-7 - 37)	21 (7 - 35)	-6 (-23 - 11)	1.07 (0.97 - 1.19)	1.30 (1.08 - 1.64)	0.96 (0.86 - 1.09)
202201	5-9 years	-9 (-31 - 14)	5 (-9 - 19)	-14 (-31 - 4)	0.96 (0.86 - 1.08)	1.08 (0.87 - 1.43)	0.90 (0.80 - 1.04)
202202	5-9 years	19 (-4 - 41)	16 (1 - 30)	3 (-15 - 21)	1.11 (0.98 - 1.28)	1.29 (1.02 - 1.76)	1.03 (0.89 - 1.21)

# Supplemental Figure 4


## Causes of Death, Ages <1 Years



Suppression may occur for chapters with low death counts.  
 Note that U00-U99 includes deaths from COVID-19.

# Supplemental Figure 5

## Causes of Death, Ages 1-9 Years



Suppression may occur for chapters with low death counts.  
 Note that U00-U99 includes deaths from COVID-19.

## Supplemental Figure 6

### External Deaths Ages 0-9 by ICD Sub-Chapter

