

Defining the causes of sporadic Parkinson's disease in the global Parkinson's genetics program (GP2)

Supplementary Material

Contents

1. GP2 Consent Guidelines and Recommended Language	1
2. Clinical Cohort Meta-Data.....	5
3. Cohort Site Interest Form	5
4. Map of contributing cohorts and genotyping tracker.....	21
5. Supplementary Table 1. Pathology Data Elements	22
6. Supplementary Table 2. GP2 Core Data Dictionary	23

1. GP2 Consent Guidelines and Recommended Language

The GP2 Consent Guidelines and Recommended Language can be viewed and downloaded at <https://gp2.org/resources/consent-guidelines/>. The current guidelines (Version October 2020) are below.

Consent Guidelines & Recommended Language

Summary

The Global Parkinson's Genetics Program (GP2) has developed the following template text to assist researchers who wish to submit samples and/or data to GP2. The template text is intended as a guide, and it can be adapted to reflect local requirements. However, the content should remain true to the goal of international data sharing. When developing your consent document, please be sure to include any additional content required by your local ethics review board which may not be listed below.

Introduction

If not consenting as part of another study: You are invited to take part in the Global Parkinson's Genetics Program (GP2). This is a research project. Researchers from around the world are collaborating through this project to study the genetics of Parkinson's Disease. GP2 includes people with and without Parkinson's Disease. You can find information about GP2 and the researchers leading the program at www.gp2.org.

At [name of institution], this project is being led by [name of investigator]. All research that uses peoples' personal data must be reviewed by an ethics board or committee. This project has been approved by [ethics board/committee information]. GP2 is funded by the Aligning Science Across Parkinson's (ASAP) initiative and The Michael J. Fox Foundation for Parkinson's Research.

If consenting as part of another study: You are invited to take part in [name of study]. This is a research project. [Explain the purpose of this study. Provide details regarding the institution(s), investigator(s), and ethics board review.]

[Name of study] is collaborating with researchers from around the world through the Global Parkinson's Genetics Program (GP2) to study the genetics of Parkinson's Disease. GP2 includes people with and without Parkinson's Disease. You can find more information about GP2 and the researchers leading the program at www.gp2.org.

Voluntariness

Your participation in this study is voluntary. The decision about whether or not to participate is completely up to you. If you choose not to participate in the study, your choice will not affect your medical care.

Research activities

If not consenting as part of another study: If you choose to participate, you will be asked to provide a small sample (less than a tablespoon) of blood [or saliva]. You will also be asked questions about your health and your family history of Parkinson's Disease.

If consenting as part of another study: [Explain the activities involved in this study. Include the collection of a blood or saliva sample for DNA.]

Payment for Participation

[GP2 will not provide payment for participation. If subjects will be reimbursed for time/inconvenience related to your research activities, please specify.]

[For US studies, specify cost/no-cost to participate.]

For more information check the Global Parkinson's Genetics Program (GP2) website www.gp2.org or email info@gp2.org

Define the research data – genomic and personal data

Your sample will be used to generate genomic data. Genes are the basic 'instruction book' for the cells that make up our bodies. Genes are made out of DNA, and all of the DNA in each cell is called the genome. Although our DNA is very similar to each other, your genomic data is entirely unique.

Other types of data about you will also be collected. This may include information about your sex, age, ethnicity, and diseases or syndromes you may have.

Data coding (or pseudonymization)

Information that directly identifies you, such as your name, will be replaced with a 'code' or 'ID number.' Your name and other identifying information will not be shared with other researchers.

Describe future use

Your samples and data will be used to learn about the genetic differences between people with and without disease. They may also be used in additional research studies involving PD, other neurological conditions, other types of disorders, or other biomedical research studies. These additional studies may involve development of cures, therapies and products and services for the benefit of PD and other patients.

Explain international sharing

This research may be conducted anywhere in the world; the researchers studying your samples and data may be located outside your country. These projects can also take place in universities, hospitals, nonprofit groups, for-profit companies, or government laboratories.

Include commercial/non-academic use

Your sample and data are a gift for research. The future research projects may take place in universities, hospitals, nonprofit groups, for-profit companies, or government laboratories.

Some of the research done with your information may one day lead to new software, tests, drugs, or other commercial products. If this happens, you will not receive any of the profits from these new products.

Explain managed access (and unrestricted access for aggregate data)

Your coded data, will be stored on a secured data platform. Information in this data platform can only be accessed and used by researchers who have been granted formal approval to access data and who have signed agreements to protect the confidentiality of the information. The access agreements also require researchers to respect the laws and ethical guidelines for scientific research.

Your coded data may also be combined with data from many thousands of other people in large-scale analyses. A summary of this data may be made public (openly accessible) to anyone without restriction.

Include storage on cloud servers

Your coded data will be stored on one or more data platforms coordinated by multiple institutions that can be used by researchers around the world. These researchers may be conducting their own projects or may be working on projects coordinated by the sponsors.

For more information check the Global Parkinson's Genetics Program (GP2) website www.gp2.org or email info@gp2.org

The data platform may be hosted on commercial cloud servers. The cloud refers to software and services that run on the Internet, instead of on a specific computer. These cloud servers meet international security and safety standards.

Do not limit duration of storage

Preferred: Your coded samples and/or data will be stored indefinitely or until they are withdrawn or no longer useful for current or future research.

If indefinite storage is not allowed: Your coded samples and/or data may be stored and used for research for 30 (thirty) years.

Explain data withdrawal

You may withdraw consent for research use of your samples and data at any time. If you choose to withdraw, your samples will be destroyed, and your data will be removed from the data platform. However, it may not be possible to retrieve data that has already been distributed for research use.

Request consent to contact the participant for future research

With your permission, we may re-contact you to invite you to provide additional data or to be involved in new research projects.

[Please verify requirements for consent to recontact with your ethics board].

Discuss lack of benefit and risk of re-identification

You will not benefit personally from sharing your data. Participating in the study may help researchers in many areas of scientific research, such as health and genetics.

Your information will be coded, which means it will not be connected to any information that directly identifies you, such as your name, address, and contact information. However, it is very difficult to make genetic information completely anonymous. There is a risk that people that have your information could try to connect it to your identity by combining it with other personal information about you, through a process called re-identification. Also, in the future, new technologies could be developed that make it easier to connect your genetic information to your identity. The risks related to re-identification are difficult to predict at this time.

Because genetic information is shared among people who are biologically related to you, it is possible that information about your family members could also be revealed.

There is always a risk that information from genetic studies might be used to make certain statements or conclusions about groups or communities. In some cases, this can lead to discrimination against individuals, families, groups or communities.

Contacts

[Provide contact information for both local study staff and the regulatory/ethics authority.]

2. Clinical Cohort Meta-Data

GP2 is collecting information regarding other biosample and data types that are available for contributing cohorts. These samples/data will not be requested or shared by GP2. The information is intended to allow investigators to identify collaborators with similar interests and available data for auxiliary studies e.g., biomarker or imaging studies. The below table gives an indication of the availability of these data/sample types as of May 15th 2022.

Data/sample modality	Number of cohorts with available data/samples
MRI	43
DAT Scan	34
Plasma	57
Serum	55
RNA	28
PBL	21
LCL	3
CSF	24
Skin Biopsy	22
iPS	15
Post-mortem Brain Tissue	15

3. Cohort Site Interest Form

Below is a blank copy of the Site Interest Form that cohort Investigators are asked to complete to register their interest in joining GP2. The submitted form is reviewed by the Cohort Integration Working Group to determine whether the cohort should be included. The numbers entered into the form can be approximate; it is intended to provide an overview of the cohort and samples/data availability. Investigators who are interested in joining GP2 can complete the live form here: <https://forms.gle/tAEfZHu94jpu8g6i9>

GP2 complex trait group: Site Interest Form (Version 2)

Thank you for your interest in collaboration. We would like to ask some general questions about your cohort, number of available (will be available) data and samples, genotyping chips, and IRB approved information especially for data sharing policies. The form consists of 8 sections and will take 20 minutes to fill in. You can edit the input after you submit it. If you have any questions please contact gp2cohort@parkinsonsroadmap.org.

***Required**

1. Email *

2. NAME *

3. INSTITUTION *

4. SHORT NAME OF STUDY *

5. FULL NAME OF STUDY *

6. PI *

7. email *

8. Year Started *

9. Year Completed *

10. FOLLOW UP COMPLETED *

4-digit, 9999 if the end is not planned

11. Is this a multi-site study? *

Mark only one oval.

Yes

No

12. What is the main setting of the study (main location of recruitment)? *

13. Who are the participants? *

Tick all that apply.

PD only

PD cases and controls

Defined PD group, e.g. early onset PD, familial PD, DBS

Other: _____

14. What is the study context? *

Mark only one oval.

- Observational study
- Interventional study e.g. drug trial

15. What is the study timespan? *

Mark only one oval.

- Cross-sectional: one assessment only, with no further contact
- Cross-sectional plus: one assessment with further questionnaires, EPR, Mortality follow-up
- Longitudinal (prospective): multiple face-to-face assessments
- Longitudinal (retrospective)

16. Planned follow-up duration and visit intervals

e.g. 5 years and every 6 month. (Skip this question if not longitudinal)

17. Main Study Site Region *

Mark only one oval.

- North America
- South America
- Europe
- Africa
- Asia/Oceania
- No main region but multi-region

18. Country of main site *

19. Publication DOI or webpage describing study design

Study Participants

20. Rough breakdown of ancestry - Europeans (%) *

Among those with blood/DNA samples

21. Rough breakdown of ancestry - Africans (%) *

Among those with blood/DNA samples

22. Rough breakdown of ancestry - Asians (%) *

Among those with blood/DNA samples

23. Inclusion criteria: what criteria was used to confirm/diagnose PD cases?

Mark only one oval.

MDS Diagnostic criteria

UK Brain Bank criteria

Other: _____

24. Inclusion criteria: what are the disease stage criteria for recruiting PD cases?

E.g. diagnosis < 5 years, symptom onset < 3 years, Hoehn and Yahr stage < 3, no medication etc.

25. Inclusion criteria: are there any other important criteria for PD cases?

E.g. MMSE<27, no family history etc.

26. What are the inclusion criteria for controls?

27. Are there any other specific recruitment features?

28. What is the percentage (%) with post-mortem confirmation of diagnosis? *

0 - 100

Genotyping
information

Please answer the following questions if genotyping has done/planned. Depending on the coverage of the genotyping chip, GP2 may not need to re-genotype the samples. Please put NA if the genotyping has not been done/planned.

29. Name and version of genotyping chip if used *

"NA" if genotyping has not been done/planned.

30. Number of SNPs on the chip *

Rough number is fine (e.g. 230K, 510K, 1M). "NA" if genotype has not been done/planned.

Currently available data
and samples

For the following questions, please answer based on the current
availability of data/samples.

31. Number of participants with PD *

Those with the clinical data available and transferrable.

32. Number of PD patients whose DNA is currently available *

If DNA are not extracted from specimen, please DO NOT include them here.

33. Number of PD patients whose genotype is currently available *

If genotyping has been done and can be transferred to NIA. 0 otherwise

34. Number of participants without PD *

Those with the clinical data available and transferrable.

35. Number of non-PD participants whose DNA is currently available *

If DNA are not extracted from specimen, please DO NOT include them here but include them in the
following question

36. Number of non-PD participants whose genotype is currently available *

37. Shipping current DNA samples *

Samples are going to be genotyped at NIH with a custom array for neurodegenerative disorders. Data and samples will be returned to submitting sites. If it is impossible to send DNA samples to NIH, please check the box below. This will be subject to MTA and collaborative agreements but an initial indication of the situation for your study will be helpful

Mark only one oval.

- We anticipate we will be able to send samples to NIH for genotyping
- We anticipate we will not be able to send samples to NIH for genotyping
- We do not know the situation with transferring samples at this time
- NIH(NIA) should have had all the DNA samples already
- Other: _____

Additional
data/sample
expected to be
available by the
end of 2022

NIA needs to receive samples by the end of 2022 at the latest. For the ongoing study, please provide your best guess about the additional availability of data and samples by the end of 2022. For the completed study, please provide 0 for all questions in this section.

38. Number of ADDITIONAL PD patients *

39. Number of ADDITIONAL PD patients whose DNA will be available by the end of 2022 *

Can Include participants with blood/specimen but DNA have not been extracted yet

40. Number of ADDITIONAL PD patients whose genotype will be available by the end of 2022 *

41. Number of ADDITIONAL non-PD patients *

42. Number of ADDITIONAL non-PD participants whose DNA will be available by the end of 2022 *

Can Include participants with blood/specimen but whose DNA has not been extracted yet

43. Number of ADDITIONAL non-PD participants whose genotype will be available by the end of 2022 *

44. Shipping ADDITIONAL DNA samples

Mark only one oval.

- We anticipate we will be able to send samples to NIH for genotyping
- We anticipate we will not be able to send samples to NIH for genotyping
- We do not know the situation with transferring samples at this time
- Other: _____

Ethics Approval for Use of Data & Samples

45. Institutional Review/Ethics Review Board

Which ethics committee reviewed and approved this human subjects research?

46. Date of ethics board approval

Example: 7 January 2019

47. Data Sharing *

What are the terms of data sharing outlined in the consent documents?

Mark only one oval.

- Use limited to study for which they were originally collected
- Use limited to PI/Institution at which study was conducted
- Use limited to Parkinson's Disease research
- Consent silent on future use
- Consent explicitly allows sharing of data
- Other: _____

48. Sample Sharing *

What are the terms of sample sharing outlined in the consent documents?

Mark only one oval.

- Use limited to study for which they were originally collected
- Use limited to PI/Institution at which study was conducted
- Use limited to Parkinson's Disease research
- Consent silent on future use
- Consent explicitly allows sharing of samples
- Other: _____

49. International Sharing *

Does the consent allow sharing of data and/or samples outside of the country in which the study was performed?

Mark only one oval.

- No
- Consent silent on international sharing/storage
- Yes
- Other: _____

50. Commercial Use *

Does the consent allow for commercial use of the samples/data?

Mark only one oval.

- No
- Consent silent on commercial use
- Yes
- Other: _____

51. Data Storage Location *

Does the consent form specify where data will be stored?

Mark only one oval.

- Storage location specified in consent
- Consent silent on storage location
- Consent allows storage outside the institution and/or on cloud servers
- Other: _____

52. Duration of Storage *

Is the duration of data storage limited?

Mark only one oval.

- Limited
- Consent silent on duration of storage
- Unlimited
- Other: _____

53. If storage duration is limited, when does it expire?

Example: 7 January 2019

Collected Data

54. Basic clinical variables available for most participants - multiple responses are possible

Tick all that apply.

- Gender/sex
- Age at diagnosis
- Age at onset
- Censored vital status (Alive/Dead with Date)
- Family history of PD (Basic - present/absent)
- Family history (Detailed - structure, number of affected family members, c/w AD/AR/X-linked)
- Education level
- Self-reporting race
- Medical history (common/PD related diseases)
- Diagnostic certainty
- Time to major PD events (e.g., HY3, wearing-off, dyskinesia)
- Diagnosis checklist (MDS diagnostic criteria)

55. Other samples available for some participants

Tick all that apply.

- Plasma
- Serum
- RNA
- PBL (Peripheral blood lymphocytes)
- LCL (Lymphoblastoid cell lines)
- Skin biopsy
- iPS
- Post-mortem brain
- CSF

56. *Omics Data Availability

Tick all that apply.

	Blood	Brain	Other Tissues
RNAseq	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Methylation	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Metabolomics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proteomics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Exome/Genome sequence files	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

57. Clinical Data Availability *

Mark only one oval per row.

	Cross-sectional	Longitudinal	None
Medication information	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Global PD severity (e.g. CISI-PD)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Lifestyle (smoking, alcohol, income)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Environment (residence, work)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Head trauma history	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Hoehn and Yahr	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
UPDRS (original/MDS)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Cognitive measurements	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
REM sleep behavior disorder	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Autonomic function	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Depression/anxiety measurement	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Sleep assessment	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Vitals (Height, weight, BMI, BP)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Orthostatic hypotension	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Smell assessment	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Activities of daily living (e.g. Schwab & England)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Quality of life (e.g. PDQ39/PDQ8)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Pain assessment	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Blood CBC, Chem	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

58. Imaging data availability *

Mark only one oval per row.

	Cross-sectional	Longitudinal	None
MRI	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
DATSCAN	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

59. Pathology availability *

Is pathology available for more than half (PD) participants?

Mark only one oval.

- Yes
 No

60. Free note (describe any additional data types you can provide)

61. Are you able to recontact patients if available for further follow-up/research studies? *

Mark only one oval.

- Yes
 No

Additional questions

62. Are you also interested in joining the GP2 monogenic hub?

The GP2 monogenic hub will collate possible monogenic cases. If you are interested, please indicate here and you will be recontacted by the Monogenic team

Mark only one oval.

Yes

No

63. In publication for research using GP2 data, do you support:

Transparency, Collaboration, and Open Science is GP2's policy goal. We would like to know your general position on this. Multiple responses possible

Tick all that apply.

Open data

Open code (analytical scripts)

Publishing with CC-BY license AND immediate free access through PubMed Central

64. Would you like to request analytical support from the GP2 data analysis team?

Tick all that apply.

Yes

Not sure

No


65. Please send the consent form, protocol and case report form to

cohort@gp2.org

And any comments here.

4. Map of contributing cohorts and genotyping tracker

Below is a map of the geographic distribution of cohorts and the progress of genotyping (as of 15th May 2022). The live map is regularly updated and can be viewed on the GP2 website at <https://gp2.org/cohort-dashboard/>.



Details of institutions contributing PD cohorts to GP2 can be found on the GP2 webpage at <https://gp2.org/members/>

5. Supplementary Table 1. Pathology Data Elements

Modality	Item	Description	ItemType	Required	Values	Comments
Base	participant_id	participant's ID	string	required		
Base	asap_id	Unique participant ID assigned by ASAP	string	required		
Pathology	path_brain_id	Brain Bank Subject ID (Unique Subject ID at Brain Bank)	string	nullable		
Demographics	date_birth_unix	NINDS CDE for Parkinson's Disease: Date of Birth (Unix date) If not provided days or months, we regard this as the middle of the month (15) or the year (July/30)	numeric	nullable	(y>= -21914) & (y<=51535)	
Demographics	sex	NINDS CDE for Parkinson's Disease: Sex assigned at birth	string	nullable	["Male", "Female", "Intersex", "Unknown", "Other", "Not Reported"]	
Demographics	ethnicity	NINDS CDE for Parkinson's Disease: Ethnicity	string	nullable	["Hispanic or Latino", "Not Hispanic or Latino", "Unknown", "Not Reported"]	
Demographics	race	NINDS CDE for Parkinson's Disease: Race category +	string	nullable	["American Indian or Alaska Native", "Asian", "White", "Black or African American", "Multi-racial", "Native Hawaiian or Other Pacific Islander", "Other", "Unknown", "Not Reported"]	
Family History	family_hx_1st_PD	Did your parents, full-siblings, or children have Parkinson's disease?	string	nullable	["Yes", "No"]	
Diagnosis	primary_diagnosis	Most likely primary neurodegenerative diagnosis (clinical)	string	required	["Idiopathic PD", "Alzheimer's disease", "Frontotemporal dementia", "Corticobasal syndrome", "Dementia with Lewy bodies", "Dopa-responsive dystonia", "Essential tremor", "Hemiparkinson/hemiatrophy syndrome", "Juvenile autosomal recessive parkinsonism", "Motor neuron disease with parkinsonism", "Multiple system atrophy", "Neuroleptic-induced parkinsonism", "Normal pressure hydrocephalus", "Progressive supranuclear palsy", "Psychogenic parkinsonism", "Vascular parkinsonism", "No PD nor other neurological disorder", "Spinocerebellar Ataxia (SCA)", "Prodromal non-motor PD", "Prodromal motor PD", "Other neurological disorder"]	
Diagnosis	primary_diagnosis_text	If "97:Other neurological disorders(s) (specify)" please specify here (baseline)	string	nullable		
PD History	age_at_onset	Age at onset (any symptom)	numeric	nullable	(y>=0) & (y<=120)	
PD History	age_at_first_motor_symptom	Age at first motor symptom	numeric	nullable	(y>=0) & (y<=120)	
PD History	first_motor_symptom	First motor symptom. pick all that apply and separate with " ". (e.g. 1, 1 3 or 2 3 5)	string	nullable	{1:"tremor", 2:"micrographia", 3:"stiffness/frozen shoulder", 4:"impaired manual dexterity", 5:"Gait disorder", 6:"General slowing up", 7:"Other"}	
PD History	age_at_diagnosis	Age at diagnosis	numeric	nullable	(y>=0) & (y<=120)	
Medical History	hx_dementia_mci	Have you ever been diagnosed with Dementia or MCI?	string	nullable	["Yes", "No"]	
Medical History	hx_melanoma	Have you ever been diagnosed with Melanoma	string	nullable	["Yes", "No"]	
PD History	living_status_at_censoring	Event is death. 0=right censored (not yet) 1= event at the "age"	numeric	nullable	["0","1","2"]	Event will be 1 for all brain bank cases
Pathology	path_year_death	year of death	numeric	nullable	(y>1920)&(y<2050)	
Pathology	age_at_death	expired_age (Age at Death)	string	nullable		
Pathology	cause_death	Cause of death	string	nullable		
Pathology	path_PMI_hours	Interval between death and autopsy start (hours)	numeric	nullable	(y>0)&(y<1200)	
Pathology	pm_RIN	Post mortem RIN	numeric	nullable	(0-10)	
Pathology	pm_PH	Post mortem Ph	numeric	nullable	(0-14)	
Pathology	brain_weight	Brain weight	numeric	nullable	grams	
Pathology	path_autopsy_dx_main	Pathological diagnosis	string	required	["Lewy body disease nos", "Parkinson's disease", "Parkinson's disease with dementia", "Dementia with Lewy bodies", "Multiple system atrophy (SND>OPCA)", "Dementia with Lewy bodies", "Multiple system atrophy (SND=OPCA)", "Multiple system atrophy (OPCA<SND)", "Multiple system atrophy (SND=OPCA)", "Progressive supranuclear palsy", "Corticobasal degeneration", "Globular glial tauopathy (GGT)", "Chronic traumatic encephalopathy (CTE)", "FTLD-Tau (Pick's)", "FTLD-Tau (MAPT)", "FTLD-Tau (AGD)", "FTLD-TDP43, Type A", "FTLD-TDP43, Type B", "FTLD-TDP43, Type C", "FTLD-TDP43, Type D", "FTLD-TDP43, Type E", "Motor neuron disease-TDP43 (MND or ALS)", "FTLD-MND-TDP43", "Huntington's disease", "Spinocerebellar ataxia, nos", "Prion disease, nos", "Alzheimer's disease (high level neuropathological change)", "Alzheimer's disease (intermediate level neuropathological change)", "Control, Low level AD neuropathological change", "Control, Limbic predominant age-related TDP43 proteinopathy (LATE)", "Control, Argyrophilic grain disease", "Control, Primary age-related tauopathy (PART)", "Control, Ageing-related tau astroglialopathy (ARTAG)", "Control, Cerebrovascular disease (atherosclerosis)", "Control, Cerebrovascular disease (hyaline arteriosclerosis)", "Control, Cerebrovascular disease (cerebral amyloid angiopathy)", "Control, no misfolded protein or significant vascular pathology", "Other neurological disorder"]	
Pathology	path_autopsy_dx_brain_bank	Pathological diagnosis	string	required		Recorded as it is from data given by brain bank
Pathology	path_braak_nft	Braak Tangle stage	string	nullable	["0", "1", "II", "III", "IV", "V", "VI", "VII", "VIII", "IX", "X", "XI", "XII", "XIII", "XIV", "XV", "XVI", "XVII"]	
Pathology	path_braak_asyn	Braak LB stage	string	nullable	["0", "1", "2", "3", "4", "5", "6", "1/2", "3/4", "4/5", "5/6"]	
Pathology	path_cerad	Semiquantitative assessment of neuritic plaques	string	nullable	["None", "Sparse", "Moderate", "Frequent"]	
Pathology	path_thal	thal stage: Amyloid beta	string	nullable	["0", "1", "2", "3", "4", "5", "1/2", "3", "4/5"]	
Pathology	path_mckelth	McKeith and USSLD Stage	string	nullable	["Neocortical", "Limbic (transitional)", "Brainstem", "Amygdala Predominant", "Olfactory bulb only"]	
Pathology	path_sn_neuronal_loss	sn_neuronal_loss (none, mild, moderate, severe, 0-3)	numeric	nullable	["None", "Mild", "Moderate", "Severe", "Not assessed", "Unknown"]	
Pathology	path_infarcts	Cerebral infarcts (indicator for a large infarct or in study region)	string	nullable	["Yes", "No"]	
Pathology	path_nia_ri	NIA_RI criteria	string	nullable	[low, 'intermediate', 'high', 'none']	
Pathology	path_nia_aa	NIA_AA criteria (pathological. not biomarker criteria)	string	nullable	["A1", "A2", "A3"]	
Pathology	path_nia_aa	NIA_AA criteria (pathological. not biomarker criteria)	string	nullable	["B1", "B2", "B3"]	
Pathology	path_nia_aa	NIA_AA criteria (pathological. not biomarker criteria)	string	nullable	["C1", "C2", "C3"]	
Pathology	known_pathogenic_mutation	MutationNOS (any known relevant mutation or polymorphisms, name?)	string	nullable		
Pathology	arteriosclerosis_severity_scale	Arteriosclerosis severity scale	string	nullable	["None", "Mild", "Moderate", "Severe", "Not assessed", "Unknown"]	
Pathology	atherosclerosis	Atherosclerosis severity scale	string	nullable	["None", "Mild", "Moderate", "Severe", "Not assessed", "Unknown"]	
Pathology	amyloid_angiopathy_severity_scs	Amyloid angiopathy severity scale	string	nullable	["None", "Mild", "Moderate", "Severe", "Not assessed", "Unknown"]	

6. Supplementary Table 2. GP2 Core Data Dictionary

Single measure	Modality	no. item	Description	ItemType	Required	Values	AMP_PD_Item	Conversion	Comment
1 Base		1 participant_id	participant's ID	string	required		participant_id	identical	
0 Base		2 visit_name	visit name: screening, baseline, V01, V02 etc. baseline is when the participants were enrolled	string	required		visit_name	identical	
0 Base		3 visit_month	month from baseline visit (longitudinal study. Negative value is possible for screening visits), rounded integer	integer	nullable	(y>=-1200) & (y<=1200)	visit_month	identical	planned month
0 Base		date_visit_unix	date of visit in UNIX DATE (days from 1970-01-01) If not provided days or months, we regard this as the middle of the month (15) or the year (July/30)	numeric	nullable	(y>= -21914) & (y<=51535)			
1 Base		date_baseline_unix	date of baseline in UNIX DATE (days from 1970-01-01) If not provided days or months, we regard this as the middle of the month (15) or the year (July/30)	numeric	nullable	(y>= -21914) & (y<=51535)			
1 Base		4 age_at_baseline	age at baseline visit	numeric	nullable	(y>=0) & (y<=125)	age_at_baseline	identical	
1 Demographics		1 date_enrollment	date of enrollment (YYYY/MM)	string	nullable				
1 Demographics		2 date_birth_unix	NINDS CDE for Parkinson's Disease: Date of Birth (Unix date) If not provided days or months, we regard this as the middle of the month (15) or the year (July/30)	numeric	nullable	(y>= -21914) & (y<=51535)			
1 Demographics		3 sex	NINDS CDE for Parkinson's Disease: Sex assigned at birth	string	required	["Male", "Female", "Intersex", "Unknown", "Other", "Not Reported"]	sex	convertible	
1 Demographics		4 ethnicity	NINDS CDE for Parkinson's Disease: Ethnicity	string	required	["Hispanic or Latino", "Not Hispanic or Latino", "Unknown", "Not Reported"]	ethnicity	convertible	
1 Demographics		5 race	NINDS CDE for Parkinson's Disease: Race category +	string	required	["American Indian or Alaska Native", "Asian", "White", "Black or African American", "Multi-racial", "Native Hawaiian or Other Pacific Islander", "Other", "Unknown", "Not Reported"]	race	convertible	
1 Demographics		6 education_years	NINDS CDE for Parkinson's Disease: Number of years of education	numeric	nullable	(y>=0) & (y<=40)	education_level_years	convertible	
1 Demographics		7 education_level	Derived value for level of education	string	nullable	["<High School", "High School/GED", "Some college without degree", "Associate degree college", "Bachelor's degree", "Master's degree", "Professional or doctoral degree", "Refuse", "Other"]			
1 Family history		1 family_hx_1st_PD	Did your parents, full-siblings, or children have Parkinson's disease?	string	nullable	["Yes", "No"]			biological_mot
1 Family history		2 family_hx_2nd_PD	Did your parents, grand parents, full/half-siblings, uncles, aunts have Parkinson's disease?	string	nullable	["Yes", "No"]			
1 Family history		3 family_hx_generations_PD	Are there any people in your relatives with Parkinson's disease more than one generation?	string	nullable	["Yes", "No"]			"Refused", "Don't
1 Family history		4 family_hx_n_of_PD	How many people in the family including the proband are affected with PD	numeric	nullable	(y>=0) & (y<=100)			
1 Enrollment Category		1 study_arm	Study Arm: case/control/positive control/affected/unaffected, placebo/control, etc should be defined at enrollment	string	required		study_arm	identical	
1 Enrollment Category		1 Phenotype	Phenotype for sample sheet (basically derived from study_arm)	string	required	["PD", "Control", "Prodromal", "Other", "Not Reported"]			
1 Diagnosis		1 primary_diagnosis	Most likely primary neurodegenerative diagnosis (baseline)	string	nullable	["Idiopathic PD", "Alzheimer's disease", "Frontotemporal dementia", "Corticobasal syndrome", "Dementia with Lewy bodies", "Dopa-responsive dystonia", "Essential tremor", "Hemiparkinson/hemiatrophy syndrome", "Juvenile autosomal recessive parkinsonism", "Motor neuron disease with parkinsonism", "Multiple system atrophy", "Neurolepto-induced parkinsonism", "Normal pressure hydrocephalus", "Progressive supranuclear palsy", "Psychogenic parkinsonism", "Vascular parkinsonism", "No PD nor other neurological disorder", "Spinocerebellar Ataxia (SCA)", "Prodromal non-motor PD", "Prodromal motor PD", "Other neurological disorder"]			
1 Diagnosis		2 primary_diagnosis_text	If "97:Other neurological disorders(s) (specify)" please specify here (baseline)	string	nullable				
1 Diagnosis		3 code_primary_diagnosis_confide	What is your percent confidence in your most likely primary diagnosis? (baseline)	string	nullable	["0-25%", "26-50%", "51-75%", "76-100%"]			
1 Diagnosis			Latest diagnosis or autopsy diagnosis	string	nullable	["Idiopathic PD", "Alzheimer's disease", "Frontotemporal dementia", "Corticobasal syndrome", "Dementia with Lewy bodies", "Dopa-responsive dystonia", "Essential tremor", "Hemiparkinson/hemiatrophy syndrome", "Juvenile autosomal recessive parkinsonism", "Motor neuron disease with parkinsonism", "Multiple system atrophy", "Neurolepto-induced parkinsonism", "Normal pressure hydrocephalus", "Progressive supranuclear palsy", "Psychogenic parkinsonism", "Vascular parkinsonism", "No PD nor other neurological disorder", "Spinocerebellar Ataxia (SCA)", "Prodromal non-motor PD", "Prodromal motor PD", "Other neurological disorder"]			
1 Diagnosis		4 last_diagnosis		numeric	nullable	(y>=-1200) & (y<=1200)			
1 Diagnosis		5 visit_month_of_last_diagnosis	Months from the baseline to the visit confirming the latest diagnosis (or the date of death when path confirmed)	string	nullable	["Yes", "No"]			
1 Diagnosis		6 diagnosis_change	Had the diagnosis changed during the follow-up? (Mostly important for prodromal cohort)	string	nullable	["Yes", "No"]			
1 Diagnosis		7 visit_month_diagnosis_change	Months from the baseline to the change of diagnosis (to the latest diagnosis)	numeric	nullable	(y>=-1200) & (y<=1200)			
1 Diagnosis		3 code_last_diagnosis_confidence	What is your percent confidence in your most likely last diagnosis?	string	nullable	["0-25%", "26-50%", "51-75%", "76-100%"]			
1 Diagnosis		8 handedness	Right handedness or left handedness?	string	nullable	["Right", "Left", "Mixed"]			
1 Diagnosis		9 dominant_side	Side predominantly affected at onset	string	nullable	["Right", "Left", "Symmetric"]			
1 Known_relatedness		1 related_individuals_reported	(id: relationship), e.g. ("id-011": "Mother", "id-012": "Father", "id-019": Full-sibling)	string	nullable				
0 Vital		1 weight_kg	in kg	numeric	nullable	(y>=20) & (y<=225)			
0 Vital		1 height_cm	in cm	numeric	nullable	(y>=100) & (y<=220)			
0 Vital		1 BMI		numeric	nullable	(y>=10) & (y<=75)			
0 Vital		1 heart_rate	per minute	numeric	nullable	(y>=35) & (y<=200)			
0 Vital		1 systolic_blood_pressure	in mmHg (use only if no information is given on sitting, standing, or supine positioning)	numeric	nullable	(y>=50) & (y<=250)			
0 Vital		1 diastolic_blood_pressure	in mmHg (use only if no information is given on sitting, standing, or supine positioning)	numeric	nullable	(y>=30) & (y<=250)			
1 MDS_Diagnostic_criteria		1 dx_essential_bradykinesia	essential criterion: required	string	nullable	["Yes", "No"]			
1 MDS_Diagnostic_criteria		2 dx_essential_rest_tremor	essential criterion: either rest_tremor or rigidity required	string	nullable	["Yes", "No"]			
1 MDS_Diagnostic_criteria		3 dx_essential_rigidity	essential criterion: either rest_tremor or rigidity required	string	nullable	["Yes", "No"]			
1 MDS_Diagnostic_criteria		4 dx_supportive_1_positive_drug_response	1. Clear and dramatic beneficial response to dopaminergic therapy. During initial treatment, patient returned to normal or near-normal level of function. In the absence of clear documentation of initial response a dramatic response can be classified as: a) Marked improvement with dose increases or marked worsening with dose decreases. Mild changes do not qualify. Document this either objectively (>30% in UPDRS III with change in treatment), or subjectively (clearly-documented history of marked changes from a reliable patient or caregiver). b) Unequivocal and marked on/off fluctuations, which must have at some point included predictable end-of-dose wearing off.	string	nullable	["Yes", "No"]			

Supplementary Table 2. GP2 Core Data Dictionary (continued)

Single measure	Modality	no. Item	Description	ItemType	Required	Values	AMP_PD_Item	Conversion	Comment
1 MDS_Diagnostic_criteria		5 dx_supportive_2_levodopa_induced_dyskinesia	2. Presence of levodopa-induced dyskinesia	string	nullable	["Yes", "No"]			
1 MDS_Diagnostic_criteria		6 dx_supportive_3_rest_tremor	3. Rest tremor of a limb, documented on clinical examination (in past, or on current examination)	string	nullable	["Yes", "No"]			
1 MDS_Diagnostic_criteria		7 dx_supportive_4_olfactory_loss_or_MIBG	4. The presence of either olfactory loss or cardiac sympathetic denervation on MIBG scintigraphy	string	nullable	["Yes", "No"]			
1 MDS_Diagnostic_criteria		8 dx_exclusion_1_cerebellar_signs	1. Unequivocal cerebellar abnormalities, such as cerebellar gait, limb ataxia, or cerebellar oculomotor abnormalities (eg, sustained gaze evoked nystagmus, macro square wave jerks, hypometric saccades)	string	nullable	["Yes", "No"]			
1 MDS_Diagnostic_criteria		9 dx_exclusion_2_abnormal_eye_movement	2. Downward vertical supranuclear gaze palsy, or selective slowing of downward vertical saccades	string	nullable	["Yes", "No"]			
1 MDS_Diagnostic_criteria		10 dx_exclusion_3_FTD_5y	3. Diagnosis of probable behavioral variant frontotemporal dementia or primary progressive aphasia, defined according to consensus criteria ³¹ within the first 5 y of disease	string	nullable	["Yes", "No"]			
1 MDS_Diagnostic_criteria		11 dx_exclusion_4_lower_limbs_only_3y	4. Parkinsonian features restricted to the lower limbs for more than 3 y	string	nullable	["Yes", "No"]			
1 MDS_Diagnostic_criteria		12 dx_exclusion_5_drug_induced_parkinsonism	5. Treatment with a dopamine receptor blocker or a dopamine-depleting agent in a dose and time-course consistent with drug-induced parkinsonism	string	nullable	["Yes", "No"]			
1 MDS_Diagnostic_criteria		13 dx_exclusion_6_no_drug_response	6. Absence of observable response to high-dose levodopa despite at least moderate severity of disease	string	nullable	["Yes", "No"]			
1 MDS_Diagnostic_criteria		14 dx_exclusion_7_cortical_signs	7. Unequivocal cortical sensory loss (ie, graphesthesia, stereognosis with intact primary sensory modalities), clear limb ideomotor apraxia, or progressive aphasia	string	nullable	["Yes", "No"]			
1 MDS_Diagnostic_criteria		15 dx_exclusion_8_negative_neuroimaging	8. Normal functional neuroimaging of the presynaptic dopaminergic system	string	nullable	["Yes", "No"]			
1 MDS_Diagnostic_criteria		16 dx_exclusion_9_other_parkinsonism	9. Documentation of an alternative condition known to produce parkinsonism and plausibly connected to the patient's symptoms, or, the expert evaluating physician, based on the full diagnostic assessment feels that an alternative syndrome is more likely than PD	string	nullable	["Yes", "No"]			
1 MDS_Diagnostic_criteria		17 dx_redflag_01_gait_impairment_5y	1. Rapid progression of gait impairment requiring regular use of wheelchair within 5 y of onset	string	nullable	["Yes", "No"]			
1 MDS_Diagnostic_criteria		18 dx_redflag_02_progression_absent	2. A complete absence of progression of motor symptoms or signs over 5 or more y unless stability is related to treatment	string	nullable	["Yes", "No"]			
1 MDS_Diagnostic_criteria		19 dx_redflag_03_severe_bulbar_dysfunction_5y	3. Early bulbar dysfunction: severe dysphonia or dysarthria (speech unintelligible most of the time) or severe dysphagia (requiring soft food, NG tube, or gastrostomy feeding) within first 5 y	string	nullable	["Yes", "No"]			
1 MDS_Diagnostic_criteria		20 dx_redflag_04_inspiratory_respiratory_dysfunction	4. Inspiratory respiratory dysfunction: either diurnal or nocturnal inspiratory stridor or frequent inspiratory sighs	string	nullable	["Yes", "No"]			
1 MDS_Diagnostic_criteria		21 dx_redflag_05_severe_autonomic_failure_5y	5. Severe autonomic failure in the first 5 y of disease. This can include: a) Orthostatic hypotension ³² —orthostatic decrease of blood pressure within 3 min of standing by at least 30 mm Hg systolic or 15 mm Hg diastolic, in the absence of dehydration, medication, or other diseases that could plausibly explain autonomic dysfunction, or b) Severe urinary retention or urinary incontinence in the first 5 y of disease (excluding long-standing or small amount stress incontinence in women), that is not simply functional incontinence. In men, urinary retention must not be attributable to	string	nullable	["Yes", "No"]			
1 MDS_Diagnostic_criteria		22 dx_redflag_06_recurent_falls_3y	6. Recurrent (>1/y) falls because of impaired balance within 3 y of onset	string	nullable	["Yes", "No"]			
1 MDS_Diagnostic_criteria		23 dx_redflag_07_dysproportionate_dystonia	7. Disproportionate anterocollis (dystonic) or contractures of hand or feet within the first 10 y	string	nullable	["Yes", "No"]			
1 MDS_Diagnostic_criteria		24 dx_redflag_08_no_nonmotor_symptoms_5y	8. Absence of any of the common nonmotor features of disease despite 5 y disease duration. These include sleep dysfunction (sleep-maintenance insomnia, excessive daytime somnolence, symptoms of REM sleep behavior disorder), autonomic dysfunction (constipation, daytime urinary urgency, symptomatic orthostasis), hyposmia, or psychiatric dysfunction (depression, anxiety, or hallucinations)	string	nullable	["Yes", "No"]			
1 MDS_Diagnostic_criteria		25 dx_redflag_09_unexplained_pyramidal_tract_signs	9. Otherwise-unexplained pyramidal tract signs, defined as pyramidal weakness or clear pathologic hypereflexia (excluding mild reflex asymmetry and isolated extensor plantar response)	string	nullable	["Yes", "No"]			
1 MDS_Diagnostic_criteria		26 dx_redflag_10_symmetric_parkinsonism	10. Bilateral symmetric parkinsonism. The patient or caregiver reports bilateral symptom onset with no side predominance, and no side predominance is observed on objective examination	string	nullable	["Yes", "No"]			
1 MDS_Diagnostic_criteria		27 dx_criteria_application	Apply the criteria	string	nullable	["Clinically established PD", "Probable PD", "Other", "Unknown"]			
1 PD History		age_at_onset	Age at onset (any symptom)	numeric	nullable	(y>=0) & (y<=120)			
1 PD History		1 age_at_first_motor_symptom	Age at first motor symptom	numeric	nullable	(y>=0) & (y<=120)			
1 PD History		2 first_motor_symptom	First motor symptom. pick all that apply and separate with "I". (e.g. 1, 1 3 or 2 3 5)	string	nullable	{1:"tremor", 2:"micrographia", 3:"stiffness/frozen shoulder", 4:"impaired manual dexterity", 5:"Gait disorder", 6:"General slowing up", 7:"Other"}			
1 PD History		3 age_at_diagnosis	Age at diagnosis	numeric	nullable	(y>=0) & (y<=120)			
1 PD History		19 living_status_at_censoring	Event is death. 0=right censored (not yet) 1= event at the "age"	numeric	nullable	y.isin([0,1,2])			
1 PD History		20 age_at_living_status_censored	age at event (status=1), age at last obs (status=0), age at first obs (status=2)	numeric	nullable	(y>=0) & (y<=120)			
1 PD History		21 hy3_status_at_censoring	Event is reaching hy 3 or higher. 0=right censored (not yet) 1= event at the "age", 2=left censored (already)	numeric	nullable	y.isin([0,1,2])			
1 PD History		22 age_at_hy3_status_censored	age at event (status=1), age at last obs (status=0), age at first obs (status=2)	numeric	nullable	(y>=0) & (y<=120)			
1 PD History		23 dyskinesia_status_at_censoring	Event is dyskinesia occurrence. 0=right censored (not yet) 1= event at the "age", 2=left censored (already)	numeric	nullable	y.isin([0,1,2])			
1 PD History		24 age_at_dyskinesia_status_censored	age at event (status=1), age at last obs (status=0), age at first obs (status=2)	numeric	nullable	(y>=0) & (y<=120)			
1 PD History		25 motor_fluctuation_status_at_censoring	Event is motor fluctuation occurrence. 0=right censored (not yet) 1= event at the "age", 2=left censored (already)	numeric	nullable	y.isin([0,1,2])			
1 PD History		26 age_at_motor_fluctuation_status_censored	age at event (status=1), age at last obs (status=0), age at first obs (status=2)	numeric	nullable	(y>=0) & (y<=120)			
1 PD History		27 levodopa_status_at_censoring	Event is initiation of levodopa. 0=right censored (not yet) 1= event at the "age", 2=left censored (already)	numeric	nullable	y.isin([0,1,2])			
1 PD History		28 age_at_levodopa_status_censored	age at event (status=1), age at last obs (status=0), age at first obs (status=2)	numeric	nullable	(y>=0) & (y<=120)			
1 PD History		27 agonist_status_at_censoring	Event is initiation of agonist. 0=right censored (not yet) 1= event at the "age", 2=left censored (already)	numeric	nullable	y.isin([0,1,2])			
1 PD History		28 age_at_agonist_status_censored	age at event (status=1), age at last obs (status=0), age at first obs (status=2)	numeric	nullable	(y>=0) & (y<=120)			
1 PD History		29 pdmed_status_at_censoring	Event is initiation of any PD medication. 0=right censored (not yet) 1= event at the "age", 2=left censored (already)	numeric	nullable	y.isin([0,1,2])			
1 PD History		30 age_at_pdmed_status_censored	age at event (status=1), age at last obs (status=0), age at first obs (status=2)	numeric	nullable	(y>=0) & (y<=120)			
1 PD History		27 dementia_status_at_censoring	Event is the first dementia diagnosis (not symptom). 0=right censored (not yet) 1= event at the "age", 2=left censored (already)	numeric	nullable	y.isin([0,1,2])			
1 PD History		28 age_at_dementia_status_censored	age at event (status=1), age at last obs (status=0), age at first obs (status=2)	numeric	nullable	(y>=0) & (y<=120)			
1 PD History		19 age_brain_surgery	age at brain surgery	numeric	nullable	(y>=0) & (y<=120)			
1 PD History		20 brain_surgery_type	type of brain surgery	string	nullable	["DBS-STN", "DBS-GP", "DBS-VIM", "DBS-Other", "DBS-Unknown", "Pallidotomy (RF/RS)", "UltraSound VIM", "UltraSound STN", "UltraSound GP", "Other"]			

Supplementary Table 2. GP2 Core Data Dictionary (continued)

Single measure	Modality	no. item	Description	ItemType	Required	Values	AMP_PD_Item	Conversion
0	CISI-PD	1	code_cisi_pd_motor	CISI-PD motor signs = (0:Normal, 1:Very Mild, 2:Mild, 3:Mid to moderate, 4: Moderate, 5:Severe, 6:Very severe)	integer	nullable	y.isin([0,1,2,3,4,5,6])	
0	CISI-PD	2	code_cisi_pd_disability	CISI-PD disability = (0:Normal, 1:Minimal slowness and/or clumsiness, 2:Slowness and/or clumsiness; no limitations, 3: Limitation for demanding activities; does not need help for basic ADL, 4: Limitation to perform basic ADL; help is required for some basic ADL, 5:Great limitation to perform basic ADL; help is required most or all basic ADL, 6: Severely disabled; helpless; complete assistance needed)	integer	nullable	y.isin([0,1,2,3,4,5,6])	
0	CISI-PD	3	code_cisi_pd_motor_complications	CISI-PD motor complications (dyskinesia and fluctuations) = (0:Normal, 1:Very Mild, 2:Mild, 3:Mid to moderate, 4: Moderate, 5:Severe, 6:Very severe)	integer	nullable	y.isin([0,1,2,3,4,5,6])	
0	CISI-PD	4	code_cisi_pd_cognitive	CISI-PD cognitive status = (0:Normal, 1:Slowness and/or minimal cognitive problems, 2:Mid cognitive problems; no limitations, 3:Mid to moderate cognitive problems; does not need help for basic ADL, 4: Moderate cognitive problems; help is required for some basic ADL, 5: Severe cognitive problems; help is required for most or all basic ADL, 6: Severely disabled; helpless; complete assistance needed)	integer	nullable	y.isin([0,1,2,3,4,5,6])	
1	Medical	1	hx_hypertension	Have you ever been diagnosed with Hypertension/High blood pressure?	string	nullable	["Yes", "No"]	
1	Medical	2	hx_hyperlipidemia	Have you ever been diagnosed with Hyperlipidemia/High cholesterol?	string	nullable	["Yes", "No"]	
1	Medical	3	hx_diabetes	Have you ever been diagnosed with Diabetes?	string	nullable	["Yes", "No"]	
1	Medical	4	hx_myocardial_infarction	Have you ever been diagnosed with Myocardial infarction/coronary thrombosis/heart attack?	string	nullable	["Yes", "No"]	
1	Medical	5	hx_congestive_heart_failure	Have you ever been diagnosed with Congestive heart failure	string	nullable	["Yes", "No"]	
1	Medical	6	hx_heart_disease	Have you ever been diagnosed with Heart disease? (MI, Angina, Af, AF)	string	nullable	["Yes", "No"]	
1	Medical	7	hx_dementia_mcd	Have you ever been diagnosed with Dementia or MCI?	string	nullable	["Yes", "No"]	
1	Medical	8	hx_stroke	Have you ever been diagnosed with Stroke/TIA	string	nullable	["Yes", "No"]	
1	Medical	9	hx_melanoma	Have you ever been diagnosed with Melanoma	string	nullable	["Yes", "No"]	
1	Medical	10	hx_cancer	Have you ever been diagnosed with Cancer (Other than melanoma) -> any cancer	string	nullable	["Yes", "No"]	
1	Medical	11	hx_crohn	Have you ever been diagnosed with Crohn's disease	string	nullable	["Yes", "No"]	
1	Medical	11	hx_autoimmune_disease	Have you ever been diagnosed with autoimmune disease? (Includes rheumatoid arthritis, lupus)	string	nullable	["Yes", "No"]	
1	Medical	12	hx_depression	Have you ever been diagnosed with depression	string	nullable	["Yes", "No"]	
1	Medical	13	hx_schizophrenia	Have you ever been diagnosed with schizophrenia	string	nullable	["Yes", "No"]	
1	Medical	14	hx_bipolar	Have you ever been diagnosed with bipolar disorder	string	nullable	["Yes", "No"]	
1	Medical	15	hx_restless_legs_syndrome	Have you ever been diagnosed with restless legs syndrome	string	nullable	["Yes", "No"]	
1	Medical	16	hx_head_trauma	Have you ever had a head injury or concussion?	string	nullable	["Yes", "No"]	
1	Medical	17	hx_anxiety	Have you ever been diagnosed with anxiety disorder	string	nullable	["Yes", "No"]	
1	Medical	18	hx_constipation	Have you ever diagnosed with constipation	string	nullable	["Yes", "No"]	
1	Medical	19	hx_sleep	Have you ever diagnosed with sleeping problems?	string	nullable	["Yes", "No"]	
1	Lifestyle	1	smoking_status	Smoking status (Can ignore non-substantial smoking)	string	nullable	"Unknown"]	
1	Lifestyle	2	smoking_ever_smoker_yes	Smoking status 2 (Can ignore non-substantial smoking) Ever/Never distinction (Ever=1)	integer	nullable	y.isin([0,1])	
1	Lifestyle	3	smoking_years	Smoking years (Can ignore non-substantial smoking)	numeric	nullable	(y>=0) & (y<=120)	
1	Lifestyle	4	smoking_pack_years	Smoking pack (20) in years	numeric	nullable	(y>=0) & (y<=10000)	
0	Clinical	1	clinical_dx_constipation	Does the participants have constipation?	string	nullable	["Yes", "No"]	
0	Clinical	2	clinical_dx_hyposmia	Does the participants have hyposmia?	string	nullable	["Yes", "No"]	
0	Clinical	3	clinical_dx_depression	Does the participants have depression?	string	nullable	["Yes", "No"]	
0	Clinical	4	clinical_dx_mid_cognitive_impairment	Does the participants have mid cognitive impairment?	string	nullable	["Yes", "No"]	
0	Clinical	5	clinical_dx_dementia	Does the participants have dementia?	string	nullable	["Yes", "No"]	
0	Clinical	6	clinical_dx_insomnia	Does the participants have insomnia?	string	nullable	["Yes", "No"]	
0	Clinical	7	clinical_dx_daytime_sleep	Does the participants have daytime sleepiness?	string	nullable	["Yes", "No"]	
0	Clinical	8	clinical_dx_dyskinesia	Does the participants have dyskinesia?	string	nullable	["Yes", "No"]	
0	Clinical	8	clinical_dx_warning_off	Does the participants have warning off?	string	nullable	["Yes", "No"]	
0	Medication	1	Age at current medication review	Age at evaluation of "Current Medication Review"	numeric	nullable	(y>=20) & (y<=120)	
0	Medication	2	medication_data_availability	Is the medication data available? Yes or no for the dataset	integer	nullable	["Yes", "No"]	
0	Medication	2	levodopa_mg_daily	Levodopa Dosage per day	numeric	nullable	(y>=0) & (y<=10000)	
0	Medication	3	ledd_daily	Levodopa Equivalent Dosage (LEDD) per day (including all PD meds)	numeric	nullable	(y>=0) & (y<=10000)	
0	Medication	4	levodopa_best_response_pct	Best ever patient reported response to levodopa (%; 0-100)	numeric	nullable		
0	Medication	5	levodopa_use	Usage of levodopa	string	nullable	["Yes", "No"]	
0	Medication	6	dopamine_agonist_use	Usage of dopamine agonist	string	nullable	["Yes", "No"]	
0	Medication	7	anticholinergics_use	Usage of anticholinergics	string	nullable	["Yes", "No"]	
0	Medication	8	brain_surgery	Usage of DBS/Brain surgery	string	nullable	["Yes", "No"]	
0	Medication	9	cholin_esterase_inhibitor_use	Usage of cholinesterase inhibitors	string	nullable	["Yes", "No"]	
0	Medication	10	anti_depressant_use	Usage of anti-depressant drugs	string	nullable	["Yes", "No"]	
0	Medication	11	sleeping_pills_use	Usage of sleeping pills	string	nullable	["Yes", "No"]	
0	Medication	12	stomach_medicines_use	Usage of stomach medicines (including for nausea, GERD)	string	nullable	["Yes", "No"]	
0	Medication	13	laxatives_use	Usage of laxatives (not fibers)	string	nullable	["Yes", "No"]	
0	Medication	14	NSAIDs_use	Usage of NSAIDs	string	nullable	["Yes", "No"]	
0	Medication	15	morphines_use	Usage of morphines	string	nullable	["Yes", "No"]	
0	Medication	16	anti_psychotics_use	Usage of anti-psychotics	string	nullable	["Yes", "No"]	
0	Medication	16	insulin_use	Usage of insulin	string	nullable	["Yes", "No"]	
0	Medication	16	hormone_replacement_therapy	Usage of sex hormones replacement therapy	string	nullable	["Yes", "No"]	
0	Health and Rankin	36	hoehn_and_yahr_stage	modified or original HY	numeric	nullable	(y>=0) & (y<=5)	code_upd2hy_hoehn_and_yahr_stage
0	Rankin	1	rankin_scale	modified or original Rankin Scale	numeric	nullable	(y>=0) & (y<=6)	
0	MDS-UPDRS	1	mds_updrs_part_1_primary_info_source	MDS-UPDRS Part 1 Questions 1-6 Primary Source Of Information	string	nullable		mds_updrs_part_1_primary_info_source
0	MDS-UPDRS	2	code_upd2101_cognitive_impairment	1.01 MDS-UPDRS - Cognitive Impairment (UPD2101)	integer	nullable	y.isin([0,1,2,3,4])	code_upd2101_cognitive_impairment
0	MDS-UPDRS	3	code_upd2102_hallucinations_and_psychosis	1.02 MDS-UPDRS - Hallucinations and Psychosis (UPD2102)	integer	nullable	y.isin([0,1,2,3,4])	code_upd2102_hallucinations_and_psychosis
0	MDS-UPDRS	4	code_upd2103_depressed_mood	1.03 MDS-UPDRS - Depressed Mood (UPD2103)	integer	nullable	y.isin([0,1,2,3,4])	code_upd2103_depressed_mood
0	MDS-UPDRS	5	code_upd2104_anxious_mood	1.04 MDS-UPDRS - Anxious Mood (UPD2104)	integer	nullable	y.isin([0,1,2,3,4])	code_upd2104_anxious_mood
0	MDS-UPDRS	6	code_upd2105_apathy	1.05 MDS-UPDRS - Apathy (UPD2105)	integer	nullable	y.isin([0,1,2,3,4])	code_upd2105_apathy
0	MDS-UPDRS	7	code_upd2106_dopamine_dysregulation_syndrome_features	1.06 MDS-UPDRS - Features of Dopamine Dysregulation Syndrome (UPD2106)	integer	nullable	y.isin([0,1,2,3,4])	code_upd2106_dopamine_dysregulation_syndrome_features
0	MDS-UPDRS	8	mds_updrs_part_1_sub_score	MDS-UPDRS Part 1 Questions 1-6 Summary Sub-Score	integer	nullable	(y>=0) & (y<=24)	mds_updrs_part_1_sub_score
0	MDS-UPDRS	9	mds_updrs_part_1_pat_quest_primary_info_source	MDS-UPDRS Part 1 Patient Questionnaire Primary Source Of Information	string	nullable		mds_updrs_part_1_pat_quest_primary_info_source
0	MDS-UPDRS	10	code_upd2107_pat_quest_sleep_problems	1.07 MDS-UPDRS - Sleep Problems (UPD2107)	integer	nullable	y.isin([0,1,2,3,4])	code_upd2107_pat_quest_sleep_problems
0	MDS-UPDRS	11	code_upd2108_pat_quest_daytime_sleepiness	1.08 MDS-UPDRS - Daytime Sleepiness (UPD2108)	integer	nullable	y.isin([0,1,2,3,4])	code_upd2108_pat_quest_daytime_sleepiness
0	MDS-UPDRS	12	code_upd2109_pat_quest_pain_and_other_sensations	1.09 MDS-UPDRS - Pain And Other Sensations (UPD2109)	integer	nullable	y.isin([0,1,2,3,4])	code_upd2109_pat_quest_pain_and_other_sensations
0	MDS-UPDRS	13	code_upd2110_pat_quest_urinary_problems	1.10 MDS-UPDRS - Urinary Problems (UPD2110)	integer	nullable	y.isin([0,1,2,3,4])	code_upd2110_pat_quest_urinary_problems
0	MDS-UPDRS	14	code_upd2111_pat_quest_constipation_problems	1.11 MDS-UPDRS - Constipation Problems (UPD2111)	integer	nullable	y.isin([0,1,2,3,4])	code_upd2111_pat_quest_constipation_problems
0	MDS-UPDRS	15	code_upd2112_pat_quest_lightheadedness_on_standing	1.12 MDS-UPDRS - Lightheadedness on Standing (UPD2112)	integer	nullable	y.isin([0,1,2,3,4])	code_upd2112_pat_quest_lightheadedness_on_standing
0	MDS-UPDRS	16	code_upd2113_pat_quest_fatigue	1.13 MDS-UPDRS - Fatigue (UPD2113)	integer	nullable	y.isin([0,1,2,3,4])	code_upd2113_pat_quest_fatigue

Supplementary Table 2. GP2 Core Data Dictionary (continued)

Single measure	Modality	no. Item	Description	ItemType	Required	Values	AMP_PD_Item	Conversion	Comment
0	MDS-UPDRS	17	mds_updrs_part_i_pat_quest_sub_score	integer	nullable	(y=>0) & (y<=28)	mds_updrs_part_i_pat_quest_sub_score	Identical	
0	MDS-UPDRS	18	mds_updrs_part_i_summary_score	integer	nullable	(y=>0) & (y<=52)	mds_updrs_part_i_summary_score	Identical	
0	MDS-UPDRS	1	mds_updrs_part_ii_primary_info_source	string	nullable		mds_updrs_part_ii_primary_info_source	Identical	
0	MDS-UPDRS	2	code_upd2201_speech	integer	nullable	y.isin(0,1,2,3,4)	code_upd2201_speech	Identical	
0	MDS-UPDRS	3	code_upd2202_saliva_and_drooling	integer	nullable	y.isin(0,1,2,3,4)	code_upd2202_saliva_and_drooling	Identical	
0	MDS-UPDRS	4	code_upd2203_chewing_and_swallowing	integer	nullable	y.isin(0,1,2,3,4)	code_upd2203_chewing_and_swallowing	Identical	
0	MDS-UPDRS	5	code_upd2204_eating_tasks	integer	nullable	y.isin(0,1,2,3,4)	code_upd2204_eating_tasks	Identical	
0	MDS-UPDRS	6	code_upd2205_dressing	integer	nullable	y.isin(0,1,2,3,4)	code_upd2205_dressing	Identical	
0	MDS-UPDRS	7	code_upd2206_hygiene	integer	nullable	y.isin(0,1,2,3,4)	code_upd2206_hygiene	Identical	
0	MDS-UPDRS	8	code_upd2207_handwriting	integer	nullable	y.isin(0,1,2,3,4)	code_upd2207_handwriting	Identical	
0	MDS-UPDRS	9	code_upd2208_doing_hobbies_and_other_activities	integer	nullable	y.isin(0,1,2,3,4)	code_upd2208_doing_hobbies_and_other_activities	Identical	
0	MDS-UPDRS	10	code_upd2209_turning_in_bed	integer	nullable	y.isin(0,1,2,3,4)	code_upd2209_turning_in_bed	Identical	
0	MDS-UPDRS	11	code_upd2210_tremor	integer	nullable	y.isin(0,1,2,3,4)	code_upd2210_tremor	Identical	
0	MDS-UPDRS	12	code_upd2211_get_out_of_bed_car_or_deep_chair	integer	nullable	y.isin(0,1,2,3,4)	code_upd2211_get_out_of_bed_car_or_deep_chair	Identical	
0	MDS-UPDRS	13	code_upd2212_walking_and_balance	integer	nullable	y.isin(0,1,2,3,4)	code_upd2212_walking_and_balance	Identical	
0	MDS-UPDRS	14	code_upd2213_freezing	integer	nullable	y.isin(0,1,2,3,4)	code_upd2213_freezing	Identical	
0	MDS-UPDRS	15	mds_updrs_part_ii_summary_score	integer	nullable	(y=>0) & (y<=52)	mds_updrs_part_ii_summary_score	Identical	
0	MDS-UPDRS	37	upd23a_medication_for_pd	string	nullable	["No", "Yes"]	upd23a_medication_for_pd	Identical	
0	MDS-UPDRS	38	upd23b_clinical_state_on_medication	string	nullable	["ON", "OFF", "Unknown"]	upd23b_clinical_state_on_medication	Identical	
0	MDS-UPDRS	39	upd23c_on_levodopa	string	nullable	["No", "Yes"]			
0	MDS-UPDRS	40	upd23c1_min_since_last_levodopa	numeric	nullable	(y=>0)			
0	MDS-UPDRS	1	code_upd2301_speech_problems	integer	nullable	y.isin(0,1,2,3,4)	code_upd2301_speech_problems	Identical	
0	MDS-UPDRS	2	code_upd2302_facial_expression	integer	nullable	y.isin(0,1,2,3,4)	code_upd2302_facial_expression	Identical	
0	MDS-UPDRS	3	code_upd2303a_rigidity_neck	integer	nullable	y.isin(0,1,2,3,4)	code_upd2303a_rigidity_neck	Identical	
0	MDS-UPDRS	4	code_upd2303b_rigidity_rt_upper_extremity	integer	nullable	y.isin(0,1,2,3,4)	code_upd2303b_rigidity_rt_upper_extremity	Identical	
0	MDS-UPDRS	5	code_upd2303c_rigidity_lt_upper_extremity	integer	nullable	y.isin(0,1,2,3,4)	code_upd2303c_rigidity_lt_upper_extremity	Identical	
0	MDS-UPDRS	6	code_upd2303d_rigidity_rt_lower_extremity	integer	nullable	y.isin(0,1,2,3,4)	code_upd2303d_rigidity_rt_lower_extremity	Identical	
0	MDS-UPDRS	7	code_upd2303e_rigidity_lt_lower_extremity	integer	nullable	y.isin(0,1,2,3,4)	code_upd2303e_rigidity_lt_lower_extremity	Identical	
0	MDS-UPDRS	8	code_upd2304a_right_finger_tapping	integer	nullable	y.isin(0,1,2,3,4)	code_upd2304a_right_finger_tapping	Identical	
0	MDS-UPDRS	9	code_upd2304b_left_finger_tapping	integer	nullable	y.isin(0,1,2,3,4)	code_upd2304b_left_finger_tapping	Identical	
0	MDS-UPDRS	10	code_upd2305a_right_hand_movements	integer	nullable	y.isin(0,1,2,3,4)	code_upd2305a_right_hand_movements	Identical	
0	MDS-UPDRS	11	code_upd2305b_left_hand_movements	integer	nullable	y.isin(0,1,2,3,4)	code_upd2305b_left_hand_movements	Identical	
0	MDS-UPDRS	12	code_upd2306a_pron_sup_movement_right_hand	integer	nullable	y.isin(0,1,2,3,4)	code_upd2306a_pron_sup_movement_right_hand	Identical	
0	MDS-UPDRS	13	code_upd2306b_pron_sup_movement_left_hand	integer	nullable	y.isin(0,1,2,3,4)	code_upd2306b_pron_sup_movement_left_hand	Identical	
0	MDS-UPDRS	14	code_upd2307a_right_toe_tapping	integer	nullable	y.isin(0,1,2,3,4)	code_upd2307a_right_toe_tapping	Identical	
0	MDS-UPDRS	15	code_upd2307b_left_toe_tapping	integer	nullable	y.isin(0,1,2,3,4)	code_upd2307b_left_toe_tapping	Identical	
0	MDS-UPDRS	16	code_upd2308a_right_leg_agility	integer	nullable	y.isin(0,1,2,3,4)	code_upd2308a_right_leg_agility	Identical	
0	MDS-UPDRS	17	code_upd2308b_left_leg_agility	integer	nullable	y.isin(0,1,2,3,4)	code_upd2308b_left_leg_agility	Identical	
0	MDS-UPDRS	18	code_upd2309_arising_from_chair	integer	nullable	y.isin(0,1,2,3,4)	code_upd2309_arising_from_chair	Identical	
0	MDS-UPDRS	19	code_upd2310_gait	integer	nullable	y.isin(0,1,2,3,4)	code_upd2310_gait	Identical	
0	MDS-UPDRS	20	code_upd2311_freezing_of_gait	integer	nullable	y.isin(0,1,2,3,4)	code_upd2311_freezing_of_gait	Identical	
0	MDS-UPDRS	21	code_upd2312_postural_stability	integer	nullable	y.isin(0,1,2,3,4)	code_upd2312_postural_stability	Identical	
0	MDS-UPDRS	22	code_upd2313_posture	integer	nullable	y.isin(0,1,2,3,4)	code_upd2313_posture	Identical	
0	MDS-UPDRS	23	code_upd2314_body_bradykinesia	integer	nullable	y.isin(0,1,2,3,4)	code_upd2314_body_bradykinesia	Identical	
0	MDS-UPDRS	24	code_upd2315a_postural_tremor_of_right_hand	integer	nullable	y.isin(0,1,2,3,4)	code_upd2315a_postural_tremor_of_right_hand	Identical	
0	MDS-UPDRS	25	code_upd2315b_postural_tremor_of_left_hand	integer	nullable	y.isin(0,1,2,3,4)	code_upd2315b_postural_tremor_of_left_hand	Identical	
0	MDS-UPDRS	26	code_upd2316a_kinetic_tremor_of_right_hand	integer	nullable	y.isin(0,1,2,3,4)	code_upd2316a_kinetic_tremor_of_right_hand	Identical	
0	MDS-UPDRS	27	code_upd2316b_kinetic_tremor_of_left_hand	integer	nullable	y.isin(0,1,2,3,4)	code_upd2316b_kinetic_tremor_of_left_hand	Identical	
0	MDS-UPDRS	28	code_upd2317a_rest_tremor_amplitude_right_upper_extremity	integer	nullable	y.isin(0,1,2,3,4)	code_upd2317a_rest_tremor_amplitude_right_upper_extremity	Identical	
0	MDS-UPDRS	29	code_upd2317b_rest_tremor_amplitude_left_upper_extremity	integer	nullable	y.isin(0,1,2,3,4)	code_upd2317b_rest_tremor_amplitude_left_upper_extremity	Identical	
0	MDS-UPDRS	30	code_upd2317c_rest_tremor_amplitude_right_lower_extremity	integer	nullable	y.isin(0,1,2,3,4)	code_upd2317c_rest_tremor_amplitude_right_lower_extremity	Identical	
0	MDS-UPDRS	31	code_upd2317d_rest_tremor_amplitude_left_lower_extremity	integer	nullable	y.isin(0,1,2,3,4)	code_upd2317d_rest_tremor_amplitude_left_lower_extremity	Identical	
0	MDS-UPDRS	32	code_upd2317e_rest_tremor_amplitude_lip_or_jaw	integer	nullable	y.isin(0,1,2,3,4)	code_upd2317e_rest_tremor_amplitude_lip_or_jaw	Identical	
0	MDS-UPDRS	33	code_upd2318_consistency_of_rest_tremor	integer	nullable	y.isin(0,1,2,3,4)	code_upd2318_consistency_of_rest_tremor	Identical	
0	MDS-UPDRS	34	upd20a_dyskinesias_during_exam	string	nullable	["No", "Yes"]	upd20a_dyskinesias_during_exam	Identical	
0	MDS-UPDRS	35	upd20b_movements_interfere_with_ratings	string	nullable	["No", "Yes"]	upd20b_movements_interfere_with_ratings	Identical	
0	MDS-UPDRS	41	mds_updrs_part_iii_summary_score	integer	nullable	(y=>0) & (y<=132)	mds_updrs_part_iii_summary_score	Identical	
0	MDS-UPDRS	1	code_upd2401_time_spent_with_dyskinesias	integer	nullable	y.isin(0,1,2,3,4)	code_upd2401_time_spent_with_dyskinesias	Identical	
0	MDS-UPDRS	2	code_upd2402_functional_impact_of_dyskinesias	integer	nullable	y.isin(0,1,2,3,4)	code_upd2402_functional_impact_of_dyskinesias	Identical	
0	MDS-UPDRS	3	code_upd2403_time_spent_in_the_off_state	integer	nullable	y.isin(0,1,2,3,4)	code_upd2403_time_spent_in_the_off_state	Identical	
0	MDS-UPDRS	4	code_upd2404_functional_impact_of_fluctuations	integer	nullable	y.isin(0,1,2,3,4)	code_upd2404_functional_impact_of_fluctuations	Identical	
0	MDS-UPDRS	5	code_upd2405_complexity_of_motor_fluctuations	integer	nullable	y.isin(0,1,2,3,4)	code_upd2405_complexity_of_motor_fluctuations	Identical	
0	MDS-UPDRS	6	code_upd2406_painful_off_state_dystonia	integer	nullable	y.isin(0,1,2,3,4)	code_upd2406_painful_off_state_dystonia	Identical	
0	MDS-UPDRS	7	mds_updrs_part_iv_summary_score	integer	nullable	(y=>0) & (y<=24)	mds_updrs_part_iv_summary_score	Identical	
0	MDS-UPDRS	8	code_upd406_1_total_hours_off	numeric	nullable	(y=>0) & (y<=1440)			
0	MDS-UPDRS	9	upd2406_2_off_hours_wo_dystonia	numeric	nullable	(y=>0) & (y<=1440)			
0	MDS-UPDRS	10	upd2406_3_pct_off_dystonia	numeric	nullable	(y=>0) & (y<=100)			
0	MoCA	1	moca01_alternating_trail_making	integer	nullable	y.isin(0,1)	moca01_alternating_trail_making	Identical	
0	MoCA	2	moca02_visuoconstr_skills_cube	integer	nullable	y.isin(0,1)	moca02_visuoconstr_skills_cube	Identical	
0	MoCA	3	moca03_visuoconstr_skills_clock_cont	integer	nullable	y.isin(0,1)	moca03_visuoconstr_skills_clock_cont	Identical	
0	MoCA	4	moca04_visuoconstr_skills_clock_num	integer	nullable	y.isin(0,1)	moca04_visuoconstr_skills_clock_num	Identical	
0	MoCA	5	moca05_visuoconstr_skills_clock_hands	integer	nullable	y.isin(0,1)	moca05_visuoconstr_skills_clock_hands	Identical	
0	MoCA	5	moca05_visuoconstr_skills_clock	integer	nullable	y.isin(0,1)			
0	MoCA	6	moca_visuospatial_executive_subscore	integer	nullable	y.isin(0,1,2,3,4,5)	moca_visuospatial_executive_subscore	Identical	

Supplementary Table 2. GP2 Core Data Dictionary (continued)

Single measure	Modality	no. Item	Description	ItemType	Required	Values	AMP_PD_item	Conversion	Comment
0	MoCA	7	moca06_naming_lion	integer	nullable	y.isin(0,1)	moca06_naming_lion	identical	
0	MoCA	8	moca07_naming_rhino	integer	nullable	y.isin(0,1)	moca07_naming_rhino	identical	
0	MoCA	9	moca08_naming_camel	integer	nullable	y.isin(0,1)	moca08_naming_camel	identical	
0	MoCA	10	moca_naming_subscore	integer	nullable	y.isin(0,1,2,3)	moca_naming_subscore	identical	
0	MoCA	11	moca09_attention_forward_digit_span	integer	nullable	y.isin(0,1)	moca09_attention_forward_digit_span	identical	
0	MoCA	12	moca10_attention_backward_digit_span	integer	nullable	y.isin(0,1)	moca10_attention_backward_digit_span	identical	
0	MoCA	13	moca_attention_digits_subscore	integer	nullable	y.isin(0,1,2)	moca_attention_digits_subscore	identical	
0	MoCA	14	moca11_attention_vigilance	integer	nullable	y.isin(0,1)	moca11_attention_vigilance	identical	
0	MoCA	15	moca12_attention_serial_7s	integer	nullable	y.isin(0,1,2,3)	moca12_attention_serial_7s	identical	
0	MoCA	16	moca_attention_subscore	integer	nullable	y.isin(0,1,2,3,4,5,6)			
0	MoCA	17	moca13_sentence_repetition	integer	nullable	y.isin(0,1,2)	moca13_sentence_repetition	partial	
0	MoCA	18	moca13_sentence_repetition_1	integer	nullable	y.isin(0,1)			
0	MoCA	19	moca13_sentence_repetition_2	integer	nullable	y.isin(0,1)			
0	MoCA	20	moca14_verbal_fluency_number_of_words	integer	nullable	(y>=0) & (y<=100)	moca14_verbal_fluency_number_of_words	identical	
0	MoCA	21	moca15_verbal_fluency	integer	nullable	y.isin(0,1)	moca15_verbal_fluency	identical	
0	MoCA	22	moca_language_subscore	integer	nullable	y.isin(0,1,2,3)	moca_language_subscore	identical	
0	MoCA	23	moca16_abstraction_1	integer	nullable	y.isin(0,1)	moca16_abstraction	partial	
0	MoCA	24	moca16_abstraction_2	integer	nullable	y.isin(0,1)			
0	MoCA	25	moca_abstraction_subscore	integer	nullable	y.isin(0,1,2)	moca_abstraction_subscore	identical	
0	MoCA	26	moca17_delayed_recall_face	integer	nullable	y.isin(0,1)	moca17_delayed_recall_face	identical	
0	MoCA	27	moca18_delayed_recall_velvet	integer	nullable	y.isin(0,1)	moca18_delayed_recall_velvet	identical	
0	MoCA	28	moca19_delayed_recall_church	integer	nullable	y.isin(0,1)	moca19_delayed_recall_church	identical	
0	MoCA	29	moca20_delayed_recall_daisy	integer	nullable	y.isin(0,1)	moca20_delayed_recall_daisy	identical	
0	MoCA	30	moca21_delayed_recall_red	integer	nullable	y.isin(0,1)	moca21_delayed_recall_red	identical	
0	MoCA	31	moca_delayed_recall_subscore_optnl_cat_cue	integer	nullable	y.isin(0,1,2,3,4,5)	moca_delayed_recall_subscore_optnl_cat_cue	identical	
0	MoCA	32	moca_delayed_recall_subscore_optnl_mult_choice	integer	nullable	y.isin(0,1,2,3,4,5)	moca_delayed_recall_subscore_optnl_mult_choice	identical	
0	MoCA	33	moca_delayed_recall_subscore	integer	nullable	y.isin(0,1,2,3,4,5)	moca_delayed_recall_subscore	identical	
0	MoCA	34	moca22_orientation_date_score	integer	nullable	y.isin(0,1)	moca22_orientation_date_score	identical	
0	MoCA	35	moca23_orientation_month_score	integer	nullable	y.isin(0,1)	moca23_orientation_month_score	identical	
0	MoCA	36	moca24_orientation_year_score	integer	nullable	y.isin(0,1)	moca24_orientation_year_score	identical	
0	MoCA	37	moca25_orientation_day_score	integer	nullable	y.isin(0,1)	moca25_orientation_day_score	identical	
0	MoCA	38	moca26_orientation_place_score	integer	nullable	y.isin(0,1)	moca26_orientation_place_score	identical	
0	MoCA	39	moca27_orientation_city_score	integer	nullable	y.isin(0,1)	moca27_orientation_city_score	identical	
0	MoCA	40	moca_orientation_subscore	integer	nullable	y.isin(0,1,2,3,4,5,6)	moca_orientation_subscore	identical	
0	MoCA	41	moca_total_score	integer	nullable	(y>=0) & (y<=30)	moca_total_score	identical	
0	MoCA	42	moca_total_score_adjusted	integer	nullable	(y>=0) & (y<=30)			
0	SDM	1	sdm_score	integer	nullable	(y>=0) & (y<=110)			
0	SCOPA-AUT	1	scopa_aut01_swallowing	SCOPA-AUT item 1	string	nullable	['never', 'sometimes', 'regularly', 'often']		
0	SCOPA-AUT	2	scopa_aut02_dribbling	SCOPA-AUT item 2	string	nullable	['never', 'sometimes', 'regularly', 'often']		
0	SCOPA-AUT	3	scopa_aut03_food_stuck	SCOPA-AUT item 3	string	nullable	['never', 'sometimes', 'regularly', 'often']		
0	SCOPA-AUT	4	scopa_aut04_stomach_full_quickly	SCOPA-AUT item 4	string	nullable	['never', 'sometimes', 'regularly', 'often']		
0	SCOPA-AUT	5	scopa_aut05_bowel_constipation	SCOPA-AUT item 5	string	nullable	['never', 'sometimes', 'regularly', 'often']		
0	SCOPA-AUT	6	scopa_aut06_bowel_strain_hard	SCOPA-AUT item 6	string	nullable	['never', 'sometimes', 'regularly', 'often']		
0	SCOPA-AUT	7	scopa_aut07_bowel_involuntary_loss	SCOPA-AUT item 7	string	nullable	['never', 'sometimes', 'regularly', 'often']		
0	SCOPA-AUT	8	scopa_aut08_urine_hard_to_retain	SCOPA-AUT item 8	string	nullable	['never', 'sometimes', 'regularly', 'often', 'use']		
0	SCOPA-AUT	9	scopa_aut09_urine_involuntary_loss	SCOPA-AUT item 9	string	nullable	['never', 'sometimes', 'regularly', 'often', 'use']		
0	SCOPA-AUT	10	scopa_aut10_urine_residual	SCOPA-AUT item 10	string	nullable	['never', 'sometimes', 'regularly', 'often', 'use']		
0	SCOPA-AUT	11	scopa_aut11_urine_stream_weak	SCOPA-AUT item 11	string	nullable	['never', 'sometimes', 'regularly', 'often', 'use']		
0	SCOPA-AUT	12	scopa_aut12_urine_pass_less_2hr	SCOPA-AUT item 12	string	nullable	['never', 'sometimes', 'regularly', 'often', 'use']		
0	SCOPA-AUT	13	scopa_aut13_urine_night	SCOPA-AUT item 13	string	nullable	['never', 'sometimes', 'regularly', 'often', 'use']		
0	SCOPA-AUT	14	scopa_aut14_light_head_stand_up	SCOPA-AUT item 14	string	nullable	['never', 'sometimes', 'regularly', 'often']		
0	SCOPA-AUT	15	scopa_aut15_light_head_standing	SCOPA-AUT item 15	string	nullable	['never', 'sometimes', 'regularly', 'often']		
0	SCOPA-AUT	16	scopa_aut16_faint	SCOPA-AUT item 16	string	nullable	['never', 'sometimes', 'regularly', 'often']		
0	SCOPA-AUT	17	scopa_aut17_perspiration_day	SCOPA-AUT item 17	string	nullable	['never', 'sometimes', 'regularly', 'often']		
0	SCOPA-AUT	18	scopa_aut18_perspiration_night	SCOPA-AUT item 18	string	nullable	['never', 'sometimes', 'regularly', 'often']		
0	SCOPA-AUT	19	scopa_aut19_too_bright	SCOPA-AUT item 19	string	nullable	['never', 'sometimes', 'regularly', 'often']		
0	SCOPA-AUT	20	scopa_aut20_too_cold	SCOPA-AUT item 20	string	nullable	['never', 'sometimes', 'regularly', 'often']		
0	SCOPA-AUT	21	scopa_aut21_too_hot	SCOPA-AUT item 21	string	nullable	['never', 'sometimes', 'regularly', 'often']		
0	SCOPA-AUT	22	scopa_aut22_sex_impotent	SCOPA-AUT item 22	string	nullable	['never', 'sometimes', 'regularly', 'often', 'not']		
0	SCOPA-AUT	23	scopa_aut23_sex_unable_ejaculate	SCOPA-AUT item 23	string	nullable	['never', 'sometimes', 'regularly', 'often', 'not']		
0	SCOPA-AUT	24	scopa_aut23a_sex_medication	SCOPA-AUT item 23a	string	nullable	['no', 'yes', 'unknown']		
0	SCOPA-AUT	25	scopa_aut23a1_sex_medication_text	SCOPA-AUT item 23a ED Med	string	nullable			
0	SCOPA-AUT	26	scopa_aut24_sex_dry	SCOPA-AUT item 24	string	nullable	['never', 'sometimes', 'regularly', 'often', 'not']		
0	SCOPA-AUT	27	scopa_aut25_sex_difficulty_organism	SCOPA-AUT item 25	string	nullable	['never', 'sometimes', 'regularly', 'often', 'not']		
0	SCOPA-AUT	28	scopa_aut26a_constipation_med	SCOPA-AUT item 26a	string	nullable	['no', 'yes', 'unknown']		
0	SCOPA-AUT	29	scopa_aut26at_constipation_med_text	SCOPA-AUT item 26a med	string	nullable			
0	SCOPA-AUT	30	scopa_aut26b_urine_med	SCOPA-AUT item 26b	string	nullable	['no', 'yes', 'unknown']		
0	SCOPA-AUT	31	scopa_aut26bt_urine_med_text	SCOPA-AUT item 26b med	string	nullable			
0	SCOPA-AUT	32	scopa_aut26c_blood_pressure_med	SCOPA-AUT item 26c	string	nullable	['no', 'yes', 'unknown']		
0	SCOPA-AUT	33	scopa_aut26ct_blood_pressure_med_text	SCOPA-AUT item 26c med	string	nullable			
0	SCOPA-AUT	34	scopa_aut26d_other_med	SCOPA-AUT item 26d	string	nullable	['no', 'yes', 'unknown']		
0	SCOPA-AUT	35	scopa_aut26dt_other_med_text	SCOPA-AUT item 26d med	string	nullable			
0	SCOPA-	1	scopa_cog1_verbal_recall	SCOPA-COG item 1	integer	nullable	y.isin(0,1,2,3,4,5)		
0	SCOPA-	2	scopa_cog2_digit_span_backward	SCOPA-COG item 2	integer	nullable	y.isin(0,1,2,3,4,5,6,7)		
0	SCOPA-	3	scopa_cog3_cube	SCOPA-COG item 3	integer	nullable	y.isin(0,1,2,3,4,5)		
0	SCOPA-	4	scopa_cog4_count_backwards	SCOPA-COG item 4	integer	nullable	y.isin(0,1,2)		
0	SCOPA-	5	scopa_cog5_monthly_backward	SCOPA-COG item 5	integer	nullable	y.isin(0,1,2)		
0	SCOPA-	6	scopa_cog6_fist_edge_palm	SCOPA-COG item 6	integer	nullable	y.isin(0,1,2,3)		
0	SCOPA-	7	scopa_cog7_semantic_fluency	SCOPA-COG item 7	integer	nullable	y.isin(0,1,2,3,4,5,6)		
0	SCOPA-	8	scopa_cog8_dice	SCOPA-COG item 8	integer	nullable	y.isin(0,1,2,3)		
0	SCOPA-	9	scopa_cog9_assembling_figures	SCOPA-COG item 9	integer	nullable	y.isin(0,1,2,3,4,5)		
0	SCOPA-	10	scopa_cog10_delayed_recall	SCOPA-COG item 10	integer	nullable	y.isin(0,1,2,3,4,5)		
0	SCOPA-	15	scopa_cog_total_score	SCOPA-COG Total Score	integer	nullable	(y>=0) & (y<=43)		

Supplementary Table 2. GP2 Core Data Dictionary (continued)

Single measure	Modality	no. item	Description	Item Type	Required	Values	AMP_PD_Item	Conversion	Comment
0 RBD Screening Questionnaire		1 rbd_info_source	RBD Source Of Information	string	nullable		code_rbd_info_source	identical	
0 RBD Screening Questionnaire		2 code_rbd01_vivid_dreams	RBD 01. Vivid Dreams (1=yes, 0=no, null/unknown)	integer	nullable	y.isin(0,1)	code_rbd01_vivid_dreams	identical	
0 RBD Screening Questionnaire		3 code_rbd02_aggressive_or_action_packed_dreams	RBD 02. Aggressive Or Action-Packed Dreams (1=yes, 0=no, null/unknown)	integer	nullable	y.isin(0,1)	code_rbd02_aggressive_or_action_packed_dreams	identical	
0 RBD Screening Questionnaire		4 code_rbd03_nocturnal_behaviour	RBD 03. Nocturnal Behaviour (1=yes, 0=no, null/unknown)	integer	nullable	y.isin(0,1)	code_rbd03_nocturnal_behaviour	identical	
0 RBD Screening Questionnaire		5 code_rbd04_move_arms_legs_during_sleep	RBD 04. Move Arms and Legs During Sleep (1=yes, 0=no, null/unknown)	integer	nullable	y.isin(0,1)	code_rbd04_move_arms_legs_during_sleep	identical	
0 RBD Screening Questionnaire		6 code_rbd05_hurt_bed_partner	RBD 05. Hurt Bed Partner (1=yes, 0=no, null/unknown)	integer	nullable	y.isin(0,1)	code_rbd05_hurt_bed_partner	identical	
0 RBD Screening Questionnaire		7 code_rbd06_1_speaking_in_sleep	RBD 06.1. Speaking In Sleep (1=yes, 0=no, null/unknown)	integer	nullable	y.isin(0,1)	code_rbd06_1_speaking_in_sleep	identical	
0 RBD Screening Questionnaire		8 code_rbd06_2_sudden_limb_movements	RBD 06.2. Sudden Limb Movements (1=yes, 0=no, null/unknown)	integer	nullable	y.isin(0,1)	code_rbd06_2_sudden_limb_movements	identical	
0 RBD Screening Questionnaire		9 code_rbd06_3_complex_movements	RBD 06.3. Complex Movements (1=yes, 0=no, null/unknown)	integer	nullable	y.isin(0,1)	code_rbd06_3_complex_movements	identical	
0 RBD Screening Questionnaire		10 code_rbd06_4_things_fell_down	RBD 06.4. Things Fell Down (1=yes, 0=no, null/unknown)	integer	nullable	y.isin(0,1)	code_rbd06_4_things_fell_down	identical	
0 RBD Screening Questionnaire		11 code_rbd07_my_movements_awake_me	RBD 07. My Movements Awake Me (1=yes, 0=no, null/unknown)	integer	nullable	y.isin(0,1)	code_rbd07_my_movements_awake_me	identical	
0 RBD Screening Questionnaire		12 code_rbd08_remember_dreams	RBD 08. Remember Dreams (1=yes, 0=no, null/unknown)	integer	nullable	y.isin(0,1)	code_rbd08_remember_dreams	identical	
0 RBD Screening Questionnaire		13 code_rbd09_sleep_is_disturbed	RBD 09. Sleep Is Disturbed (1=yes, 0=no, null/unknown)	integer	nullable	y.isin(0,1)	code_rbd09_sleep_is_disturbed	identical	
0 RBD Screening Questionnaire		14 code_rbd10a_stroke	RBD 10a. Stroke (1=yes, 0=no, null/unknown)	integer	nullable	y.isin(0,1)	code_rbd10a_stroke	identical	
0 RBD Screening Questionnaire		15 code_rbd10b_head_trauma	RBD 10b. Head Trauma (1=yes, 0=no, null/unknown)	integer	nullable	y.isin(0,1)	code_rbd10b_head_trauma	identical	
0 RBD Screening Questionnaire		16 code_rbd10c_parkinsonism	RBD 10c. Parkinsonism (1=yes, 0=no, null/unknown)	integer	nullable	y.isin(0,1)	code_rbd10c_parkinsonism	identical	
0 RBD Screening Questionnaire		17 code_rbd10d_rs	RBD 10d. RLS (1=yes, 0=no, null/unknown)	integer	nullable	y.isin(0,1)	code_rbd10d_rs	identical	
0 RBD Screening Questionnaire		18 code_rbd10e_narcolepsy	RBD 10e. Narcolepsy (1=yes, 0=no, null/unknown)	integer	nullable	y.isin(0,1)	code_rbd10e_narcolepsy	identical	
0 RBD Screening Questionnaire		19 code_rbd10f_depression	RBD 10f. Depression (1=yes, 0=no, null/unknown)	integer	nullable	y.isin(0,1)	code_rbd10f_depression	identical	
0 RBD Screening Questionnaire		20 code_rbd10g_epilepsy	RBD 10g. Epilepsy (1=yes, 0=no, null/unknown)	integer	nullable	y.isin(0,1)	code_rbd10g_epilepsy	identical	
0 RBD Screening Questionnaire		21 code_rbd10h_brain_inflammatory_disease	RBD 10h. Inflammatory Disease Of The Brain (1=yes, 0=no, null/unknown)	integer	nullable	y.isin(0,1)	code_rbd10h_brain_inflammatory_disease	identical	
0 RBD Screening Questionnaire		22 code_rbd10i_other	RBD 10i. Other (1=yes, 0=no, null/unknown)	integer	nullable	y.isin(0,1)	code_rbd10i_other	identical	
0 RBD Screening Questionnaire		23 code_rbd10j_other_comment	RBD 10j. Other (comment)	string	nullable				
0 RBD Screening Questionnaire		24 code_rbd10_neurosv_system_disease	RBD 10. Neurosv System Disease (1=yes, 0=no, null/unknown)	integer	nullable	y.isin(0,1)	code_rbd10_neurosv_system_disease	identical	
0 RBD Screening Questionnaire		25 rbd_summary_score	RBD Summary Score	integer	nullable	(y=0) & (y<=13)	rbd_summary_score	identical	
0 RBD Single-Question Screen		1 rbd1q	A single question measure screening for REM sleep behavior disorder	string	nullable	['No', 'Yes', 'Unknown']			
0 Epworth Sleepiness Scale		1 ess_info_source	ESS Source Of Information	string	nullable		ess_info_source	identical	
0 Epworth Sleepiness Scale		2 code_ess0101_sitting_and_reading	ESS - Sitting And Reading (ESS0101) (0="would never doze or sleep", 1="slight chance of dozing or sleeping", 2="moderate chance of dozing or sleeping", 3="high chance of dozing or sleeping")	integer	nullable	y.isin(0,1,2,3)	code_ess0101_sitting_and_reading	identical	
0 Epworth Sleepiness Scale		3 code_ess0102_watching_tv	ESS - Watching TV (ESS0102) (0="would never doze or sleep", 1="slight chance of dozing or sleeping", 2="moderate chance of dozing or sleeping", 3="high chance of dozing or sleeping")	integer	nullable	y.isin(0,1,2,3)	code_ess0102_watching_tv	identical	
0 Epworth Sleepiness Scale		4 code_ess0103_sitting_inactive_in_public_place	ESS - Sitting, Inactive In A Public Place (ESS0103) (0="would never doze or sleep", 1="slight chance of dozing or sleeping", 2="moderate chance of dozing or sleeping", 3="high chance of dozing or sleeping")	integer	nullable	y.isin(0,1,2,3)	code_ess0103_sitting_inactive_in_public_place	identical	
0 Epworth Sleepiness Scale		5 code_ess0104_passenger_in_car_for_hour	ESS - As A Passenger In A Car For An Hour Without A Break (ESS0104) (0="would never doze or sleep", 1="slight chance of dozing or sleeping", 2="moderate chance of dozing or sleeping", 3="high chance of dozing or sleeping")	integer	nullable	y.isin(0,1,2,3)	code_ess0104_passenger_in_car_for_hour	identical	
0 Epworth Sleepiness Scale		6 code_ess0105_lying_down_to_rest_in_afternoon	ESS - Lying Down To Rest In The Afternoon When Circumstances Permit (ESS0105) (0="would never doze or sleep", 1="slight chance of dozing or sleeping", 2="moderate chance of dozing or sleeping", 3="high chance of dozing or sleeping")	integer	nullable	y.isin(0,1,2,3)	code_ess0105_lying_down_to_rest_in_afternoon	identical	
0 Epworth Sleepiness Scale		7 code_ess0106_sitting_and_talking_to_someone	ESS - Sitting And Talking To Someone (ESS0106) (0="would never doze or sleep", 1="slight chance of dozing or sleeping", 2="moderate chance of dozing or sleeping", 3="high chance of dozing or sleeping")	integer	nullable	y.isin(0,1,2,3)	code_ess0106_sitting_and_talking_to_someone	identical	
0 Epworth Sleepiness Scale		8 code_ess0107_sitting_after_lunch	ESS - Sitting Quietly After A Lunch Without Alcohol (ESS0107) (0="would never doze or sleep", 1="slight chance of dozing or sleeping", 2="moderate chance of dozing or sleeping", 3="high chance of dozing or sleeping")	integer	nullable	y.isin(0,1,2,3)	code_ess0107_sitting_after_lunch	identical	
0 Epworth Sleepiness Scale		9 code_ess0108_car_stopped_in_traffic	ESS - In A Car, While Stopped For A Few Minutes In The Traffic (ESS0108) (0="would never doze or sleep", 1="slight chance of dozing or sleeping", 2="moderate chance of dozing or sleeping", 3="high chance of dozing or sleeping")	integer	nullable	y.isin(0,1,2,3)	code_ess0108_car_stopped_in_traffic	identical	
0 Epworth Sleepiness Scale		ess_total_score	ESS - Total score	integer	nullable	(y=0) & (y<=24)			
0 Geriatric Depression Scale: Short Form		1 code_gds01_satisfied_with_life	GDS15 - Are you basically satisfied with your life? ["yes":1, "no":0]	integer	nullable	y.isin(0,1)			
0 Geriatric Depression Scale: Short Form		2 code_gds02_drop_interests	GDS15 - Have you dropped many of your activities and interests? ["yes":1, "no":0]	integer	nullable	y.isin(0,1)			
0 Geriatric Depression Scale: Short Form		3 code_gds03_empty	GDS15 - Do you feel that your life is empty? ["yes":1, "no":0]	integer	nullable	y.isin(0,1)			
0 Geriatric Depression Scale: Short Form		4 code_gds04_bored	GDS15 - Do you often get bored? ["yes":1, "no":0]	integer	nullable	y.isin(0,1)			
0 Geriatric Depression Scale: Short Form		5 code_gds05_good_spirits	GDS15 - Are you in good spirits most of the time? ["yes":0, "no":1]	integer	nullable	y.isin(0,1)			
0 Geriatric Depression Scale: Short Form		6 code_gds06_afraid	GDS15 - Are you afraid that something bad is going to happen to you? ["yes":1, "no":0]	integer	nullable	y.isin(0,1)			
0 Geriatric Depression Scale: Short Form		7 code_gds07_happy	GDS15 - Do you feel happy most of the time? ["yes":0, "no":1]	integer	nullable	y.isin(0,1)			
0 Geriatric Depression Scale: Short Form		8 code_gds08_helpless	GDS15 - Do you often feel helpless? ["yes":1, "no":0]	integer	nullable	y.isin(0,1)			
0 Geriatric Depression Scale: Short Form		9 code_gds09_home_than_going_out	GDS15 - Do you prefer to stay at home, rather than going out and doing new things? ["yes":1, "no":0]	integer	nullable	y.isin(0,1)			
0 Geriatric Depression Scale: Short Form		10 code_gds10_memory_problems	GDS15 - Do you feel you have more problems with memory than most people? ["yes":1, "no":0]	integer	nullable	y.isin(0,1)			
0 Geriatric Depression Scale: Short Form		11 code_gds11_wonderful_to_be_alive	GDS15 - Do you think it is wonderful to be alive? ["yes":0, "no":1]	integer	nullable	y.isin(0,1)			
0 Geriatric Depression Scale: Short Form		12 code_gds12_worthless	GDS15 - Do you feel pretty worthless the way you are now? ["yes":1, "no":0]	integer	nullable	y.isin(0,1)			
0 Geriatric Depression Scale: Short Form		13 code_gds13_full_of_energy	GDS15 - Do you feel full of energy? ["yes":0, "no":1]	integer	nullable	y.isin(0,1)			
0 Geriatric Depression Scale: Short Form		14 code_gds14_hopeless	GDS15 - Do you feel that your situation is hopeless? ["yes":1, "no":0]	integer	nullable	y.isin(0,1)			
0 Geriatric Depression Scale: Short Form		15 code_gds15_not_better_off	GDS15 - Do you think that most people are better off than you? ["yes":1, "no":0]	integer	nullable	y.isin(0,1)			
0 Geriatric Depression Scale: Short Form		16 gds15_total_score	GDS 15 - Total score	integer	nullable	(y=0) & (y<=15)			
0 Orthostatic hypotension		1 sbp_standing	Systolic blood pressure at standing position	numeric	nullable	(y=0) & (y<=200)			
0 Orthostatic hypotension		2 dbp_standing	Diastolic blood pressure at standing position	numeric	nullable	(y=0) & (y<=100)			
0 Orthostatic hypotension		3 hr_standing	Heart rate at standing position	numeric	nullable	(y=0) & (y<=200)			
0 Orthostatic hypotension		4 sbp_supine	Systolic blood pressure at supine position	numeric	nullable	(y=0) & (y<=200)			
0 Orthostatic hypotension		5 dbp_supine	Diastolic blood pressure at supine position	numeric	nullable	(y=0) & (y<=100)			
0 Orthostatic hypotension		6 hr_supine	Heart rate at supine position	numeric	nullable	(y=0) & (y<=200)			
0 Orthostatic hypotension		7 sbp_sitting	Systolic blood pressure at sitting position	numeric	nullable	(y=0) & (y<=200)			
0 Orthostatic hypotension		8 dbp_sitting	Diastolic blood pressure at sitting position	numeric	nullable	(y=0) & (y<=100)			
0 Orthostatic hypotension		9 hr_sitting	Heart rate at sitting position	numeric	nullable	(y=0) & (y<=200)			
0 Schwab And England ADL Score		1 schwab_and_england_pct_adl_score	Schwab And England Percent ADL Score	numeric	nullable	(y=0) & (y<=100)			
0 Olfactory test		1 smell_test_results	Anosmia, hyposmia, normosmia based on the age and sex standardized cut-off	string	nullable	['Anosmia', 'Hyposmia', 'Normosmia']			
0 Olfactory test		2 smell_test_name	Name of the used smell test (e.g. sniffin-stick, bat, upst)	string	nullable				
0 Olfactory test		3 smell_test_score	Score of the smell test	numeric	nullable	(y=0) & (y<=9999)			
0 Misc Depression Scale		1 bc_depressed	Does the patient have depression based on the cut-off score of the scale used?	string	nullable	['Yes', 'No', 'Unknown']			
0 Misc Depression Scale		2 depress_test_name	Test used for depression screening e.g. GDS15, HDRS, BDI, PHQ9 (DPJK)GHQ	string	nullable				
0 Misc Depression Scale		3 depress_test_score	Total score on the depression scale used	numeric	nullable	(y=0) & (y<=100)			
0 PDQ-39		1 pdq39_01_doing_leisure_activity	PDQ-39-Q1: Had difficulty doing the leisure activities you like to do?	string	nullable	['Never', 'Occasionally', 'Sometimes', 'Often']	pdq39_01_doing_leisure_activity	identical	
0 PDQ-39		2 pdq39_02_looking_after_home	PDQ-39-Q2: Had difficulty looking after your home, for example, housework, cooking or yardwork?	string	nullable	['Never', 'Occasionally', 'Sometimes', 'Often']	pdq39_02_looking_after_home	identical	
0 PDQ-39		3 pdq39_03_carrying_shopping_bags	PDQ-39-Q3: Had difficulty carrying grocery bags?	string	nullable	['Never', 'Occasionally', 'Sometimes', 'Often']	pdq39_03_carrying_shopping_bags	identical	
0 PDQ-39		4 pdq39_04_walking_half_mile	PDQ-39-Q4: Had problems walking half a mile?	string	nullable	['Never', 'Occasionally', 'Sometimes', 'Often']	pdq39_04_walking_half_mile	identical	
0 PDQ-39		5 pdq39_05_walking_100_yards	PDQ-39-Q5: Had problems walking 100 yards (approximately 1 block)?	string	nullable	['Never', 'Occasionally', 'Sometimes', 'Often']	pdq39_05_walking_100_yards	identical	
0 PDQ-39		6 pdq39_06_getting_around_house	PDQ-39-Q6: Had problems getting around the house as easily as you would like?	string	nullable	['Never', 'Occasionally', 'Sometimes', 'Often']	pdq39_06_getting_around_house	identical	
0 PDQ-39		7 pdq39_07_getting_around_in_public	PDQ-39-Q7: Had difficulty getting around in public places?	string	nullable	['Never', 'Occasionally', 'Sometimes', 'Often']	pdq39_07_getting_around_in_public	identical	
0 PDQ-39		8 pdq39_08_needed_someone_to_accompany	PDQ-39-Q8: Needed someone else to accompany you when you went out?	string	nullable	['Never', 'Occasionally', 'Sometimes', 'Often']	pdq39_08_needed_someone_to_accompany	identical	
0 PDQ-39		9 pdq39_09_worried_about_falling	PDQ-39-Q9: Felt frightened or worried about falling in public?	string	nullable	['Never', 'Occasionally', 'Sometimes', 'Often']	pdq39_09_worried_about_falling	identical	
0 PDQ-39		10 pdq39_10_confined_to_house	PDQ-39-Q10: Been confined to the house more than you would like?	string	nullable	['Never', 'Occasionally', 'Sometimes', 'Often']	pdq39_10_confined_to_house	identical	
0 PDQ-39		11 pdq39_11_showing	PDQ-39-Q11: Had difficulty showering and bathing?	string	nullable	['Never', 'Occasionally', 'Sometimes', 'Often']	pdq39_11_showing	identical	
0 PDQ-39		12 pdq39_12_dressing	PDQ-39-Q12: Had difficulty dressing?	string	nullable	['Never', 'Occasionally', 'Sometimes', 'Often']	pdq39_12_dressing	identical	

Supplementary Table 2. GP2 Core Data Dictionary (continued)

Single measure	Modality	no. item	Description	ItemType	Required	Values	AMP_PD_Item	Conversion	Comment
0	PQD-39	13	pdq39-13_buttons_and_shoelaces	string	nullable	["Never", "Occasionally", "Sometimes", "Often"]	pdq39_13_buttons_and_shoelaces		Identical
0	PQD-39	14	pdq39-14_writing	string	nullable	["Never", "Occasionally", "Sometimes", "Often"]	pdq39_14_writing		Identical
0	PQD-39	15	pdq39-15_cutting_food	string	nullable	["Never", "Occasionally", "Sometimes", "Often"]	pdq39_15_cutting_food		Identical
0	PQD-39	16	pdq39-16_spill_drink	string	nullable	["Never", "Occasionally", "Sometimes", "Often"]	pdq39_16_spill_drink		Identical
0	PQD-39	17	pdq39-17_depressed	string	nullable	["Never", "Occasionally", "Sometimes", "Often"]	pdq39_17_depressed		Identical
0	PQD-39	18	pdq39-18_lonely	string	nullable	["Never", "Occasionally", "Sometimes", "Often"]	pdq39_18_lonely		Identical
0	PQD-39	19	pdq39-19_weepee	string	nullable	["Never", "Occasionally", "Sometimes", "Often"]	pdq39_19_weepee		Identical
0	PQD-39	20	pdq39-20_angry	string	nullable	["Never", "Occasionally", "Sometimes", "Often"]	pdq39_20_angry		Identical
0	PQD-39	21	pdq39-21_anxious	string	nullable	["Never", "Occasionally", "Sometimes", "Often"]	pdq39_21_anxious		Identical
0	PQD-39	22	pdq39-22_worried_about_future	string	nullable	["Never", "Occasionally", "Sometimes", "Often"]	pdq39_22_worried_about_future		Identical
0	PQD-39	23	pdq39-23_hide_pd_from_people	string	nullable	["Never", "Occasionally", "Sometimes", "Often"]	pdq39_23_hide_pd_from_people		Identical
0	PQD-39	24	pdq39-24_avoid_eat_drink_in_public	string	nullable	["Never", "Occasionally", "Sometimes", "Often"]	pdq39_24_avoid_eat_drink_in_public		Identical
0	PQD-39	25	pdq39-25_embarrassed_in_public	string	nullable	["Never", "Occasionally", "Sometimes", "Often"]	pdq39_25_embarrassed_in_public		Identical
0	PQD-39	26	pdq39-26_worried_about_reactions	string	nullable	["Never", "Occasionally", "Sometimes", "Often"]	pdq39_26_worried_about_reactions		Identical
0	PQD-39	27	pdq39-27_close_personal_relationships	string	nullable	["Never", "Occasionally", "Sometimes", "Often"]	pdq39_27_close_personal_relationships		Identical
0	PQD-39	28	pdq39-28_support_from_spouse	string	nullable	["Never", "Occasionally", "Sometimes", "Often"]	pdq39_28_support_from_spouse		Identical
0	PQD-39	29	pdq39-29_support_from_family	string	nullable	["Never", "Occasionally", "Sometimes", "Often"]	pdq39_29_support_from_family		Identical
0	PQD-39	30	pdq39-30_sleep_in_day	string	nullable	["Never", "Occasionally", "Sometimes", "Often"]	pdq39_30_sleep_in_day		Identical
0	PQD-39	31	pdq39-31_problem_with_concentration	string	nullable	["Never", "Occasionally", "Sometimes", "Often"]	pdq39_31_problem_with_concentration		Identical
0	PQD-39	32	pdq39-32_memory_is_falling	string	nullable	["Never", "Occasionally", "Sometimes", "Often"]	pdq39_32_memory_is_falling		Identical
0	PQD-39	33	pdq39-33_hallucinations	string	nullable	["Never", "Occasionally", "Sometimes", "Often"]	pdq39_33_hallucinations		Identical
0	PQD-39	34	pdq39-34_speaking	string	nullable	["Never", "Occasionally", "Sometimes", "Often"]	pdq39_34_speaking		Identical
0	PQD-39	35	pdq39-35_unable_to_communicate	string	nullable	["Never", "Occasionally", "Sometimes", "Often"]	pdq39_35_unable_to_communicate		Identical
0	PQD-39	36	pdq39-36_felt_ignored	string	nullable	["Never", "Occasionally", "Sometimes", "Often"]	pdq39_36_felt_ignored		Identical
0	PQD-39	37	pdq39-37_muscle_cramps	string	nullable	["Never", "Occasionally", "Sometimes", "Often"]	pdq39_37_muscle_cramps		Identical
0	PQD-39	38	pdq39-38_joint_pains	string	nullable	["Never", "Occasionally", "Sometimes", "Often"]	pdq39_38_joint_pains		Identical
0	PQD-39	39	pdq39-39_hot_or_cold	string	nullable	["Never", "Occasionally", "Sometimes", "Often"]	pdq39_39_hot_or_cold		Identical
0	PQD-39	40	pdq39-mobility_score (Item 1-10)	integer	nullable	(y=0) & (y<=40)	pdq39_mobility_score		Identical
0	PQD-39	41	pdq39-adj_score	integer	nullable	(y=0) & (y<=24)	pdq39_adj_score		Identical
0	PQD-39	42	pdq39-emotional_score	integer	nullable	(y=0) & (y<=24)	pdq39_emotional_score		Identical
0	PQD-39	43	pdq39-sigma_score	integer	nullable	(y=0) & (y<=16)	pdq39_sigma_score		Identical
0	PQD-39	44	pdq39-social_score	integer	nullable	(y=0) & (y<=12)	pdq39_social_score		Identical
0	PQD-39	45	pdq39-cognition_score	integer	nullable	(y=0) & (y<=16)	pdq39_cognition_score		Identical
0	PQD-39	46	pdq39-communication_score	integer	nullable	(y=0) & (y<=12)	pdq39_communication_score		Identical
0	PQD-39	47	pdq39-discomfort_score	integer	nullable	(y=0) & (y<=12)	pdq39_discomfort_score		Identical
0	PQD-8	1	pdq8-total_score	integer	nullable	(y=0) & (y<=32)			
0	WBC counts	1	neutrophil_count	numeric	nullable	(y=0) & (y<=100000)			
0	WBC counts	2	lymphocyte_count	numeric	nullable	(y=0) & (y<=100000)			
0	WBC counts	3	eosinophil_count	numeric	nullable	(y=0) & (y<=100000)			
0	WBC counts	4	basophil_count	numeric	nullable	(y=0) & (y<=100000)			
0	WBC counts	5	monocyte_count	numeric	nullable	(y=0) & (y<=100000)			
0	King's PD pain scale	1	king_01_joints_severity	integer	nullable	y.sin(0,1,2,3)			
0	King's PD pain scale	2	king_01_joints_freq	integer	nullable	y.sin(0,1,2,3,4)			
0	King's PD pain scale	3	king_02_deep_body_severity	integer	nullable	y.sin(0,1,2,3)			
0	King's PD pain scale	4	king_02_deep_body_freq	integer	nullable	y.sin(0,1,2,3,4)			
0	King's PD pain scale	5	king_03_organ_severity	integer	nullable	y.sin(0,1,2,3)			
0	King's PD pain scale	6	king_03_organ_freq	integer	nullable	y.sin(0,1,2,3,4)			
0	King's PD pain scale	7	king_04_dyskinetic_severity	integer	nullable	y.sin(0,1,2,3)			
0	King's PD pain scale	8	king_04_dyskinetic_freq	integer	nullable	y.sin(0,1,2,3,4)			
0	King's PD pain scale	9	king_05_offdystonia_specific_severity	integer	nullable	y.sin(0,1,2,3)			
0	King's PD pain scale	10	king_05_offdystonia_specific_freq	integer	nullable	y.sin(0,1,2,3,4)			
0	King's PD pain scale	11	king_06_offdystonia_general_severity	integer	nullable	y.sin(0,1,2,3)			
0	King's PD pain scale	12	king_06_offdystonia_general_freq	integer	nullable	y.sin(0,1,2,3,4)			
0	King's PD pain scale	13	king_07_leg_movement_night_severity	integer	nullable	y.sin(0,1,2,3)			
0	King's PD pain scale	14	king_07_leg_movement_night_freq	integer	nullable	y.sin(0,1,2,3,4)			
0	King's PD pain scale	15	king_08_turning_in_bed_severity	integer	nullable	y.sin(0,1,2,3)			
0	King's PD pain scale	16	king_08_turning_in_bed_freq	integer	nullable	y.sin(0,1,2,3,4)			
0	King's PD pain scale	17	king_09_chewing_severity	integer	nullable	y.sin(0,1,2,3)			
0	King's PD pain scale	18	king_09_chewing_freq	integer	nullable	y.sin(0,1,2,3,4)			
0	King's PD pain scale	19	king_10_grinding_teeth_night_severity	integer	nullable	y.sin(0,1,2,3)			
0	King's PD pain scale	20	king_10_grinding_teeth_night_freq	integer	nullable	y.sin(0,1,2,3,4)			
0	King's PD pain scale	21	king_11_burning_mouth_severity	integer	nullable	y.sin(0,1,2,3)			
0	King's PD pain scale	22	king_11_burning_mouth_freq	integer	nullable	y.sin(0,1,2,3,4)			
0	King's PD pain scale	23	king_12_burning_limbs_severity	integer	nullable	y.sin(0,1,2,3)			
0	King's PD pain scale	24	king_12_burning_limbs_freq	integer	nullable	y.sin(0,1,2,3,4)			
0	King's PD pain scale	25	king_13_lower_abs_severity	integer	nullable	y.sin(0,1,2,3)			
0	King's PD pain scale	26	king_13_lower_abs_freq	integer	nullable	y.sin(0,1,2,3,4)			
0	King's PD pain scale	27	king_14_shooting_limbs_severity	integer	nullable	y.sin(0,1,2,3)			
0	King's PD pain scale	28	king_14_shooting_limbs_freq	integer	nullable	y.sin(0,1,2,3,4)			
0	King's PD pain scale	29	king_musculoskeletal	integer	nullable	(y=0) & (y<=12)			
0	King's PD pain scale	30	king_chronic	integer	nullable	(y=0) & (y<=24)			
0	King's PD pain scale	31	king_fluctuation_related	integer	nullable	(y=0) & (y<=36)			
0	King's PD pain scale	32	king_nocturnal	integer	nullable	(y=0) & (y<=24)			
0	King's PD pain scale	33	king_orofacial	integer	nullable	(y=0) & (y<=36)			
0	King's PD pain scale	34	king_discolouration	integer	nullable	(y=0) & (y<=24)			
0	King's PD pain scale	35	king_radicular	integer	nullable	(y=0) & (y<=12)			
0	MMSE	1	mmse_01_year	integer	nullable	y.sin(0,1)			
0	MMSE	2	mmse_02_season	integer	nullable	y.sin(0,1)			
0	MMSE	3	mmse_03_date	integer	nullable	y.sin(0,1)			
0	MMSE	4	mmse_04_day	integer	nullable	y.sin(0,1)			

Supplementary Table 2. GP2 Core Data Dictionary (continued)

Single measure	Modality	no. Item	Description	ItemType	Required	Values	AMP_PD_Item	Conversion	Comment
0	MMSE	5	mmse_05_month	MMSE 5	integer	nullable	y.isin([0,1])		
0	MMSE	31	mmse_orientation_time	x["mmse_01_year","mmse_02_season","mmse_03_data","mmse_04_day","mmse_05_month"].sum(xis=1)	integer	nullable	(y>=0) & (y<=5)		x["mmse_01
0	MMSE	6	mmse_06_state	MMSE 6	integer	nullable	y.isin([0,1])		
0	MMSE	7	mmse_07_county	MMSE 7	integer	nullable	y.isin([0,1])		
0	MMSE	8	mmse_08_town	MMSE 8	integer	nullable	y.isin([0,1])		
0	MMSE	9	mmse_09_hospital	MMSE 9	integer	nullable	y.isin([0,1])		
0	MMSE	10	mmse_10_floor	MMSE 10	integer	nullable	y.isin([0,1])		
0	MMSE	32	mmse_orientation_place	sum MMSE 6-10	integer	nullable	(y>=0) & (y<=5)		
0	MMSE	11	mmse_11_immediate_recall_1	MMSE 11	integer	nullable	y.isin([0,1])		
0	MMSE	12	mmse_12_immediate_recall_2	MMSE 12	integer	nullable	y.isin([0,1])		
0	MMSE	13	mmse_13_immediate_recall_3	MMSE 13	integer	nullable	y.isin([0,1])		
0	MMSE	33	mmse_immediate_recall	sum MMSE 11-13	integer	nullable	(y>=0) & (y<=3)		
0	MMSE	14	mmse_14_serial7_1	MMSE 14	integer	nullable	y.isin([0,1])		
0	MMSE	15	mmse_15_serial7_2	MMSE 15	integer	nullable	y.isin([0,1])		
0	MMSE	16	mmse_16_serial7_3	MMSE 16	integer	nullable	y.isin([0,1])		
0	MMSE	17	mmse_17_serial7_4	MMSE 17	integer	nullable	y.isin([0,1])		
0	MMSE	18	mmse_18_serial7_5	MMSE 18	integer	nullable	y.isin([0,1])		
0	MMSE	34	mmse_serial7	sum MMSE 14-18	integer	nullable	(y>=0) & (y<=5)		
0	MMSE	19	mmse_19_delayed_recall_1	MMSE 19	integer	nullable	y.isin([0,1])		
0	MMSE	20	mmse_20_delayed_recall_2	MMSE 20	integer	nullable	y.isin([0,1])		
0	MMSE	21	mmse_21_delayed_recall_3	MMSE 21	integer	nullable	y.isin([0,1])		
0	MMSE	35	mmse_delayed_recall	sum MMSE 19-21	integer	nullable	(y>=0) & (y<=3)		
0	MMSE	22	mmse_22_naming_1	MMSE 22	integer	nullable	y.isin([0,1])		
0	MMSE	23	mmse_23_naming_2	MMSE 23	integer	nullable	y.isin([0,1])		
0	MMSE	36	mmse_naming	sum MMSE 22-23	integer	nullable	y.isin([0, 1, 2])		
0	MMSE	24	mmse_24_repeating	MMSE 24	integer	nullable	y.isin([0,1])		
0	MMSE	25	mmse_25_oral_command_1	MMSE 25	integer	nullable	y.isin([0,1])		
0	MMSE	26	mmse_26_oral_command_2	MMSE 26	integer	nullable	y.isin([0,1])		
0	MMSE	27	mmse_27_oral_command_3	MMSE 27	integer	nullable	y.isin([0,1])		
0	MMSE	37	mmse_comprehension	sum MMSE 25-27	integer	nullable	(y>=0) & (y<=3)		
0	MMSE	28	mmse_28_reading	MMSE 28	integer	nullable	y.isin([0,1])		
0	MMSE	29	mmse_29_writing	MMSE 29	integer	nullable	y.isin([0,1])		
0	MMSE	30	mmse_30_drawing	MMSE 30	integer	nullable	y.isin([0,1])		
0	MMSE	38	mmse_total_score	Total	integer	nullable	(y>=0) & (y<=30)		
0	UPDRS Part I	1	code_upd101_intellectual_impairment	Mentation: Intellectual Impairment	integer	nullable	y.isin([0,1,2,3,4])		
0	UPDRS Part I	2	code_upd102_thought_disorder	Mentation: Thought Disorder	integer	nullable	y.isin([0,1,2,3,4])		
0	UPDRS Part I	3	code_upd103_depression	Mentation: Depression	integer	nullable	y.isin([0,1,2,3,4])		
0	UPDRS Part I	4	code_upd104_motivation	Mentation: Motivation/Initiative	integer	nullable	y.isin([0,1,2,3,4])		
0	UPDRS Part II	5	code_upd105_speech	Activities: Speech	integer	nullable	y.isin([0,1,2,3,4])		
0	UPDRS Part II	6	code_upd106_salivation	Activities: Salivation	integer	nullable	y.isin([0,1,2,3,4])		
0	UPDRS Part II	7	code_upd107_swallowing	Activities: Swallowing	integer	nullable	y.isin([0,1,2,3,4])		
0	UPDRS Part II	8	code_upd108_handwriting	Activities: Handwriting	integer	nullable	y.isin([0,1,2,3,4])		
0	UPDRS Part II	9	code_upd109_eating_tasks	Activities: Cut Food/Handle Utensil	integer	nullable	y.isin([0,1,2,3,4])		
0	UPDRS Part II	10	code_upd110_dressing	Activities: Dressing	integer	nullable	y.isin([0,1,2,3,4])		
0	UPDRS Part II	11	code_upd111_hygiene	Activities: Hygiene	integer	nullable	y.isin([0,1,2,3,4])		
0	UPDRS Part II	12	code_upd112_bed	Activities: Turn Bed/Adj Clothes	integer	nullable	y.isin([0,1,2,3,4])		
0	UPDRS Part II	13	code_upd113_falling	Activities: Falling	integer	nullable	y.isin([0,1,2,3,4])		
0	UPDRS Part II	14	code_upd114_freezing_of_gait	Activities: Freezing When Walking	integer	nullable	y.isin([0,1,2,3,4])		
0	UPDRS Part II	15	code_upd115_walking	Activities: Walking	integer	nullable	y.isin([0,1,2,3,4])		
0	UPDRS Part II	16	code_upd116_tremor	Activities: Tremor	integer	nullable	y.isin([0,1,2,3,4])		
0	UPDRS Part II	17	code_upd117_sensor_complaints	Activities: Sensory Complaints	integer	nullable	y.isin([0,1,2,3,4])		
0	UPDRS Part III	18	code_upd118_speech	Motor: Speech	integer	nullable	y.isin([0,1,2,3,4])		
0	UPDRS Part III	19	code_upd119_facial_expression	Motor: Facial Expression	integer	nullable	y.isin([0,1,2,3,4])		
0	UPDRS Part III	20	code_upd120_rest_tremor	Motor: Tremor at Rest	integer	nullable	y.isin([0,1,2,3,4])		
0	UPDRS Part III	21	code_upd120a_rest_tremor_right_upper_extremity	Motor: Action/Postural Hand Tremor	integer	nullable	y.isin([0,1,2,3,4])		
0	UPDRS Part III	22	code_upd120b_rest_tremor_left_upper_extremity	Motor: Action/Postural Hand Tremor	integer	nullable	y.isin([0,1,2,3,4])		
0	UPDRS Part III	23	code_upd120c_rest_tremor_right_lower_extremity	Motor: Action/Postural Hand Tremor	integer	nullable	y.isin([0,1,2,3,4])		
0	UPDRS Part III	24	code_upd120d_rest_tremor_left_lower_extremity	Motor: Action/Postural Hand Tremor	integer	nullable	y.isin([0,1,2,3,4])		
0	UPDRS Part III	25	code_upd120e_rest_tremor_lo_or_jaw	Motor: Action/Postural Hand Tremor	integer	nullable	y.isin([0,1,2,3,4])		
0	UPDRS Part III	26	code_upd121_action_or_postural_tremor	Motor: Action/Postural Hand Tremor	integer	nullable	y.isin([0,1,2,3,4])		
0	UPDRS Part III	27	code_upd121a_action_or_postural_tremor_right	Motor: Action/Postural Hand Tremor	integer	nullable	y.isin([0,1,2,3,4])		
0	UPDRS Part III	28	code_upd121b_action_or_postural_tremor_left	Motor: Action/Postural Hand Tremor	integer	nullable	y.isin([0,1,2,3,4])		
0	UPDRS Part III	29	code_upd122_rigidity	Motor: Rigidity	integer	nullable	y.isin([0,1,2,3,4])		
0	UPDRS Part III	30	code_upd122a_rigidity_neck	Motor: Rigidity	integer	nullable	y.isin([0,1,2,3,4])		
0	UPDRS Part III	31	code_upd122b_rigidity_rt_upper_extremity	Motor: Rigidity	integer	nullable	y.isin([0,1,2,3,4])		
0	UPDRS Part III	32	code_upd122c_rigidity_left_upper_extremity	Motor: Rigidity	integer	nullable	y.isin([0,1,2,3,4])		
0	UPDRS Part III	33	code_upd122d_rigidity_rt_upper_extremity	Motor: Rigidity	integer	nullable	y.isin([0,1,2,3,4])		
0	UPDRS Part III	34	code_upd122e_rigidity_left_upper_extremity	Motor: Rigidity	integer	nullable	y.isin([0,1,2,3,4])		
0	UPDRS Part III	35	code_upd123_finger_taps	Motor: Finger Taps	integer	nullable	y.isin([0,1,2,3,4])		
0	UPDRS Part III	36	code_upd123a_right_finger_taps	Motor: Finger Taps	integer	nullable	y.isin([0,1,2,3,4])		
0	UPDRS Part III	37	code_upd123b_left_finger_taps	Motor: Finger Taps	integer	nullable	y.isin([0,1,2,3,4])		
0	UPDRS Part III	38	code_upd124_hand_movements	Motor: Hand Movements	integer	nullable	y.isin([0,1,2,3,4])		
0	UPDRS Part III	39	code_upd124a_right_hand_movements	Motor: Hand Movements	integer	nullable	y.isin([0,1,2,3,4])		
0	UPDRS Part III	40	code_upd124b_left_hand_movements	Motor: Hand Movements	integer	nullable	y.isin([0,1,2,3,4])		
0	UPDRS Part III	41	code_upd125_pron_sup_movement	Motor: Rapid Alternating Hand Moves	integer	nullable	y.isin([0,1,2,3,4])		
0	UPDRS Part III	42	code_upd125a_pron_sup_movement_right_hand	Motor: Rapid Alternating Hand Moves	integer	nullable	y.isin([0,1,2,3,4])		
0	UPDRS Part III	43	code_upd125b_pron_sup_movement_left_hand	Motor: Rapid Alternating Hand Moves	integer	nullable	y.isin([0,1,2,3,4])		
0	UPDRS Part III	44	code_upd126_leg_agility	Motor: Leg Agility	integer	nullable	y.isin([0,1,2,3,4])		
0	UPDRS Part III	45	code_upd126a_right_leg_agility	Motor: Leg Agility	integer	nullable	y.isin([0,1,2,3,4])		
0	UPDRS Part III	46	code_upd126b_left_leg_agility	Motor: Leg Agility	integer	nullable	y.isin([0,1,2,3,4])		

Supplementary Table 2. GP2 Core Data Dictionary (continued)

Single measure	Modality	no. Item	Description	ItemType	Required	Values	AMP_PD_Item	Conversion	Comment
0	UPDRS Part III	47	code_upd127_arising_from_chair	Motor:Arising from Chair	integer	nullable	y.isin(0,1,2,3,4)		
0	UPDRS Part III	48	code_upd128_posture	Motor:Posture	integer	nullable	y.isin(0,1,2,3,4)		
0	UPDRS Part III	49	code_upd129_gait	Motor:Gait	integer	nullable	y.isin(0,1,2,3,4)		
0	UPDRS Part III	50	code_upd130_postural_stability	Motor:Postural Stability	integer	nullable	y.isin(0,1,2,3,4)		
0	UPDRS Part III	51	code_upd131_body_bradykinesia	Motor:Bradykinesia and Hypokinesia	integer	nullable	y.isin(0,1,2,3,4)		
0	UPDRS Part IV	52	code_upd132_time_spent_with_dyskinesias	Complications:Dyskinesias Duration	integer	nullable	y.isin(0,1,2,3,4)		
0	UPDRS Part IV	53	code_upd133_functional_impact_of_dyskinesias	Complications:Dyskinesias Disable	integer	nullable	y.isin(0,1,2,3,4)		
0	UPDRS Part IV	54	code_upd134_painful_dyskinesias	Complications:Dyskinesias Painful	integer	nullable	y.isin(0,1,2,3,4)		
0	UPDRS Part IV	55	code_upd135_early_morning_dystonia	Complications:Dyskinesias Dystonia	integer	nullable	y.isin(0,1)		
0	UPDRS Part IV	56	code_upd136_predictable_off	Complications:Fluct Predictable	integer	nullable	y.isin(0,1)		
0	UPDRS Part IV	57	code_upd137_unpredictable_off	Complications:Fluct Unpredictable	integer	nullable	y.isin(0,1)		
0	UPDRS Part IV	58	code_upd138_sudden_off	Complications:Fluct Suddenly	integer	nullable	y.isin(0,1)		
0	UPDRS Part IV	59	code_upd139_time_spent_in_the_off_state	Complications:Fluct Average	integer	nullable	y.isin(0,1,2,3,4)		
0	UPDRS Part IV	60	code_upd140_anorexia	Complications:Anorex Nausea Vomit	integer	nullable	y.isin(0,1)		
0	UPDRS Part IV	61	code_upd141_sleep_disturbances	Complications:Insomnia Hypersomnol	integer	nullable	y.isin(0,1)		
0	UPDRS Part IV	62	code_upd142_symptomatic_orthostasis	Complications:Symptom Orthostasis	integer	nullable	y.isin(0,1)		
0	UPDRS	63	updrs_part_i_summary_score		integer	nullable	(y=0) & (y<=16)		
0	UPDRS	64	updrs_part_ii_summary_score		integer	nullable	(y=0) & (y<=52)		
0	UPDRS	65	updrs_part_iii_summary_score		integer	nullable	(y=0) & (y<=136)		
0	UPDRS	66	updrs_part_iv_summary_score		integer	nullable	(y=0) & (y<=23)		
0	PD RFQ-U	1	pdfuq_coffee	In your lifetime, have you ever regularly drunk caffeinated coffee, that is, at least once per week for 6 months or longer? (0:No, 1:Yes, 2:Possibly, -9:Don't Konw, -7:Refused)	string	nullable	["No", "Yes", "Don't Know", "Refused"]		
0	PD RFQ-U	2	pdfuq_black_tea	In your lifetime, have you ever regularly drunk hot or iced caffeinated black tea, that is, at least once per week for 6 months or longer? (0:No, 1:Yes, 2:Possibly, -9:Don't Konw, -7:Refused)	string	nullable	["No", "Yes", "Don't Know", "Refused"]		
0	PD RFQ-U	3	pdfuq_green_tea	In your lifetime, have you ever regularly drunk caffeinated green tea, that is, at least once per week for 6 months or longer? (0:No, 1:Yes, 2:Possibly, -9:Don't Konw, -7:Refused)	string	nullable	["No", "Yes", "Don't Know", "Refused"]		
0	PD RFQ-U	4	pdfuq_caffeinated_soda	In your lifetime, have you ever regularly drunk caffeinated soda, that is, at least once per week for 6 months or longer? (0:No, 1:Yes, 2:Possibly, -9:Don't Konw, -7:Refused)	string	nullable	["No", "Yes", "Don't Know", "Refused"]		
0	PD RFQ-U	5	pdfuq_concussion	Have you ever had a head injury or concussion? (0:No, 1:Yes, 2:Possibly, -9:Don't Konw, -7:Refused)	string	nullable	["No", "Yes", "Possibly", "Don't Know", "Refused"]		
0	PD RFQ-U	6	pdfuq_ibuprofen	Have you ever regularly taken ibuprofen-based non-aspirin medications, that is, at least two pills per week for 6 months or longer? (0:No, 1:Yes, 2:Possibly, -9:Don't Konw, -7:Refused)	string	nullable	["No", "Yes", "Don't Know", "Refused"]		
0	PD RFQ-U	7	pdfuq_aspirin	Have you ever regularly taken aspirin, that is, at least two pills per week for 6 months or longer? (0:No, 1:Yes, 2:Possibly, -9:Don't Konw, -7:Refused)	string	nullable	["No", "Yes", "Don't Know", "Refused"]		
0	PD RFQ-U	8	pdfuq_other_anti_inflammatory_med	Have you ever regularly taken other anti-inflammatory medications for pain, inflammation, or swelling, that is, at least two pills per week for 6 months or longer? (0:No, 1:Yes, 2:Possibly, -9:Don't Konw, -7:Refused)	string	nullable	["No", "Yes", "Don't Know", "Refused"]		
0	PD RFQ-U	9	pdfuq_smoke_100	In your lifetime, have you smoked 100 or more cigarettes (5 packs)? (0:No, 1:Yes, 2:Possibly, -9:Don't Know, -7:Refused)	string	nullable	["No", "Yes", "Don't Know", "Refused"]		
0	PD RFQ-U	10	pdfuq_smoke_regularly	In your lifetime, have you ever regularly smoked cigarettes.	string	nullable	["No", "Yes", "Don't Know", "Refused"]		
0	PD RFQ-U	11	pdfuq_smokeless_tobacco	Have you ever used smokeless tobacco such as chewing tobacco or snuff regularly, that is, at least once per day for 6 months or longer? (0:No, 1:Yes, 2:Possibly, -9:Don't Konw, -7:Refused)	string	nullable	["No", "Yes", "Don't Know", "Refused"]		
0	PD RFQ-U	12	pdfuq_alcohol_100	In your lifetime, have you drunk 100 or more alcoholic drinks (beer, wine, liquor, spirits)? (0:No, 1:Yes, 2:Possibly, -9:Don't Konw, -7:Refused)	string	nullable	["No", "Yes", "Don't Know", "Refused"]		
0	PD RFQ-U	13	pdfuq_alcohol_regularly	In your lifetime, have you ever regularly drunk alcohol, that is, at least one drink per week for 6 months or longer? (0:No, 1:Yes, 2:Possibly, -9:Don't Konw, -7:Refused)	string	nullable	["No", "Yes", "Don't Know", "Refused"]		
0	DAT_imaging	0	dat_low_dopamine_reuptake	DAT dopamine re-uptake negative. DAT dopamine transporter binding normal = SWEDD = 1. DAT binding abnormal = PD = 0	string	nullable	y.isin(0,1)		
0	DAT_imaging	1	dat_sbr_caudate_right	SBR for right caudate	numeric	nullable	(y>0)&(y<10)		
0	DAT_imaging	2	dat_sbr_caudate_left	SBR for left caudate	numeric	nullable	(y>0)&(y<10)		
0	DAT_imaging	3	dat_sbr_caudate_mean	SBR mean for caudate	numeric	nullable	(y>0)&(y<10)		
0	DAT_imaging	4	dat_sbr_putamen_right	SBR for right putamen	numeric	nullable	(y>0)&(y<10)		
0	DAT_imaging	5	dat_sbr_putamen_left	SBR for left putamen	numeric	nullable	(y>0)&(y<10)		
0	DAT_imaging	6	dat_sbr_putamen_mean	SBR mean for putamen	numeric	nullable	(y>0)&(y<10)		
0	DAT_imaging	7	dat_sbr_striatum_mean_right	Mean SBR for right caudate and putamen	numeric	nullable	(y>0)&(y<10)		
0	DAT_imaging	8	dat_sbr_striatum_mean_left	Mean SBR for left caudate and putamen	numeric	nullable	(y>0)&(y<10)		
0	DAT_imaging	9	dat_sbr_striatum_mean	Mean SBR	numeric	nullable	(y>0)&(y<10)		
0	MIBG_imaging	1	HM_mibg_early		numeric	nullable	(y>0)&(y<10)		
0	MIBG_imaging	2	HM_mibg_delay		numeric	nullable	(y>0)&(y<10)		