

SUPPLEMENTARY MATERIALS

Table S1. Methodological details on the iterative multi-tier text-matching algorithm

Tier	Procedures
1	Text containing only words indicative of asymptomatic status were removed. We also standardized all Chinese Judou marks for easy identification of separate symptoms. All double quotes were replcaed with a single quote and doubles spaces with a single space.
2	Non-exhaustive removal of phrases fulfilling one of the following conditions: <ul style="list-style-type: none"> ● Text that induced subsequent false positive symptom mapping (identification) ● Text that mentioned existing health conditions or past medical history ● Symptoms that referred to persons other than the patient ● Symptoms that mentioned non-specific body parts ● Text gave unclear indication of any symptom ● Text unrelated to symptoms (for example, asking for sick leave certificate) ● Inconclusive phrases about body temperature ● Ambiguous body parts mentioned only ● Adjectives or generalizable conditions without any mention of body parts
3	Individual matching for phrases which were not suitable for global matching or contained patterns which were hard to generalize. For example, short-hand notations which caused false positive errors, and temperature descriptions ending with the cut-off digits.
4	Exact matching for fever or temperature with a clear indicator of minimum or maximum threshold
5	Exact matching for fever or temperature under the absence of specified phrases about a minimum or maximum threshold
6	Removal of negative descriptions, such as “no”, “not”, “don’t” and “afebrile” (and their Chinese equivalents)
7	Prioritized matching of selected symptom phrases to avoid subsequent false positive errors
8	Matching of symptom phrases under strict definitions
9	Matching of symptom phrases under less strict definitions
10	Matching of symptom phrases under strict definitions and under the following conditions: <ul style="list-style-type: none"> ● absence of certain phrases to avoid false positives; and/or ● matches a whole word (a standalone term).
11	Manual screening of the residual symptoms text to look up meaningful descriptions, which would then be used to update tiers 2-10 as appropriate.

Remarks: Tiers 1-11 are iterative until no meaningful descriptions could be observed from the residual text in Tier 10. An anonymous sample dataset was uploaded to show the data structure of this study [1].

Table S2. Prevalence of symptoms among COVID-19 cases stratified by vaccination status and variants. Symptoms with a combined prevalence of >0.5% are highlighted.

Symptom	Unvaccinated			Vaccinated	
	Wild type n= 1,175	Delta n= 95	Omicron (BA.2) n= 12,677	Delta n= 151	Omicron (BA.2) n= 54,129
General symptoms					
Bodyache	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.49 (0.38-0.63)	0.00 (0.00-2.48)	0.81 (0.74-0.89)
Chills	2.13 (1.45-3.12)	0.00 (0.00-3.89)	1.82 (1.60-2.07)	0.66 (0.12-3.66)	1.93 (1.81-2.05)
Fatigue	0.94 (0.52-1.67)	2.11 (0.58-7.35)	1.86 (1.64-2.11)	1.99 (0.68-5.68)	1.61 (1.50-1.71)
Fever	37.2 (34.5-40.0)	25.3 (17.6-34.8)	36.2 (35.4-37.1)	17.9 (12.6-24.8)	19.2 (18.9-19.6)
Malaise	2.47 (1.72-3.52)	0.00 (0.00-3.89)	0.09 (0.05-0.17)	2.65 (1.03-6.61)	0.12 (0.09-0.15)
Sweating	0.09 (0.02-0.48)	0.00 (0.00-3.89)	0.05 (0.02-0.10)	0.00 (0.00-2.48)	0.04 (0.03-0.07)
Nervous system					
Confusion	0.09 (0.02-0.48)	0.00 (0.00-3.89)	0.03 (0.01-0.08)	0.00 (0.00-2.48)	0.01 (0.00-0.02)
Convulsion	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.01 (0.00-0.04)	0.00 (0.00-2.48)	0.00 (0.00-0.01)
Disturbance of taste and/or smell	6.38 (5.12-7.93)	1.05 (0.19-5.72)	0.21 (0.15-0.31)	6.62 (3.64-11.8)	0.26 (0.22-0.31)
Dizziness	0.77 (0.40-1.45)	2.11 (0.58-7.35)	1.05 (0.89-1.24)	3.31 (1.42-7.52)	0.84 (0.77-0.92)
Drowsiness	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.02 (0.00-0.06)	0.00 (0.00-2.48)	0.03 (0.02-0.04)
Headache	8.85 (7.36-10.6)	13.7 (8.17-22.0)	4.96 (4.60-5.35)	14.6 (9.82-21.1)	6.08 (5.89-6.29)
Insomnia	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.03 (0.01-0.08)	0.00 (0.00-2.48)	0.03 (0.02-0.04)
Neuralgia	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.00 (0.00-0.03)	0.00 (0.00-2.48)	0.01 (0.00-0.02)
Numbness	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.02 (0.00-0.06)	0.00 (0.00-2.48)	0.01 (0.01-0.02)
Unsteadiness	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.01 (0.00-0.04)	0.00 (0.00-2.48)	0.00 (0.00-0.01)
Respiratory system					
Blocked nose	2.04 (1.38-3.02)	0.00 (0.00-3.89)	0.91 (0.76-1.09)	3.97 (1.83-8.40)	1.88 (1.76-1.99)
Breathing problem	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.01 (0.00-0.04)	0.00 (0.00-2.48)	0.02 (0.01-0.04)
Breathing sound (stridor)	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.01 (0.00-0.04)	0.00 (0.00-2.48)	0.00 (0.00-0.01)
Chest discomfort	0.09 (0.02-0.48)	1.05 (0.19-5.72)	0.06 (0.03-0.11)	0.66 (0.12-3.66)	0.02 (0.01-0.04)
Chest pain	0.43 (0.18-0.99)	0.00 (0.00-3.89)	2.03 (1.80-2.29)	1.99 (0.68-5.68)	2.49 (2.36-2.63)
Coryza (cold-like symptoms)	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.48 (0.37-0.62)	0.00 (0.00-2.48)	0.91 (0.83-0.99)
Cough	37.6 (34.9-40.4)	38.9 (29.8-49.0)	22.5 (21.8-23.3)	47.0 (39.2-55.0)	26.6 (26.2-27.0)
Influenza-like illness	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.05 (0.02-0.10)	0.00 (0.00-2.48)	0.05 (0.04-0.07)
Nose bleed	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.01 (0.00-0.04)	0.00 (0.00-2.48)	0.01 (0.00-0.02)
Nose dryness	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.00 (0.00-0.03)	0.00 (0.00-2.48)	0.00 (0.00-0.01)
Pneumonia	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.06 (0.03-0.11)	0.00 (0.00-2.48)	0.00 (0.00-0.01)
Respiratory tract infection	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.02 (0.00-0.06)	0.00 (0.00-2.48)	0.02 (0.01-0.04)
Runny nose	8.68 (7.20-10.4)	20.0 (13.2-29.1)	8.16 (7.70-8.65)	33.1 (26.1-41.0)	10.8 (10.5-11.0)
Shortness of breath	5.19 (4.06-6.61)	3.16 (1.08-8.88)	3.73 (3.42-4.08)	1.99 (0.68-5.68)	3.84 (3.68-4.00)
Sinus pain	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.00 (0.00-0.03)	0.00 (0.00-2.48)	0.00 (0.00-0.01)
Sneezing	0.09 (0.02-0.48)	0.00 (0.00-3.89)	0.17 (0.11-0.25)	0.00 (0.00-2.48)	0.28 (0.24-0.33)
Sputum (expectoration)	1.79 (1.17-2.72)	3.16 (1.08-8.88)	3.09 (2.80-3.41)	1.99 (0.68-5.68)	3.67 (3.52-3.83)
Voice disorders	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.29 (0.21-0.40)	0.00 (0.00-2.48)	0.50 (0.44-0.56)
Digestive system					
Abdominal pain	0.17 (0.05-0.62)	0.00 (0.00-3.89)	0.50 (0.40-0.64)	0.00 (0.00-2.48)	0.14 (0.11-0.17)
Constipation	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.02 (0.01-0.07)	0.00 (0.00-2.48)	0.00 (0.00-0.01)
Diarrhea	4.94 (3.84-6.33)	4.21 (1.65-10.3)	1.84 (1.62-2.09)	0.66 (0.12-3.66)	0.82 (0.75-0.90)
Dry mouth	0.17 (0.05-0.62)	0.00 (0.00-3.89)	0.13 (0.08-0.21)	0.66 (0.12-3.66)	0.13 (0.10-0.16)
Dry throat	0.17 (0.05-0.62)	0.00 (0.00-3.89)	0.38 (0.29-0.50)	3.97 (1.83-8.40)	0.79 (0.72-0.87)
Dysphagia	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.00 (0.00-0.03)	0.00 (0.00-2.48)	0.01 (0.01-0.03)

Excessive saliva	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.00 (0.00-0.03)		0.00 (0.00-2.48)	0.00 (0.00-0.01)
Itchy throat	0.09 (0.02-0.48)	2.11 (0.58-7.35)	0.43 (0.33-0.56)		1.99 (0.68-5.68)	0.88 (0.80-0.96)
Lip swelling	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.00 (0.00-0.03)		0.00 (0.00-2.48)	0.00 (0.00-0.01)
Loss of appetite	0.17 (0.05-0.62)	0.00 (0.00-3.89)	0.35 (0.26-0.47)		0.00 (0.00-2.48)	0.06 (0.05-0.09)
Mouth discomfort	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.00 (0.00-0.03)		0.00 (0.00-2.48)	0.00 (0.00-0.01)
Mouth pain	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.04 (0.02-0.09)		0.00 (0.00-2.48)	0.03 (0.02-0.05)
Nausea or vomiting	0.68 (0.35-1.34)	1.05 (0.19-5.72)	2.54 (2.28-2.83)		1.32 (0.36-4.70)	0.51 (0.46-0.58)
Sore throat	15.0 (13.1-17.1)	18.9 (12.3-28.0)	16.0 (15.3-16.6)		29.1 (22.5-36.8)	25.0 (24.6-25.4)
Throat discomfort	1.53 (0.97-2.41)	1.05 (0.19-5.72)	0.28 (0.21-0.39)		0.66 (0.12-3.66)	0.59 (0.53-0.66)
Throat irritation	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.00 (0.00-0.03)		0.00 (0.00-2.48)	0.01 (0.00-0.02)
Tongue pain	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.00 (0.00-0.03)		0.00 (0.00-2.48)	0.01 (0.00-0.02)
Tonsillitis	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.02 (0.00-0.06)		0.00 (0.00-2.48)	0.01 (0.01-0.03)
Toothache	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.00 (0.00-0.03)		0.00 (0.00-2.48)	0.01 (0.01-0.02)

Circulatory system

Collapse	0.09 (0.02-0.48)	0.00 (0.00-3.89)	0.00 (0.00-0.03)		0.00 (0.00-2.48)	0.00 (0.00-0.01)
Heart discomfort	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.00 (0.00-0.03)		0.00 (0.00-2.48)	0.00 (0.00-0.01)
Irregular blood pressure	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.02 (0.01-0.07)		0.00 (0.00-2.48)	0.02 (0.01-0.04)
Lymphadenopathy	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.00 (0.00-0.03)		0.00 (0.00-2.48)	0.00 (0.00-0.01)
Palpitations	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.02 (0.01-0.07)		0.66 (0.12-3.66)	0.02 (0.01-0.04)
Tachycardia	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.05 (0.02-0.10)		0.00 (0.00-2.48)	0.03 (0.02-0.05)

Musculoskeletal system

Back pain	0.26 (0.09-0.75)	0.00 (0.00-3.89)	0.21 (0.15-0.31)		0.66 (0.12-3.66)	0.20 (0.16-0.24)
Face and/or neck pain	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.02 (0.01-0.07)		0.00 (0.00-2.48)	0.01 (0.01-0.03)
Face and/or neck stiffness	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.01 (0.00-0.04)		0.00 (0.00-2.48)	0.00 (0.00-0.01)
Face and/or neck swelling	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.00 (0.00-0.03)		0.00 (0.00-2.48)	0.00 (0.00-0.01)
Lowerextremity coldness	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.01 (0.00-0.04)		0.00 (0.00-2.48)	0.02 (0.01-0.03)
Lowerextremity cramp	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.01 (0.00-0.04)		0.00 (0.00-2.48)	0.00 (0.00-0.01)
Lowerextremity pain	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.13 (0.08-0.21)		0.00 (0.00-2.48)	0.09 (0.07-0.12)
Lowerextremity swelling	0.09 (0.02-0.48)	0.00 (0.00-3.89)	0.00 (0.00-0.03)		0.00 (0.00-2.48)	0.00 (0.00-0.01)
Ostalgia	0.17 (0.05-0.62)	0.00 (0.00-3.89)	0.45 (0.35-0.58)		0.00 (0.00-2.48)	0.70 (0.64-0.78)
Unspecified joint pain	0.09 (0.02-0.48)	0.00 (0.00-3.89)	0.21 (0.15-0.31)		0.00 (0.00-2.48)	0.14 (0.11-0.17)
Unspecified joint stiffness	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.00 (0.00-0.03)		0.00 (0.00-2.48)	0.00 (0.00-0.01)
Unspecified limb pain	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.00 (0.00-0.03)		0.00 (0.00-2.48)	0.00 (0.00-0.01)
Unspecified muscle pain	2.81 (2.01-3.92)	1.05 (0.19-5.72)	1.59 (1.38-1.82)		3.31 (1.42-7.52)	1.92 (1.80-2.03)
Unspecified muscle stiffness	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.00 (0.00-0.03)		0.00 (0.00-2.48)	0.00 (0.00-0.01)
Upperextremity coldness	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.01 (0.00-0.04)		0.00 (0.00-2.48)	0.02 (0.01-0.03)
Upperextremity cramp	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.01 (0.00-0.04)		0.00 (0.00-2.48)	0.00 (0.00-0.01)
Upperextremity pain	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.06 (0.03-0.12)		0.00 (0.00-2.48)	0.09 (0.07-0.12)
Weak joint(s)	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.00 (0.00-0.03)		0.00 (0.00-2.48)	0.01 (0.00-0.02)
Weak limb(s)	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.14 (0.09-0.22)		0.00 (0.00-2.48)	0.17 (0.14-0.21)
Weak muscle(s)	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.01 (0.00-0.04)		0.00 (0.00-2.48)	0.02 (0.01-0.03)

Urinary system

Ambiguous urine problems	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.00 (0.00-0.03)		0.00 (0.00-2.48)	0.00 (0.00-0.01)
Frequent urination	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.01 (0.00-0.04)		0.00 (0.00-2.48)	0.00 (0.00-0.01)
Incontinence of urine	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.00 (0.00-0.03)		0.00 (0.00-2.48)	0.00 (0.00-0.01)
Painful urination	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.01 (0.00-0.04)		0.00 (0.00-2.48)	0.00 (0.00-0.01)
Retention of urine	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.00 (0.00-0.03)		0.00 (0.00-2.48)	0.00 (0.00-0.01)
Scrotum pain	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.01 (0.00-0.04)		0.00 (0.00-2.48)	0.00 (0.00-0.01)

Other

Ambiguous ear problems	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.01 (0.00-0.04)		0.00 (0.00-2.48)	0.00 (0.00-0.01)
Anxiety	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.00 (0.00-0.03)		0.00 (0.00-2.48)	0.00 (0.00-0.01)
Blisters	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.00 (0.00-0.03)		0.00 (0.00-2.48)	0.00 (0.00-0.01)
Blocked ear(s)	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.01 (0.00-0.04)		0.00 (0.00-2.48)	0.00 (0.00-0.01)
Blurred vision	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.01 (0.00-0.04)		0.00 (0.00-2.48)	0.01 (0.00-0.02)

Eye discharge	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.00 (0.00-0.03)		0.00 (0.00-2.48)	0.02 (0.01-0.03)
Eye dryness	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.00 (0.00-0.03)		0.00 (0.00-2.48)	0.00 (0.00-0.01)
Eye itchiness	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.00 (0.00-0.03)		0.00 (0.00-2.48)	0.00 (0.00-0.01)
Eye lid issues	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.00 (0.00-0.03)		0.00 (0.00-2.48)	0.00 (0.00-0.01)
Eye pain	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.02 (0.01-0.07)		0.00 (0.00-2.48)	0.02 (0.01-0.04)
Feeling low	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.00 (0.00-0.03)		0.00 (0.00-2.48)	0.00 (0.00-0.01)
Hearing dysfunction	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.02 (0.00-0.06)		0.00 (0.00-2.48)	0.03 (0.02-0.05)
Itchy ear(s)	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.00 (0.00-0.03)		0.00 (0.00-2.48)	0.00 (0.00-0.01)
Rash	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.06 (0.03-0.11)		0.00 (0.00-2.48)	0.03 (0.02-0.05)
Red eye(s)	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.02 (0.00-0.06)		0.00 (0.00-2.48)	0.01 (0.01-0.02)
Skin irritation	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.01 (0.00-0.04)		0.00 (0.00-2.48)	0.01 (0.00-0.02)
Sore ear(s)	0.00 (0.00-0.33)	0.00 (0.00-3.89)	0.05 (0.02-0.10)		0.00 (0.00-2.48)	0.06 (0.05-0.09)




Figure S1. Adjusted hazard ratios of death within 28 days of onset for delta and omicron variants versus the wild-type among unvaccinated elderly cases aged 70 years or above.




Figure S2. Prevalence of common symptoms among unvaccinated cases stratified by age group for (A) the wild type and (B) omicron BA.2 sub-variant. Vertical segments are 95% confidence intervals.

Reference

1. Symptom profile for COVID-19 in Hong Kong [Internet]. Github; [cited 2023 May 13]. Available from: https://github.com/kkokwok/symptom_profile