

Supplementary Material

1. Supplementary Tables

Interpretable Features			
Feature family	Feature name	Feature description	Library
Prosody	Features based on F0	1-6 F0-contour Avg., Std., Max., Min., Skew., Kurt 7-12 Tilt of a linear estimation of F0 for each voiced segment Avg., Std., Max., Min., Skew., Kurt. 13-18 MSE of a linear estimation of F0 for each voiced segment Avg., Std., Max., Min., Skew., Kurt. 19-24 F0 on the first voiced segment Avg., Std., Max., Min., Skew., Kurt. 25-30 F0 on the last voiced segment Avg., Std., Max., Min., Skew., Kurt.	Disvoice
	Features based on energy	31-34 energy-contour for voiced segments Avg., Std., Skew., Kurt. 35-38 Tilt of a linear estimation of energy contour for V segments Avg., Std., Skew., Kurt. 39-42 MSE of a linear estimation of energy contour for V segment Avg., Std., Skew., Kurt. 43-48 energy on the first voiced segment Avg., Std., Max., Min., Skew., Kurt. 49-54 energy on the last voiced segment Avg., Std., Max., Min., Skew., Kurt. 55-58 energy-contour for unvoiced segments Avg., Std., Skew., Kurt. 59-62 Tilt of a linear estimation of energy contour for U segments Avg., Std., Skew., Kurt. 63-66 MSE of a linear estimation of energy contour for U segments Avg., Std., Skew., Kurt. 67-72 energy on the first unvoiced segment Avg., Std., Max., Min., Skew., Kurt. 73-78 energy on the last unvoiced segment Avg., Std., Max., Min., Skew., Kurt.	
	Features based on duration	79 Voiced rate Number of voiced segments per second 80-85 Duration of Voiced Avg., Std., Max., Min., Skew., Kurt 86-91 Duration of Unvoiced Avg., Std., Max., Min., Skew., Kurt. 92-97 Duration of Pauses Avg., Std., Max., Min., Skew., Kurt. 98-103 Duration ratios Pause/(Voiced+Unvoiced), Pause/Unvoiced, Unvoiced/(Voiced+Unvoiced), Voiced/(Voiced+Unvoiced), Voiced/Pause, Unvoiced/Pause	
	Features based on loudness	104 Loudness variability	
	Features based on pauses	105-107 Total Time 108-110 Total Speech Time 111-113 Total Pause Time 114-116 Percentage Pause Time 117-119 Speech Pause Time 120-122 Mean Pause Duration 123-125 Pause Variability	DigiPsych Prosody
Linguistic	Feature based on part-of-speech (POS)	1-10 Word count, word count with no functional words, avg. word length, sentence count, avg. sentence length in words, noun count, verb count, numeral count, auxiliary count, adjective count,	Whisper + Spacy
	Features based on syntactic phrases	11-13 Number of noun phrases, number of verb phrases, number of prepositional phrases	
Cognitive	Features based on speech rhythm	1-3 Feature based on speech rhythm Std., Skew., Kurt.	Whisper
	Features based on IUs	4 Number of correct informational verbs	Whisper + Spacy

Table 1: Summary of the family of interpretable features extracted. For each feature family, we report the name of the features, with the number and description of the coefficients extracted and the library employed for the extraction. Abbreviations: Avg., Average; Std., Standard Deviation; Max, Maximum; Min, Minimum; Skew, Skewness; Kurt, Kurtosis.

		Mono-lingual																										
Test	Task	spk#	SVM			KNN			Random Forest			XGBoost			Bagging													
			ACC	F1	SPE	SEN	AUC	ACC	F1	SPE	SEN	AUC	ACC	F1	SPE	SEN	AUC	ACC	F1	SPE	SEN	AUC						
NLS	SS	PD-23, HC-27	0.76	0.73	0.69	0.84	0.82	0.63	0.61	0.53	0.73	0.57	0.70	0.70	0.67	0.73	0.80	0.74	0.73	0.62	0.73	0.80	0.68	0.69	0.65	0.73	0.78	
	RP	PD-23, HC-27	0.66	0.62	0.58	0.65	0.60	0.70	0.70	0.53	0.78	0.68	0.62	0.50	0.58	0.75	0.63	0.62	0.60	0.53	0.72	0.63	0.68	0.68	0.58	0.72	0.61	
	TDU	PD-43, HC-46	0.82	0.77	0.85	1.00	0.92	0.88	0.90	0.96	0.96	0.95	0.82	0.80	0.96	0.94	0.93	0.86	0.86	0.86	0.94	0.93	0.88	0.86	0.96	0.94	0.94	
	SS	PD-20, HC-21	0.85	0.82	0.75	0.85	0.82	0.74	0.74	0.45	0.85	0.83	0.76	0.73	0.70	0.70	0.81	0.71	0.71	0.65	0.80	0.88	0.74	0.74	0.70	0.80	0.88	
	SS	PD-88, HC-88	0.57	0.70	1.00	0.08	0.57	0.73	0.73	0.77	0.63	0.75	0.69	0.70	0.73	0.68	0.71	0.73	0.73	0.76	0.66	0.77	0.73	0.73	0.76	0.66	0.77	
German	RP	PD-88, HC-88	0.69	0.70	0.74	0.62	0.79	0.73	0.73	0.80	0.61	0.75	0.73	0.73	0.72	0.73	0.79	0.71	0.71	0.69	0.71	0.77	0.73	0.73	0.73	0.71	0.79	
	TDU	PD-88, HC-88	0.73	0.72	0.68	0.74	0.81	0.75	0.75	0.80	0.66	0.82	0.76	0.75	0.73	0.78	0.83	0.74	0.74	0.79	0.73	0.82	0.76	0.76	0.73	0.73	0.84	
	SS	PD-20, HC-15	0.73	0.71	0.70	0.90	0.76	0.76	0.73	0.75	0.90	0.79	0.77	0.78	0.80	0.80	0.78	0.79	0.79	0.75	0.75	0.70	0.80	0.80	0.80	0.85	0.78	
CzechPD	RP	PD-20, HC-15	0.80	0.77	0.75	0.70	0.80	0.78	0.71	0.75	0.90	0.90	0.71	0.71	0.70	0.65	0.85	0.71	0.71	0.70	0.70	0.85	0.73	0.72	0.75	0.70	0.85	
	SS	PD-49, HC-50	0.51	0.50	0.40	0.60	0.50	0.54	0.65	0.64	0.57	0.55	0.51	0.55	0.52	0.57	0.56	0.55	0.55	0.53	0.56	0.57	0.56	0.56	0.55	0.56	0.60	
	RP	PD-49, HC-50	0.67	0.63	0.68	0.78	0.72	0.68	0.58	0.51	0.80	0.73	0.63	0.62	0.63	0.62	0.69	0.70	0.70	0.63	0.66	0.71	0.62	0.62	0.61	0.66	0.72	
GITA	TDU	PD-50, HC-50	0.63	0.62	0.62	0.64	0.68	0.60	0.60	0.46	0.86	0.72	0.69	0.67	0.76	0.66	0.75	0.69	0.69	0.80	0.68	0.77	0.72	0.72	0.78	0.68	0.74	
	RP	PD-24, HC-36	0.93	0.91	0.88	0.98	0.98	0.90	0.90	0.85	0.94	0.90	0.95	0.93	0.92	0.98	0.95	0.92	0.92	0.87	0.98	0.90	0.90	0.88	0.92	0.95		
	TDU	PD-22, HC-21	0.88	0.90	0.79	0.95	0.92	0.87	0.87	0.82	0.90	0.93	0.88	0.88	0.88	0.90	0.98	0.98	0.98	0.97	1.00	1.00	0.92	0.92	0.92	0.86	1.00	0.98
		Multi-lingual																										
Test	Task	spk#	SVM			KNN			Random Forest			XGBoost			Bagging													
			ACC	F1	SPE	SEN	AUC	ACC	F1	SPE	SEN	AUC	ACC	F1	SPE	SEN	AUC	ACC	F1	SPE	SEN	AUC						
NLS	SS	PD-23, HC-27	0.80	0.82	0.79	0.71	0.83	0.73	0.71	0.70	0.85	0.80	0.64	0.67	0.72	0.57	0.77	0.68	0.70	0.62	0.69	0.77	0.68	0.70	0.71	0.57	0.76	
	RP	PD-23, HC-27	0.66	0.65	0.75	0.57	0.78	0.60	0.60	0.57	0.87	0.72	0.70	0.68	0.67	0.68	0.78	0.72	0.72	0.78	0.77	0.77	0.70	0.70	0.75	0.77	0.82	
	TDU	PD-43, HC-46	0.84	0.86	0.93	0.77	0.90	0.81	0.81	0.60	0.92	0.86	0.81	0.83	0.90	0.70	0.90	0.80	0.80	0.86	0.74	0.80	0.81	0.82	0.88	0.72	0.89	
	SS	PD-20, HC-21	0.76	0.78	0.80	0.62	0.92	0.68	0.68	0.70	0.72	0.82	0.84	0.85	0.95	0.72	0.88	0.74	0.74	0.80	0.62	0.86	0.74	0.74	0.85	0.62	0.91	
	SS	PD-88, HC-88	0.71	0.69	0.65	0.72	0.75	0.66	0.66	0.53	0.76	0.71	0.68	0.68	0.67	0.68	0.74	0.71	0.71	0.71	0.69	0.75	0.70	0.70	0.67	0.69	0.74	
GermanPD	RP	PD-88, HC-88	0.69	0.67	0.67	0.78	0.79	0.66	0.66	0.66	0.76	0.71	0.73	0.71	0.72	0.77	0.81	0.76	0.76	0.70	0.71	0.83	0.73	0.73	0.71	0.71	0.81	
	TDU	PD-88, HC-88	0.73	0.71	0.70	0.75	0.76	0.73	0.73	0.64	0.79	0.79	0.76	0.74	0.72	0.81	0.81	0.73	0.73	0.66	0.76	0.80	0.76	0.76	0.67	0.76	0.80	
	SS	PD-20, HC-15	0.72	0.78	0.85	0.45	0.72	0.68	0.68	0.75	0.65	0.80	0.76	0.79	0.85	0.50	0.72	0.82	0.82	0.90	0.50	0.65	0.76	0.76	0.80	0.50	0.85	
CzechPD	RP	PD-20, HC-15	0.78	0.82	0.85	0.50	0.72	0.62	0.72	0.55	0.75	0.75	0.67	0.69	0.75	0.55	0.80	0.72	0.80	0.55	0.80	0.67	0.67	0.67	0.75	0.55	0.72	
	SS	PD-49, HC-50	0.52	0.51	0.44	0.60	0.56	0.57	0.37	0.43	0.72	0.61	0.38	0.53	0.48	0.66	0.60	0.60	0.60	0.52	0.38	0.62	0.59	0.59	0.48	0.58	0.62	
	RP	PD-49, HC-50	0.58	0.53	0.61	0.68	0.69	0.62	0.62	0.40	0.84	0.71	0.66	0.63	0.63	0.66	0.75	0.66	0.66	0.59	0.68	0.74	0.67	0.67	0.61	0.68	0.71	
GITA	TDU	PD-50, HC-50	0.66	0.62	0.54	0.70	0.73	0.60	0.60	0.36	0.88	0.71	0.68	0.66	0.66	0.72	0.74	0.69	0.69	0.66	0.62	0.74	0.77	0.71	0.71	0.66	0.74	0.78
	RP	PD-24, HC-36	0.85	0.86	0.87	0.79	0.93	0.72	0.72	0.57	0.84	0.85	0.77	0.74	0.80	0.76	0.86	0.85	0.85	0.80	0.79	0.88	0.82	0.82	0.80	0.79	0.88	
	TDU	PD-22, HC-21	0.84	0.87	0.90	0.75	0.86	0.71	0.71	0.39	0.87	0.80	0.81	0.85	0.88	0.67	0.80	0.86	0.86	0.86	0.88	0.87	0.79	0.79	0.93	0.67	0.76	
		Cross-lingual																										
Test	Task	spk#	SVM			KNN			Random Forest			XGBoost			Bagging													
			ACC	F1	SPE	SEN	AUC	ACC	F1	SPE	SEN	AUC	ACC	F1	SPE	SEN	AUC	ACC	F1	SPE	SEN	AUC						
NLS	SS	PD-23, HC-27	0.67	0.68	0.73	0.61	0.70	0.65	0.65	0.38	0.89	0.71	0.76	0.70	0.58	0.93	0.74	0.72	0.72	0.65	0.79	0.75	0.76	0.76	0.65	0.79	0.76	
	RP	PD-23, HC-27	0.56	0.67	0.96	0.22	0.69	0.54	0.54	0.83	0.30	0.62	0.66	0.71	0.91	0.44	0.79	0.72	0.72	0.87	0.59	0.79	0.64	0.64	0.87	0.59	0.79	
	TDU	PD-43, HC-46	0.66	0.72	0.86	0.43	0.72	0.70	0.70	0.84	0.72	0.76	0.57	0.69	0.96	0.04	0.71	0.60	0.69	0.94	0.39	0.71	0.56	0.56	0.95	0.39	0.67	
	SS	PD-20, HC-21	0.51	0.60	0.75	0.29	0.78	0.59	0.59	0.70	0.48	0.66	0.68	0.73	0.90	0.48	0.85	0.68	0.68	0.90	0.48	0.79	0.68	0.68	0.90	0.48	0.81	
	SS	PD-88, HC-88	0.45	0.21	0.15	0.75	0.52	0.48	0.48	0.03	0.93	0.55	0.51	0.25	0.16	0.86	0.58	0.52	0.52	0.16	0.89	0.60	0.52	0.52	0.12	0.89	0.60	
GermanPD	RP	PD-88, HC-88	0.48	0.26	0.70	0.78	0.52	0.52	0.52	0.67	0.99	0.54	0.48	0.22	0.65	0.82	0.51	0.53	0.53	0.65	0.82	0.60	0.51	0.51	0.68	0.82	0.52	
	TDU	PD-88, HC-88	0.53	0.66	0.92	0.11	0.52	0.52	0.52	0.30	0.82	0.63	0.57	0.66	0.83	0.38	0.63	0.58	0.58	0.77	0.38	0.62	0.56	0.67	0.38	0.64		
	SS	PD-20, HC-15	0.60	0.67	0.70	0.86	0.68	0.43	0.43	0.20	0.81	0.64	0.43	0.50	0.40	0.82	0.68	0.49	0.49	0.10	0.77	0.69	0.43	0.43	0.20	0.77	0.73	
CzechPD	RP	PD-20, HC-15	0.54	0.54	0.54	0.54	0.69	0.46	0.46	0.20	0.80	0.57	0.60	0.46	0.30	1.00	0.76	0.70	0.70	0.45	1.00	0.79	0.63	0.63	0.35	1.00	0.79	
	SS	PD-49, HC-50	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.80	0.32	0.52	0.52	0.64	0.86	0.18	0.59	0.51	0.51	0.90	0.20	0.55	0.53	0.53	0.86	0.20	0.58	
	RP	PD-49, HC-50	0.48	0.65	1.00	0.00	0.42	0.49	0.49	0.94	0.04	0.45	0.49	0.66	0.98	0.02	0.43	0.51	0.51	1.00	0.04	0.50	0.52	0.52	0.98	0.04	0.55	
GITA	TDU	PD-50, HC-50	0.53	0.65	0.67	0.20	0.64	0.63	0.63	0.52	0.52	0.65	0.53	0.32	0.98	0.42												

Table 3: Results for mono-lingual, multi-lingual, and cross-lingual experiments using x-vectors and TRILLsson features respectively. Results are reported for SS, RP and TDU tasks respectively. Accuracy (ACC), F1-score, sensitivity (SEN), specificity (SPE), and area under the ROC (AUC) are reported. The best F1 and AUC across each row are emphasized in bold. For multi-lingual and cross-lingual experiments, shaded F1 and AUC represent an improvement $\geq 5\%$ with respect to mono-lingual experiments.

Mono-lingual												
Test	Task	spk#	x-vector					TRILLsson				
			ACC	F1	SPE	SEN	AUC	ACC	F1	SPE	SEN	AUC
NLS	SS	PD-23, HC-27	0.65	0.65	0.55	0.77	0.74	0.78	0.78	0.76	0.81	0.82
	RP	PD-23, HC-27	0.63	0.63	0.57	0.70	0.64	0.67	0.66	0.54	0.83	0.73
Neurovoz	TDU	PD-43, HC-46	0.82	0.82	0.83	0.81	0.92	0.90	0.90	0.87	0.93	0.95
	SS	PD-20, HC-21	0.76	0.75	0.86	0.65	0.75	0.73	0.73	0.71	0.75	0.74
GermanPD	SS	PD-88, HC-88	0.74	0.74	0.76	0.73	0.81	0.80	0.80	0.78	0.81	0.84
	RP	PD-88, HC-88	0.70	0.70	0.72	0.69	0.78	0.79	0.79	0.83	0.75	0.83
	TDU	PD-88, HC-88	0.68	0.68	0.69	0.66	0.73	0.78	0.78	0.76	0.81	0.84
CzechPD	SS	PD-20, HC-15	0.83	0.83	0.87	0.80	0.86	0.80	0.80	0.93	0.70	0.92
	RP	PD-20, HC-15	0.77	0.77	0.80	0.75	0.83	0.77	0.77	0.87	0.70	0.85
GITA	SS	PD-49, HC-50	0.76	0.76	0.76	0.76	0.83	0.76	0.76	0.78	0.73	0.84
	RP	PD-49, HC-50	0.76	0.76	0.82	0.69	0.84	0.84	0.84	0.84	0.84	0.87
	TDU	PD-50, HC-50	0.74	0.74	0.80	0.68	0.86	0.78	0.78	0.78	0.78	0.87
ItalianPVS	RP	PD-24, HC-36	0.83	0.83	0.75	0.96	0.98	0.85	0.85	0.78	0.96	0.95
	TDU	PD-22, HC-21	0.85	0.85	1.00	0.73	1.00	0.89	0.89	1.00	0.81	0.99
Multi-lingual												
Test	Task	spk#	x-vector					TRILLsson				
			ACC	F1	SPE	SEN	AUC	ACC	F1	SPE	SEN	AUC
NLS	SS	PD-23, HC-27	0.78	0.78	0.76	0.81	0.84	0.85	0.85	0.79	0.92	0.92
	RP	PD-23, HC-27	0.65	0.64	0.68	0.61	0.68	0.67	0.67	0.64	0.70	0.77
Neurovoz	TDU	PD-43, HC-46	0.84	0.84	0.87	0.81	0.89	0.84	0.84	0.83	0.86	0.93
	SS	PD-20, HC-21	0.71	0.70	0.81	0.60	0.80	0.76	0.75	0.86	0.65	0.89
GermanPD	SS	PD-88, HC-88	0.76	0.76	0.77	0.75	0.81	0.77	0.77	0.81	0.74	0.84
	RP	PD-88, HC-88	0.70	0.70	0.64	0.76	0.79	0.85	0.85	0.80	0.91	0.88
	TDU	PD-88, HC-88	0.74	0.74	0.78	0.70	0.79	0.79	0.79	0.80	0.78	0.84
CzechPD	SS	PD-20, HC-15	0.71	0.71	0.67	0.75	0.84	0.89	0.88	0.80	0.95	0.93
	RP	PD-20, HC-15	0.69	0.68	0.60	0.75	0.81	0.91	0.91	0.87	0.95	0.90
GITA	SS	PD-49, HC-50	0.76	0.76	0.80	0.71	0.80	0.81	0.81	0.80	0.82	0.91
	RP	PD-49, HC-50	0.72	0.72	0.80	0.63	0.78	0.80	0.80	0.80	0.80	0.88
	TDU	PD-50, HC-50	0.74	0.74	0.78	0.70	0.82	0.78	0.78	0.80	0.76	0.86
ItalianPVS	RP	PD-24, HC-36	0.90	0.90	0.89	0.92	0.97	0.90	0.90	0.89	0.92	0.97
	TDU	PD-22, HC-21	0.81	0.80	0.67	0.92	0.94	0.91	0.91	0.86	0.96	0.97
Cross-lingual												
Test	Task	spk#	x-vector					TRILLsson				
			ACC	F1	SPE	SEN	AUC	ACC	F1	SPE	SEN	AUC
NLS	SS	PD-23, HC-27	0.69	0.68	0.52	0.88	0.77	0.58	0.53	0.24	0.96	0.89
	RP	PD-23, HC-27	0.55	0.54	0.39	0.74	0.66	0.43	0.30	0.00	0.96	0.76
Neurovoz	TDU	PD-43, HC-46	0.62	0.60	0.37	0.89	0.78	0.72	0.69	0.98	0.44	0.88
	SS	PD-20, HC-21	0.71	0.71	0.67	0.75	0.77	0.68	0.65	0.95	0.40	0.90
GermanPD	SS	PD-88, HC-88	0.68	0.68	0.70	0.65	0.74	0.75	0.74	0.60	0.90	0.84
	RP	PD-88, HC-88	0.62	0.60	0.40	0.84	0.70	0.61	0.57	0.93	0.30	0.81
	TDU	PD-88, HC-88	0.53	0.41	0.08	0.99	0.72	0.52	0.38	0.05	1.00	0.79
CzechPD	SS	PD-20, HC-15	0.66	0.65	0.87	0.50	0.76	0.89	0.89	1.00	0.80	0.97
	RP	PD-20, HC-15	0.63	0.62	0.93	0.40	0.74	0.74	0.74	0.93	0.60	0.90
GITA	SS	PD-49, HC-50	0.56	0.55	0.46	0.65	0.66	0.82	0.82	0.92	0.71	0.89
	RP	PD-49, HC-50	0.63	0.61	0.42	0.84	0.77	0.61	0.55	0.24	0.98	0.80
	TDU	PD-50, HC-50	0.62	0.62	0.56	0.68	0.70	0.70	0.69	0.50	0.90	0.82
ItalianPVS	RP	PD-24, HC-36	0.80	0.79	0.86	0.71	0.88	0.75	0.69	1.00	0.38	0.94
	TDU	PD-22, HC-21	0.64	0.64	0.67	0.62	0.68	0.66	0.66	0.86	0.50	0.83

Table 4: Results for mono-lingual, multi-lingual, and cross-lingual experiments using Wav2Vec 2.0. and HuBERT features, respectively. Results are reported for SS, RP, and TDU tasks respectively. Accuracy (ACC), F-1 score, sensitivity (SEN), specificity (SPE), and area under the ROC (AUC) are reported. The best F1 and AUC across each row are emphasized in bold. For multi-lingual and cross-lingual experiments, shaded F1 and AUC represent an improvement $\geq 5\%$ with respect to mono-lingual experiments. For Wav2Vec 2.0., we report results obtained using layer 4, and for Hubert, those obtained using layer 7. We did so as we achieved the highest performances using representations extracted from these layers.

Mono-lingual												
Test	Task	spk#	Wav2Vec 2.0.					HuBERT				
			ACC	F1	SPE	SEN	AUC	ACC	F1	SPE	SEN	AUC
NLS	SS	PD-23, HC-27	0.78	0.78	0.83	0.73	0.77	0.67	0.62	0.76	0.58	0.70
	RP	PD-23, HC-27	0.63	0.63	0.64	0.61	0.60	0.63	0.60	0.64	0.61	0.62
Neurovoz	TDU	PD-43, HC-46	0.91	0.91	0.89	0.93	0.96	0.90	0.90	0.89	0.91	0.96
	SS	PD-20, HC-21	0.66	0.66	0.62	0.70	0.67	0.73	0.74	0.67	0.80	0.78
GermanPD	SS	PD-88, HC-88	0.76	0.76	0.77	0.74	0.85	0.78	0.78	0.81	0.76	0.86
	RP	PD-88, HC-88	0.78	0.78	0.78	0.78	0.83	0.78	0.77	0.83	0.74	0.88
	TDU	PD-88, HC-88	0.75	0.75	0.75	0.75	0.79	0.79	0.78	0.85	0.72	0.88
CzechPD	SS	PD-20, HC-15	0.86	0.86	0.93	0.80	0.88	0.80	0.81	0.87	0.75	0.91
	RP	PD-20, HC-15	0.83	0.83	0.87	0.80	0.89	0.83	0.84	0.87	0.80	0.83
GITA	SS	PD-49, HC-50	0.86	0.86	0.90	0.82	0.90	0.83	0.82	0.86	0.79	0.89
	RP	PD-49, HC-50	0.76	0.76	0.76	0.76	0.86	0.75	0.74	0.76	0.74	0.79
	TDU	PD-50, HC-50	0.82	0.82	0.82	0.82	0.89	0.79	0.78	0.82	0.76	0.85
ItalianPVS	RP	PD-24, HC-36	0.83	0.83	0.75	0.96	0.96	0.85	0.84	0.78	0.96	0.97
	TDU	PD-22, HC-21	0.87	0.87	1.00	0.77	1.00	0.85	0.84	1.00	0.73	1.00
Multi-lingual												
Test	Task	spk#	Wav2Vec 2.0.					HuBERT				
			ACC	F1	SPE	SEN	AUC	ACC	F1	SPE	SEN	AUC
NLS	SS	PD-23, HC-27	0.80	0.80	0.79	0.81	0.80	0.65	0.64	0.66	0.65	0.72
	RP	PD-23, HC-27	0.76	0.76	0.86	0.65	0.72	0.67	0.62	0.71	0.60	0.71
Neurovoz	TDU	PD-43, HC-46	0.91	0.91	0.89	0.93	0.96	0.84	0.84	0.83	0.86	0.93
	SS	PD-20, HC-21	0.76	0.75	0.86	0.65	0.84	0.78	0.77	0.81	0.75	0.83
GermanPD	SS	PD-88, HC-88	0.82	0.82	0.75	0.89	0.86	0.77	0.77	0.79	0.75	0.86
	RP	PD-88, HC-88	0.77	0.77	0.73	0.82	0.86	0.80	0.79	0.81	0.78	0.85
	TDU	PD-88, HC-88	0.76	0.76	0.76	0.75	0.82	0.80	0.80	0.81	0.80	0.79
CzechPD	SS	PD-20, HC-15	0.83	0.83	0.80	0.85	0.92	0.83	0.86	0.73	0.90	0.87
	RP	PD-20, HC-15	0.83	0.82	0.73	0.90	0.93	0.86	0.87	0.87	0.85	0.92
GITA	SS	PD-49, HC-50	0.76	0.76	0.78	0.73	0.85	0.79	0.77	0.84	0.73	0.83
	RP	PD-49, HC-50	0.82	0.82	0.84	0.80	0.88	0.73	0.73	0.72	0.73	0.81
	TDU	PD-50, HC-50	0.75	0.75	0.82	0.68	0.86	0.79	0.78	0.84	0.74	0.85
ItalianPVS	RP	PD-24, HC-36	0.90	0.90	0.86	0.96	0.98	0.93	0.92	0.92	0.96	0.98
	TDU	PD-22, HC-21	0.91	0.91	0.81	1.00	0.99	0.94	0.95	0.86	1.00	0.99
Cross-lingual												
Test	Task	spk#	Wav2Vec 2.0.					HuBERT				
			ACC	F1	SPE	SEN	AUC	ACC	F1	SPE	SEN	AUC
NLS	SS	PD-23, HC-27	0.73	0.72	0.83	0.62	0.76	0.65	0.71	0.45	0.88	0.70
	RP	PD-23, HC-27	0.63	0.61	0.75	0.48	0.67	0.67	0.64	0.68	0.65	0.74
Neurovoz	TDU	PD-43, HC-46	0.73	0.72	0.57	0.91	0.89	0.78	0.77	0.76	0.79	0.87
	SS	PD-20, HC-21	0.63	0.60	0.33	0.95	0.78	0.71	0.62	0.90	0.50	0.81
GermanPD	SS	PD-88, HC-88	0.72	0.71	0.81	0.63	0.78	0.68	0.61	0.86	0.50	0.79
	RP	PD-88, HC-88	0.65	0.62	0.36	0.94	0.78	0.69	0.67	0.74	0.64	0.75
	TDU	PD-88, HC-88	0.62	0.57	0.27	0.97	0.78	0.58	0.70	0.19	0.96	0.76
CzechPD	SS	PD-20, HC-15	0.89	0.89	1.00	0.80	0.92	0.74	0.76	0.80	0.70	0.85
	RP	PD-20, HC-15	0.77	0.77	0.93	0.65	0.90	0.80	0.82	0.80	0.80	0.87
GITA	SS	PD-49, HC-50	0.72	0.70	0.84	0.59	0.73	0.67	0.65	0.72	0.61	0.69
	RP	PD-49, HC-50	0.69	0.69	0.64	0.73	0.79	0.70	0.71	0.66	0.73	0.75
	TDU	PD-50, HC-50	0.61	0.60	0.44	0.78	0.74	0.66	0.66	0.66	0.66	0.78
ItalianPVS	RP	PD-24, HC-36	0.75	0.74	0.81	0.67	0.82	0.80	0.68	0.97	0.54	0.91
	TDU	PD-22, HC-21	0.64	0.63	0.57	0.69	0.70	0.62	0.55	0.86	0.42	0.70