

Fig S1. Receiver Operating Characteristics (ROC) Curve Estimating Area Under the Curve (AUC) for Models Classifying Exclusive Lifetime E-cigarette Use. EN = Elastic Net, KNN = K-nearest neighbors, NN = Neural networks, RF = Random forest, LR = Logistic regression.




Fig S2. Receiver Operating Characteristics (ROC) Curve Estimating Area Under the Curve (AUC) for Models Classifying Dual Lifetime Tobacco and E-cigarette Use. EN = Elastic Net, KNN = K-nearest neighbors, NN = Neural networks, RF = Random forest, LR = Logistic regression.




Fig S3. Cross-Tabulation Visualization Showing Proportion of Exclusive Lifetime E-cigarette Use by Perceived Availability of E-cigarettes. *VH = Very hard, SH = Sort of Hard, SE = Sort of easy, VE = Very easy*




Fig S4. Cross-Tabulation Visualization Showing Proportion of Exclusive Lifetime E-cigarette Use by Lifetime Alcohol Use.




Fig S5. Cross-Tabulation Visualization Showing Proportion of Exclusive Lifetime E-cigarette Use by Parents Attitudes Regarding their Use of Vape Products. V = Very wrong, W = Wrong, A = A little bit wrong, N = Not wrong at all.




Fig S6. Cross-Tabulation Visualization Showing Proportion of Exclusive Lifetime E-cigarette Use by School Suspension. 1-2 = 1 or 2 times, + = 3 or more times.




Fig S7. Cross-Tabulation Visualization Showing Proportion of Exclusive Lifetime E-cigarette Use by Perceived Risk of E-cigarettes. G = Great Risk, M = Moderate Risk, S = Slight Risk, N = No Risk.




Fig S8. Cross-Tabulation Visualization Showing Proportion of Exclusive Lifetime E-cigarette Use by Lifetime Marijuana Use.




Fig S9. Cross-Tabulation Visualization Showing Proportion of Exclusive Lifetime E-cigarette Use by Best Friend(s) tried alcohol. 1-2 = 1 or 2 friends, 3-4 = 3 or 4 friends.



Fig S10. Cross-Tabulation Visualization Showing Proportion of Exclusive Lifetime E-cigarette Use by Best Friend(s) Used Marijuana. 1-2 = 1 or 2 friends, 3-4 = 3 or 4 friends.




Fig S11. Cross-Tabulation Visualization Showing Proportion of Exclusive Lifetime E-cigarette Use by Perceived Risk of Smoking Marijuana Regularly. G = Great Risk, M = Moderate Risk, S = Slight Risk, N = No Risk.




Fig S12. Cross-Tabulation Visualization Showing Proportion of Dual Lifetime Tobacco and E-cigarette Use by Lifetime Alcohol Use.




Fig S13. Cross-Tabulation Visualization Showing Proportion of Dual Lifetime Tobacco and E-cigarette Use by Lifetime Marijuana Use.




Fig S14. Cross-Tabulation Visualization Showing Proportion of Dual Lifetime Tobacco and E-cigarette Use by Perceived Availability of E-cigarettes. VH = Very hard, SH = Sort of Hard, SE = Sort of easy, VE = Very easy.




Fig S15. Cross-Tabulation Visualization Showing Proportion of Dual Lifetime Tobacco and E-cigarette Use by Best Friend(s) Smoked Cigarettes. 1-2 = 1 or 2 friends, 3-4 = 3 or 4 friends.




Fig S16. Cross-Tabulation Visualization Showing Proportion of Dual Lifetime Tobacco and E-cigarette by Perceived Risk of E-cigarettes. G = Great Risk, M = Moderate Risk, S = Slight Risk, N = No Risk.




Fig S17. Cross-Tabulation Visualization Showing Proportion of Dual Lifetime Tobacco and E-cigarette by Lifetime Inhalants Use.




Fig S18. Cross-Tabulation Visualization Showing Proportion of Dual Lifetime Tobacco and E-cigarette by School Suspension. 1-2 = 1 or 2 times, + 3 or more times.




Fig S19. Cross-Tabulation Visualization Showing Proportion of Dual Lifetime Tobacco and E-cigarette by Perceived Risk of Smoking Marijuana Regularly. G = Great Risk, M = Moderate Risk, S = Slight Risk, N = No Risk.

