

Table S1. Descriptive statistics for the MDQ items

MDQ Items	Whole Sample (n = 726)		BD (n = 124)		Non-BD Dx (n = 167)		No Dx (n = 435)	
	Yes	Endorsement rate (%)	Yes	Endorsement rate (%)	Yes	Endorsement rate (%)	Yes	Endorsement rate (%)
1	122	16.80	81	65.32	23	13.77	18	4.13
2	194	26.72	74	59.68	56	33.53	64	14.71
3	177	24.38	87	70.16	43	25.75	47	10.80
4	152	20.94	70	56.45	43	25.75	39	8.97
5	154	21.21	85	68.55	39	23.35	30	6.90
6	245	33.75	96	77.42	82	49.10	67	15.40
7	264	36.36	97	78.23	84	50.30	83	19.08
8	177	24.38	93	75.00	48	28.74	36	8.27
9	191	26.31	90	72.58	48	28.74	53	12.18
10	65	8.95	44	35.48	10	5.99	11	2.53
11	146	20.11	67	54.03	42	25.15	37	8.50
12	115	15.84	64	51.61	27	16.17	24	5.52
13	56	7.71	35	28.23	11	6.59	10	2.23

Note: Dx = diagnosis, Whole sample (n = 726), BD (n = 124), Non-BD Dx (n = 167), No Dx (n = 435).

MDQ items 1 So hyper you get into trouble, 2 Irritable, 3 More self-confident, 4 Less sleep, 5 More talkative, 6 Thoughts raced, 7 Easily distracted, 8 Much more energy, 9 Much more active, 10 Much more social, 11 Much more interested in sex, 12 Excessive, foolish, or risky things, 13 Spending money got into trouble

Table S2. Pairwise Pearson Correlation matrix of the MDQ items

	Q13	Q4	Q10	Q12	Q11	Q1	Q5	Q3	Q8	Q9	Q2	Q6	Q7
Q13	1.00												
Q4	0.30	1.00											
Q10	0.34	0.38	1.00										
Q12	0.38	0.33	0.48	1.00									
Q11	0.32	0.37	0.41	0.42	1.00								
Q1	0.39	0.39	0.52	0.55	0.41	1.00							
Q5	0.32	0.45	0.44	0.48	0.46	0.57	1.00						
Q3	0.26	0.36	0.37	0.34	0.46	0.47	0.51	1.00					
Q8	0.33	0.48	0.43	0.46	0.52	0.55	0.61	0.58	1.00				
Q9	0.32	0.40	0.38	0.40	0.53	0.46	0.51	0.49	0.68	1.00			
Q2	0.23	0.22	0.20	0.33	0.29	0.35	0.38	0.27	0.34	0.31	1.00		
Q6	0.28	0.41	0.30	0.41	0.36	0.46	0.44	0.35	0.45	0.38	0.34	1.00	
Q7	0.25	0.31	0.24	0.36	0.37	0.42	0.41	0.34	0.38	0.32	0.41	0.53	1.00

Note: All values were different from 0 with a significance level $\alpha=0.05$. MDQ items: Q1 So hyper you get into trouble, Q2 Irritable, Q3 More self-confident, Q4 Less sleep, Q5 More talkative, Q6 Thoughts raced, Q7 Easily distracted, Q8 Much more energy, Q9 Much more active, Q10 Much more social, Q11 Much more interested in sex, Q12 Excessive, foolish, or risky things, Q13 Spending money got into trouble.

S3. Heat map of the factor loadings of the Principal Component Analysis of the Mood Disorder Questionnaire items. (n = 726)

Manic Symptoms	PC1	PC2	PC3
1. So hyper to get into trouble	0.76	-0.01	0.21
2. Irritable	0.52	0.54	-0.02
3. More self-confident	0.68	-0.20	-0.34
4. Less sleep	0.62	-0.11	-0.05
5. More talkative	0.77	-0.03	-0.10
6. Thoughts raced	0.65	0.40	-0.02
7. Easily distracted	0.61	0.57	-0.05
8. Much more energy	0.80	-0.18	-0.27
9. Much more active	0.72	-0.22	-0.30
10. Much more social	0.63	-0.33	0.35
11. Much more interested in sex	0.69	-0.15	-0.15
12. Excessive, foolish or risky things	0.69	-0.00	0.38
13. Spending money got into trouble	0.53	-0.08	0.54
Proportion of Variance (%)	45.05	8.00	7.12

Note: PC = principal component

S4. Heat map of the factor loadings of the two-factor varimax rotation Principal Component Analysis of the Mood Disorder Questionnaire items. (n = 726)

Manic Symptoms	RC1	RC2
1. So hyper to get into trouble	0.65	0.41
2. Irritable	0.14	0.73
3. More self-confident	0.67	0.21
4. Less sleep	0.58	0.25
5. More talkative	0.66	0.39
6. Thoughts raced	0.33	0.69
7. Easily distracted	0.20	0.81
8. Much more energy	0.77	0.29
9. Much more active	0.73	0.21
10. Much more social	0.71	0.07
11. Much more interested in sex	0.65	0.25
12. Excessive, foolish or risky things	0.58	0.37
13. Spending money got into trouble	0.48	0.23
Proportion of Variance (%)	34.01	19.04

Note: PC = principal component

S5. Heat map of the factor loadings of the three-factor varimax rotation Principal Component Analysis of the Mood Disorder Questionnaire items. (n = 726)

Manic Symptoms	RC1	RC2	RC3
1. So hyper to get into trouble	0.42	0.35	0.57
2. Irritable	0.16	0.72	0.12
3. More self-confident	0.75	0.17	0.13
4. Less sleep	0.51	0.21	0.31
5. More talkative	0.61	0.35	0.33
6. Thoughts raced	0.30	0.67	0.23
7. Easily distracted	0.22	0.79	0.14
8. Much more energy	0.79	0.24	0.24
9. Much more active	0.77	0.17	0.20
10. Much more social	0.38	-0.00	0.70
11. Much more interested in sex	0.63	0.21	0.28
12. Excessive, foolish or risky things	0.26	0.31	0.67
13. Spending money got into trouble	0.09	0.17	0.74
Proportion of Variance (%)	25.92	16.58	17.68

Note: PC = principal component

S6. Heritability estimates for MDQS, CQ, PQ, MDQP, Narrow, Broad, PC1, PC2, and PC3, 2F-RC1, 2F-RC2, 3F-RC1, 3F-RC2, and 3F-RC3.

Traits	n	h^2	Std. E	p-value
MDQS	432	0.30	0.10	<0.001
CQ	432	0.09	0.08	0.12
PQ	432	0.27	0.10	<0.001
MDQP	432	0.36	0.11	<0.001
Narrow	432	0.08	0.19	0.34
Broad	432	0.28	0.14	<0.05
PC1	432	0.12	0.09	0.057
PC2	432	0.13	0.09	0.054
PC3	432	0.18	0.10	<0.05
2F-RC1	432	0.02	0.07	0.37
2F-RC2	432	0.21	0.09	<0.01
3F-RC1	432	0.15	0.10	<0.05
3F-RC2	432	0.18	0.09	<0.05
3F-RC3	432	0.13	0.09	0.056

Note: MDQS = Mood Disorder Questionnaire score, CQ = concurrent symptoms question (“...have several of these ever happened during the same period of time?”) PQ = impairment question (“How much of a problem did any of these cause you...?”), MDQP = MDQS + PQ, PC = principle component, 2F-RC = two-factor varimax rotation component, 3F-RC = three-factor varimax rotation component.

S7. Correlation estimates of the phenotypes with the categorical diagnoses

Traits	ρ_G	ρ_P
MDQS-N	1.00 [†]	0.16 ^{**}
MDQS-B	0.90 ^{**}	0.21 ^{***}
MDQS-PQ	0.41	0.02
CQ-N	1.00 [†]	0.47 ^{***}
CQ-B	0.84	0.58 ^{***}
PQ-N	1.00 ^{**†}	0.37 ^{***}
PQ-B	0.64 [*]	0.40 ^{***}
MDQP-N	1.00 [†]	0.23 ^{***}
MDQP-B	0.95 ^{***}	0.28 ^{***}
RC1-N	1.00 [†]	0.32 ^{***}
RC1-B	0.62	0.37 ^{***}
RC2-N	1.00 [†]	0.30 ^{***}
RC2-B	1.00 [†]	0.42 ^{***}
RC3-N	1.00 [†]	0.35 ^{***}
RC3-B	1.00 ^{**†}	0.11 ^{***}

Note: ρ_G = genotypic correlation, ρ_P = phenotypic correlation. MDQS = MDQ score, CQ = concurrent symptoms question (“...have several of these ever happened during the same period of time?”) PQ = impairment question (“How much of a problem did any of these cause you...?”), MDQP = MDQS + PQ, RC1 = first rotated component, RC2 = second rotated component, RC3 = third rotated component * $p \leq 0.05$ ** $p \leq 0.01$ *** $p \leq 0.001$. P-values indicate correlations that are significantly different from zero. † Standard error not computable.