

Supplementary Material

Evidence for a shared genetic contribution to loneliness and Borderline Personality Disorder

Anna Schulze^{1*}; Fabian Streit, PhD^{2*}; Lea Zillich²; Swapnil Awasthi^{3,4}; Alisha S M Hall^{2,5,6}; Martin Jungkunz, PhD⁷; Nikolaus Kleindienst, PhD⁸; Josef Frank²; Cornelia E Schwarze, PhD⁹; Norbert Dahmen, MD¹⁰; Björn H Schott, MD, PhD^{11,12,13}; Markus Nöthen, MD¹⁴; Arian Mobascher, MD¹⁵; Dan Rujescu, MD¹⁶; Klaus Lieb, MD¹⁰; Stefan Roepke, MD¹⁷; Sabine C Herpertz, MD¹⁸; Christian Schmahl, MD⁸; Martin Bohus, MD^{8,19}; Stephan Ripke, MD, PhD^{3,4,20}; Marcella Rietschel, PhD²; Stefanie Lis, PhD^{1,8*}; Stephanie Witt, PhD^{2*}

*contributed equally

¹Department of Clinical Psychology, Central Institute of Mental Health, Medical Faculty Mannheim, Heidelberg University, Mannheim, Germany

²Department of Genetic Epidemiology in Psychiatry, Central Institute of Mental Health, Medical Faculty Mannheim, Heidelberg University, Mannheim, Germany

³Stanley Center for Psychiatric Research, Broad Institute of MIT and Harvard, Cambridge, MA, USA

⁴Department of Psychiatry and Psychotherapy, Charité Universitätsmedizin Berlin, Campus Mitte, Berlin, Germany

⁵Department of Clinical Medicine, Aarhus University, Aarhus, Denmark

⁶Department of Affective Disorders, Aarhus University Hospital-Psychiatry, Aarhus, Denmark

⁷Section for Translational Medical Ethics, National Center for Tumor Diseases, German Cancer Research Center (DKFZ), Heidelberg, Germany

⁸Department of Psychosomatic Medicine and Psychotherapy, Central Institute of Mental Health, Medical Faculty Mannheim, Heidelberg University, Germany

⁹Department of Developmental and Biological Psychology, Heidelberg University, Heidelberg, Germany

¹⁰Department of Psychiatry and Psychotherapy, University Medical Center Mainz, Mainz, Germany

¹¹Leibniz Institute for Neurobiology, Magdeburg, Germany

¹²Department of Psychiatry and Psychotherapy, University Medical Center Göttingen, Göttingen, Germany

¹³German Center for Neurodegenerative Diseases (DZNE), Göttingen, Germany

¹⁴Institute of Human Genetics, University Hospital Bonn, Bonn, Germany

¹⁵Department of Psychiatry and Psychotherapy, St. Elisabeth Krankenhaus Lahnstein, Lahnstein, Germany

¹⁶Department of Psychiatry and Psychotherapy, Medical University of Vienna, Vienna, Austria

¹⁷Department of Psychiatry and Neuroscience, Charité – Universitätsmedizin Berlin, Berlin, Germany

¹⁸Department of General Psychiatry, Center for Psychosocial Medicine, Medical Faculty, Heidelberg University, Heidelberg, Germany

¹⁹Department of Clinical Psychology, Ruhr University Bochum, Bochum, Germany

²⁰Massachusetts General Hospital and Department of Medicine, Harvard Medical School, Analytic and Translational Genetics Unit, Boston, MA, USA

Table S1*Number of SNPs included in PGS*

PT	<i>loneliness</i>		<i>neuroticism</i>	
	sample 1	sample 2	sample 1	sample 2
5x10 ⁻⁸	11	12	128	118
1x10 ⁻⁶	36	37	275	248
0.0001	366	343	1183	1167
0.001	1363	1405	3056	3022
0.01	5730	6063	8696	8918
0.05	15,398	16,795	19,658	20,775
0.1	24,527	26,996	28,347	30,379
0.2	36,951	41,098	40,422	44,142
0.5	61,616	68,989	62,962	69,857
1	79,697	90,449	78,434	88,317

Note. Number of SNPs included for the calculation of polygenic scores (PGS) for loneliness and neuroticism at the different p-value thresholds, shown for both samples. SNP = single nucleotide polymorphism; PT = p-value threshold, PGS = polygenic score

Table S2*Prediction of BPD case-control status by Loneliness-PGS in sample 1*

Threshold	R²	P	Coefficient	Standard.Error	Num_SNP
5,00E-08	0,02%	0,485134	53,9157	77,2355	11
1,00E-06	0,24%	0,020836	325,338	140,782	36
0,0001	0,43%	0,002084	1892,59	614,891	366
0,001	0,43%	0,0021	4194,05	1363,58	1363
0,01	1,19%	3,83E-07	16524,5	3254,53	5730
0,05	1,72%	1,13E-09	37523,7	6161,93	15398
0,1	2,02%	4,43E-11	56111	8515,97	24527
0,2	2,26%	3,21E-12	80217,4	11512,3	36951
0,5	2,27%	2,73E-12	121418	17368,2	61616
1	2,14%	1,11E-11	150398	22143,8	79697

Note. Threshold = P value threshold, for inclusion of SNPs, R2 = Variance explained by PGS, P = P value of association, Coefficient = Coefficient of PGS association, Standard.Error = Standard error of coefficient, Num_SNP = Number of included SNPs

Table S3*Prediction of BPD case-control status by Loneliness-PGS in sample 2*

Threshold	R²	P	Coefficient	Standard.Error	Num_SNP
5,00E-08	0,52%	0,184573	238,21	179,536	12
1,00E-06	0,02%	0,780057	88,6995	317,641	37
0,0001	1,59%	0,020926	3028,34	1311,36	343
0,001	1,06%	0,058203	5771,3	3046,89	1405
0,01	4,26%	0,000195	27890,4	7486,94	6063
0,05	5,39%	2,99E-05	60046,1	14384,1	16795
0,1	6,60%	4,41E-06	94635,6	20613,8	26996
0,2	6,46%	5,26E-06	123476	27113,7	41098
0,5	5,32%	3,34E-05	170799	41169,9	68989
1	5,27%	3,57E-05	219538	53109	90449

Note. Threshold = P value threshold, for inclusion of SNPs, R² = Variance explained by PGS, P = P value of association, Coefficient = Coefficient of PGS association, Standard.Error = Standard error of coefficient, Num_SNP = Number of included SNPs

Table S4*Prediction of BPD case-control status by Neuroticism-PGS in sample 1*

Threshold	R²	P	Coefficient	Standard.Error	Num_SNP
5,00E-08	1,20%	3,12E-07	0,976372	0,190851	128
1,00E-06	1,26%	1,67E-07	1,70203	0,325235	275
0,0001	1,52%	1,00E-08	5,06256	0,883501	1183
0,001	1,83%	3,20E-10	10,8374	1,72329	3056
0,01	2,93%	2,42E-15	28,3215	3,57706	8696
0,05	3,22%	1,16E-16	52,9985	6,39506	19658
0,1	3,26%	7,49E-17	69,6909	8,35724	28347
0,2	2,82%	7,29E-15	85,4205	10,9805	40422
0,5	2,80%	9,39E-15	125,074	16,1443	62962
1	2,68%	3,32E-14	151,182	19,9308	78434

Note. Threshold = P value threshold, for inclusion of SNPs, R² = Variance explained by PGS, P = P value of association, Coefficient = Coefficient of PGS association, Standard.Error = Standard error of coefficient, Num_SNP = Number of included SNPs

Table S5*Prediction of BPD case-control status by Neuroticism-PGS in sample 2*

Threshold	R²	P	Coefficient	Standard.Error	Num_SNP
5,00E-08	1,05%	0,086132	0,858867	0,500458	118
1,00E-06	1,14%	0,062194	1,42983	0,7667	248
0,0001	2,95%	0,001887	6,24455	2,00948	1167
0,001	2,87%	0,002042	11,6664	3,78271	3022
0,01	5,11%	4,52E-05	31,9979	7,84412	8918
0,05	4,94%	6,07E-05	59,0445	14,7243	20775
0,1	7,20%	1,62E-06	97,3458	20,3	30379
0,2	5,93%	1,21E-05	116,457	26,6188	44142
0,5	6,64%	3,82E-06	185,185	40,0769	69857
1	6,68%	3,58E-06	233,764	50,4433	88317

Note. Threshold = P value threshold, for inclusion of SNPs, R² = Variance explained by PGS, P = P value of association, Coefficient = Coefficient of PGS association, Standard.Error = Standard error of coefficient, Num_SNP = Number of included SNPs

Table S6*Prediction of BPD case-control status by Loneliness-PGS in sample 1, adjusted for Neuroticism-PGS*

Threshold	R²	P	Coefficient	Standard.Error	Num_SNP
5,00E-08	0,00%	0,928028	7,09112	78,5055	11
1,00E-06	0,05%	0,285938	153,727	144,064	36
0,0001	0,07%	0,214689	788,579	635,554	366
0,001	0,01%	0,661796	633,814	1448,93	1363
0,01	0,19%	0,036556	7364,58	3522,57	5730
0,05	0,34%	0,005847	18823,3	6829,29	15398
0,1	0,47%	0,001084	30925,7	9464,2	24527
0,2	0,62%	0,000199	47475,4	12762,2	36951
0,5	0,62%	0,000193	71895,5	19283,9	61616
1	0,55%	0,000458	86204,7	24600,3	79697

Note. Threshold = P value threshold, for inclusion of SNPs, R² = Variance explained by PGS, P = P value of association, Coefficient = Coefficient of PGS association, Standard.Error = Standard error of coefficient, Num_SNP = Number of included SNPs

Table S7*Prediction of BPD case-control status by Loneliness-PGS in sample 2, adjusted for Neuroticism-PGS*

Threshold	R²	P	Coefficient	Standard.Error	Num_SNP
5,00E-08	0,22%	0,62118	160,864	325,517	12
1,00E-06	0,00%	0,925435	-42,5059	454,172	37
0,0001	0,67%	0,157369	2102,7	1487,08	343
0,001	0,15%	0,493603	2327,8	3400,28	1405
0,01	1,58%	0,020136	18676,5	8037,06	6063
0,05	1,97%	0,00903	40811,2	15631,1	16795
0,1	2,73%	0,002126	68385,9	22260,9	26996
0,2	2,60%	0,00264	88055,8	29285,1	41098
0,5	1,78%	0,012332	111941	44731,7	68989
1	1,73%	0,013757	142390	57799,1	90449

Note. Threshold = P value threshold, for inclusion of SNPs, R2 = Variance explained by PGS, P = P value of association, Coefficient = Coefficient of PGS association, Standard.Error = Standard error of coefficient, Num_SNP = Number of included SNPs