

PROFIL Foot Complications Metabolomics

Tommi Suvitaival, tommi.raimo.leo.suvitaival@regionh.dk, Steno Diabetes Center Copenhagen

January 20, 2023

Contents

1	Settings	5
2	Dates	7
3	Event-Times	8
3.1	Counts and Ranges	8
3.2	Histograms	10
3.2.1	Time From Baseline	10
3.2.2	Events v. Baseline	13
4	Charcot	16
4.1	Charcot at DATE	16
4.1.1	Crude Model	16
4.1.1.1	Forest Plot of Model Coefficients	17
4.1.1.2	Tables of Model Coefficients	18
4.1.1.3	Table with All Metabolites	19
4.1.2	Adjusted Model	21
4.1.2.1	Forest Plot of Model Coefficients	22
4.1.2.2	Tables of Model Coefficients	23
4.1.2.3	Table with All Metabolites	28
4.1.3	Adjusted Model with eGFR	30
4.1.3.1	Forest Plot of Model Coefficients	31
4.1.3.2	Tables of Model Coefficients	32
4.1.3.3	Table with All Metabolites	38
4.1.4	Fully-Adjusted Model	40
4.1.4.1	Forest Plot of Model Coefficients	41
4.1.4.2	Tables of Model Coefficients	42
4.1.4.3	Table with All Metabolites	47

4.1.5	Compilation	49
4.2	Charcot from DATE	50
4.2.1	Crude Model	50
4.2.1.1	Forest Plot of Model Coefficients	51
4.2.1.2	Table with All Metabolites	52
4.2.1.3	Top-Metabolite	54
4.2.1.4	Kaplan-Maier Curve with Median Cutpoint	55
4.2.2	Adusted Model	56
4.2.2.1	Forest Plot of Model Coefficients	57
4.2.2.2	Table with All Metabolites	58
4.2.2.3	Top-Metabolite	60
4.2.2.3.1	Forest Plot with Clinical Variables	61
4.2.3	Adusted Model with eGFR	62
4.2.3.1	Forest Plot of Model Coefficients	63
4.2.3.2	Table with All Metabolites	64
4.2.3.3	Top-Metabolite from Adjusted Model	66
4.2.3.3.1	Forest Plot with Clinical Variables	67
4.2.4	Fully Adusted Model	68
4.2.4.1	Forest Plot of Model Coefficients	69
4.2.4.2	Table with All Metabolites	70
4.2.4.3	Top-Metabolite from Adjusted Model	72
4.2.4.3.1	Forest Plot with Clinical Variables	73
5	Amputation	74
5.1	Amputation at DATE	74
5.1.1	Crude Model	74
5.1.1.1	Forest Plot of Model Coefficients	75
5.1.1.2	Tables of Model Coefficients	76
5.1.1.3	Table with All Metabolites	77
5.1.2	Adjusted Model	79
5.1.2.1	Forest Plot of Model Coefficients	80
5.1.2.2	Tables of Model Coefficients	81
5.1.2.3	Table with All Metabolites	91
5.1.3	Adjusted Model with eGFR	93
5.1.3.1	Forest Plot of Model Coefficients	94
5.1.3.2	Tables of Model Coefficients	95
5.1.3.3	Table with All Metabolites	105

5.1.4	Fully-Adjusted Model	107
5.1.4.1	Forest Plot of Model Coefficients	108
5.1.4.2	Tables of Model Coefficients	109
5.1.4.3	Table with All Metabolites	119
5.2	Amputation from DATE	121
5.2.1	Crude Model	121
5.2.1.1	Forest Plot of Model Coefficients	122
5.2.1.2	Table with All Metabolites	123
5.2.1.3	Top-Metabolite from Cross-Sectional Analysis	125
5.2.1.4	Kaplan-Maier Curve with Median Cutpoint	126
5.2.2	Adusted Model	127
5.2.2.1	Forest Plot of Model Coefficients	128
5.2.2.2	Table with All Metabolites	129
5.2.2.3	Top-Metabolite from Cross-Sectional Analysis	131
5.2.2.3.1	Forest Plot with Clinical Variables	132
5.2.3	Adusted Model with eGFR	133
5.2.3.1	Forest Plot of Model Coefficients	134
5.2.3.2	Table with All Metabolites	135
5.2.3.3	Top-Metabolite from Cross-Sectional Analysis	137
5.2.3.3.1	Forest Plot with Clinical Variables	138
5.2.4	Fully Adusted Model	139
5.2.4.1	Forest Plot of Model Coefficients	140
5.2.4.2	Table with All Metabolites	141
5.2.4.3	Top-Metabolite from Cross-Sectional Analysis	143
5.2.4.3.1	Forest Plot with Clinical Variables	144
6	Ulcers	145
6.1	Ulcer Diagnosis at DATE	145
6.1.1	Crude Model	145
6.1.1.1	Forest Plot of Model Coefficients	146
6.1.1.2	Tables of Model Coefficients	147
6.1.1.3	Table with All Metabolites	148
6.1.2	Adjusted Model	150
6.1.2.1	Forest Plot of Model Coefficients	151
6.1.2.2	Tables of Model Coefficients	152
6.1.2.3	Table with All Metabolites	161
6.1.3	Adjusted Model with eGFR	163

6.1.3.1	Forest Plot of Model Coefficients	164
6.1.3.2	Tables of Model Coefficients	165
6.1.3.3	Table with All Metabolites	175
6.1.4	Fully-Adjusted Model	177
6.1.4.1	Forest Plot of Model Coefficients	178
6.1.4.2	Tables of Model Coefficients	179
6.1.4.3	Table with All Metabolites	189
6.2	Ulcer Diagnosis from DATE	191
6.2.1	Crude Model	191
6.2.1.1	Forest Plot of Model Coefficients	192
6.2.1.2	Table with All Metabolites	193
6.2.1.3	Top Metabolite	195
6.2.1.4	Kaplan-Maier Curve with Median Cutpoint	196
6.2.2	Adjusted Model	198
6.2.2.1	Forest Plot of Model Coefficients	199
6.2.2.2	Table with All Metabolites	200
6.2.2.3	Top Metabolite	202
6.2.2.3.1	Forest Plot with Clinical Variables	203
6.2.3	Adjusted Model with eGFR	204
6.2.3.1	Forest Plot of Model Coefficients	205
6.2.3.2	Table with All Metabolites	206
6.2.3.3	Top Metabolite from Adjusted Model	208
6.2.3.3.1	Forest Plot with Clinical Variables	209
6.2.4	Fully Adjusted Model	210
6.2.4.1	Forest Plot of Model Coefficients	211
6.2.4.2	Table with All Metabolites	212
6.2.4.3	Top Metabolites	214
6.2.4.3.1	Top Metabolite – Tyrosine	214
6.2.4.3.2	Top Metabolite from Adjusted Model – Ribonic Acid	219
6.2.5	Compilation	221
7	Integration of Results	222
7.1	Crude Models	222
7.1.1	Cross-Sectional	222
7.1.2	Longitudinal	223
7.2	Adjusted Models	224
7.2.1	Cross-Sectional	224
7.2.2	Longitudinal	225

1 Settings

```
## [1] TRUE
```

2 Dates

3 Event-Times

3.1 Counts and Ranges

```
table( data$"Charcot.at.DATE" )
```

```
##  
## NEJ JA  
## 611 26
```

```
table( data$"Charcot.from.DATE" )
```

```
##  
## NEJ JA  
## 598 13
```

```
table( data$"Ulcer.diagnosis.at.DATE" )
```

```
##  
## NEJ JA  
## 618 19
```

```
table( data$"Ulcer.diagnosis.from.DATE" )
```

```
##  
## NEJ JA  
## 510 108
```

```
table( data$"Amputation.at.DATE" )
```

```
##  
## NEJ JA  
## 614 23
```

```
table( data$"Amputation.from.DATE" )
```

```
##  
## NEJ JA  
## 586 28
```

```
range( data$"Charcot_dt", na.rm = TRUE )
```

```
## [1] "1995-11-07" "2018-06-08"
```

```
tapply(  
  X = as.numeric( data$"Charcot.tdiff" ),  
  INDEX = data$"Charcot.from.DATE",  
  FUN = summary  
)
```



```
## $NEJ
##   Min. 1st Qu.  Median    Mean 3rd Qu.  Max.
##   2537   2685   2837    2841   2982   3185
##
## $JA
##   Min. 1st Qu.  Median    Mean 3rd Qu.  Max.
##    509   1076   1995    1805   2563   2924
```

```
range( data$"Sår_diagnose_dt", na.rm = TRUE )
```

```
## [1] "2001-12-11" "2020-09-01"
```

```
tapply(
  X = as.numeric( data$"Ulcer.diagnosis.tdiff" ),
  INDEX = data$"Ulcer.diagnosis.from.DATE",
  FUN = summary
)
```

```
## $NEJ
##   Min. 1st Qu.  Median    Mean 3rd Qu.  Max.
##   3353   3492   3653    3658   3815   4001
##
## $JA
##   Min. 1st Qu.  Median    Mean 3rd Qu.  Max.
##    106   1230   1948    1904   2539   3857
```

```
range( data$"Amputation_dt", na.rm = TRUE )
```

```
## [1] "1998-01-01" "2020-02-04"
```

```
tapply(
  X = as.numeric( data$"Amputation.tdiff" ),
  INDEX = data$"Amputation.from.DATE",
  FUN = summary
)
```

```
## $NEJ
##   Min. 1st Qu.  Median    Mean 3rd Qu.  Max.
##   3143   3295   3442    3449   3591   3791
##
## $JA
##   Min. 1st Qu.  Median    Mean 3rd Qu.  Max.
##   259.0   956.5  2138.0  2074.1  2941.2  3468.0
```


3.2 Histograms

3.2.1 Time From Baseline

```
## Don't know how to automatically pick scale for object of type difftime. Defaulting to continuous.
```

```
## 'stat_bin()' using 'bins = 30'. Pick better value with 'binwidth'.
```


```
## Warning: Removed 17 rows containing non-finite values (stat_bin).
```



```
## Don't know how to automatically pick scale for object of type difftime. Defaulting to continuous.
```

```
## 'stat_bin()' using 'bins = 30'. Pick better value with 'binwidth'.
```

```
## Warning: Removed 23 rows containing non-finite values (stat_bin).
```




```
## Don't know how to automatically pick scale for object of type difftime. Defaulting to continuous.
## 'stat_bin()' using 'bins = 30'. Pick better value with 'binwidth'.
```

```
## Warning: Removed 19 rows containing non-finite values (stat_bin).
```

Ulcer.diagnosis.from.DATE


■ NEJ ■ JA



3.2.2 Events v. Baseline


```
## 'stat_bin()' using 'bins = 30'. Pick better value with 'binwidth'.
```

```
## Warning: Removed 598 rows containing non-finite values (stat_bin).
```



```
## 'stat_bin()' using 'bins = 30'. Pick better value with 'binwidth'.
```


```
## Warning: Removed 586 rows containing non-finite values (stat_bin).
```



```
## 'stat_bin()' using 'bins = 30'. Pick better value with 'binwidth'.
```

```
## Warning: Removed 510 rows containing non-finite values (stat_bin).
```

Sår_diagnose JA Ulcer.Diagnosis.Before.Baseline FALSE TRUE



4 Charcot


4.1 Charcot at DATE

4.1.1 Crude Model

```
## [1] "Fitting models:"  
## [1] "~ Charcot.at.DATE"  
## [1] ""
```


4.1.1.1 Forest Plot of Model Coefficients

Warning: Ignoring unknown aesthetics: x



4.1.1.2 Tables of Model Coefficients

```
## [1] ""
## [1] "Table: Charcot.at.DATEJA"
## [1] " (from model: "
## [1] " ~ Charcot.at.DATE)"
## [1] ""
##
##           Name Coefficient   CI.L   CI.R  p.value  p.adj
## 1 3,4-Dihydroxybutanoic acid; 27      0.739  0.347  1.130 0.000220 0.0142
## 2 2,4-Dihydroxybutanoic acid; 28      0.711  0.319  1.100 0.000379 0.0142
## 3           Leucine, 2TMS; 19     -0.675 -1.070 -0.284 0.000731 0.0142
## 4           Valine, 2TMS; 20     -0.674 -1.070 -0.282 0.000756 0.0142
## 5      Myo inositol 6TMS; 1       0.655  0.263  1.050 0.001050 0.0153
## 6           Ribitol; 71          0.647  0.255  1.040 0.001220 0.0153
## 7      Threonine, 3TMS; 12     -0.609 -1.000 -0.217 0.002340 0.0239
## 8           Ribonic acid; 72       0.603  0.211  0.995 0.002580 0.0239
## 9           Proline, 2TMS; 21     -0.596 -0.988 -0.204 0.002860 0.0239
```

4.1.1.3 Table with All Metabolites

```

## [1] ""
## [1] "Table: Charcot.at.DATEJA"
## [1] " (from model: "
## [1] " ~ Charcot.at.DATE)"
## [1] ""
##
##          Name Coefficient    CI.L    CI.R  p.value  p.adj
## 1 3,4-Dihydroxybutanoic acid; 27    0.73900  0.34700  1.1300  0.000220  0.0142
## 2 2,4-Dihydroxybutanoic acid; 28    0.71100  0.31900  1.1000  0.000379  0.0142
## 3          Leucine, 2TMS; 19   -0.67500 -1.07000 -0.2840  0.000731  0.0142
## 4          Valine, 2TMS; 20   -0.67400 -1.07000 -0.2820  0.000756  0.0142
## 5      Myo inositol 6TMS; 1    0.65500  0.26300  1.0500  0.001050  0.0153
## 6          Ribitol; 71      0.64700  0.25500  1.0400  0.001220  0.0153
## 7      Threonine, 3TMS; 12   -0.60900 -1.00000 -0.2170  0.002340  0.0239
## 8          Ribonic acid; 72    0.60300  0.21100  0.9950  0.002580  0.0239
## 9          Proline, 2TMS; 21  -0.59600 -0.98800 -0.2040  0.002860  0.0239
## 10     Fumaric acid, 2TMS; 9    0.53400  0.14200  0.9260  0.007540  0.0566
## 11     Glycine, 3TMS; 17      0.51600  0.12400  0.9080  0.009900  0.0675
## 12     Creatinine; 50         0.48900  0.09720  0.8810  0.014500  0.0776
## 13     Ribitol; 70           0.48900  0.09710  0.8810  0.014500  0.0776
## 14     Methionine, 2TMS; 16   -0.48900 -0.88100 -0.0970  0.014500  0.0776
## 15     Pyroglutamic acid; 69   0.47700  0.08520  0.8690  0.017000  0.0852
## 16     Isoleucine, 2TMS; 18   -0.43700 -0.82900 -0.0449  0.028900  0.1260
## 17     Serine, 3TMS; 14      -0.43500 -0.82700 -0.0430  0.029600  0.1260
## 18     Citric acid, 4TMS; 6    0.43300  0.04110  0.8250  0.030400  0.1260
## 19 4-Hydroxybenzeneacetic acid; 4  0.39500  0.00346  0.7870  0.048000  0.1840
## 20     Benzeneacetic acid; 47   0.39300  0.00141  0.7850  0.049200  0.1840
## 21     Glyceryl-glycoside; 59   0.38900 -0.00317  0.7810  0.051900  0.1850
## 22     Tartronic acid; 73      0.36600 -0.02550  0.7580  0.066900  0.2240
## 23     Arabinopyranose; 51     0.36400 -0.02770  0.7560  0.068600  0.2240
## 24     Malic acid, 3TMS; 11    0.33800 -0.05410  0.7300  0.091200  0.2850
## 25     Glyceric acid; 30       0.32200 -0.06980  0.7140  0.107000  0.3210
## 26     3-Indoleacetic acid; 40  0.30600 -0.08600  0.6980  0.126000  0.3610
## 27     Dodecanoic acid; 54     0.30300 -0.08910  0.6950  0.130000  0.3610
## 28     Aminomalonic acid; 45    0.29600 -0.09580  0.6880  0.139000  0.3710
## 29     Myristoleic acid; 65    0.28000 -0.11200  0.6720  0.162000  0.4190
## 30     Succinic acid, 2TMS; 7   0.26300 -0.12900  0.6550  0.188000  0.4570
## 31     4-Deoxytetronic acid; 33 -0.26300 -0.65500  0.1290  0.189000  0.4570
## 32     Arachidonic acid, TMS; 24  0.24500 -0.14700  0.6370  0.221000  0.5130
## 33     Eicosapentaenoic acid; 55  0.24200 -0.15000  0.6340  0.226000  0.5130
## 34     4-Deoxytetronic acid; 32  0.23600 -0.15600  0.6280  0.238000  0.5250
## 35     Stearic acid, TMS; 2     0.22800 -0.16400  0.6200  0.254000  0.5440
## 36     1,3-Propanediol; 34      0.22300 -0.16900  0.6150  0.265000  0.5530
## 37     1-Dodecanol; 36         0.21300 -0.17900  0.6050  0.286000  0.5800
## 38     Bisphenol A; 48         0.20600 -0.18600  0.5980  0.303000  0.5990
## 39     Decanoic acid; 52       0.18000 -0.21200  0.5720  0.368000  0.6870
## 40     alpha-Tocopherol; 26     0.18000 -0.21200  0.5720  0.368000  0.6870
## 41     Cholesterol, TMS; 23     0.17200 -0.22000  0.5640  0.390000  0.6870
## 42     3-Indolepropionic acid; 41 -0.17100 -0.56300  0.2210  0.393000  0.6870
## 43     Oleic acid, TMS; 3      0.16900 -0.22200  0.5610  0.397000  0.6870
## 44     Tyrosine; 75           -0.16700 -0.55900  0.2250  0.403000  0.6870
## 45     11-Eicosenoic acid; 35   0.14700 -0.24500  0.5390  0.464000  0.7580
## 46     Phenylalanine, 2TMS; 13 -0.14500 -0.53700  0.2470  0.470000  0.7580

```


## 47	Glycerol; 57	0.14300	-0.24900	0.5350	0.476000	0.7580
## 48	3-Hydroxybutyric acid, 2TMS; 1	-0.14000	-0.53200	0.2520	0.485000	0.7580
## 49	4-Hydroxyphenyllactic acid; 44	0.13600	-0.25600	0.5270	0.498000	0.7620
## 50	Tridecanoic acid; 74	0.11900	-0.27300	0.5110	0.551000	0.8090
## 51	Campesterol; 49	0.11800	-0.27400	0.5100	0.555000	0.8090
## 52	Palmitic acid, TMS; 5	0.11600	-0.27600	0.5080	0.561000	0.8090
## 53	Ethanolamine; 56	-0.09800	-0.49000	0.2940	0.624000	0.8500
## 54	2-Palmitoylglycerol; 39	-0.09710	-0.48900	0.2950	0.627000	0.8500
## 55	Pyruvic acid; 31	0.09330	-0.29900	0.4850	0.641000	0.8500
## 56	Docosahexaenoic acid; 53	0.09120	-0.30100	0.4830	0.648000	0.8500
## 57	Hydroxylamine; 62	-0.09050	-0.48200	0.3010	0.651000	0.8500
## 58	Nonanoic acid; 67	0.08860	-0.30300	0.4810	0.658000	0.8500
## 59	2-Hydroxybutyric acid, 2TMS; 2	-0.08530	-0.47700	0.3070	0.670000	0.8510
## 60	Linoleic acid, TMS; 4	-0.07820	-0.47000	0.3140	0.696000	0.8700
## 61	Octanoic acid; 68	-0.06480	-0.45700	0.3270	0.746000	0.8720
## 62	Heptadecanoic acid; 60	0.06170	-0.33000	0.4540	0.758000	0.8720
## 63	Lactic acid; 29	0.06130	-0.33100	0.4530	0.759000	0.8720
## 64	Glutamic acid, 3TMS; 8	-0.06050	-0.45200	0.3310	0.762000	0.8720
## 65	4-Hydroxybutanoic acid; 43	-0.05620	-0.44800	0.3360	0.779000	0.8720
## 66	Glycerol; 58	0.05610	-0.33600	0.4480	0.779000	0.8720
## 67	alpha-ketoglutaric acid, TMS M	0.05280	-0.33900	0.4450	0.792000	0.8720
## 68	Hydroxyproline; 64	0.04770	-0.34400	0.4400	0.811000	0.8720
## 69	2-hydroxy Isovaleric acid; 38	0.04720	-0.34500	0.4390	0.813000	0.8720
## 70	Nonadecanoic acid; 66	0.04710	-0.34500	0.4390	0.814000	0.8720
## 71	Heptadecanoic acid; 61	0.03480	-0.35700	0.4270	0.862000	0.9110
## 72	L-5-Oxoproline; 63	0.01620	-0.37600	0.4080	0.936000	0.9750
## 73	Alanine, 2TMS; 25	-0.00625	-0.39800	0.3860	0.975000	0.9810
## 74	Arachidic acid; 46	-0.00534	-0.39700	0.3870	0.979000	0.9810
## 75	1-Monopalmitin; 37	0.00470	-0.38700	0.3970	0.981000	0.9810

4.1.2 Adjusted Model

```
## [1] "Fitting models:"  
## [1] "~ Charcot.at.DATE + Age.x + Gender.x + Hba1c_baseline + CALSBP + bmi + Smoking + Statin + log_B  
## [1] ""
```

4.1.2.1 Forest Plot of Model Coefficients

```
## Warning: Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
```



4.1.2.2 Tables of Model Coefficients

```
## [1] ""
## [1] "Table: Charcot.at.DATEJA"
## [1] " (from model: "
## [1] " ~ Charcot.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol)"
## [1] ""
##
## Name Coefficient CI.L CI.R p.value p.adj
## 1 3,4-Dihydroxybutanoic acid; 27 0.684 0.292 1.080 0.000625 0.0232
## 2 Proline, 2TMS; 21 -0.645 -1.040 -0.253 0.001270 0.0232
## 3 2,4-Dihydroxybutanoic acid; 28 0.639 0.247 1.030 0.001400 0.0232
## 4 Threonine, 3TMS; 12 -0.638 -1.030 -0.246 0.001430 0.0232
## 5 Leucine, 2TMS; 19 -0.633 -1.030 -0.241 0.001550 0.0232
## 6 Valine, 2TMS; 20 -0.615 -1.010 -0.223 0.002110 0.0264
## 7 Ribitol; 71 0.571 0.179 0.963 0.004300 0.0460
## 8 Ribonic acid; 72 0.556 0.164 0.948 0.005480 0.0481
## 9 Myo inositol 6TMS; 1 0.548 0.156 0.940 0.006130 0.0481
## 10 Fumaric acid, 2TMS; 9 0.545 0.153 0.937 0.006420 0.0481
## [1] ""
## [1] "Table: Age.x"
## [1] " (from model: "
## [1] " ~ Charcot.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol)"
## [1] ""
##
## Name Coefficient CI.L CI.R p.value p.adj
## 1 Eicosapentaenoic acid; 55 0.02180 0.01520 0.0285 1.60e-10 1.20e-08
## 2 4-Hydroxybenzeneacetic acid; 4 0.01650 0.00982 0.0232 1.33e-06 4.72e-05
## 3 2,4-Dihydroxybutanoic acid; 28 0.01630 0.00958 0.0230 1.89e-06 4.72e-05
## 4 Myo inositol 6TMS; 1 0.01440 0.00772 0.0211 2.44e-05 4.58e-04
## 5 Ribitol; 71 0.01380 0.00708 0.0205 5.55e-05 8.33e-04
## 6 Docosahexaenoic acid; 53 0.01330 0.00660 0.0200 9.99e-05 1.25e-03
## 7 3-Indoleacetic acid; 40 0.01300 0.00631 0.0197 1.41e-04 1.51e-03
## 8 Ribonic acid; 72 0.01140 0.00470 0.0181 8.54e-04 8.01e-03
## 9 Aminomalonic acid; 45 0.01090 0.00425 0.0176 1.35e-03 1.13e-02
## 10 alpha-ketoglutaric acid, TMS M 0.01070 0.00404 0.0174 1.67e-03 1.25e-02
## 11 Malic acid, 3TMS; 11 0.01020 0.00354 0.0169 2.73e-03 1.86e-02
## 12 Pyruvic acid; 31 0.01000 0.00335 0.0167 3.27e-03 1.94e-02
## 13 Ribitol; 70 0.00997 0.00328 0.0167 3.51e-03 1.94e-02
## 14 4-Hydroxyphenyllactic acid; 44 0.00994 0.00324 0.0166 3.63e-03 1.94e-02
## 15 Decanoic acid; 52 0.00983 0.00313 0.0165 4.02e-03 2.01e-02
## 16 Citric acid, 4TMS; 6 0.00963 0.00294 0.0163 4.80e-03 2.25e-02
## 17 3,4-Dihydroxybutanoic acid; 27 0.00951 0.00281 0.0162 5.38e-03 2.38e-02
## 18 alpha-Tocopherol; 26 0.00942 0.00273 0.0161 5.82e-03 2.39e-02
## 19 Fumaric acid, 2TMS; 9 0.00938 0.00268 0.0161 6.06e-03 2.39e-02
## 20 Succinic acid, 2TMS; 7 0.00925 0.00256 0.0159 6.74e-03 2.53e-02
## 21 Glyceric acid; 30 0.00917 0.00248 0.0159 7.24e-03 2.59e-02
## 22 Glycine, 3TMS; 17 0.00880 0.00210 0.0155 1.00e-02 3.29e-02
## 23 Alanine, 2TMS; 25 0.00879 0.00209 0.0155 1.01e-02 3.29e-02
## 24 11-Eicosenoic acid; 35 0.00855 0.00185 0.0152 1.23e-02 3.85e-02
## 25 Pyroglutamic acid; 69 0.00826 0.00157 0.0150 1.56e-02 4.67e-02
## [1] ""
```

```

## [1] "Table: Gender.x"
## [1] " (from model: "
## [1] " ~ Charcot.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol)"
## [1] ""
##
## Name Coefficient CI.L CI.R p.value p.adj
## 1 Citric acid, 4TMS; 6 -0.390 -0.548 -0.2330 1.21e-06 9.08e-05
## 2 Methionine, 2TMS; 16 0.369 0.212 0.5270 4.31e-06 1.62e-04
## 3 Valine, 2TMS; 20 0.358 0.201 0.5160 8.34e-06 2.05e-04
## 4 Myristoleic acid; 65 -0.353 -0.511 -0.1960 1.09e-05 2.05e-04
## 5 Proline, 2TMS; 21 0.349 0.192 0.5070 1.40e-05 2.09e-04
## 6 Glycine, 3TMS; 17 -0.339 -0.496 -0.1810 2.47e-05 2.96e-04
## 7 Leucine, 2TMS; 19 0.336 0.178 0.4930 2.93e-05 2.96e-04
## 8 Tartronic acid; 73 -0.334 -0.492 -0.1770 3.23e-05 2.96e-04
## 9 Isoleucine, 2TMS; 18 0.332 0.175 0.4900 3.55e-05 2.96e-04
## 10 Glyceric acid; 30 -0.326 -0.483 -0.1680 5.04e-05 3.78e-04
## 11 Dodecanoic acid; 54 -0.323 -0.480 -0.1650 5.92e-05 4.04e-04
## 12 4-Deoxytetronic acid; 33 0.305 0.148 0.4630 1.46e-04 9.14e-04
## 13 Oleic acid, TMS; 3 -0.296 -0.454 -0.1390 2.26e-04 1.30e-03
## 14 Aminomalonic acid; 45 -0.292 -0.449 -0.1340 2.82e-04 1.51e-03
## 15 2-hydroxy Isovaleric acid; 38 0.290 0.132 0.4470 3.15e-04 1.57e-03
## 16 Cholesterol, TMS; 23 -0.270 -0.428 -0.1130 7.63e-04 3.58e-03
## 17 Glutamic acid, 3TMS; 8 0.256 0.099 0.4140 1.41e-03 6.17e-03
## 18 Docosahexaenoic acid; 53 -0.255 -0.412 -0.0970 1.54e-03 6.17e-03
## 19 Tridecanoic acid; 74 -0.253 -0.411 -0.0959 1.62e-03 6.17e-03
## 20 Heptadecanoic acid; 60 -0.253 -0.410 -0.0955 1.65e-03 6.17e-03
## 21 Decanoic acid; 52 -0.247 -0.405 -0.0896 2.11e-03 7.53e-03
## 22 Heptadecanoic acid; 61 -0.245 -0.403 -0.0877 2.28e-03 7.77e-03
## 23 Myo inositol 6TMS; 1 -0.241 -0.399 -0.0837 2.69e-03 8.77e-03
## 24 Succinic acid, 2TMS; 7 -0.238 -0.396 -0.0808 3.02e-03 9.44e-03
## 25 Nonadecanoic acid; 66 -0.221 -0.378 -0.0631 6.04e-03 1.81e-02
## 26 Palmitic acid, TMS; 5 -0.205 -0.363 -0.0478 1.06e-02 3.06e-02
## 27 Stearic acid, TMS; 2 -0.196 -0.354 -0.0386 1.47e-02 4.08e-02
## 28 Benzeneacetic acid; 47 -0.190 -0.347 -0.0322 1.82e-02 4.88e-02
## [1] ""
## [1] "Table: Hba1c_baseline"
## [1] " (from model: "
## [1] " ~ Charcot.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol)"
## [1] ""
##
## Name Coefficient CI.L CI.R p.value p.adj
## 1 Tridecanoic acid; 74 -0.131 -0.2020 -0.0590 0.000348 0.0145
## 2 Eicosapentaenoic acid; 55 -0.127 -0.1990 -0.0560 0.000476 0.0145
## 3 Valine, 2TMS; 20 0.122 0.0503 0.1930 0.000844 0.0145
## 4 Glyceric acid; 30 -0.120 -0.1920 -0.0489 0.000967 0.0145
## 5 Ethanolamine; 56 0.119 0.0477 0.1910 0.001080 0.0145
## 6 Arabinopyranose; 51 0.119 0.0470 0.1900 0.001160 0.0145
## 7 Docosahexaenoic acid; 53 -0.116 -0.1870 -0.0440 0.001550 0.0166
## 8 Alanine, 2TMS; 25 0.110 0.0380 0.1810 0.002680 0.0251
## [1] ""
## [1] "Table: CALSBP"
## [1] " (from model: "

```



```

## [1] " ~ Charcot.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol)"
## [1] ""
## [1] "No significant associations at p.adj < 0.05"
## [1] ""
## [1] "Table: bmi"
## [1] " (from model: "
## [1] " ~ Charcot.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol)"
## [1] ""
##
## Name Coefficient CI.L CI.R p.value
## 1 Glutamic acid, 3TMS; 8 0.0458 0.02520 0.06630 1.31e-05
## 2 2-Hydroxybutyric acid, 2TMS; 2 0.0403 0.01970 0.06090 1.24e-04
## 3 Campesterol; 49 -0.0400 -0.06060 -0.01940 1.39e-04
## 4 Decanoic acid; 52 -0.0312 -0.05180 -0.01060 2.95e-03
## 5 Pyruvic acid; 31 -0.0310 -0.05160 -0.01040 3.17e-03
## 6 1,3-Propanediol; 34 -0.0305 -0.05110 -0.00992 3.68e-03
## 7 Arachidic acid; 46 -0.0300 -0.05050 -0.00939 4.32e-03
## 8 Lactic acid; 29 0.0294 0.00878 0.04990 5.17e-03
##
## p.adj
## 1 0.000983
## 2 0.003470
## 3 0.003470
## 4 0.046000
## 5 0.046000
## 6 0.046000
## 7 0.046300
## 8 0.048500
## [1] ""
## [1] "Table: Smoking"
## [1] " (from model: "
## [1] " ~ Charcot.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol)"
## [1] ""
##
## Name Coefficient CI.L CI.R p.value p.adj
## 1 Glutamic acid, 3TMS; 8 0.385 0.192 0.5770 9.13e-05 0.00538
## 2 Docosahexaenoic acid; 53 -0.362 -0.555 -0.1690 2.30e-04 0.00538
## 3 3-Indolepropionic acid; 41 -0.361 -0.554 -0.1680 2.40e-04 0.00538
## 4 Tartronic acid; 73 -0.356 -0.549 -0.1640 2.87e-04 0.00538
## 5 Glyceric acid; 30 -0.329 -0.522 -0.1370 8.08e-04 0.01210
## 6 Citric acid, 4TMS; 6 -0.313 -0.506 -0.1210 1.43e-03 0.01780
## 7 alpha-Tocopherol; 26 -0.296 -0.489 -0.1040 2.57e-03 0.02760
## 8 Benzeneacetic acid; 47 -0.286 -0.479 -0.0935 3.60e-03 0.03370
## 9 Ribonic acid; 72 -0.279 -0.472 -0.0868 4.47e-03 0.03720
## 10 Malic acid, 3TMS; 11 -0.271 -0.463 -0.0780 5.89e-03 0.04350
## 11 Campesterol; 49 -0.268 -0.461 -0.0754 6.38e-03 0.04350
## [1] ""
## [1] "Table: Statin"
## [1] " (from model: "
## [1] " ~ Charcot.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"

```

```

## [1] "      Total_cholesterol)"
## [1] ""
##           Name Coefficient   CI.L   CI.R   p.value   p.adj
## 1 L-5-Oxoproline; 63      -0.335 -0.508 -0.162 0.000143 0.0107
## [1] ""
## [1] "Table: log_Blood_TGA"
## [1] " (from model: "
## [1] "   ~ Charcot.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] "     + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] "     Total_cholesterol)"
## [1] ""
##           Name Coefficient   CI.L   CI.R   p.value   p.adj
## 1      Dodecanoic acid; 54      0.287 0.1570 0.416 1.43e-05 0.000915
## 2      Palmitic acid, TMS; 5      0.279 0.1490 0.408 2.44e-05 0.000915
## 3      Stearic acid, TMS; 2      0.264 0.1340 0.393 6.59e-05 0.001370
## 4      Decanoic acid; 52      0.262 0.1330 0.392 7.29e-05 0.001370
## 5 3,4-Dihydroxybutanoic acid; 27 0.253 0.1230 0.382 1.29e-04 0.001690
## 6      Arachidic acid; 46      0.252 0.1230 0.382 1.35e-04 0.001690
## 7      Ribonic acid; 72      0.239 0.1090 0.368 3.01e-04 0.002920
## 8      Octanoic acid; 68      0.238 0.1090 0.368 3.11e-04 0.002920
## 9      Glyceryl-glycoside; 59 0.234 0.1050 0.364 3.91e-04 0.003260
## 10 4-Hydroxybenzeneacetic acid; 4 0.223 0.0934 0.352 7.41e-04 0.005560
## 11      Ribitol; 71      0.216 0.0864 0.345 1.08e-03 0.007020
## 12      Oleic acid, TMS; 3      0.215 0.0858 0.345 1.12e-03 0.007020
## 13      Arabinopyranose; 51 0.204 0.0745 0.333 2.02e-03 0.011700
## 14 2,4-Dihydroxybutanoic acid; 28 0.193 0.0637 0.323 3.46e-03 0.018500
## 15      Heptadecanoic acid; 60 0.187 0.0571 0.316 4.73e-03 0.023700
## 16      Fumaric acid, 2TMS; 9 0.183 0.0531 0.312 5.72e-03 0.026800
## 17 2-Hydroxybutyric acid, 2TMS; 2 0.179 0.0497 0.309 6.69e-03 0.029500
## 18      Myo inositol 6TMS; 1 0.174 0.0447 0.304 8.37e-03 0.034600
## 19      Lactic acid; 29      0.173 0.0437 0.303 8.77e-03 0.034600
## 20      Heptadecanoic acid; 61 0.170 0.0401 0.299 1.03e-02 0.038500
## 21      Myristoleic acid; 65 0.165 0.0360 0.295 1.23e-02 0.043800
## 22      Pyruvic acid; 31      0.164 0.0342 0.293 1.32e-02 0.045100
## 23      Malic acid, 3TMS; 11 0.162 0.0327 0.292 1.41e-02 0.045900
## 24      Glutamic acid, 3TMS; 8 0.160 0.0303 0.289 1.56e-02 0.048800
## [1] ""
## [1] "Table: Total_cholesterol"
## [1] " (from model: "
## [1] "   ~ Charcot.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] "     + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] "     Total_cholesterol)"
## [1] ""
##           Name Coefficient   CI.L   CI.R   p.value   p.adj
## 1      Cholesterol, TMS; 23      0.464 0.3680 0.5600 3.57e-21 2.68e-19
## 2      Campesterol; 49      0.372 0.2750 0.4680 3.75e-14 1.41e-12
## 3      alpha-Tocopherol; 26 0.330 0.2340 0.4260 1.85e-11 4.63e-10
## 4      Benzeneacetic acid; 47 -0.190 -0.2860 -0.0938 1.09e-04 2.04e-03
## 5 4-Hydroxybutanoic acid; 43 -0.184 -0.2810 -0.0881 1.73e-04 2.44e-03
## 6      Proline, 2TMS; 21 -0.183 -0.2790 -0.0867 1.95e-04 2.44e-03
## 7      Linoleic acid, TMS; 4 0.181 0.0844 0.2770 2.33e-04 2.50e-03
## 8      L-5-Oxoproline; 63 -0.166 -0.2620 -0.0697 7.28e-04 6.61e-03
## 9      Glycine, 3TMS; 17 -0.165 -0.2610 -0.0685 7.93e-04 6.61e-03
## 10 2,4-Dihydroxybutanoic acid; 28 -0.162 -0.2580 -0.0659 9.63e-04 7.22e-03

```

## 11	Isoleucine, 2TMS; 18	-0.156	-0.2520	-0.0594	1.53e-03	1.04e-02
## 12	4-Hydroxybenzeneacetic acid; 4	-0.154	-0.2500	-0.0577	1.72e-03	1.07e-02
## 13	Eicosapentaenoic acid; 55	0.152	0.0560	0.2480	1.93e-03	1.12e-02
## 14	Docosahexaenoic acid; 53	0.148	0.0513	0.2440	2.66e-03	1.42e-02
## 15	Tyrosine; 75	-0.146	-0.2420	-0.0495	3.00e-03	1.50e-02
## 16	Alanine, 2TMS; 25	-0.144	-0.2410	-0.0481	3.28e-03	1.52e-02
## 17	Threonine, 3TMS; 12	-0.144	-0.2400	-0.0474	3.45e-03	1.52e-02
## 18	Methionine, 2TMS; 16	-0.142	-0.2380	-0.0460	3.76e-03	1.57e-02
## 19	Glyceryl-glycoside; 59	-0.141	-0.2370	-0.0444	4.17e-03	1.65e-02
## 20	Arabinopyranose; 51	-0.136	-0.2330	-0.0402	5.46e-03	2.00e-02
## 21	2-Palmitoylglycerol; 39	0.136	0.0398	0.2320	5.60e-03	2.00e-02
## 22	Ribitol; 71	-0.135	-0.2310	-0.0384	6.10e-03	2.08e-02
## 23	3-Indoleacetic acid; 40	-0.127	-0.2230	-0.0308	9.68e-03	3.16e-02
## 24	Hydroxylamine; 62	-0.126	-0.2220	-0.0296	1.04e-02	3.24e-02
## 25	Serine, 3TMS; 14	-0.121	-0.2170	-0.0250	1.36e-02	4.04e-02
## 26	Ribonic acid; 72	-0.121	-0.2170	-0.0244	1.40e-02	4.04e-02

4.1.2.3 Table with All Metabolites

```

## [1] ""
## [1] "Table: Charcot.at.DATEJA"
## [1] " (from model: "
## [1] " ~ Charcot.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol)"
## [1] ""
##
## Name Coefficient CI.L CI.R p.value p.adj
## 1 3,4-Dihydroxybutanoic acid; 27 0.68400 0.29200 1.0800 0.000625 0.0232
## 2 Proline, 2TMS; 21 -0.64500 -1.04000 -0.2530 0.001270 0.0232
## 3 2,4-Dihydroxybutanoic acid; 28 0.63900 0.24700 1.0300 0.001400 0.0232
## 4 Threonine, 3TMS; 12 -0.63800 -1.03000 -0.2460 0.001430 0.0232
## 5 Leucine, 2TMS; 19 -0.63300 -1.03000 -0.2410 0.001550 0.0232
## 6 Valine, 2TMS; 20 -0.61500 -1.01000 -0.2230 0.002110 0.0264
## 7 Ribitol; 71 0.57100 0.17900 0.9630 0.004300 0.0460
## 8 Ribonic acid; 72 0.55600 0.16400 0.9480 0.005480 0.0481
## 9 Myo inositol 6TMS; 1 0.54800 0.15600 0.9400 0.006130 0.0481
## 10 Fumaric acid, 2TMS; 9 0.54500 0.15300 0.9370 0.006420 0.0481
## 11 Creatinine; 50 0.51000 0.11800 0.9030 0.010700 0.0686
## 12 Serine, 3TMS; 14 -0.50900 -0.90100 -0.1170 0.011000 0.0686
## 13 Methionine, 2TMS; 16 -0.47500 -0.86700 -0.0825 0.017700 0.0958
## 14 Ribitol; 70 0.47400 0.08170 0.8660 0.017900 0.0958
## 15 Pyroglutamic acid; 69 0.43300 0.04090 0.8250 0.030400 0.1520
## 16 Isoleucine, 2TMS; 18 -0.41400 -0.80600 -0.0216 0.038700 0.1810
## 17 Glyceryl-glycoside; 59 0.39700 0.00506 0.7890 0.047100 0.2080
## 18 Tartronic acid; 73 0.36200 -0.03030 0.7540 0.070500 0.2860
## 19 Arabinopyranose; 51 0.35900 -0.03270 0.7520 0.072400 0.2860
## 20 Glycine, 3TMS; 17 0.34500 -0.04660 0.7380 0.084200 0.3030
## 21 Citric acid, 4TMS; 6 0.34500 -0.04730 0.7370 0.084800 0.3030
## 22 Stearic acid, TMS; 2 0.33200 -0.06020 0.7240 0.097100 0.3310
## 23 Dodecanoic acid; 54 0.32600 -0.06570 0.7190 0.103000 0.3350
## 24 Cholesterol, TMS; 23 0.32200 -0.07060 0.7140 0.108000 0.3380
## 25 1,3-Propanediol; 34 0.31700 -0.07540 0.7090 0.113000 0.3400
## 26 Malic acid, 3TMS; 11 0.30500 -0.08710 0.6970 0.127000 0.3670
## 27 Glyceric acid; 30 0.29300 -0.09910 0.6850 0.143000 0.3720
## 28 alpha-Tocopherol; 26 0.29000 -0.10200 0.6820 0.147000 0.3720
## 29 Arachidonic acid, TMS; 24 0.28900 -0.10300 0.6810 0.148000 0.3720
## 30 Benzeneacetic acid; 47 0.28900 -0.10300 0.6810 0.149000 0.3720
## 31 1-Dodecanol; 36 0.28500 -0.10700 0.6780 0.154000 0.3720
## 32 4-Hydroxybenzeneacetic acid; 4 0.27600 -0.11600 0.6680 0.168000 0.3930
## 33 Myristoleic acid; 65 0.26500 -0.12700 0.6570 0.185000 0.4150
## 34 4-Deoxytetronic acid; 32 0.26000 -0.13200 0.6530 0.193000 0.4150
## 35 3-Indoleacetic acid; 40 0.25800 -0.13500 0.6500 0.198000 0.4150
## 36 Decanoic acid; 52 0.25500 -0.13700 0.6480 0.202000 0.4150
## 37 Tyrosine; 75 -0.25400 -0.64600 0.1380 0.205000 0.4150
## 38 Succinic acid, 2TMS; 7 0.24800 -0.14400 0.6400 0.215000 0.4240
## 39 Campesterol; 49 0.24100 -0.15200 0.6330 0.229000 0.4410
## 40 Phenylalanine, 2TMS; 13 -0.22100 -0.61300 0.1710 0.269000 0.5050
## 41 Bisphenol A; 48 0.20800 -0.18400 0.6000 0.299000 0.5460
## 42 Eicosapentaenoic acid; 55 0.19500 -0.19700 0.5870 0.330000 0.5900
## 43 Oleic acid, TMS; 3 0.19100 -0.20200 0.5830 0.341000 0.5940
## 44 4-Deoxytetronic acid; 33 -0.18100 -0.57400 0.2110 0.364000 0.6210

```

## 45	Palmitic acid, TMS; 5	0.17500	-0.21700	0.5670	0.383000	0.6250
## 46	Aminomalonic acid; 45	0.17400	-0.21800	0.5670	0.383000	0.6250
## 47	Tridecanoic acid; 74	0.17000	-0.22200	0.5620	0.396000	0.6320
## 48	Hydroxylamine; 62	-0.16300	-0.55500	0.2290	0.416000	0.6380
## 49	2-hydroxy Isovaleric acid; 38	0.16200	-0.23000	0.5550	0.417000	0.6380
## 50	Ethanolamine; 56	-0.14600	-0.53900	0.2460	0.464000	0.6910
## 51	Nonanoic acid; 67	0.14200	-0.25000	0.5340	0.478000	0.6910
## 52	3-Indolepropionic acid; 41	-0.14200	-0.53400	0.2500	0.479000	0.6910
## 53	4-Hydroxyphenyllactic acid; 44	0.11900	-0.27300	0.5110	0.552000	0.7680
## 54	Pyruvic acid; 31	0.11900	-0.27300	0.5110	0.553000	0.7680
## 55	Alanine, 2TMS; 25	-0.11600	-0.50800	0.2760	0.563000	0.7680
## 56	3-Hydroxybutyric acid, 2TMS; 1	-0.11000	-0.50200	0.2830	0.584000	0.7820
## 57	Arachidic acid; 46	0.10300	-0.28900	0.4960	0.605000	0.7940
## 58	11-Eicosenoic acid; 35	0.09700	-0.29500	0.4890	0.628000	0.7940
## 59	Glycerol; 57	0.09550	-0.29700	0.4880	0.633000	0.7940
## 60	Heptadecanoic acid; 60	0.08850	-0.30400	0.4810	0.658000	0.7940
## 61	Docosahexaenoic acid; 53	0.08830	-0.30400	0.4800	0.659000	0.7940
## 62	alpha-ketoglutaric acid, TMS M	0.08710	-0.30500	0.4790	0.663000	0.7940
## 63	1-Monopalmitin; 37	0.08600	-0.30600	0.4780	0.667000	0.7940
## 64	Hydroxyproline; 64	0.07640	-0.31600	0.4690	0.702000	0.8220
## 65	Nonadecanoic acid; 66	0.07090	-0.32100	0.4630	0.723000	0.8220
## 66	2-Hydroxybutyric acid, 2TMS; 2	-0.07090	-0.46300	0.3210	0.723000	0.8220
## 67	Octanoic acid; 68	0.06630	-0.32600	0.4580	0.740000	0.8290
## 68	Lactic acid; 29	0.04970	-0.34200	0.4420	0.804000	0.8690
## 69	L-5-Oxoproline; 63	-0.04640	-0.43800	0.3460	0.817000	0.8690
## 70	4-Hydroxybutanoic acid; 43	-0.04530	-0.43700	0.3470	0.821000	0.8690
## 71	2-Palmitoylglycerol; 39	-0.04470	-0.43700	0.3470	0.823000	0.8690
## 72	Heptadecanoic acid; 61	0.03620	-0.35600	0.4280	0.857000	0.8870
## 73	Linoleic acid, TMS; 4	0.03320	-0.35900	0.4250	0.868000	0.8870
## 74	Glutamic acid, 3TMS; 8	-0.03140	-0.42400	0.3610	0.875000	0.8870
## 75	Glycerol; 58	0.00871	-0.38300	0.4010	0.965000	0.9650

4.1.3 Adjusted Model with eGFR

```
## [1] "Fitting models:"  
## [1] "~ Charcot.at.DATE + Age.x + Gender.x + Hba1c_baseline + CALSBP + bmi + Smoking + Statin + log_B  
## [1] ""
```

4.1.3.1 Forest Plot of Model Coefficients

```
## Warning: Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
```

```
## NULL
```

4.1.3.2 Tables of Model Coefficients

```

## [1] ""
## [1] "Table: Charcot.at.DATEJA"
## [1] " (from model: "
## [1] " ~ Charcot.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol + egfr)"
## [1] ""
## [1] "No significant associations at p.adj < 0.05"
## [1] ""
## [1] "Table: Age.x"
## [1] " (from model: "
## [1] " ~ Charcot.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol + egfr)"
## [1] ""
##
## Name Coefficient CI.L CI.R p.value p.adj
## 1 Eicosapentaenoic acid; 55 0.02430 0.01760 0.0311 3.04e-12 2.28e-10
## 2 Docosahexaenoic acid; 53 0.01510 0.00825 0.0219 1.58e-05 5.92e-04
## 3 Glyceric acid; 30 0.01160 0.00478 0.0184 8.68e-04 1.63e-02
## 4 Pyruvic acid; 31 0.01140 0.00444 0.0183 1.31e-03 1.63e-02
## 5 alpha-Tocopherol; 26 0.01110 0.00430 0.0179 1.41e-03 1.63e-02
## 6 Decanoic acid; 52 0.01120 0.00432 0.0181 1.44e-03 1.63e-02
## 7 alpha-ketoglutaric acid, TMS M 0.01120 0.00430 0.0182 1.52e-03 1.63e-02
## 8 4-Hydroxybenzeneacetic acid; 4 0.00989 0.00313 0.0167 4.17e-03 3.83e-02
## 9 Aminomalonic acid; 45 0.00995 0.00307 0.0168 4.59e-03 3.83e-02
## 10 3-Indoleacetic acid; 40 0.00961 0.00274 0.0165 6.15e-03 4.62e-02
## [1] ""
## [1] "Table: Gender.x"
## [1] " (from model: "
## [1] " ~ Charcot.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol + egfr)"
## [1] ""
##
## Name Coefficient CI.L CI.R p.value p.adj
## 1 4-Deoxytetronic acid; 33 0.425 0.2670 0.5830 1.38e-07 1.04e-05
## 2 Glyceric acid; 30 -0.370 -0.5280 -0.2120 4.54e-06 1.33e-04
## 3 Myristoleic acid; 65 -0.370 -0.5290 -0.2110 5.33e-06 1.33e-04
## 4 Proline, 2TMS; 21 0.352 0.1940 0.5110 1.38e-05 2.58e-04
## 5 Tartronic acid; 73 -0.344 -0.5020 -0.1850 2.20e-05 3.30e-04
## 6 Dodecanoic acid; 54 -0.333 -0.4930 -0.1740 4.19e-05 5.24e-04
## 7 Cholesterol, TMS; 23 -0.311 -0.4660 -0.1570 8.07e-05 8.64e-04
## 8 Oleic acid, TMS; 3 -0.313 -0.4720 -0.1530 1.27e-04 1.19e-03
## 9 Methionine, 2TMS; 16 0.309 0.1500 0.4680 1.42e-04 1.19e-03
## 10 Citric acid, 4TMS; 6 -0.305 -0.4630 -0.1470 1.58e-04 1.19e-03
## 11 Docosahexaenoic acid; 53 -0.290 -0.4480 -0.1320 3.33e-04 2.27e-03
## 12 Glycine, 3TMS; 17 -0.287 -0.4460 -0.1290 3.95e-04 2.47e-03
## 13 Leucine, 2TMS; 19 0.272 0.1140 0.4310 7.56e-04 4.17e-03
## 14 Valine, 2TMS; 20 0.267 0.1110 0.4240 8.30e-04 4.17e-03
## 15 Aminomalonic acid; 45 -0.271 -0.4300 -0.1120 8.46e-04 4.17e-03
## 16 Decanoic acid; 52 -0.270 -0.4290 -0.1110 8.90e-04 4.17e-03
## 17 Hydroxyproline; 64 0.258 0.0975 0.4180 1.63e-03 7.06e-03
## 18 Stearic acid, TMS; 2 -0.256 -0.4160 -0.0963 1.69e-03 7.06e-03

```



```

## 19      Tridecanoic acid; 74      -0.255 -0.4160 -0.0951 1.82e-03 7.17e-03
## 20      Palmitic acid, TMS; 5      -0.250 -0.4100 -0.0913 2.06e-03 7.41e-03
## 21      Heptadecanoic acid; 61     -0.252 -0.4130 -0.0916 2.09e-03 7.41e-03
## 22      Heptadecanoic acid; 60     -0.251 -0.4120 -0.0907 2.17e-03 7.41e-03
## 23      Glutamic acid, 3TMS; 8      0.239  0.0811  0.3970 3.02e-03 9.83e-03
## 24 2-hydroxy Isovaleric acid; 38    0.237  0.0768  0.3970 3.75e-03 1.17e-02
## 25      Isoleucine, 2TMS; 18       0.231  0.0737  0.3880 4.01e-03 1.20e-02
## 26      Tyrosine; 75                -0.227 -0.3870 -0.0666 5.55e-03 1.57e-02
## 27      Nonadecanoic acid; 66       -0.227 -0.3880 -0.0664 5.64e-03 1.57e-02
## 28      Succinic acid, 2TMS; 7      -0.217 -0.3780 -0.0567 8.03e-03 2.15e-02
## [1] ""
## [1] "Table: Hba1c_baseline"
## [1] " (from model: "
## [1] " ~ Charcot.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol + egfr)"
## [1] ""
##
##          Name Coefficient   CI.L   CI.R p.value  p.adj
## 1 Eicosapentaenoic acid; 55    -0.137 -0.2070 -0.0664 0.000140 0.00928
## 2   Tridecanoic acid; 74       -0.134 -0.2060 -0.0625 0.000247 0.00928
## 3 Docosahexaenoic acid; 53     -0.124 -0.1940 -0.0530 0.000608 0.01330
## 4   Glyceric acid; 30          -0.122 -0.1920 -0.0514 0.000709 0.01330
## 5   Alanine, 2TMS; 25          0.119  0.0472  0.1900 0.001150 0.01590
## 6   Arabinopyranose; 51         0.116  0.0450  0.1880 0.001410 0.01590
## 7   Valine, 2TMS; 20           0.113  0.0429  0.1830 0.001580 0.01590
## 8   Ethanolamine; 56           0.115  0.0433  0.1870 0.001700 0.01590
## 9   Decanoic acid; 52          -0.101 -0.1720 -0.0298 0.005420 0.04520
## [1] ""
## [1] "Table: CALSBP"
## [1] " (from model: "
## [1] " ~ Charcot.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol + egfr)"
## [1] ""
## [1] "No significant associations at p.adj < 0.05"
## [1] ""
## [1] "Table: bmi"
## [1] " (from model: "
## [1] " ~ Charcot.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol + egfr)"
## [1] ""
##
##          Name Coefficient   CI.L   CI.R p.value  p.adj
## 1   Glutamic acid, 3TMS; 8      0.0462  0.0260  0.06640 7.70e-06 0.000577
## 2 2-Hydroxybutyric acid, 2TMS; 2  0.0402  0.0201  0.06040 9.52e-05 0.003150
## 3   Campesterol; 49            -0.0396 -0.0598 -0.01940 1.26e-04 0.003150
## 4   Decanoic acid; 52          -0.0308 -0.0512 -0.01040 3.08e-03 0.045800
## 5   Pyruvic acid; 31           -0.0306 -0.0511 -0.01010 3.48e-03 0.045800
## 6   1,3-Propanediol; 34        -0.0304 -0.0510 -0.00982 3.83e-03 0.045800
## 7   Lactic acid; 29            0.0299  0.0094  0.05040 4.28e-03 0.045800
## 8   Arachidic acid; 46         -0.0294 -0.0500 -0.00885 5.07e-03 0.047500
## [1] ""
## [1] "Table: Smoking"
## [1] " (from model: "

```

```

## [1] " ~ Charcot.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol + egfr)"
## [1] ""
##
## Name Coefficient CI.L CI.R p.value p.adj
## 1 Docosahexaenoic acid; 53 -0.384 -0.574 -0.1940 7.49e-05 0.00373
## 2 Glutamic acid, 3TMS; 8 0.374 0.185 0.5640 1.12e-04 0.00373
## 3 3-Indolepropionic acid; 41 -0.372 -0.564 -0.1800 1.49e-04 0.00373
## 4 Tartronic acid; 73 -0.354 -0.545 -0.1640 2.71e-04 0.00489
## 5 Glyceric acid; 30 -0.348 -0.537 -0.1580 3.26e-04 0.00489
## 6 alpha-Tocopherol; 26 -0.309 -0.499 -0.1200 1.38e-03 0.01690
## 7 Valine, 2TMS; 20 -0.304 -0.492 -0.1150 1.58e-03 0.01690
## 8 Citric acid, 4TMS; 6 -0.269 -0.459 -0.0795 5.45e-03 0.04830
## 9 Campesterol; 49 -0.264 -0.454 -0.0745 6.35e-03 0.04830
## 10 Benzeneacetic acid; 47 -0.267 -0.459 -0.0750 6.44e-03 0.04830
## [1] ""
## [1] "Table: Statin"
## [1] " (from model: "
## [1] " ~ Charcot.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol + egfr)"
## [1] ""
##
## Name Coefficient CI.L CI.R p.value p.adj
## 1 L-5-Oxoproline; 63 -0.313 -0.488 -0.138 0.000456 0.0342
## [1] ""
## [1] "Table: log_Blood_TGA"
## [1] " (from model: "
## [1] " ~ Charcot.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol + egfr)"
## [1] ""
##
## Name Coefficient CI.L CI.R p.value p.adj
## 1 Palmitic acid, TMS; 5 0.300 0.1710 0.4290 5.43e-06 0.000248
## 2 Dodecanoic acid; 54 0.293 0.1640 0.4220 9.00e-06 0.000248
## 3 Stearic acid, TMS; 2 0.293 0.1630 0.4220 9.92e-06 0.000248
## 4 Decanoic acid; 52 0.272 0.1430 0.4010 3.62e-05 0.000679
## 5 Octanoic acid; 68 0.269 0.1390 0.3990 5.06e-05 0.000759
## 6 Arachidic acid; 46 0.254 0.1240 0.3840 1.35e-04 0.001680
## 7 2-Hydroxybutyric acid, 2TMS; 2 0.230 0.1020 0.3580 4.21e-04 0.004510
## 8 Oleic acid, TMS; 3 0.224 0.0940 0.3530 7.27e-04 0.006820
## 9 Arabinopyranose; 51 0.206 0.0763 0.3360 1.87e-03 0.015600
## 10 Glyceryl-glycoside; 59 0.199 0.0697 0.3280 2.57e-03 0.019300
## 11 Isoleucine, 2TMS; 18 0.191 0.0637 0.3190 3.32e-03 0.022600
## 12 3,4-Dihydroxybutanoic acid; 27 0.184 0.0574 0.3100 4.37e-03 0.027300
## 13 Heptadecanoic acid; 60 0.184 0.0537 0.3140 5.64e-03 0.031300
## 14 Valine, 2TMS; 20 0.179 0.0517 0.3060 5.84e-03 0.031300
## 15 Lactic acid; 29 0.181 0.0508 0.3110 6.42e-03 0.032100
## 16 Myristoleic acid; 65 0.174 0.0449 0.3030 8.25e-03 0.038700
## 17 Heptadecanoic acid; 61 0.172 0.0415 0.3020 9.77e-03 0.039900
## 18 Glutamic acid, 3TMS; 8 0.168 0.0402 0.2960 1.00e-02 0.039900
## 19 Pyruvic acid; 31 0.171 0.0406 0.3010 1.01e-02 0.039900
## 20 Ribonic acid; 72 0.161 0.0354 0.2860 1.20e-02 0.043400
## 21 4-Hydroxybenzeneacetic acid; 4 0.162 0.0355 0.2890 1.21e-02 0.043400
## 22 Aminomalonic acid; 45 -0.161 -0.2900 -0.0317 1.46e-02 0.049900

```

```

## [1] ""
## [1] "Table: Total_cholesterol"
## [1] " (from model: "
## [1] " ~ Charcot.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol + egfr)"
## [1] ""
##
## Name Coefficient CI.L CI.R p.value p.adj
## 1 Cholesterol, TMS; 23 0.456 0.3630 0.5480 1.67e-21 1.25e-19
## 2 Campesterol; 49 0.371 0.2770 0.4660 2.23e-14 8.37e-13
## 3 alpha-Tocopherol; 26 0.325 0.2300 0.4200 2.09e-11 5.23e-10
## 4 Benzeneacetic acid; 47 -0.183 -0.2790 -0.0876 1.78e-04 2.94e-03
## 5 Proline, 2TMS; 21 -0.179 -0.2740 -0.0837 2.32e-04 2.94e-03
## 6 Linoleic acid, TMS; 4 0.179 0.0828 0.2740 2.65e-04 2.94e-03
## 7 4-Hydroxybutanoic acid; 43 -0.179 -0.2750 -0.0828 2.74e-04 2.94e-03
## 8 Isoleucine, 2TMS; 18 -0.173 -0.2670 -0.0787 3.27e-04 3.07e-03
## 9 L-5-Oxoproline; 63 -0.171 -0.2670 -0.0750 4.93e-04 4.11e-03
## 10 Glycine, 3TMS; 17 -0.157 -0.2520 -0.0621 1.21e-03 9.06e-03
## 11 Tyrosine; 75 -0.155 -0.2510 -0.0588 1.60e-03 1.09e-02
## 12 Methionine, 2TMS; 16 -0.152 -0.2470 -0.0565 1.81e-03 1.13e-02
## 13 Threonine, 3TMS; 12 -0.146 -0.2420 -0.0497 2.97e-03 1.71e-02
## 14 Eicosapentaenoic acid; 55 0.141 0.0471 0.2360 3.31e-03 1.77e-02
## 15 2,4-Dihydroxybutanoic acid; 28 -0.137 -0.2300 -0.0450 3.58e-03 1.79e-02
## 16 Docosahexaenoic acid; 53 0.139 0.0445 0.2340 4.00e-03 1.87e-02
## 17 Arabinopyranose; 51 -0.138 -0.2340 -0.0425 4.70e-03 2.07e-02
## 18 4-Hydroxybenzeneacetic acid; 4 -0.134 -0.2280 -0.0403 5.09e-03 2.08e-02
## 19 Alanine, 2TMS; 25 -0.137 -0.2320 -0.0407 5.28e-03 2.08e-02
## 20 Serine, 3TMS; 14 -0.132 -0.2280 -0.0362 6.93e-03 2.60e-02
## 21 2-Palmitoylglycerol; 39 0.132 0.0356 0.2280 7.31e-03 2.61e-02
## 22 Glyceryl-glycoside; 59 -0.127 -0.2230 -0.0319 8.98e-03 3.06e-02
## 23 Hydroxylamine; 62 -0.125 -0.2220 -0.0291 1.08e-02 3.51e-02
## [1] ""
## [1] "Table: egfr"
## [1] " (from model: "
## [1] " ~ Charcot.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol + egfr)"
## [1] ""
##
## Name Coefficient CI.L CI.R p.value
## 1 Myo inositol 6TMS; 1 -0.01620 -0.019100 -0.013300 6.96e-27
## 2 Ribitol; 71 -0.01550 -0.018500 -0.012600 1.07e-24
## 3 Creatinine; 50 -0.01510 -0.018100 -0.012100 7.54e-23
## 4 Ribonic acid; 72 -0.01460 -0.017500 -0.011600 7.91e-22
## 5 2,4-Dihydroxybutanoic acid; 28 -0.01440 -0.017400 -0.011500 1.43e-21
## 6 3,4-Dihydroxybutanoic acid; 27 -0.01270 -0.015700 -0.009780 5.84e-17
## 7 4-Hydroxybenzeneacetic acid; 4 -0.01130 -0.014300 -0.008320 1.43e-13
## 8 4-Deoxytetrionic acid; 33 -0.01130 -0.014300 -0.008300 2.15e-13
## 9 4-Deoxytetrionic acid; 32 -0.01020 -0.013200 -0.007200 4.47e-11
## 10 Isoleucine, 2TMS; 18 0.00926 0.006270 0.012200 1.45e-09
## 11 2-Hydroxybutyric acid, 2TMS; 2 0.00925 0.006260 0.012200 1.60e-09
## 12 Valine, 2TMS; 20 0.00832 0.005350 0.011300 4.70e-08
## 13 Citric acid, 4TMS; 6 -0.00796 -0.011000 -0.004960 2.19e-07
## 14 Pyroglutamic acid; 69 -0.00789 -0.010900 -0.004870 3.49e-07
## 15 Hydroxyproline; 64 -0.00774 -0.010800 -0.004700 6.53e-07

```

## 16	3-Indoleacetic acid; 40	-0.00691	-0.009930	-0.003890	7.53e-06
## 17	Glyceryl-glycoside; 59	-0.00663	-0.009660	-0.003610	1.81e-05
## 18	4-Hydroxyphenyllactic acid; 44	-0.00635	-0.009380	-0.003320	4.13e-05
## 19	Serine, 3TMS; 14	0.00587	0.002830	0.008900	1.54e-04
## 20	Octanoic acid; 68	0.00583	0.002790	0.008870	1.74e-04
## 21	Leucine, 2TMS; 19	0.00575	0.002740	0.008750	1.83e-04
## 22	Stearic acid, TMS; 2	0.00565	0.002610	0.008680	2.70e-04
## 23	Methionine, 2TMS; 16	0.00526	0.002240	0.008280	6.56e-04
## 24	Tyrosine; 75	0.00510	0.002060	0.008150	1.03e-03
## 25	Glycine, 3TMS; 17	-0.00481	-0.007830	-0.001800	1.77e-03
## 26	2-hydroxy Isovaleric acid; 38	0.00485	0.001800	0.007890	1.81e-03
## 27	Eicosapentaenoic acid; 55	0.00473	0.001750	0.007720	1.90e-03
## 28	Fumaric acid, 2TMS; 9	-0.00456	-0.007600	-0.001520	3.29e-03
## 29	Cholesterol, TMS; 23	0.00424	0.001300	0.007170	4.66e-03
## 30	Palmitic acid, TMS; 5	0.00417	0.001150	0.007200	6.84e-03
## 31	Malic acid, 3TMS; 11	-0.00406	-0.007100	-0.001020	8.95e-03
## 32	Glyceric acid; 30	0.00379	0.000794	0.006790	1.32e-02
## 33	Docosahexaenoic acid; 53	0.00373	0.000729	0.006730	1.49e-02
## 34	Glycerol; 57	0.00379	0.000735	0.006850	1.51e-02
## 35	Alanine, 2TMS; 25	-0.00365	-0.006690	-0.000610	1.86e-02
## 36	Benzeneacetic acid; 47	-0.00355	-0.006590	-0.000519	2.17e-02
##	p.adj				
## 1		5.22e-25			
## 2		4.03e-23			
## 3		1.88e-21			
## 4		1.48e-20			
## 5		2.15e-20			
## 6		7.30e-16			
## 7		1.54e-12			
## 8		2.01e-12			
## 9		3.73e-10			
## 10		1.09e-08			
## 11		1.09e-08			
## 12		2.94e-07			
## 13		1.27e-06			
## 14		1.87e-06			
## 15		3.27e-06			
## 16		3.53e-05			
## 17		7.98e-05			
## 18		1.72e-04			
## 19		6.07e-04			
## 20		6.52e-04			
## 21		6.54e-04			
## 22		9.19e-04			
## 23		2.14e-03			
## 24		3.23e-03			
## 25		5.22e-03			
## 26		5.22e-03			
## 27		5.28e-03			
## 28		8.82e-03			
## 29		1.21e-02			
## 30		1.71e-02			
## 31		2.17e-02			
## 32		3.09e-02			

33 3.33e-02
34 3.33e-02
35 3.99e-02
36 4.53e-02

4.1.3.3 Table with All Metabolites

```
## [1] ""
## [1] "Table: Charcot.at.DATEJA"
## [1] " (from model: "
## [1] " ~ Charcot.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol + egfr)"
## [1] ""
##
## Name Coefficient CI.L CI.R p.value p.adj
## 1 Proline, 2TMS; 21 -0.66300 -1.05000 -0.2750 0.000826 0.0619
## 2 Threonine, 3TMS; 12 -0.62500 -1.02000 -0.2320 0.001820 0.0684
## 3 Leucine, 2TMS; 19 -0.56000 -0.94800 -0.1730 0.004650 0.1160
## 4 3,4-Dihydroxybutanoic acid; 27 0.51000 0.12900 0.8910 0.008760 0.1460
## 5 Valine, 2TMS; 20 -0.50600 -0.89000 -0.1220 0.009760 0.1460
## 6 Fumaric acid, 2TMS; 9 0.48500 0.09260 0.8770 0.015400 0.1930
## 7 Ribitol; 70 0.45800 0.06680 0.8500 0.021800 0.2060
## 8 2,4-Dihydroxybutanoic acid; 28 0.44100 0.06380 0.8190 0.022000 0.2060
## 9 Serine, 3TMS; 14 -0.43300 -0.82400 -0.0417 0.030100 0.2510
## 10 Methionine, 2TMS; 16 -0.40900 -0.79900 -0.0191 0.039800 0.2900
## 11 Stearic acid, TMS; 2 0.40500 0.01370 0.7960 0.042500 0.2900
## 12 Cholesterol, TMS; 23 0.38100 0.00281 0.7600 0.048300 0.3020
## 13 Ribitol; 71 0.36400 -0.01340 0.7420 0.058700 0.3160
## 14 Ribonic acid; 72 0.35800 -0.02120 0.7370 0.064300 0.3160
## 15 Tartronic acid; 73 0.36400 -0.02440 0.7520 0.066200 0.3160
## 16 Arabinopyranose; 51 0.36500 -0.02630 0.7570 0.067500 0.3160
## 17 Glyceric acid; 30 0.34300 -0.04300 0.7300 0.081500 0.3360
## 18 Dodecanoic acid; 54 0.34400 -0.04630 0.7340 0.084000 0.3360
## 19 Myo inositol 6TMS; 1 0.32700 -0.04930 0.7030 0.088500 0.3360
## 20 4-Deoxytetrionic acid; 33 -0.33400 -0.72100 0.0518 0.089600 0.3360
## 21 alpha-Tocopherol; 26 0.32500 -0.06110 0.7110 0.098900 0.3520
## 22 Pyroglutamic acid; 69 0.32400 -0.06590 0.7150 0.103000 0.3520
## 23 1,3-Propanediol; 34 0.32000 -0.07410 0.7140 0.111000 0.3630
## 24 Creatinine; 50 0.30500 -0.07800 0.6880 0.118000 0.3680
## 25 Glyceryl-glycoside; 59 0.30500 -0.08550 0.6950 0.126000 0.3680
## 26 Arachidonic acid, TMS; 24 0.30600 -0.08770 0.7000 0.128000 0.3680
## 27 Isoleucine, 2TMS; 18 -0.29400 -0.67900 0.0916 0.135000 0.3760
## 28 1-Dodecanol; 36 0.29300 -0.10100 0.6880 0.145000 0.3880
## 29 Myristoleic acid; 65 0.28600 -0.10400 0.6750 0.150000 0.3880
## 30 Decanoic acid; 52 0.28100 -0.10900 0.6710 0.157000 0.3910
## 31 Glycine, 3TMS; 17 0.27800 -0.11100 0.6660 0.162000 0.3910
## 32 Eicosapentaenoic acid; 55 0.25800 -0.12700 0.6430 0.190000 0.4440
## 33 Phenylalanine, 2TMS; 13 -0.25200 -0.64600 0.1420 0.210000 0.4730
## 34 Malic acid, 3TMS; 11 0.24800 -0.14400 0.6410 0.215000 0.4730
## 35 Benzeneacetic acid; 47 0.24100 -0.15000 0.6330 0.226000 0.4850
## 36 Citric acid, 4TMS; 6 0.23500 -0.15200 0.6220 0.234000 0.4870
## 37 Campesterol; 49 0.22800 -0.15900 0.6150 0.248000 0.4890
## 38 Palmitic acid, TMS; 5 0.22800 -0.16200 0.6180 0.251000 0.4890
## 39 2-hydroxy Isovaleric acid; 38 0.22700 -0.16600 0.6190 0.258000 0.4890
## 40 Succinic acid, 2TMS; 7 0.22600 -0.16800 0.6190 0.261000 0.4890
## 41 Bisphenol A; 48 0.22000 -0.17500 0.6160 0.275000 0.5020
## 42 Oleic acid, TMS; 3 0.21200 -0.17900 0.6030 0.288000 0.5150
## 43 Tyrosine; 75 -0.18800 -0.58100 0.2050 0.348000 0.6070
## 44 Tridecanoic acid; 74 0.17600 -0.21700 0.5690 0.379000 0.6340
```

## 45	Hydroxylamine; 62	-0.17600	-0.57000	0.2180	0.380000	0.6340
## 46	Alanine, 2TMS; 25	-0.16800	-0.56000	0.2240	0.400000	0.6530
## 47	3-Indoleacetic acid; 40	0.15900	-0.23000	0.5490	0.422000	0.6730
## 48	Aminomalonic acid; 45	0.14900	-0.24100	0.5380	0.455000	0.7050
## 49	Octanoic acid; 68	0.14400	-0.24800	0.5360	0.470000	0.7050
## 50	Glycerol; 57	0.14500	-0.25000	0.5390	0.472000	0.7050
## 51	Docosahexaenoic acid; 53	0.14000	-0.24800	0.5270	0.480000	0.7050
## 52	Pyruvic acid; 31	0.13300	-0.26000	0.5250	0.507000	0.7180
## 53	Nonanoic acid; 67	0.13300	-0.26100	0.5280	0.508000	0.7180
## 54	4-Hydroxybenzeneacetic acid; 4	0.12500	-0.25800	0.5080	0.523000	0.7180
## 55	Ethanolamine; 56	-0.12700	-0.52100	0.2670	0.526000	0.7180
## 56	4-Deoxytetroneic acid; 32	0.11900	-0.27200	0.5090	0.551000	0.7380
## 57	3-Hydroxybutyric acid, 2TMS; 1	-0.11300	-0.50800	0.2830	0.576000	0.7540
## 58	3-Indolepropionic acid; 41	-0.11000	-0.50100	0.2820	0.583000	0.7540
## 59	Arachidic acid; 46	0.10700	-0.28600	0.5000	0.594000	0.7550
## 60	alpha-ketoglutaric acid, TMS M	0.09440	-0.29900	0.4880	0.638000	0.7950
## 61	1-Monopalmitin; 37	0.09240	-0.30300	0.4870	0.646000	0.7950
## 62	11-Eicosenoic acid; 35	0.08740	-0.30600	0.4810	0.663000	0.8020
## 63	Heptadecanoic acid; 60	0.08010	-0.31300	0.4730	0.689000	0.8210
## 64	Nonadecanoic acid; 66	0.07160	-0.32200	0.4650	0.721000	0.8450
## 65	Lactic acid; 29	0.06840	-0.32400	0.4610	0.732000	0.8450
## 66	2-Hydroxybutyric acid, 2TMS; 2	0.05810	-0.32800	0.4440	0.768000	0.8720
## 67	Linoleic acid, TMS; 4	0.04900	-0.34300	0.4410	0.806000	0.9010
## 68	4-Hydroxybutanoic acid; 43	-0.04640	-0.44000	0.3470	0.817000	0.9010
## 69	Heptadecanoic acid; 61	0.04090	-0.35200	0.4340	0.838000	0.9110
## 70	Glycerol; 58	-0.03390	-0.43000	0.3620	0.867000	0.9280
## 71	Hydroxyproline; 64	-0.02660	-0.41900	0.3650	0.894000	0.9380
## 72	4-Hydroxyphenyllactic acid; 44	0.02480	-0.36600	0.4160	0.901000	0.9380
## 73	L-5-Oxoproline; 63	-0.02190	-0.41500	0.3710	0.913000	0.9380
## 74	2-Palmitoylglycerol; 39	-0.01480	-0.40900	0.3790	0.941000	0.9540
## 75	Glutamic acid, 3TMS; 8	-0.00921	-0.39600	0.3770	0.963000	0.9630

4.1.4 Fully-Adjusted Model


```
## [1] "Fitting models:"  
## [1] "~ Charcot.at.DATE + Age.x + Gender.x + Hba1c_baseline + CALSBP + bmi + Smoking + Statin + log_B  
## [1] ""
```


4.1.4.1 Forest Plot of Model Coefficients

```
## Warning: Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
```

Coefficient: Charcot.at.DATEJA

Model: ~ Charcot.at.DATE + Age.x + Gender.x + Hba1c
... + Total_cholesterol + egfr + logUAER



4.1.4.2 Tables of Model Coefficients

```

## [1] ""
## [1] "Table: Charcot.at.DATEJA"
## [1] " (from model: "
## [1] " ~ Charcot.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol + egfr + logUAER)"
## [1] ""
##
##          Name Coefficient  CI.L  CI.R  p.value  p.adj
## 1 Proline, 2TMS; 21      -0.717 -1.11 -0.321 0.000389 0.0292
## [1] ""
## [1] "Table: Age.x"
## [1] " (from model: "
## [1] " ~ Charcot.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol + egfr + logUAER)"
## [1] ""
##
##          Name Coefficient  CI.L  CI.R  p.value  p.adj
## 1      Eicosapentaenoic acid; 55      0.0252 0.01790 0.0326 2.35e-11 1.76e-09
## 2      Docosahexaenoic acid; 53      0.0137 0.00634 0.0211 2.77e-04 1.04e-02
## 3 alpha-ketoglutaric acid, TMS M      0.0124 0.00491 0.0200 1.22e-03 3.04e-02
## 4          Pyruvic acid; 31      0.0118 0.00427 0.0193 2.15e-03 4.03e-02
## [1] ""
## [1] "Table: Gender.x"
## [1] " (from model: "
## [1] " ~ Charcot.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol + egfr + logUAER)"
## [1] ""
##
##          Name Coefficient  CI.L  CI.R  p.value  p.adj
## 1      4-Deoxytetronic acid; 33      0.399 0.2350 0.5640 2.01e-06 0.000151
## 2          Tartronic acid; 73      -0.379 -0.5450 -0.2140 7.53e-06 0.000282
## 3          Glyceric acid; 30      -0.358 -0.5220 -0.1940 2.07e-05 0.000490
## 4      Methionine, 2TMS; 16      0.353 0.1870 0.5190 3.17e-05 0.000490
## 5          Proline, 2TMS; 21      0.348 0.1830 0.5140 3.78e-05 0.000490
## 6      Myristoleic acid; 65      -0.350 -0.5160 -0.1830 3.92e-05 0.000490
## 7          Valine, 2TMS; 20      0.327 0.1640 0.4900 8.57e-05 0.000918
## 8      Cholesterol, TMS; 23      -0.295 -0.4560 -0.1350 3.24e-04 0.002810
## 9          Leucine, 2TMS; 19      0.303 0.1370 0.4680 3.37e-04 0.002810
## 10         Oleic acid, TMS; 3      -0.295 -0.4620 -0.1280 5.41e-04 0.004060
## 11         Citric acid, 4TMS; 6      -0.284 -0.4490 -0.1190 7.50e-04 0.004840
## 12         Dodecanoic acid; 54      -0.286 -0.4530 -0.1200 7.75e-04 0.004840
## 13         Glycine, 3TMS; 17      -0.275 -0.4410 -0.1090 1.17e-03 0.006730
## 14         Isoleucine, 2TMS; 18      0.261 0.0965 0.4250 1.87e-03 0.009640
## 15         Hydroxyproline; 64      0.265 0.0977 0.4320 1.93e-03 0.009640
## 16 2-hydroxy Isovaleric acid; 38      0.258 0.0903 0.4250 2.58e-03 0.012100
## 17         Aminomalonic acid; 45      -0.248 -0.4140 -0.0822 3.41e-03 0.015100
## 18         Docosahexaenoic acid; 53      -0.243 -0.4080 -0.0787 3.81e-03 0.015800
## 19         Decanoic acid; 52      -0.245 -0.4110 -0.0783 4.00e-03 0.015800
## 20         Stearic acid, TMS; 2      -0.239 -0.4060 -0.0718 5.11e-03 0.019200
## 21         Glutamic acid, 3TMS; 8      0.224 0.0598 0.3890 7.55e-03 0.027000
## 22         Succinic acid, 2TMS; 7      -0.221 -0.3890 -0.0531 9.90e-03 0.033500
## 23         Palmitic acid, TMS; 5      -0.218 -0.3840 -0.0516 1.03e-02 0.033500

```

```

## 24          Tridecanoic acid; 74          -0.218 -0.3860 -0.0499 1.11e-02 0.034600
## 25          Nonadecanoic acid; 66         -0.205 -0.3730 -0.0375 1.65e-02 0.049600
## [1] ""
## [1] "Table: Hba1c_baseline"
## [1] " (from model: "
## [1] " ~ Charcot.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol + egfr + logUAER)"
## [1] ""
##
##          Name Coefficient    CI.L    CI.R p.value  p.adj
## 1          Valine, 2TMS; 20      0.147  0.0740  0.2210 8.46e-05 0.00634
## 2          Ethanolamine; 56      0.137  0.0615  0.2130 3.88e-04 0.01020
## 3          Alanine, 2TMS; 25      0.133  0.0581  0.2090 5.25e-04 0.01020
## 4 Eicosapentaenoic acid; 55      -0.130 -0.2040 -0.0566 5.43e-04 0.01020
## 5          Arabinopyranose; 51     0.118  0.0433  0.1940 2.03e-03 0.03050
## 6 Docosahexaenoic acid; 53      -0.114 -0.1880 -0.0398 2.62e-03 0.03270
## [1] ""
## [1] "Table: CALSBP"
## [1] " (from model: "
## [1] " ~ Charcot.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol + egfr + logUAER)"
## [1] ""
## [1] "No significant associations at p.adj < 0.05"
## [1] ""
## [1] "Table: bmi"
## [1] " (from model: "
## [1] " ~ Charcot.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol + egfr + logUAER)"
## [1] ""
##
##          Name Coefficient    CI.L    CI.R p.value  p.adj
## 1          Glutamic acid, 3TMS; 8   0.0450  0.0245  0.0656 1.81e-05 0.00136
## 2 2-Hydroxybutyric acid, 2TMS; 2   0.0415  0.0210  0.0620 7.67e-05 0.00259
## 3          Campesterol; 49          -0.0407 -0.0613 -0.0202 1.04e-04 0.00259
## 4          Decanoic acid; 52        -0.0366 -0.0574 -0.0158 5.75e-04 0.01080
## [1] ""
## [1] "Table: Smoking"
## [1] " (from model: "
## [1] " ~ Charcot.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol + egfr + logUAER)"
## [1] ""
##
##          Name Coefficient    CI.L    CI.R p.value  p.adj
## 1 3-Indolepropionic acid; 41        -0.351 -0.550 -0.153 0.000538 0.0156
## 2          Tartronic acid; 73        -0.341 -0.538 -0.145 0.000684 0.0156
## 3 Docosahexaenoic acid; 53        -0.339 -0.535 -0.143 0.000700 0.0156
## 4          Glutamic acid, 3TMS; 8    0.334  0.138  0.529 0.000831 0.0156
## 5          Valine, 2TMS; 20          -0.301 -0.495 -0.107 0.002350 0.0302
## 6          Glyceric acid; 30         -0.299 -0.494 -0.103 0.002750 0.0302
## 7          alpha-Tocopherol; 26      -0.298 -0.494 -0.103 0.002820 0.0302
## [1] ""
## [1] "Table: Statin"
## [1] " (from model: "

```

```

## [1] " ~ Charcot.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol + egfr + logUAER)"
## [1] ""
## [1] "No significant associations at p.adj < 0.05"
## [1] ""
## [1] "Table: log_Blood_TGA"
## [1] " (from model: "
## [1] " ~ Charcot.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol + egfr + logUAER)"
## [1] ""
##
## Name Coefficient CI.L CI.R p.value p.adj
## 1 Palmitic acid, TMS; 5 0.293 0.1610 0.426 1.52e-05 0.00110
## 2 Dodecanoic acid; 54 0.277 0.1450 0.410 4.43e-05 0.00110
## 3 Stearic acid, TMS; 2 0.278 0.1450 0.411 4.46e-05 0.00110
## 4 Octanoic acid; 68 0.273 0.1400 0.406 5.88e-05 0.00110
## 5 Arachidic acid; 46 0.267 0.1330 0.401 9.37e-05 0.00140
## 6 Decanoic acid; 52 0.252 0.1190 0.385 2.01e-04 0.00252
## 7 2-Hydroxybutyric acid, 2TMS; 2 0.244 0.1130 0.375 2.58e-04 0.00276
## 8 Oleic acid, TMS; 3 0.224 0.0913 0.357 9.65e-04 0.00905
## 9 Lactic acid; 29 0.205 0.0713 0.338 2.65e-03 0.02210
## 10 Glyceryl-glycoside; 59 0.200 0.0673 0.333 3.15e-03 0.02360
## 11 Arabinopyranose; 51 0.188 0.0548 0.321 5.69e-03 0.03880
## 12 3,4-Dihydroxybutanoic acid; 27 0.174 0.0460 0.303 7.80e-03 0.04240
## 13 Heptadecanoic acid; 60 0.182 0.0478 0.315 7.84e-03 0.04240
## 14 Ribonic acid; 72 0.172 0.0439 0.300 8.51e-03 0.04240
## 15 Myristoleic acid; 65 0.177 0.0444 0.309 8.91e-03 0.04240
## 16 Isoleucine, 2TMS; 18 0.174 0.0434 0.305 9.05e-03 0.04240
## 17 4-Hydroxybenzeneacetic acid; 4 0.171 0.0411 0.301 9.95e-03 0.04390
## 18 Fumaric acid, 2TMS; 9 0.173 0.0401 0.306 1.08e-02 0.04490
## [1] ""
## [1] "Table: Total_cholesterol"
## [1] " (from model: "
## [1] " ~ Charcot.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol + egfr + logUAER)"
## [1] ""
##
## Name Coefficient CI.L CI.R p.value p.adj
## 1 Cholesterol, TMS; 23 0.456 0.3620 0.5510 7.87e-21 5.90e-19
## 2 Campesterol; 49 0.380 0.2830 0.4760 1.87e-14 7.01e-13
## 3 alpha-Tocopherol; 26 0.329 0.2320 0.4250 3.10e-11 7.75e-10
## 4 Benzeneacetic acid; 47 -0.185 -0.2830 -0.0872 2.16e-04 4.05e-03
## 5 Linoleic acid, TMS; 4 0.182 0.0843 0.2800 2.72e-04 4.09e-03
## 6 Isoleucine, 2TMS; 18 -0.170 -0.2660 -0.0734 5.56e-04 5.58e-03
## 7 4-Hydroxybutanoic acid; 43 -0.174 -0.2720 -0.0751 5.65e-04 5.58e-03
## 8 Proline, 2TMS; 21 -0.170 -0.2670 -0.0731 5.95e-04 5.58e-03
## 9 L-5-Oxoproline; 63 -0.168 -0.2660 -0.0694 8.43e-04 7.03e-03
## 10 Eicosapentaenoic acid; 55 0.158 0.0615 0.2540 1.32e-03 9.59e-03
## 11 Methionine, 2TMS; 16 -0.158 -0.2560 -0.0611 1.43e-03 9.59e-03
## 12 Tyrosine; 75 -0.159 -0.2570 -0.0607 1.53e-03 9.59e-03
## 13 Threonine, 3TMS; 12 -0.153 -0.2510 -0.0542 2.38e-03 1.32e-02
## 14 Docosahexaenoic acid; 53 0.149 0.0527 0.2460 2.47e-03 1.32e-02
## 15 Glycine, 3TMS; 17 -0.146 -0.2430 -0.0485 3.33e-03 1.67e-02

```

```

## 16 Alanine, 2TMS; 25 -0.142 -0.2400 -0.0441 4.52e-03 2.12e-02
## 17 4-Hydroxybenzeneacetic acid; 4 -0.129 -0.2250 -0.0334 8.21e-03 3.62e-02
## 18 Glyceryl-glycoside; 59 -0.128 -0.2250 -0.0303 1.03e-02 4.08e-02
## 19 Arabinopyranose; 51 -0.127 -0.2250 -0.0291 1.10e-02 4.08e-02
## 20 Serine, 3TMS; 14 -0.127 -0.2250 -0.0290 1.11e-02 4.08e-02
## 21 Hydroxylamine; 62 -0.127 -0.2260 -0.0287 1.14e-02 4.08e-02
## 22 Malic acid, 3TMS; 11 -0.125 -0.2230 -0.0271 1.24e-02 4.10e-02
## 23 2-Palmitoylglycerol; 39 0.126 0.0270 0.2240 1.26e-02 4.10e-02
## 24 2,4-Dihydroxybutanoic acid; 28 -0.116 -0.2090 -0.0219 1.56e-02 4.88e-02
## [1] ""
## [1] "Table: egfr"
## [1] " (from model: "
## [1] " ~ Charcot.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol + egfr + logUAER)"
## [1] ""
## Name Coefficient CI.L CI.R p.value
## 1 Myo inositol 6TMS; 1 -0.01600 -0.019200 -0.01290 9.69e-23
## 2 Ribitol; 71 -0.01500 -0.018100 -0.01180 6.87e-20
## 3 Creatinine; 50 -0.01490 -0.018100 -0.01160 4.67e-19
## 4 2,4-Dihydroxybutanoic acid; 28 -0.01440 -0.017600 -0.01120 1.32e-18
## 5 Ribonic acid; 72 -0.01330 -0.016500 -0.01010 4.81e-16
## 6 4-Deoxytetroneic acid; 33 -0.01140 -0.014700 -0.00817 8.43e-12
## 7 3,4-Dihydroxybutanoic acid; 27 -0.01100 -0.014200 -0.00779 2.15e-11
## 8 4-Hydroxybenzeneacetic acid; 4 -0.01110 -0.014300 -0.00785 2.54e-11
## 9 Isoleucine, 2TMS; 18 0.00951 0.006260 0.01280 1.12e-08
## 10 4-Deoxytetroneic acid; 32 -0.00895 -0.012200 -0.00567 1.02e-07
## 11 Citric acid, 4TMS; 6 -0.00863 -0.011900 -0.00536 2.57e-07
## 12 Pyroglutamic acid; 69 -0.00869 -0.012000 -0.00539 2.66e-07
## 13 2-Hydroxybutyric acid, 2TMS; 2 0.00802 0.004770 0.01130 1.43e-06
## 14 4-Hydroxyphenyllactic acid; 44 -0.00776 -0.011100 -0.00446 4.30e-06
## 15 3-Indoleacetic acid; 40 -0.00739 -0.010700 -0.00410 1.13e-05
## 16 Valine, 2TMS; 20 0.00720 0.003970 0.01040 1.31e-05
## 17 Hydroxyproline; 64 -0.00651 -0.009820 -0.00319 1.22e-04
## 18 Glyceryl-glycoside; 59 -0.00628 -0.009580 -0.00298 1.94e-04
## 19 Leucine, 2TMS; 19 0.00584 0.002570 0.00912 4.75e-04
## 20 Serine, 3TMS; 14 0.00591 0.002600 0.00922 4.76e-04
## 21 Glycine, 3TMS; 17 -0.00571 -0.009000 -0.00243 6.65e-04
## 22 Fumaric acid, 2TMS; 9 -0.00550 -0.008810 -0.00219 1.14e-03
## 23 Eicosapentaenoic acid; 55 0.00527 0.002020 0.00851 1.49e-03
## 24 Stearic acid, TMS; 2 0.00530 0.001990 0.00861 1.73e-03
## 25 Methionine, 2TMS; 16 0.00467 0.001390 0.00796 5.37e-03
## 26 Palmitic acid, TMS; 5 0.00401 0.000715 0.00731 1.71e-02
## p.adj
## 1 7.27e-21
## 2 2.57e-18
## 3 1.17e-17
## 4 2.47e-17
## 5 7.21e-15
## 6 1.05e-10
## 7 2.31e-10
## 8 2.38e-10
## 9 9.35e-08
## 10 7.64e-07

```

```

## 11 1.66e-06
## 12 1.66e-06
## 13 8.25e-06
## 14 2.30e-05
## 15 5.67e-05
## 16 6.12e-05
## 17 5.38e-04
## 18 8.09e-04
## 19 1.79e-03
## 20 1.79e-03
## 21 2.37e-03
## 22 3.90e-03
## 23 4.86e-03
## 24 5.42e-03
## 25 1.61e-02
## 26 4.94e-02
## [1] ""
## [1] "Table: logUAER"
## [1] " (from model: "
## [1] " ~ Charcot.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol + egfr + logUAER)"
## [1] ""
##
## Name Coefficient CI.L CI.R p.value p.adj
## 1 3,4-Dihydroxybutanoic acid; 27 0.0714 0.0316 0.111 0.00045 0.0338

```

4.1.4.3 Table with All Metabolites


```

## [1] ""
## [1] "Table: Charcot.at.DATEJA"
## [1] " (from model: "
## [1] " ~ Charcot.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol + egfr + logUAER)"
## [1] ""
##
## Name Coefficient CI.L CI.R p.value p.adj
## 1 Proline, 2TMS; 21 -0.7170 -1.1100 -0.32100 0.000389 0.0292
## 2 Threonine, 3TMS; 12 -0.6170 -1.0200 -0.21600 0.002580 0.0638
## 3 Valine, 2TMS; 20 -0.5870 -0.9760 -0.19700 0.003190 0.0638
## 4 Leucine, 2TMS; 19 -0.5910 -0.9860 -0.19600 0.003400 0.0638
## 5 3,4-Dihydroxybutanoic acid; 27 0.5210 0.1360 0.90600 0.008090 0.1210
## 6 Malic acid, 3TMS; 11 0.4770 0.0782 0.87600 0.019100 0.1790
## 7 Cholesterol, TMS; 23 0.4590 0.0750 0.84400 0.019200 0.1790
## 8 Fumaric acid, 2TMS; 9 0.4770 0.0776 0.87600 0.019300 0.1790
## 9 Serine, 3TMS; 14 -0.4690 -0.8680 -0.06910 0.021500 0.1790
## 10 2,4-Dihydroxybutanoic acid; 28 0.4390 0.0571 0.82200 0.024300 0.1820
## 11 Ribitol; 70 0.4430 0.0435 0.84300 0.029800 0.1900
## 12 Stearic acid, TMS; 2 0.4410 0.0418 0.84100 0.030400 0.1900
## 13 Methionine, 2TMS; 16 -0.3920 -0.7890 0.00478 0.052800 0.2900
## 14 Arabinopyranose; 51 0.3870 -0.0122 0.78700 0.057400 0.2900
## 15 Ribonic acid; 72 0.3640 -0.0198 0.74800 0.063100 0.2900
## 16 Ribitol; 71 0.3600 -0.0224 0.74200 0.065000 0.2900
## 17 Dodecanoic acid; 54 0.3740 -0.0244 0.77300 0.065800 0.2900
## 18 Glyceric acid; 30 0.3620 -0.0316 0.75500 0.071500 0.2920
## 19 Arachidonic acid, TMS; 24 0.3610 -0.0400 0.76300 0.077600 0.2920
## 20 Myo inositol 6TMS; 1 0.3410 -0.0393 0.72200 0.078800 0.2920
## 21 Succinic acid, 2TMS; 7 0.3560 -0.0454 0.75700 0.082100 0.2920
## 22 Tartronic acid; 73 0.3470 -0.0492 0.74300 0.086100 0.2920
## 23 1,3-Propanediol; 34 0.3490 -0.0538 0.75100 0.089500 0.2920
## 24 Pyroglutamic acid; 69 0.3320 -0.0665 0.73000 0.102000 0.3120
## 25 Isoleucine, 2TMS; 18 -0.3250 -0.7170 0.06680 0.104000 0.3120
## 26 alpha-Tocopherol; 26 0.3130 -0.0800 0.70600 0.118000 0.3240
## 27 Myristoleic acid; 65 0.3160 -0.0812 0.71400 0.119000 0.3240
## 28 Creatinine; 50 0.3080 -0.0814 0.69700 0.121000 0.3240
## 29 Decanoic acid; 52 0.3020 -0.0959 0.70100 0.137000 0.3530
## 30 4-Deoxytetronic acid; 33 -0.2820 -0.6750 0.11000 0.159000 0.3900
## 31 Oleic acid, TMS; 3 0.2860 -0.1140 0.68500 0.161000 0.3900
## 32 Palmitic acid, TMS; 5 0.2760 -0.1220 0.67300 0.174000 0.3910
## 33 Phenylalanine, 2TMS; 13 -0.2740 -0.6760 0.12900 0.183000 0.3910
## 34 1-Dodecanol; 36 0.2740 -0.1290 0.67700 0.183000 0.3910
## 35 Campesterol; 49 0.2650 -0.1280 0.65700 0.186000 0.3910
## 36 Glycine, 3TMS; 17 0.2660 -0.1300 0.66300 0.188000 0.3910
## 37 Glyceryl-glycoside; 59 0.2470 -0.1510 0.64500 0.224000 0.4540
## 38 Nonanoic acid; 67 0.2440 -0.1590 0.64700 0.236000 0.4540
## 39 Citric acid, 4TMS; 6 0.2380 -0.1560 0.63300 0.236000 0.4540
## 40 2-hydroxy Isovaleric acid; 38 0.2370 -0.1630 0.63800 0.245000 0.4600
## 41 Tyrosine; 75 -0.2180 -0.6180 0.18300 0.286000 0.5240
## 42 Benzeneacetic acid; 47 0.2040 -0.1950 0.60400 0.316000 0.5640
## 43 Eicosapentaenoic acid; 55 0.1960 -0.1960 0.58800 0.326000 0.5680
## 44 Lactic acid; 29 0.1890 -0.2110 0.58900 0.353000 0.6020

```

## 45	Tridecanoic acid; 74	0.1780	-0.2240	0.57900	0.385000	0.6260
## 46	Glycerol; 57	0.1780	-0.2250	0.58100	0.387000	0.6260
## 47	Alanine, 2TMS; 25	-0.1740	-0.5740	0.22500	0.392000	0.6260
## 48	Hydroxylamine; 62	-0.1630	-0.5650	0.24000	0.428000	0.6580
## 49	Pyruvic acid; 31	0.1610	-0.2400	0.56200	0.432000	0.6580
## 50	Octanoic acid; 68	0.1580	-0.2420	0.55700	0.439000	0.6580
## 51	alpha-ketoglutaric acid, TMS M	0.1560	-0.2460	0.55700	0.447000	0.6580
## 52	Bisphenol A; 48	0.1520	-0.2520	0.55600	0.461000	0.6650
## 53	Aminomalonic acid; 45	0.1450	-0.2520	0.54200	0.474000	0.6660
## 54	2-Hydroxybutyric acid, 2TMS; 2	0.1410	-0.2510	0.53400	0.480000	0.6660
## 55	Docosahexaenoic acid; 53	0.1380	-0.2560	0.53200	0.492000	0.6700
## 56	3-Indoleacetic acid; 40	0.1360	-0.2610	0.53300	0.500000	0.6700
## 57	Linoleic acid, TMS; 4	0.1150	-0.2850	0.51500	0.572000	0.7420
## 58	3-Hydroxybutyric acid, 2TMS; 1	-0.1160	-0.5200	0.28800	0.574000	0.7420
## 59	3-Indolepropionic acid; 41	-0.1040	-0.5030	0.29600	0.610000	0.7760
## 60	Arachidic acid; 46	0.0964	-0.3050	0.49800	0.638000	0.7880
## 61	4-Hydroxybenzeneacetic acid; 4	0.0929	-0.2970	0.48300	0.641000	0.7880
## 62	Ethanolamine; 56	-0.0907	-0.4930	0.31100	0.658000	0.7950
## 63	1-Monopalmitin; 37	0.0884	-0.3150	0.49200	0.667000	0.7950
## 64	4-Deoxytetronic acid; 32	0.0766	-0.3190	0.47300	0.704000	0.8250
## 65	Heptadecanoic acid; 61	-0.0669	-0.4690	0.33500	0.744000	0.8550
## 66	11-Eicosenoic acid; 35	0.0612	-0.3410	0.46400	0.766000	0.8550
## 67	Nonadecanoic acid; 66	0.0601	-0.3410	0.46200	0.769000	0.8550
## 68	4-Hydroxyphenyllactic acid; 44	0.0581	-0.3400	0.45600	0.775000	0.8550
## 69	L-5-Oxoproline; 63	0.0508	-0.3500	0.45200	0.804000	0.8740
## 70	Glycerol; 58	0.0388	-0.3650	0.44300	0.851000	0.9110
## 71	Hydroxyproline; 64	-0.0343	-0.4340	0.36600	0.866000	0.9130
## 72	2-Palmitoylglycerol; 39	-0.0290	-0.4310	0.37300	0.888000	0.9130
## 73	Heptadecanoic acid; 60	0.0287	-0.3730	0.43000	0.888000	0.9130
## 74	Glutamic acid, 3TMS; 8	-0.0223	-0.4150	0.37100	0.911000	0.9200
## 75	4-Hydroxybutanoic acid; 43	-0.0207	-0.4230	0.38200	0.920000	0.9200

4.1.5 Compilation




4.2 Charcot from DATE

4.2.1 Crude Model

4.2.1.1 Forest Plot of Model Coefficients

Warning: Ignoring unknown aesthetics: x



4.2.1.2 Table with All Metabolites

Name	exp(coef)	Lower 95 %	Upper 95 %	Pr(> z)	p.adj
Ribonic acid	3.55	1.83	6.89	0.000182	0.0136
Ribitol (2)	2.91	1.57	5.4	0.000706	0.0265
Creatinine	2.61	1.43	4.77	0.00184	0.0427
Myo inositol	2.27	1.34	3.84	0.00228	0.0427
Tyrosine	0.698	0.545	0.895	0.00455	0.0655
2,4-Dihydroxybutanoic acid	2.18	1.26	3.77	0.00524	0.0655
Malic acid	2.06	1.2	3.54	0.00868	0.093
3,4-Dihydroxybutanoic acid	2.05	1.18	3.56	0.0106	0.099
Citric acid	2.1	1.18	3.76	0.012	0.1
4-Hydroxybenzeneacetic acid	2.2	1.17	4.14	0.0146	0.109
Valine	0.597	0.389	0.918	0.0187	0.128
Tartronic acid	2.28	1.13	4.62	0.022	0.137
Benzeneacetic acid	2.15	1.07	4.34	0.0324	0.177
Leucine	0.729	0.546	0.975	0.0333	0.177
Hydroxylamine	1.92	1.05	3.54	0.0354	0.177
Isoleucine	0.727	0.531	0.996	0.0473	0.213
4-Deoxytetronic acid (1)	1.82	1	3.29	0.0484	0.213
Ethanolamine	0.599	0.356	1.01	0.0536	0.223
2-hydroxy Isovaleric acid	0.662	0.423	1.03	0.0702	0.277
Methionine	0.696	0.453	1.07	0.0982	0.368
Serine	0.696	0.443	1.09	0.115	0.411
Pyruvic acid	0.697	0.436	1.12	0.132	0.436
Glycerol (2)	1.57	0.87	2.84	0.134	0.436
Linoleic acid	1.55	0.832	2.87	0.168	0.526
Octanoic acid	0.815	0.6	1.11	0.191	0.532
Fumaric acid	1.44	0.824	2.53	0.2	0.532
Glyceric acid	1.47	0.796	2.73	0.217	0.532
Stearic acid	1.37	0.83	2.27	0.218	0.532
4-Deoxytetronic acid (2)	1.49	0.789	2.81	0.22	0.532
L-5-Oxoproline	1.45	0.797	2.64	0.224	0.532
Glycerol (1)	1.59	0.744	3.38	0.232	0.532
Nonanoic acid	1.42	0.796	2.55	0.234	0.532
4-Hydroxybutanoic acid	1.4	0.799	2.44	0.241	0.532
Alanine	0.749	0.463	1.21	0.241	0.532
Glyceryl-glycoside	1.48	0.732	3	0.274	0.557
4-Hydroxyphenyllactic acid	1.44	0.749	2.76	0.275	0.557
Proline	0.76	0.462	1.25	0.28	0.557
alpha-ketoglutaric acid	0.837	0.602	1.16	0.289	0.557
Arabinopyranose	1.45	0.72	2.9	0.3	0.557
Succinic acid	1.34	0.768	2.34	0.303	0.557
Pyroglutamic acid	1.44	0.72	2.87	0.305	0.557
Tridecanoic acid	1.41	0.72	2.76	0.317	0.566
11-Eicosenoic acid	1.38	0.722	2.63	0.33	0.575
3-Hydroxybutyric acid	0.767	0.443	1.33	0.345	0.587
Glutamic acid	0.802	0.5	1.28	0.358	0.597
Threonine	0.845	0.582	1.23	0.378	0.615
Docosaehaenoic acid	1.33	0.697	2.55	0.386	0.615
Lactic acid	0.818	0.506	1.32	0.411	0.623
Glycine	1.25	0.729	2.14	0.418	0.623
2-Hydroxybutyric acid	0.819	0.496	1.35	0.437	0.623


Name	exp(coef)	Lower 95 %	Upper 95 %	Pr(> z)	p.adj
3-Indoleacetic acid	0.825	0.503	1.35	0.447	0.623
3-Indolepropionic acid	0.86	0.574	1.29	0.464	0.623
1,3-Propanediol	1.27	0.661	2.46	0.469	0.623
Arachidonic acid	1.25	0.684	2.28	0.471	0.623
Nonadecanoic acid	1.29	0.641	2.61	0.474	0.623
Arachidic acid	1.2	0.729	1.96	0.478	0.623
Ribitol (1)	1.22	0.703	2.11	0.481	0.623
Decanoic acid	0.842	0.521	1.36	0.482	0.623
Eicosapentaenoic acid	0.846	0.51	1.4	0.515	0.655
Hydroxyproline	1.19	0.677	2.09	0.546	0.682
Myristoleic acid	1.13	0.64	1.99	0.675	0.823
alpha-Tocopherol	1.13	0.623	2.07	0.681	0.823
Bisphenol A	1.1	0.641	1.9	0.724	0.862
Oleic acid	1.08	0.632	1.86	0.769	0.901
Aminomalonic acid	1.07	0.617	1.87	0.802	0.925
Cholesterol	0.939	0.547	1.61	0.82	0.927
Heptadecanoic acid (2)	1.06	0.606	1.86	0.835	0.927
Phenylalanine	0.946	0.554	1.62	0.84	0.927
1-Monopalmitin	1.05	0.605	1.83	0.854	0.928
Palmitic acid	1.04	0.601	1.81	0.88	0.939
2-Palmitoylglycerol	0.963	0.563	1.65	0.889	0.939
Dodecanoic acid	1.03	0.601	1.77	0.913	0.951
Campesterol	1.02	0.598	1.75	0.932	0.957
1-Dodecanol	0.994	0.573	1.73	0.984	0.99
Heptadecanoic acid (1)	0.997	0.573	1.73	0.99	0.99

4.2.1.3 Top-Metabolite

```
## Call:
## survival::coxph(formula = survival::Surv(time = Charcot.tdiff,
##     event = Charcot.from.DATE) ~ Ribonic_acid, data = data.km)
##
##   n= 611, number of events= 13
##   (26 observations deleted due to missingness)
##
##           coef exp(coef) se(coef)      z Pr(>|z|)
## Ribonic_acid 1.288      3.625    0.344 3.743 0.000182 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
##           exp(coef) exp(-coef) lower .95 upper .95
## Ribonic_acid      3.625      0.2759      1.847      7.114
##
## Concordance= 0.833 (se = 0.036 )
## Likelihood ratio test= 15.28 on 1 df,  p=9e-05
## Wald test              = 14.01 on 1 df,  p=2e-04
## Score (logrank) test = 12.37 on 1 df,  p=4e-04
```

4.2.1.4 Kaplan-Maier Curve with Median Cutpoint

- Top metabolite



Number at risk							
Ribonic_acid= >50%		297	294	291	290	289	42
Ribonic_acid= <50%		314	314	314	314	314	92

Cumulative number of events							
Ribonic_acid= >50%		0	3	6	7	8	13
Ribonic_acid= <50%		0	0	0	0	0	0

4.2.2 Adjusted Model

4.2.2.1 Forest Plot of Model Coefficients

```
## NULL
```

4.2.2.2 Table with All Metabolites

Name	exp(coef)	Lower 95 %	Upper 95 %	Pr(> z)	p.adj
Ribonic acid	3.13	1.58	6.19	0.00106	0.0796
Ribitol (2)	2.57	1.34	4.91	0.00435	0.128
Creatinine	2.38	1.3	4.38	0.00511	0.128
Valine	0.533	0.331	0.857	0.0094	0.128
Tyrosine	0.711	0.548	0.923	0.0103	0.128
Myo inositol	2.05	1.17	3.61	0.0126	0.128
2,4-Dihydroxybutanoic acid	2.11	1.17	3.8	0.0128	0.128
Citric acid	2.19	1.17	4.11	0.0149	0.128
Tartronic acid	2.31	1.17	4.56	0.0153	0.128
Hydroxylamine	2.15	1.11	4.16	0.0226	0.155
Isoleucine	0.694	0.506	0.95	0.0228	0.155
3,4-Dihydroxybutanoic acid	1.92	1.06	3.48	0.0313	0.196
Leucine	0.733	0.55	0.979	0.0351	0.202
Benzeneacetic acid	2.23	1.04	4.8	0.0403	0.202
Ethanolamine	0.56	0.322	0.975	0.0404	0.202
4-Hydroxybenzeneacetic acid	1.99	1.01	3.94	0.047	0.215
Malic acid	1.78	0.999	3.17	0.0504	0.215
Pyruvic acid	0.604	0.363	1	0.0518	0.215
4-Deoxytetronic acid (1)	1.83	0.989	3.38	0.0544	0.215
2-hydroxy Isovaleric acid	0.65	0.411	1.03	0.0664	0.249
Methionine	0.642	0.383	1.07	0.0918	0.328
Glycerol (2)	1.72	0.905	3.28	0.0977	0.333
Octanoic acid	0.687	0.435	1.09	0.108	0.352
Alanine	0.68	0.416	1.11	0.125	0.355
3-Indoleacetic acid	0.642	0.364	1.13	0.125	0.355
alpha-ketoglutaric acid	0.748	0.515	1.08	0.125	0.355
Linoleic acid	1.65	0.867	3.13	0.128	0.355
Glutamic acid	0.695	0.427	1.13	0.144	0.385
Proline	0.677	0.398	1.15	0.149	0.386
Glyceric acid	1.58	0.821	3.03	0.171	0.42
L-5-Oxoproline	1.58	0.818	3.05	0.174	0.42
2-Hydroxybutyric acid	0.72	0.441	1.18	0.189	0.443
3-Hydroxybutyric acid	0.704	0.41	1.21	0.204	0.454
Lactic acid	0.739	0.463	1.18	0.206	0.454
Nonanoic acid	1.45	0.792	2.66	0.228	0.49
Serine	0.738	0.445	1.22	0.237	0.494
4-Hydroxybutanoic acid	1.39	0.779	2.49	0.263	0.533
Eicosapentaenoic acid	0.768	0.47	1.25	0.291	0.575
Glycerol (1)	1.51	0.684	3.31	0.309	0.585
Glycine	1.34	0.758	2.38	0.312	0.585
Decanoic acid	0.795	0.498	1.27	0.338	0.613
Pyroglutamic acid	1.39	0.696	2.79	0.349	0.613
Stearic acid	1.31	0.745	2.29	0.351	0.613
4-Deoxytetronic acid (2)	1.33	0.701	2.54	0.379	0.638
Tridecanoic acid	1.35	0.687	2.66	0.383	0.638
Glyceryl-glycoside	1.35	0.649	2.81	0.421	0.687
Fumaric acid	1.25	0.71	2.19	0.444	0.708
Arabinopyranose	1.3	0.618	2.72	0.493	0.744
11-Eicosenoic acid	1.26	0.649	2.45	0.494	0.744
1,3-Propanediol	1.24	0.649	2.38	0.512	0.744


Name	exp(coef)	Lower 95 %	Upper 95 %	Pr(> z)	p.adj
Nonadecanoic acid	1.28	0.604	2.73	0.515	0.744
Docosahexaenoic acid	1.24	0.647	2.38	0.516	0.744
Threonine	0.864	0.547	1.37	0.531	0.744
Bisphenol A	1.19	0.683	2.07	0.539	0.744
4-Hydroxyphenyllactic acid	1.22	0.634	2.34	0.554	0.744
Arachidic acid	1.17	0.697	1.95	0.556	0.744
Aminomalonic acid	1.19	0.653	2.18	0.566	0.744
Succinic acid	1.17	0.651	2.12	0.593	0.766
Phenylalanine	0.884	0.522	1.5	0.648	0.823
3-Indolepropionic acid	0.91	0.574	1.44	0.69	0.863
Arachidonic acid	1.12	0.623	2.01	0.707	0.869
Hydroxyproline	1.11	0.624	1.98	0.721	0.872
Ribitol (1)	1.09	0.625	1.89	0.765	0.909
Palmitic acid	0.926	0.546	1.57	0.775	0.909
Dodecanoic acid	0.934	0.516	1.69	0.82	0.934
Heptadecanoic acid (1)	0.942	0.541	1.64	0.834	0.934
Cholesterol	0.935	0.499	1.75	0.835	0.934
1-Monopalmitin	1.06	0.561	2.01	0.856	0.944
alpha-Tocopherol	1.05	0.56	1.96	0.884	0.961
Oleic acid	0.965	0.544	1.71	0.903	0.968
2-Palmitoylglycerol	0.977	0.569	1.68	0.933	0.975
Campesterol	1.02	0.561	1.85	0.952	0.975
Heptadecanoic acid (2)	0.983	0.569	1.7	0.952	0.975
Myristoleic acid	0.987	0.553	1.76	0.964	0.975
1-Dodecanol	1.01	0.569	1.79	0.975	0.975

4.2.2.3 Top-Metabolite

```
## Call:
## survival::coxph(formula = survival::Surv(time = Charcot.tdiff,
##     event = Charcot.from.DATE) ~ Ribonic_acid + Age.x + Gender.x +
##     Hba1c_baseline + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +
##     Total_cholesterol, data = data.km)
##
## n= 596, number of events= 13
## (41 observations deleted due to missingness)
##
##           coef exp(coef) se(coef)      z Pr(>|z|)
## Ribonic_acid    1.159583  3.188605  0.354197  3.274  0.00106 **
## Age.x           0.005852  1.005870  0.026693  0.219  0.82645
## Gender.x        -0.080659  0.922508  0.573072 -0.141  0.88807
## Hba1c_baseline  -0.160816  0.851449  0.285865 -0.563  0.57373
## CALSBP          0.004624  1.004635  0.016462  0.281  0.77877
## bmi             0.040727  1.041568  0.070670  0.576  0.56441
## Smoking         -0.960873  0.382559  1.055937 -0.910  0.36284
## Statin          0.264468  1.302738  0.731946  0.361  0.71786
## log_Blood_TGA   0.543023  1.721203  0.463491  1.172  0.24136
## Total_cholesterol -0.126826  0.880887  0.343617 -0.369  0.71206
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
##           exp(coef) exp(-coef) lower .95 upper .95
## Ribonic_acid      3.1886    0.3136    1.59260    6.384
## Age.x              1.0059    0.9942    0.95460    1.060
## Gender.x           0.9225    1.0840    0.30003    2.836
## Hba1c_baseline     0.8514    1.1745    0.48622    1.491
## CALSBP             1.0046    0.9954    0.97274    1.038
## bmi                1.0416    0.9601    0.90685    1.196
## Smoking            0.3826    2.6140    0.04829    3.030
## Statin             1.3027    0.7676    0.31033    5.469
## log_Blood_TGA     1.7212    0.5810    0.69392    4.269
## Total_cholesterol  0.8809    1.1352    0.44919    1.727
##
## Concordance= 0.854 (se = 0.038 )
## Likelihood ratio test= 19.52 on 10 df, p=0.03
## Wald test              = 17.25 on 10 df, p=0.07
## Score (logrank) test = 16.92 on 10 df, p=0.08
```

4.2.2.3.1 Forest Plot with Clinical Variables

- Top metabolite



4.2.3 Adjusted Model with eGFR

4.2.3.1 Forest Plot of Model Coefficients

```
## NULL
```

4.2.3.2 Table with All Metabolites

Name	exp(coef)	Lower 95 %	Upper 95 %	Pr(> z)	p.adj
3-Indoleacetic acid	0.482	0.26	0.891	0.02	0.499
Tyrosine	0.739	0.561	0.973	0.0313	0.499
Tartronic acid	1.95	1.03	3.68	0.0394	0.499
Ethanolamine	0.576	0.332	0.998	0.0491	0.499
Hydroxylamine	1.99	0.98	4.05	0.057	0.499
Pyruvic acid	0.624	0.384	1.02	0.0583	0.499
Ribonic acid	2.11	0.937	4.74	0.0716	0.499
Citric acid	1.79	0.949	3.39	0.072	0.499
Glyceric acid	1.83	0.941	3.57	0.0751	0.499
Proline	0.628	0.37	1.06	0.0842	0.499
Malic acid	1.72	0.913	3.24	0.0933	0.499
Valine	0.659	0.403	1.08	0.0972	0.499
Linoleic acid	1.73	0.905	3.32	0.0973	0.499
Alanine	0.68	0.43	1.07	0.0981	0.499
alpha-ketoglutaric acid	0.701	0.46	1.07	0.0997	0.499
Stearic acid	1.56	0.891	2.75	0.12	0.537
2-hydroxy Isovaleric acid	0.657	0.386	1.12	0.122	0.537
Benzeneacetic acid	1.74	0.847	3.56	0.132	0.549
3-Hydroxybutyric acid	0.669	0.383	1.17	0.156	0.615
Octanoic acid	0.743	0.489	1.13	0.164	0.615
Creatinine	1.6	0.791	3.24	0.19	0.68
Ribitol (2)	1.61	0.775	3.34	0.202	0.682
Decanoic acid	0.736	0.452	1.2	0.216	0.682
L-5-Oxoproline	1.54	0.772	3.07	0.221	0.682
Glycerol (2)	1.51	0.775	2.93	0.227	0.682
Glutamic acid	0.737	0.435	1.25	0.256	0.739
Glycerol (1)	1.54	0.711	3.32	0.274	0.762
4-Hydroxybutanoic acid	1.36	0.771	2.38	0.291	0.78
Arabinopyranose	1.46	0.696	3.06	0.317	0.809
Leucine	0.862	0.64	1.16	0.326	0.809
Methionine	0.778	0.449	1.35	0.371	0.809
Isoleucine	0.854	0.604	1.21	0.373	0.809
Lactic acid	0.838	0.567	1.24	0.375	0.809
Nonanoic acid	1.32	0.705	2.47	0.386	0.809
Docosaheptaenoic acid	1.37	0.666	2.8	0.394	0.809
Bisphenol A	1.3	0.713	2.36	0.395	0.809
Myo inositol	1.34	0.678	2.64	0.402	0.809
Arachidic acid	1.23	0.739	2.05	0.424	0.809
Arachidonic acid	1.29	0.687	2.42	0.429	0.809
Nonadecanoic acid	1.33	0.636	2.8	0.445	0.809
2,4-Dihydroxybutanoic acid	1.31	0.647	2.66	0.45	0.809
1,3-Propanediol	1.3	0.655	2.58	0.453	0.809
4-Hydroxybenzeneacetic acid	1.33	0.616	2.86	0.47	0.812
Tridecanoic acid	1.25	0.674	2.33	0.476	0.812
3,4-Dihydroxybutanoic acid	1.28	0.633	2.58	0.492	0.814
Serine	0.84	0.506	1.39	0.499	0.814
11-Eicosenoic acid	1.23	0.649	2.35	0.521	0.831
4-Deoxytetronic acid (1)	1.23	0.62	2.45	0.549	0.858
Eicosapentaenoic acid	0.852	0.483	1.5	0.581	0.89
Phenylalanine	0.869	0.501	1.51	0.619	0.928


Name	exp(coef)	Lower 95 %	Upper 95 %	Pr(> z)	p.adj
Threonine	0.9	0.568	1.43	0.653	0.958
Aminomalonic acid	1.15	0.611	2.16	0.664	0.958
Dodecanoic acid	0.887	0.48	1.64	0.7	0.964
4-Deoxytetronic acid (2)	0.894	0.49	1.63	0.717	0.964
Hydroxyproline	0.896	0.492	1.63	0.72	0.964
Succinic acid	1.12	0.591	2.12	0.732	0.964
Fumaric acid	1.1	0.627	1.94	0.733	0.964
Heptadecanoic acid (1)	0.919	0.537	1.57	0.757	0.978
Glycine	1.06	0.58	1.96	0.84	0.992
1-Monopalmitin	1.07	0.566	2.01	0.842	0.992
Palmitic acid	1.06	0.59	1.91	0.843	0.992
alpha-Tocopherol	1.06	0.581	1.93	0.849	0.992
Pyroglutamic acid	1.06	0.544	2.07	0.862	0.992
2-Hydroxybutyric acid	0.958	0.568	1.61	0.871	0.992
2-Palmitoylglycerol	1.04	0.573	1.87	0.909	0.992
4-Hydroxyphenyllactic acid	0.964	0.511	1.82	0.91	0.992
1-Dodecanol	1.03	0.571	1.86	0.921	0.992
Myristoleic acid	1.02	0.616	1.7	0.928	0.992
Cholesterol	1.02	0.555	1.88	0.944	0.992
Oleic acid	1.02	0.597	1.74	0.945	0.992
Campesterol	0.985	0.544	1.78	0.96	0.992
Heptadecanoic acid (2)	1.01	0.581	1.77	0.963	0.992
Ribitol (1)	0.992	0.569	1.73	0.976	0.992
3-Indolepropionic acid	1.01	0.641	1.58	0.979	0.992
Glyceryl-glycoside	1	0.515	1.94	0.999	0.999

4.2.3.3 Top-Metabolite from Adjusted Model

```
## Call:
## survival::coxph(formula = survival::Surv(time = Charcot.tdiff,
##     event = Charcot.from.DATE) ~ Ribonic_acid + Age.x + Gender.x +
##     Hba1c_baseline + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +
##     Total_cholesterol + egfr, data = data.km)
##
## n= 594, number of events= 13
## (43 observations deleted due to missingness)
##
##           coef exp(coef)  se(coef)      z Pr(>|z|)
## Ribonic_acid    0.757418  2.132763  0.420427  1.802  0.0716 .
## Age.x           0.003861  1.003869  0.027314  0.141  0.8876
## Gender.x        0.023550  1.023829  0.572240  0.041  0.9672
## Hba1c_baseline -0.151465  0.859448  0.285140 -0.531  0.5953
## CALSBP          0.002568  1.002571  0.016434  0.156  0.8758
## bmi             0.047709  1.048865  0.071347  0.669  0.5037
## Smoking         -0.821791  0.439644  1.069596 -0.768  0.4423
## Statin          0.120647  1.128227  0.737486  0.164  0.8701
## log_Blood_TGA   0.470718  1.601143  0.469502  1.003  0.3161
## Total_cholesterol -0.128937  0.879029  0.330540 -0.390  0.6965
## egfr            -0.020804  0.979411  0.013434 -1.549  0.1215
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
##           exp(coef) exp(-coef) lower .95 upper .95
## Ribonic_acid      2.1328    0.4689    0.93557    4.862
## Age.x              1.0039    0.9961    0.95154    1.059
## Gender.x           1.0238    0.9767    0.33353    3.143
## Hba1c_baseline     0.8594    1.1635    0.49148    1.503
## CALSBP             1.0026    0.9974    0.97079    1.035
## bmi                1.0489    0.9534    0.91199    1.206
## Smoking            0.4396    2.2746    0.05403    3.577
## Statin             1.1282    0.8863    0.26586    4.788
## log_Blood_TGA     1.6011    0.6246    0.63795    4.019
## Total_cholesterol  0.8790    1.1376    0.45988    1.680
## egfr              0.9794    1.0210    0.95396    1.006
##
## Concordance= 0.873 (se = 0.027 )
## Likelihood ratio test= 21.97 on 11 df, p=0.02
## Wald test              = 18.89 on 11 df, p=0.06
## Score (logrank) test = 22.45 on 11 df, p=0.02
```

4.2.3.3.1 Forest Plot with Clinical Variables

- Top metabolite from adjusted model



4.2.4 Fully Adjusted Model

4.2.4.1 Forest Plot of Model Coefficients

NULL

4.2.4.2 Table with All Metabolites

Name	exp(coef)	Lower 95 %	Upper 95 %	Pr(> z)	p.adj
Proline	0.475	0.271	0.832	0.00933	0.583
Tyrosine	0.701	0.523	0.938	0.0169	0.583
Ethanolamine	0.509	0.276	0.941	0.0313	0.583
Glyceric acid	2.26	1.04	4.92	0.0402	0.583
Alanine	0.626	0.394	0.996	0.0483	0.583
Citric acid	1.9	0.996	3.63	0.0513	0.583
3-Indoleacetic acid	0.528	0.276	1.01	0.0544	0.583
Stearic acid	1.76	0.954	3.24	0.0705	0.622
Tartronic acid	1.81	0.93	3.53	0.0806	0.622
Ribitol (2)	2.08	0.909	4.78	0.083	0.622
Hydroxylamine	1.89	0.879	4.09	0.103	0.65
Glutamic acid	0.615	0.343	1.11	0.104	0.65
Benzeneacetic acid	1.82	0.849	3.92	0.124	0.667
Leucine	0.749	0.519	1.08	0.125	0.667
3-Hydroxybutyric acid	0.625	0.332	1.18	0.145	0.678
Valine	0.687	0.415	1.14	0.145	0.678
Ribonic acid	1.9	0.776	4.65	0.16	0.678
4-Hydroxybenzeneacetic acid	1.82	0.786	4.2	0.163	0.678
Decanoic acid	0.697	0.395	1.23	0.212	0.699
Arachidonic acid	1.51	0.765	2.97	0.235	0.699
L-5-Oxoproline	1.58	0.737	3.41	0.239	0.699
Nonadecanoic acid	1.66	0.672	4.11	0.272	0.699
2-hydroxy Isovaleric acid	0.72	0.4	1.29	0.272	0.699
Pyruvic acid	0.752	0.446	1.27	0.285	0.699
2,4-Dihydroxybutanoic acid	1.5	0.711	3.16	0.287	0.699
Docosahexaenoic acid	1.57	0.673	3.65	0.297	0.699
Octanoic acid	0.796	0.517	1.23	0.3	0.699
Malic acid	1.41	0.736	2.69	0.302	0.699
Glycerol (1)	1.61	0.651	3.99	0.302	0.699
Isoleucine	0.791	0.503	1.24	0.31	0.699
Linoleic acid	1.4	0.729	2.69	0.313	0.699
Lactic acid	0.824	0.564	1.2	0.318	0.699
4-Hydroxybutanoic acid	1.39	0.711	2.7	0.338	0.699
Myo inositol	1.43	0.689	2.95	0.339	0.699
Threonine	0.796	0.491	1.29	0.356	0.699
Nonanoic acid	1.38	0.693	2.77	0.357	0.699
Heptadecanoic acid (1)	0.767	0.428	1.37	0.373	0.699
Serine	0.793	0.47	1.34	0.385	0.699
Glycerol (2)	1.37	0.67	2.8	0.389	0.699
Tridecanoic acid	1.32	0.698	2.51	0.39	0.699
Creatinine	1.37	0.669	2.79	0.391	0.699
Arabinopyranose	1.41	0.644	3.08	0.391	0.699
11-Eicosenoic acid	1.3	0.647	2.61	0.462	0.805
alpha-ketoglutaric acid	0.813	0.448	1.48	0.497	0.832
3-Indolepropionic acid	1.19	0.717	1.98	0.499	0.832
Aminomalonic acid	1.26	0.617	2.57	0.527	0.85
3,4-Dihydroxybutanoic acid	1.29	0.578	2.86	0.538	0.85
Pyroglutamic acid	1.26	0.587	2.71	0.552	0.85
1,3-Propanediol	1.26	0.582	2.74	0.555	0.85
Dodecanoic acid	0.832	0.434	1.59	0.578	0.867


Name	exp(coef)	Lower 95 %	Upper 95 %	Pr(> z)	p.adj
Methionine	0.851	0.451	1.61	0.62	0.911
4-Deoxytetronic acid (2)	0.86	0.453	1.63	0.646	0.931
Campesterol	1.16	0.602	2.23	0.659	0.932
4-Deoxytetronic acid (1)	1.18	0.539	2.58	0.679	0.943
Eicosapentaenoic acid	0.893	0.474	1.68	0.726	0.97
Fumaric acid	1.1	0.603	1.99	0.763	0.97
2-Hydroxybutyric acid	0.921	0.523	1.62	0.776	0.97
Palmitic acid	1.08	0.588	1.97	0.809	0.97
Cholesterol	0.93	0.497	1.74	0.82	0.97
Hydroxyproline	1.07	0.558	2.05	0.839	0.97
Phenylalanine	1.07	0.552	2.08	0.84	0.97
1-Dodecanol	1.06	0.56	2.03	0.849	0.97
Bisphenol A	1.06	0.576	1.94	0.858	0.97
Glycine	1.06	0.546	2.06	0.861	0.97
Arachidic acid	1.05	0.585	1.9	0.862	0.97
4-Hydroxyphenyllactic acid	0.938	0.458	1.92	0.862	0.97
Succinic acid	0.945	0.488	1.83	0.867	0.97
Glycerol-glycoside	0.956	0.474	1.93	0.9	0.977
Oleic acid	1.04	0.6	1.78	0.901	0.977
Heptadecanoic acid (2)	1.03	0.579	1.82	0.925	0.977
Ribitol (1)	1.03	0.569	1.85	0.934	0.977
1-Monopalmitin	0.969	0.438	2.15	0.938	0.977
Myristoleic acid	1.01	0.608	1.69	0.957	0.982
2-Palmitoylglycerol	1.01	0.53	1.93	0.972	0.982
alpha-Tocopherol	1.01	0.555	1.83	0.982	0.982

4.2.4.3 Top-Metabolite from Adjusted Model

```
## Call:
## survival::coxph(formula = survival::Surv(time = Charcot.tdiff,
##     event = Charcot.from.DATE) ~ Ribonic_acid + Age.x + Gender.x +
##     Hba1c_baseline + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +
##     Total_cholesterol + egfr + logUAER, data = data.km)
##
## n= 561, number of events= 12
## (76 observations deleted due to missingness)
##
##           coef exp(coef) se(coef)      z Pr(>|z|)
## Ribonic_acid    0.652055  1.919482  0.464544  1.404  0.1604
## Age.x           0.031762  1.032272  0.031573  1.006  0.3144
## Gender.x        -0.718644  0.487413  0.670599 -1.072  0.2839
## Hba1c_baseline  -0.270277  0.763168  0.302165 -0.894  0.3711
## CALSBP          -0.007227  0.992799  0.018765 -0.385  0.7001
## bmi             0.029357  1.029793  0.074984  0.392  0.6954
## Smoking         -1.451550  0.234207  1.125927 -1.289  0.1973
## Statin          -0.459668  0.631493  0.774852 -0.593  0.5530
## log_Blood_TGA   0.729517  2.074079  0.461130  1.582  0.1136
## Total_cholesterol -0.264300  0.767743  0.341581 -0.774  0.4391
## egfr            -0.010075  0.989975  0.014653 -0.688  0.4917
## logUAER         0.350711  1.420077  0.158507  2.213  0.0269 *
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
##           exp(coef) exp(-coef) lower .95 upper .95
## Ribonic_acid      1.9195    0.5210    0.77226    4.771
## Age.x              1.0323    0.9687    0.97033    1.098
## Gender.x           0.4874    2.0516    0.13094    1.814
## Hba1c_baseline     0.7632    1.3103    0.42210    1.380
## CALSBP             0.9928    1.0073    0.95695    1.030
## bmi                1.0298    0.9711    0.88904    1.193
## Smoking            0.2342    4.2697    0.02578    2.128
## Statin             0.6315    1.5835    0.13830    2.884
## log_Blood_TGA     2.0741    0.4821    0.84006    5.121
## Total_cholesterol  0.7677    1.3025    0.39306    1.500
## egfr              0.9900    1.0101    0.96195    1.019
## logUAER           1.4201    0.7042    1.04086    1.937
##
## Concordance= 0.873 (se = 0.051 )
## Likelihood ratio test= 26.37 on 12 df,  p=0.01
## Wald test              = 22.11 on 12 df,  p=0.04
## Score (logrank) test = 28.74 on 12 df,  p=0.004
```


4.2.4.3.1 Forest Plot with Clinical Variables

- Top metabolite from adjusted model



5 Amputation


5.1 Amputation at DATE

5.1.1 Crude Model

```
## [1] "Fitting models:"  
## [1] "~ Amputation.at.DATE"  
## [1] ""
```

5.1.1.1 Forest Plot of Model Coefficients

Warning: Ignoring unknown aesthetics: x



5.1.1.2 Tables of Model Coefficients

```
## [1] ""
## [1] "Table: Amputation.at.DATEJA"
## [1] " (from model: "
## [1] " ~ Amputation.at.DATE)"
## [1] ""
##
##           Name Coefficient   CI.L   CI.R  p.value  p.adj
## 1           Ribonic acid; 72    0.864  0.4480  1.2800  4.65e-05  0.00349
## 2           Myo inositol 6TMS; 1  0.755  0.3390  1.1700  3.72e-04  0.01390
## 3 4-Hydroxybenzeneacetic acid; 4  0.695  0.2790  1.1100  1.06e-03  0.02650
## 4           Ribitol; 71         0.667  0.2510  1.0800  1.66e-03  0.03120
## 5           Threonine, 3TMS; 12  -0.627 -1.0400 -0.2110  3.15e-03  0.03960
## 6           Succinic acid, 2TMS; 7  0.626  0.2100  1.0400  3.16e-03  0.03960
## 7 2,4-Dihydroxybutanoic acid; 28  0.574  0.1580  0.9890  6.86e-03  0.07280
## 8           Creatinine; 50        0.565  0.1490  0.9810  7.76e-03  0.07280
## 9 3,4-Dihydroxybutanoic acid; 27  0.516  0.1000  0.9320  1.50e-02  0.11200
## 10 4-Hydroxyphenyllactic acid; 44  0.506  0.0906  0.9220  1.70e-02  0.11200
## 11          Pyroglutamic acid; 69  0.500  0.0842  0.9160  1.84e-02  0.11200
## 12          Malic acid, 3TMS; 11    0.497  0.0810  0.9130  1.92e-02  0.11200
## 13          Glycerol; 57           0.492  0.0765  0.9080  2.03e-02  0.11200
## 14 4-Deoxytetronic acid; 33        0.490  0.0744  0.9060  2.09e-02  0.11200
## 15 3-Indolepropionic acid; 41     -0.435 -0.8500 -0.0189  4.05e-02  0.19300
## 16          Serine, 3TMS; 14       -0.430 -0.8460 -0.0143  4.26e-02  0.19300
## 17          Hydroxyproline; 64      0.428  0.0121  0.8440  4.37e-02  0.19300
```

5.1.1.3 Table with All Metabolites

```
## [1] ""
## [1] "Table: Amputation.at.DATEJA"
## [1] " (from model: "
## [1] " ~ Amputation.at.DATE)"
## [1] ""
```

##	Name	Coefficient	CI.L	CI.R	p.value	p.adj
## 1	Ribonic acid; 72	0.86400	0.4480	1.2800	4.65e-05	0.00349
## 2	Myo inositol 6TMS; 1	0.75500	0.3390	1.1700	3.72e-04	0.01390
## 3	4-Hydroxybenzeneacetic acid; 4	0.69500	0.2790	1.1100	1.06e-03	0.02650
## 4	Ribitol; 71	0.66700	0.2510	1.0800	1.66e-03	0.03120
## 5	Threonine, 3TMS; 12	-0.62700	-1.0400	-0.2110	3.15e-03	0.03960
## 6	Succinic acid, 2TMS; 7	0.62600	0.2100	1.0400	3.16e-03	0.03960
## 7	2,4-Dihydroxybutanoic acid; 28	0.57400	0.1580	0.9890	6.86e-03	0.07280
## 8	Creatinine; 50	0.56500	0.1490	0.9810	7.76e-03	0.07280
## 9	3,4-Dihydroxybutanoic acid; 27	0.51600	0.1000	0.9320	1.50e-02	0.11200
## 10	4-Hydroxyphenyllactic acid; 44	0.50600	0.0906	0.9220	1.70e-02	0.11200
## 11	Pyroglutamic acid; 69	0.50000	0.0842	0.9160	1.84e-02	0.11200
## 12	Malic acid, 3TMS; 11	0.49700	0.0810	0.9130	1.92e-02	0.11200
## 13	Glycerol; 57	0.49200	0.0765	0.9080	2.03e-02	0.11200
## 14	4-Deoxytetronic acid; 33	0.49000	0.0744	0.9060	2.09e-02	0.11200
## 15	3-Indolepropionic acid; 41	-0.43500	-0.8500	-0.0189	4.05e-02	0.19300
## 16	Serine, 3TMS; 14	-0.43000	-0.8460	-0.0143	4.26e-02	0.19300
## 17	Hydroxyproline; 64	0.42800	0.0121	0.8440	4.37e-02	0.19300
## 18	3-Indoleacetic acid; 40	0.37700	-0.0384	0.7930	7.53e-02	0.31400
## 19	Tyrosine; 75	-0.36900	-0.7850	0.0470	8.21e-02	0.31700
## 20	Valine, 2TMS; 20	-0.36600	-0.7820	0.0500	8.46e-02	0.31700
## 21	Methionine, 2TMS; 16	-0.35900	-0.7750	0.0564	9.03e-02	0.32200
## 22	Leucine, 2TMS; 19	-0.35300	-0.7690	0.0629	9.63e-02	0.32800
## 23	Glyceryl-glycoside; 59	0.34400	-0.0715	0.7600	1.05e-01	0.34100
## 24	4-Deoxytetronic acid; 32	0.33900	-0.0765	0.7550	1.10e-01	0.34300
## 25	Heptadecanoic acid; 61	0.32900	-0.0871	0.7440	1.21e-01	0.36400
## 26	Phenylalanine, 2TMS; 13	-0.30400	-0.7190	0.1120	1.52e-01	0.42500
## 27	Glutamic acid, 3TMS; 8	-0.30300	-0.7190	0.1130	1.53e-01	0.42500
## 28	4-Hydroxybutanoic acid; 43	0.28900	-0.1270	0.7040	1.74e-01	0.46500
## 29	Ribitol; 70	0.26200	-0.1540	0.6780	2.17e-01	0.56200
## 30	Myristoleic acid; 65	0.24500	-0.1700	0.6610	2.47e-01	0.61800
## 31	Campesterol; 49	-0.23600	-0.6520	0.1790	2.65e-01	0.62300
## 32	Alanine, 2TMS; 25	0.23100	-0.1850	0.6470	2.76e-01	0.62300
## 33	Stearic acid, TMS; 2	0.23000	-0.1860	0.6450	2.79e-01	0.62300
## 34	Heptadecanoic acid; 60	0.22800	-0.1880	0.6440	2.83e-01	0.62300
## 35	Citric acid, 4TMS; 6	0.22100	-0.1950	0.6370	2.98e-01	0.62600
## 36	Dodecanoic acid; 54	0.21900	-0.1970	0.6340	3.03e-01	0.62600
## 37	2-Palmitoylglycerol; 39	-0.21600	-0.6320	0.2000	3.09e-01	0.62600
## 38	Cholesterol, TMS; 23	-0.19500	-0.6110	0.2200	3.57e-01	0.68900
## 39	Fumaric acid, 2TMS; 9	0.19400	-0.2220	0.6090	3.62e-01	0.68900
## 40	2-hydroxy Isovaleric acid; 38	-0.18600	-0.6020	0.2290	3.80e-01	0.68900
## 41	Aminomalonic acid; 45	-0.18500	-0.6000	0.2310	3.84e-01	0.68900
## 42	Pyruvic acid; 31	0.18200	-0.2340	0.5980	3.91e-01	0.68900
## 43	11-Eicosenoic acid; 35	0.18100	-0.2350	0.5960	3.95e-01	0.68900
## 44	Hydroxylamine; 62	0.15600	-0.2600	0.5720	4.62e-01	0.78300
## 45	Eicosapentaenoic acid; 55	-0.15300	-0.5690	0.2630	4.70e-01	0.78300
## 46	Benzeneacetic acid; 47	0.14600	-0.2700	0.5620	4.92e-01	0.79700


## 47	Proline, 2TMS; 21	-0.14300	-0.5590	0.2730	5.00e-01	0.79700
## 48	alpha-Tocopherol; 26	-0.13600	-0.5510	0.2800	5.23e-01	0.80800
## 49	1-Monopalmitin; 37	0.13300	-0.2830	0.5480	5.32e-01	0.80800
## 50	Decanoic acid; 52	0.13100	-0.2850	0.5460	5.38e-01	0.80800
## 51	2-Hydroxybutyric acid, 2TMS; 2	0.12500	-0.2910	0.5410	5.56e-01	0.81700
## 52	Palmitic acid, TMS; 5	0.12100	-0.2950	0.5370	5.68e-01	0.81900
## 53	Tridecanoic acid; 74	0.11700	-0.2990	0.5320	5.83e-01	0.82500
## 54	Arachidonic acid, TMS; 24	0.11000	-0.3060	0.5260	6.04e-01	0.83700
## 55	Isoleucine, 2TMS; 18	-0.10700	-0.5230	0.3090	6.14e-01	0.83700
## 56	Ethanolamine; 56	0.09870	-0.3170	0.5150	6.42e-01	0.83700
## 57	Arabinopyranose; 51	-0.09410	-0.5100	0.3220	6.57e-01	0.83700
## 58	Lactic acid; 29	0.09380	-0.3220	0.5100	6.58e-01	0.83700
## 59	Nonadecanoic acid; 66	0.09020	-0.3260	0.5060	6.71e-01	0.83700
## 60	Glyceric acid; 30	-0.08710	-0.5030	0.3290	6.81e-01	0.83700
## 61	1-Dodecanol; 36	0.08220	-0.3340	0.4980	6.98e-01	0.83700
## 62	alpha-ketoglutaric acid, TMS M	0.08110	-0.3350	0.4970	7.02e-01	0.83700
## 63	Linoleic acid, TMS; 4	-0.08100	-0.4970	0.3350	7.03e-01	0.83700
## 64	Arachidic acid; 46	0.07690	-0.3390	0.4930	7.17e-01	0.84000
## 65	3-Hydroxybutyric acid, 2TMS; 1	0.06500	-0.3510	0.4810	7.59e-01	0.85600
## 66	1,3-Propanediol; 34	0.06460	-0.3510	0.4800	7.61e-01	0.85600
## 67	Tartronic acid; 73	-0.06350	-0.4790	0.3520	7.65e-01	0.85600
## 68	Octanoic acid; 68	0.05990	-0.3560	0.4760	7.78e-01	0.85800
## 69	Glycerol; 58	0.04750	-0.3680	0.4630	8.23e-01	0.89400
## 70	Bisphenol A; 48	-0.04260	-0.4580	0.3730	8.41e-01	0.90100
## 71	L-5-Oxoproline; 63	-0.03410	-0.4500	0.3820	8.72e-01	0.92200
## 72	Glycine, 3TMS; 17	0.01970	-0.3960	0.4360	9.26e-01	0.96400
## 73	Nonanoic acid; 67	-0.01080	-0.4270	0.4050	9.59e-01	0.97500
## 74	Oleic acid, TMS; 3	0.01010	-0.4060	0.4260	9.62e-01	0.97500
## 75	Docosaehaenoic acid; 53	0.00511	-0.4110	0.4210	9.81e-01	0.98100

5.1.2 Adjusted Model

```
## [1] "Fitting models:"  
## [1] "~ Amputation.at.DATE + Age.x + Gender.x + Hba1c_baseline + CALSBP + bmi + Smoking + Statin + lo  
## [1] ""
```

5.1.2.1 Forest Plot of Model Coefficients

```
## Warning: Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
```



5.1.2.2 Tables of Model Coefficients

```

## [1] ""
## [1] "Table: Amputation.at.DATEJA"
## [1] " (from model: "
## [1] " ~ Amputation.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol)"
## [1] ""
##
## Name Coefficient CI.L CI.R p.value p.adj
## 1 Ribonic acid; 72 0.725 0.304 1.150 0.00073 0.0547
## 2 Myo inositol 6TMS; 1 0.613 0.193 1.030 0.00427 0.1600
## 3 Succinic acid, 2TMS; 7 0.579 0.158 0.999 0.00702 0.1760
## [1] ""
## [1] "Table: Age.x"
## [1] " (from model: "
## [1] " ~ Amputation.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol)"
## [1] ""
##
## Name Coefficient CI.L CI.R p.value
## 1 Eicosapentaenoic acid; 55 0.02240 1.57e-02 2.91e-02 5.20e-11
## 2 2,4-Dihydroxybutanoic acid; 28 0.01680 1.01e-02 2.35e-02 8.61e-07
## 3 4-Hydroxybenzeneacetic acid; 4 0.01630 9.57e-03 2.30e-02 1.90e-06
## 4 Myo inositol 6TMS; 1 0.01450 7.80e-03 2.12e-02 2.21e-05
## 5 Ribitol; 71 0.01410 7.41e-03 2.08e-02 3.66e-05
## 6 Docosahexaenoic acid; 53 0.01350 6.77e-03 2.02e-02 8.08e-05
## 7 3-Indoleacetic acid; 40 0.01330 6.58e-03 2.00e-02 1.01e-04
## 8 Aminomalonic acid; 45 0.01150 4.80e-03 1.82e-02 7.61e-04
## 9 Ribonic acid; 72 0.01130 4.63e-03 1.80e-02 9.11e-04
## 10 alpha-ketoglutaric acid, TMS M 0.01100 4.29e-03 1.77e-02 1.29e-03
## 11 Ribitol; 70 0.01060 3.87e-03 1.73e-02 1.98e-03
## 12 Malic acid, 3TMS; 11 0.01030 3.57e-03 1.70e-02 2.65e-03
## 13 Pyruvic acid; 31 0.01020 3.52e-03 1.69e-02 2.77e-03
## 14 Fumaric acid, 2TMS; 9 0.01010 3.45e-03 1.68e-02 2.97e-03
## 15 3,4-Dihydroxybutanoic acid; 27 0.01010 3.43e-03 1.68e-02 3.04e-03
## 16 Citric acid, 4TMS; 6 0.01010 3.41e-03 1.68e-02 3.10e-03
## 17 alpha-Tocopherol; 26 0.01010 3.40e-03 1.68e-02 3.13e-03
## 18 Decanoic acid; 52 0.01010 3.36e-03 1.67e-02 3.23e-03
## 19 Glyceric acid; 30 0.00983 3.14e-03 1.65e-02 4.00e-03
## 20 4-Hydroxyphenyllactic acid; 44 0.00964 2.95e-03 1.63e-02 4.76e-03
## 21 Glycine, 3TMS; 17 0.00932 2.63e-03 1.60e-02 6.35e-03
## 22 Succinic acid, 2TMS; 7 0.00888 2.19e-03 1.56e-02 9.30e-03
## 23 11-Eicosenoic acid; 35 0.00849 1.80e-03 1.52e-02 1.29e-02
## 24 Pyroglutamic acid; 69 0.00840 1.70e-03 1.51e-02 1.39e-02
## 25 Alanine, 2TMS; 25 0.00831 1.61e-03 1.50e-02 1.50e-02
## 26 Creatinine; 50 0.00751 8.18e-04 1.42e-02 2.78e-02
## 27 Phenylalanine, 2TMS; 13 0.00737 6.78e-04 1.41e-02 3.09e-02
## 28 Valine, 2TMS; 20 -0.00733 -1.40e-02 -6.36e-04 3.19e-02
## 29 Leucine, 2TMS; 19 -0.00726 -1.40e-02 -5.68e-04 3.35e-02
## 30 Myristoleic acid; 65 0.00706 3.68e-04 1.38e-02 3.87e-02
## 31 Heptadecanoic acid; 61 0.00688 1.90e-04 1.36e-02 4.38e-02
## 32 Glutamic acid, 3TMS; 8 0.00688 1.86e-04 1.36e-02 4.40e-02
## 33 Dodecanoic acid; 54 0.00687 1.81e-04 1.36e-02 4.41e-02

```

## 34	Isoleucine, 2TMS; 18	-0.00676	-1.34e-02	-6.36e-05	4.79e-02
## 35	Tartronic acid; 73	0.00668	-9.95e-06	1.34e-02	5.03e-02
## 36	Oleic acid, TMS; 3	0.00647	-2.25e-04	1.32e-02	5.82e-02
## 37	Benzeneacetic acid; 47	0.00640	-2.90e-04	1.31e-02	6.08e-02
## 38	Hydroxylamine; 62	-0.00626	-1.30e-02	4.32e-04	6.67e-02
## 39	1-Dodecanol; 36	-0.00621	-1.29e-02	4.85e-04	6.91e-02
## 40	Nonadecanoic acid; 66	0.00608	-6.10e-04	1.28e-02	7.49e-02
## 41	Tyrosine; 75	0.00606	-6.32e-04	1.28e-02	7.59e-02
## 42	Heptadecanoic acid; 60	0.00590	-7.93e-04	1.26e-02	8.41e-02
## 43	Palmitic acid, TMS; 5	0.00585	-8.45e-04	1.25e-02	8.68e-02
## 44	L-5-Oxoproline; 63	0.00578	-9.14e-04	1.25e-02	9.06e-02
##	p.adj				
## 1		3.90e-09			
## 2		3.23e-05			
## 3		4.76e-05			
## 4		4.14e-04			
## 5		5.48e-04			
## 6		1.01e-03			
## 7		1.08e-03			
## 8		7.14e-03			
## 9		7.60e-03			
## 10		9.70e-03			
## 11		1.35e-02			
## 12		1.35e-02			
## 13		1.35e-02			
## 14		1.35e-02			
## 15		1.35e-02			
## 16		1.35e-02			
## 17		1.35e-02			
## 18		1.35e-02			
## 19		1.58e-02			
## 20		1.79e-02			
## 21		2.27e-02			
## 22		3.17e-02			
## 23		4.20e-02			
## 24		4.36e-02			
## 25		4.50e-02			
## 26		8.03e-02			
## 27		8.53e-02			
## 28		8.53e-02			
## 29		8.66e-02			
## 30		9.67e-02			
## 31		1.00e-01			
## 32		1.00e-01			
## 33		1.00e-01			
## 34		1.06e-01			
## 35		1.08e-01			
## 36		1.21e-01			
## 37		1.23e-01			
## 38		1.32e-01			
## 39		1.33e-01			
## 40		1.39e-01			
## 41		1.39e-01			
## 42		1.50e-01			

```

## 43 1.51e-01
## 44 1.54e-01
## [1] ""
## [1] "Table: Gender.x"
## [1] " (from model: "
## [1] " ~ Amputation.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol)"
## [1] ""
##
##          Name Coefficient      CI.L      CI.R  p.value
## 1      Citric acid, 4TMS; 6    -0.401 -0.55800 -0.24300 5.97e-07
## 2      Methionine, 2TMS; 16     0.389  0.23200  0.54700 1.25e-06
## 3          Valine, 2TMS; 20     0.381  0.22400  0.53800 2.09e-06
## 4          Proline, 2TMS; 21     0.372  0.21400  0.52900 3.66e-06
## 5      Myristoleic acid; 65    -0.365 -0.52200 -0.20700 5.55e-06
## 6          Leucine, 2TMS; 19     0.359  0.20200  0.51600 7.80e-06
## 7          Glycine, 3TMS; 17    -0.349 -0.50600 -0.19200 1.37e-05
## 8      Isoleucine, 2TMS; 18     0.346  0.18900  0.50400 1.62e-05
## 9          Tartronic acid; 73   -0.342 -0.50000 -0.18500 2.00e-05
## 10         Dodecanoic acid; 54   -0.336 -0.49300 -0.17800 2.89e-05
## 11         Glyceric acid; 30     -0.332 -0.48900 -0.17500 3.55e-05
## 12      4-Deoxytetronic acid; 33  0.306  0.14900  0.46300 1.39e-04
## 13         Oleic acid, TMS; 3    -0.302 -0.45900 -0.14500 1.68e-04
## 14      Aminomalonic acid; 45   -0.294 -0.45100 -0.13600 2.53e-04
## 15 2-hydroxy Isovaleric acid; 38  0.289  0.13200  0.44700 3.14e-04
## 16      Cholesterol, TMS; 23    -0.280 -0.43700 -0.12200 4.97e-04
## 17      Myo inositol 6TMS; 1    -0.266 -0.42300 -0.10800 9.31e-04
## 18      Glutamic acid, 3TMS; 8   0.265  0.10700  0.42200 9.83e-04
## 19      Tridecanoic acid; 74    -0.261 -0.41800 -0.10300 1.18e-03
## 20      Heptadecanoic acid; 60   -0.258 -0.41600 -0.10100 1.29e-03
## 21      Docosahexaenoic acid; 53 -0.257 -0.41400 -0.09930 1.39e-03
## 22         Decanoic acid; 52    -0.256 -0.41400 -0.09900 1.41e-03
## 23      Succinic acid, 2TMS; 7   -0.254 -0.41100 -0.09670 1.56e-03
## 24      Heptadecanoic acid; 61   -0.251 -0.40800 -0.09350 1.78e-03
## 25      Nonadecanoic acid; 66   -0.223 -0.38100 -0.06610 5.38e-03
## 26      Palmitic acid, TMS; 5    -0.212 -0.36900 -0.05470 8.25e-03
## 27      Stearic acid, TMS; 2    -0.209 -0.36600 -0.05150 9.29e-03
## 28      Benzeneacetic acid; 47   -0.198 -0.35500 -0.04080 1.36e-02
## 29      Hydroxyproline; 64       0.176  0.01840  0.33300 2.86e-02
## 30      Ribonic acid; 72        -0.175 -0.33200 -0.01770 2.92e-02
## 31      11-Eicosenoic acid; 35   -0.173 -0.33100 -0.01600 3.08e-02
## 32         1-Monopalmitin; 37     0.173  0.01560  0.33000 3.12e-02
## 33         Nonanoic acid; 67     -0.161 -0.31800 -0.00324 4.55e-02
## 34         Tyrosine; 75          -0.156 -0.31300  0.00147 5.22e-02
## 35         Pyruvic acid; 31       0.150 -0.00692  0.30800 6.10e-02
## 36         Glycerol; 57         -0.145 -0.30300  0.01200 7.03e-02
## 37      Arachidonic acid, TMS; 24 -0.144 -0.30100  0.01360 7.34e-02
##
##          p.adj
## 1      4.47e-05
## 2      4.68e-05
## 3      5.24e-05
## 4      6.87e-05
## 5      8.32e-05
## 6      9.75e-05

```

```

## 7 1.47e-04
## 8 1.52e-04
## 9 1.66e-04
## 10 2.17e-04
## 11 2.42e-04
## 12 8.70e-04
## 13 9.68e-04
## 14 1.36e-03
## 15 1.57e-03
## 16 2.33e-03
## 17 4.10e-03
## 18 4.10e-03
## 19 4.64e-03
## 20 4.80e-03
## 21 4.80e-03
## 22 4.80e-03
## 23 5.08e-03
## 24 5.57e-03
## 25 1.61e-02
## 26 2.38e-02
## 27 2.58e-02
## 28 3.64e-02
## 29 7.30e-02
## 30 7.30e-02
## 31 7.31e-02
## 32 7.31e-02
## 33 1.03e-01
## 34 1.15e-01
## 35 1.31e-01
## 36 1.46e-01
## 37 1.49e-01
## [1] ""
## [1] "Table: Hba1c_baseline"
## [1] " (from model: "
## [1] " ~ Amputation.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol)"
## [1] ""
##
## Name Coefficient CI.L CI.R p.value p.adj
## 1 Tridecanoic acid; 74 -0.1280 -0.19900 -0.05670 0.000427 0.0163
## 2 Arabinopyranose; 51 0.1280 0.05660 0.19900 0.000434 0.0163
## 3 Eicosapentaenoic acid; 55 -0.1220 -0.19300 -0.05120 0.000753 0.0188
## 4 Ethanolamine; 56 0.1160 0.04490 0.18700 0.001390 0.0221
## 5 Docosahexaenoic acid; 53 -0.1140 -0.18500 -0.04240 0.001750 0.0221
## 6 Glyceric acid; 30 -0.1130 -0.18500 -0.04230 0.001770 0.0221
## 7 Valine, 2TMS; 20 0.1110 0.03980 0.18200 0.002240 0.0240
## 8 Alanine, 2TMS; 25 0.1060 0.03470 0.17700 0.003530 0.0331
## 9 Decanoic acid; 52 -0.0949 -0.16600 -0.02380 0.008930 0.0745
## 10 4-Hydroxybutanoic acid; 43 -0.0917 -0.16300 -0.02060 0.011500 0.0861
## 11 11-Eicosenoic acid; 35 -0.0831 -0.15400 -0.01200 0.022100 0.1500
## 12 Lactic acid; 29 0.0795 0.00836 0.15100 0.028500 0.1780
## 13 Myristoleic acid; 65 -0.0771 -0.14800 -0.00599 0.033600 0.1940
## 14 Tartronic acid; 73 -0.0750 -0.14600 -0.00388 0.038800 0.2000
## 15 Leucine, 2TMS; 19 0.0746 0.00344 0.14600 0.039900 0.2000

```

```

## [1] ""
## [1] "Table: CALSBP"
## [1] " (from model: "
## [1] " ~ Amputation.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol)"
## [1] ""
##
## Name Coefficient CI.L CI.R p.value p.adj
## 1 Myristoleic acid; 65 0.00805 0.00338 0.0127 0.000719 0.0539
## [1] ""
## [1] "Table: bmi"
## [1] " (from model: "
## [1] " ~ Amputation.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol)"
## [1] ""
##
## Name Coefficient CI.L CI.R p.value
## 1 Glutamic acid, 3TMS; 8 0.0452 0.024700 0.065700 1.58e-05
## 2 2-Hydroxybutyric acid, 2TMS; 2 0.0401 0.019500 0.060600 1.31e-04
## 3 Campesterol; 49 -0.0392 -0.059700 -0.018700 1.82e-04
## 4 Pyruvic acid; 31 -0.0305 -0.051000 -0.009940 3.62e-03
## 5 Decanoic acid; 52 -0.0300 -0.050600 -0.009500 4.14e-03
## 6 Lactic acid; 29 0.0296 0.009100 0.050200 4.67e-03
## 7 Arachidic acid; 46 -0.0294 -0.050000 -0.008910 4.94e-03
## 8 1,3-Propanediol; 34 -0.0292 -0.049700 -0.008630 5.37e-03
## 9 alpha-Tocopherol; 26 -0.0266 -0.047200 -0.006110 1.10e-02
## 10 Pyroglutamic acid; 69 -0.0240 -0.044500 -0.003490 2.18e-02
## 11 Ribitol; 70 0.0240 0.003430 0.044500 2.22e-02
## 12 2,4-Dihydroxybutanoic acid; 28 -0.0238 -0.044400 -0.003310 2.28e-02
## 13 alpha-ketoglutaric acid, TMS M -0.0226 -0.043100 -0.002080 3.09e-02
## 14 Citric acid, 4TMS; 6 -0.0215 -0.042000 -0.000972 4.01e-02
## 15 11-Eicosenoic acid; 35 0.0211 0.000569 0.041600 4.40e-02
## 16 Tartronic acid; 73 -0.0210 -0.041500 -0.000484 4.48e-02
## 17 Nonadecanoic acid; 66 -0.0210 -0.041500 -0.000469 4.50e-02
##
## p.adj
## 1 0.00118
## 2 0.00455
## 3 0.00455
## 4 0.05040
## 5 0.05040
## 6 0.05040
## 7 0.05040
## 8 0.05040
## 9 0.09160
## 10 0.14300
## 11 0.14300
## 12 0.14300
## 13 0.17800
## 14 0.19900
## 15 0.19900
## 16 0.19900
## 17 0.19900
## [1] ""
## [1] "Table: Smoking"

```

```

## [1] " (from model: "
## [1] " ~ Amputation.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol)"
## [1] ""
##
## Name Coefficient CI.L CI.R p.value p.adj
## 1 Glutamic acid, 3TMS; 8 0.372 0.1790 0.56500 0.000159 0.00571
## 2 3-Indolepropionic acid; 41 -0.369 -0.5620 -0.17600 0.000177 0.00571
## 3 Docosahexaenoic acid; 53 -0.362 -0.5550 -0.16900 0.000241 0.00571
## 4 Tartronic acid; 73 -0.356 -0.5490 -0.16300 0.000305 0.00571
## 5 Glyceric acid; 30 -0.330 -0.5230 -0.13700 0.000817 0.01220
## 6 Citric acid, 4TMS; 6 -0.308 -0.5010 -0.11500 0.001760 0.02200
## 7 alpha-Tocopherol; 26 -0.297 -0.4900 -0.10400 0.002560 0.02740
## 8 Benzeneacetic acid; 47 -0.283 -0.4760 -0.08970 0.004100 0.03840
## 9 Valine, 2TMS; 20 -0.276 -0.4690 -0.08270 0.005120 0.04260
## 10 Campesterol; 49 -0.272 -0.4650 -0.07880 0.005780 0.04340
## 11 Malic acid, 3TMS; 11 -0.258 -0.4510 -0.06540 0.008690 0.05930
## 12 Ribonic acid; 72 -0.255 -0.4480 -0.06190 0.009640 0.06030
## 13 3-Indoleacetic acid; 40 -0.234 -0.4270 -0.04080 0.017600 0.10200
## 14 4-Hydroxyphenyllactic acid; 44 -0.218 -0.4110 -0.02530 0.026600 0.13600
## 15 Leucine, 2TMS; 19 -0.218 -0.4110 -0.02450 0.027200 0.13600
## 16 Ribitol; 70 0.210 0.0175 0.40300 0.032600 0.15300
## 17 Heptadecanoic acid; 60 -0.202 -0.3950 -0.00851 0.040700 0.18000
## [1] ""
## [1] "Table: Statin"
## [1] " (from model: "
## [1] " ~ Amputation.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol)"
## [1] ""
##
## Name Coefficient CI.L CI.R p.value p.adj
## 1 L-5-Oxoproline; 63 -0.334 -0.5070 -0.1610 0.000156 0.0117
## 2 Campesterol; 49 0.252 0.0794 0.4250 0.004250 0.1590
## 3 Cholesterol, TMS; 23 -0.222 -0.3950 -0.0485 0.012100 0.1770
## 4 Glutamic acid, 3TMS; 8 0.212 0.0391 0.3850 0.016300 0.1770
## 5 Arachidonic acid, TMS; 24 0.211 0.0376 0.3840 0.017000 0.1770
## 6 Arachidic acid; 46 -0.208 -0.3810 -0.0351 0.018400 0.1770
## 7 Heptadecanoic acid; 61 -0.205 -0.3780 -0.0320 0.020200 0.1770
## 8 Aminomalonic acid; 45 -0.205 -0.3780 -0.0317 0.020400 0.1770
## 9 Dodecanoic acid; 54 -0.201 -0.3740 -0.0283 0.022600 0.1770
## 10 Ribitol; 71 0.197 0.0244 0.3700 0.025300 0.1770
## 11 Linoleic acid, TMS; 4 -0.197 -0.3700 -0.0236 0.025900 0.1770
## 12 Ribitol; 70 0.193 0.0199 0.3660 0.028800 0.1800
## [1] ""
## [1] "Table: log_Blood_TGA"
## [1] " (from model: "
## [1] " ~ Amputation.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol)"
## [1] ""
##
## Name Coefficient CI.L CI.R p.value
## 1 Dodecanoic acid; 54 0.273 0.14400 0.40200 3.44e-05
## 2 Palmitic acid, TMS; 5 0.271 0.14200 0.40000 3.70e-05
## 3 Decanoic acid; 52 0.252 0.12300 0.38100 1.31e-04

```

## 4	Stearic acid, TMS; 2	0.250	0.12100	0.37900	1.48e-04
## 5	Arachidic acid; 46	0.247	0.11800	0.37600	1.70e-04
## 6	Octanoic acid; 68	0.235	0.10600	0.36400	3.53e-04
## 7	3,4-Dihydroxybutanoic acid; 27	0.225	0.09620	0.35400	6.23e-04
## 8	Glycerol-glycoside; 59	0.218	0.08950	0.34700	8.98e-04
## 9	Ribonic acid; 72	0.212	0.08270	0.34100	1.30e-03
## 10	Oleic acid, TMS; 3	0.208	0.07940	0.33700	1.55e-03
## 11	4-Hydroxybenzeneacetic acid; 4	0.208	0.07870	0.33700	1.60e-03
## 12	Arabinopyranose; 51	0.194	0.06550	0.32300	3.12e-03
## 13	Ribitol; 71	0.191	0.06220	0.32000	3.67e-03
## 14	Heptadecanoic acid; 60	0.181	0.05250	0.31000	5.82e-03
## 15	2-Hydroxybutyric acid, 2TMS; 2	0.181	0.05160	0.31000	6.06e-03
## 16	Lactic acid; 29	0.171	0.04160	0.30000	9.54e-03
## 17	2,4-Dihydroxybutanoic acid; 28	0.167	0.03780	0.29600	1.13e-02
## 18	Glutamic acid, 3TMS; 8	0.166	0.03710	0.29500	1.16e-02
## 19	Heptadecanoic acid; 61	0.165	0.03600	0.29400	1.22e-02
## 20	Fumaric acid, 2TMS; 9	0.163	0.03370	0.29200	1.34e-02
## 21	Valine, 2TMS; 20	0.160	0.03150	0.28900	1.48e-02
## 22	Pyruvic acid; 31	0.159	0.03040	0.28800	1.54e-02
## 23	Isoleucine, 2TMS; 18	0.159	0.02970	0.28800	1.59e-02
## 24	Aminomalonic acid; 45	-0.154	-0.28300	-0.02550	1.89e-02
## 25	Myristoleic acid; 65	0.153	0.02450	0.28200	1.97e-02
## 26	4-Hydroxybutanoic acid; 43	0.153	0.02430	0.28200	1.99e-02
## 27	alpha-ketoglutaric acid, TMS M	0.152	0.02340	0.28100	2.06e-02
## 28	4-Deoxytetronic acid; 33	0.151	0.02170	0.28000	2.20e-02
## 29	Myo inositol 6TMS; 1	0.149	0.01960	0.27700	2.40e-02
## 30	Malic acid, 3TMS; 11	0.148	0.01880	0.27700	2.47e-02
## 31	Leucine, 2TMS; 19	0.141	0.01240	0.27000	3.17e-02
## 32	3-Indolepropionic acid; 41	-0.139	-0.26800	-0.00987	3.49e-02
## 33	Proline, 2TMS; 21	0.138	0.00901	0.26700	3.60e-02
## 34	Glyceric acid; 30	-0.136	-0.26500	-0.00727	3.84e-02
## 35	Arachidonic acid, TMS; 24	0.134	0.00531	0.26300	4.13e-02
## 36	Succinic acid, 2TMS; 7	0.132	0.00274	0.26100	4.53e-02
## 37	Nonadecanoic acid; 66	0.123	-0.00623	0.25200	6.21e-02
## 38	Tartronic acid; 73	-0.122	-0.25100	0.00716	6.42e-02
## 39	1,3-Propanediol; 34	0.116	-0.01310	0.24500	7.82e-02
## 40	3-Hydroxybutyric acid, 2TMS; 1	0.114	-0.01470	0.24300	8.24e-02
## 41	Tridecanoic acid; 74	0.112	-0.01700	0.24100	8.90e-02
## 42	Serine, 3TMS; 14	-0.112	-0.24100	0.01710	8.90e-02
## 43	3-Indoleacetic acid; 40	0.111	-0.01770	0.24000	9.08e-02
## 44	Nonanoic acid; 67	0.105	-0.02360	0.23400	1.09e-01
##	p.adj				
## 1		0.00139			
## 2		0.00139			
## 3		0.00254			
## 4		0.00254			
## 5		0.00254			
## 6		0.00442			
## 7		0.00668			
## 8		0.00842			
## 9		0.01080			
## 10		0.01090			
## 11		0.01090			
## 12		0.01950			

```

## 13 0.02120
## 14 0.03030
## 15 0.03030
## 16 0.04470
## 17 0.04800
## 18 0.04800
## 19 0.04800
## 20 0.05040
## 21 0.05190
## 22 0.05190
## 23 0.05190
## 24 0.05730
## 25 0.05730
## 26 0.05730
## 27 0.05730
## 28 0.05910
## 29 0.06170
## 30 0.06170
## 31 0.07670
## 32 0.08170
## 33 0.08180
## 34 0.08470
## 35 0.08850
## 36 0.09450
## 37 0.12600
## 38 0.12700
## 39 0.15000
## 40 0.15400
## 41 0.15800
## 42 0.15800
## 43 0.15800
## 44 0.18600
## [1] ""
## [1] "Table: Total_cholesterol"
## [1] " (from model: "
## [1] " ~ Amputation.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol)"
## [1] ""
##
## Name Coefficient CI.L CI.R p.value
## 1 Cholesterol, TMS; 23 0.4590 0.36200 0.55500 1.02e-20
## 2 Campesterol; 49 0.3640 0.26800 0.46000 1.23e-13
## 3 alpha-Tocopherol; 26 0.3230 0.22700 0.41900 4.95e-11
## 4 Benzeneacetic acid; 47 -0.1950 -0.29100 -0.09830 7.46e-05
## 5 Linoleic acid, TMS; 4 0.1800 0.08400 0.27700 2.42e-04
## 6 4-Hydroxybutanoic acid; 43 -0.1800 -0.27600 -0.08330 2.56e-04
## 7 Proline, 2TMS; 21 -0.1770 -0.27300 -0.08040 3.23e-04
## 8 Glycine, 3TMS; 17 -0.1700 -0.26600 -0.07370 5.39e-04
## 9 2,4-Dihydroxybutanoic acid; 28 -0.1670 -0.26300 -0.07070 6.73e-04
## 10 L-5-Oxoproline; 63 -0.1660 -0.26200 -0.06970 7.30e-04
## 11 Isoleucine, 2TMS; 18 -0.1510 -0.24700 -0.05470 2.11e-03
## 12 4-Hydroxybenzeneacetic acid; 4 -0.1510 -0.24700 -0.05460 2.14e-03
## 13 Tyrosine; 75 -0.1480 -0.24400 -0.05190 2.56e-03
## 14 Arabinopyranose; 51 -0.1460 -0.24300 -0.05010 2.89e-03

```


## 15	Eicosapentaenoic acid; 55	0.1460	0.04990	0.24200	2.92e-03
## 16	Docosahexaenoic acid; 53	0.1460	0.04950	0.24200	3.00e-03
## 17	Glycerol-glycoside; 59	-0.1440	-0.24100	-0.04820	3.26e-03
## 18	Threonine, 3TMS; 12	-0.1410	-0.23700	-0.04460	4.14e-03
## 19	Methionine, 2TMS; 16	-0.1410	-0.23700	-0.04450	4.16e-03
## 20	Alanine, 2TMS; 25	-0.1390	-0.23500	-0.04300	4.58e-03
## 21	Ribitol; 71	-0.1370	-0.23400	-0.04120	5.12e-03
## 22	2-Palmitoylglycerol; 39	0.1340	0.03740	0.23000	6.49e-03
## 23	3-Indoleacetic acid; 40	-0.1300	-0.22600	-0.03340	8.29e-03
## 24	Hydroxylamine; 62	-0.1210	-0.21700	-0.02440	1.40e-02
## 25	Ribonic acid; 72	-0.1190	-0.21500	-0.02290	1.52e-02
## 26	Serine, 3TMS; 14	-0.1170	-0.21300	-0.02090	1.70e-02
## 27	Phenylalanine, 2TMS; 13	-0.1150	-0.21100	-0.01890	1.90e-02
## 28	3,4-Dihydroxybutanoic acid; 27	-0.1130	-0.20900	-0.01680	2.14e-02
## 29	Malic acid, 3TMS; 11	-0.1010	-0.19700	-0.00444	4.03e-02
## 30	Pyruvic acid; 31	-0.1000	-0.19600	-0.00391	4.14e-02
## 31	Palmitic acid, TMS; 5	0.0994	0.00314	0.19600	4.30e-02
## 32	2-Hydroxybutyric acid, 2TMS; 2	0.0913	-0.00497	0.18800	6.31e-02
## 33	Myo inositol 6TMS; 1	-0.0889	-0.18500	0.00739	7.04e-02
## 34	1,3-Propanediol; 34	-0.0825	-0.17900	0.01370	9.29e-02
## 35	3-Indolepropionic acid; 41	0.0821	-0.01410	0.17800	9.44e-02
## 36	Leucine, 2TMS; 19	-0.0820	-0.17800	0.01430	9.51e-02
##	p.adj				
## 1		7.65e-19			
## 2		4.63e-12			
## 3		1.24e-09			
## 4		1.40e-03			
## 5		3.20e-03			
## 6		3.20e-03			
## 7		3.46e-03			
## 8		5.05e-03			
## 9		5.48e-03			
## 10		5.48e-03			
## 11		1.34e-02			
## 12		1.34e-02			
## 13		1.41e-02			
## 14		1.41e-02			
## 15		1.41e-02			
## 16		1.41e-02			
## 17		1.44e-02			
## 18		1.64e-02			
## 19		1.64e-02			
## 20		1.72e-02			
## 21		1.83e-02			
## 22		2.21e-02			
## 23		2.70e-02			
## 24		4.37e-02			
## 25		4.57e-02			
## 26		4.92e-02			
## 27		5.29e-02			
## 28		5.72e-02			
## 29		1.03e-01			
## 30		1.03e-01			
## 31		1.04e-01			

```
## 32 1.48e-01
## 33 1.60e-01
## 34 1.98e-01
## 35 1.98e-01
## 36 1.98e-01
```

5.1.2.3 Table with All Metabolites

```

## [1] ""
## [1] "Table: Amputation.at.DATEJA"
## [1] " (from model: "
## [1] " ~ Amputation.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol)"
## [1] ""
##
## Name Coefficient CI.L CI.R p.value p.adj
## 1 Ribonic acid; 72 0.72500 0.30400 1.15000 0.00073 0.0547
## 2 Myo inositol 6TMS; 1 0.61300 0.19300 1.03000 0.00427 0.1600
## 3 Succinic acid, 2TMS; 7 0.57900 0.15800 0.99900 0.00702 0.1760
## 4 Threonine, 3TMS; 12 -0.53500 -0.95600 -0.11500 0.01260 0.2230
## 5 4-Hydroxybenzeneacetic acid; 4 0.52300 0.10200 0.94300 0.01490 0.2230
## 6 Glutamic acid, 3TMS; 8 -0.47300 -0.89400 -0.05280 0.02740 0.2790
## 7 Creatinine; 50 0.46200 0.04150 0.88300 0.03130 0.2790
## 8 Tyrosine; 75 -0.45400 -0.87500 -0.03350 0.03430 0.2790
## 9 Ribitol; 71 0.45300 0.03270 0.87400 0.03470 0.2790
## 10 Methionine, 2TMS; 16 -0.43700 -0.85700 -0.01600 0.04190 0.2790
## 11 Glycerol; 57 0.43400 0.01350 0.85500 0.04310 0.2790
## 12 Pyroglutamic acid; 69 0.42900 0.00845 0.85000 0.04560 0.2790
## 13 Phenylalanine, 2TMS; 13 -0.42400 -0.84400 -0.00314 0.04830 0.2790
## 14 2,4-Dihydroxybutanoic acid; 28 0.38800 -0.03270 0.80900 0.07070 0.3550
## 15 Hydroxyproline; 64 0.38700 -0.03320 0.80800 0.07100 0.3550
## 16 3,4-Dihydroxybutanoic acid; 27 0.37900 -0.04200 0.79900 0.07770 0.3640
## 17 Valine, 2TMS; 20 -0.37100 -0.79100 0.05010 0.08420 0.3690
## 18 4-Hydroxyphenyllactic acid; 44 0.36500 -0.05520 0.78600 0.08860 0.3690
## 19 Leucine, 2TMS; 19 -0.35900 -0.78000 0.06130 0.09410 0.3710
## 20 Malic acid, 3TMS; 11 0.35100 -0.06950 0.77200 0.10200 0.3820
## 21 Heptadecanoic acid; 61 0.30600 -0.11500 0.72700 0.15400 0.5150
## 22 Serine, 3TMS; 14 -0.30500 -0.72600 0.11600 0.15500 0.5150
## 23 Proline, 2TMS; 21 -0.30300 -0.72400 0.11800 0.15800 0.5150
## 24 4-Deoxytetroneic acid; 33 0.28700 -0.13400 0.70800 0.18100 0.5390
## 25 4-Deoxytetroneic acid; 32 0.28600 -0.13500 0.70700 0.18300 0.5390
## 26 2-hydroxy Isovaleric acid; 38 -0.28300 -0.70400 0.13700 0.18700 0.5390
## 27 4-Hydroxybutanoic acid; 43 0.27300 -0.14800 0.69400 0.20300 0.5600
## 28 Arabinopyranose; 51 -0.26600 -0.68700 0.15400 0.21500 0.5600
## 29 3-Indolepropionic acid; 41 -0.26500 -0.68600 0.15500 0.21700 0.5600
## 30 Myristoleic acid; 65 0.25900 -0.16200 0.68000 0.22800 0.5600
## 31 Dodecanoic acid; 54 0.25700 -0.16400 0.67800 0.23100 0.5600
## 32 Campesterol; 49 -0.23600 -0.65700 0.18400 0.27100 0.6340
## 33 Stearic acid, TMS; 2 0.22900 -0.19200 0.64900 0.28700 0.6510
## 34 Alanine, 2TMS; 25 0.21600 -0.20500 0.63600 0.31500 0.6950
## 35 2-Palmitoylglycerol; 39 -0.20800 -0.62900 0.21200 0.33200 0.7120
## 36 Aminomalonic acid; 45 -0.19400 -0.61400 0.22700 0.36700 0.7360
## 37 Heptadecanoic acid; 60 0.19200 -0.22800 0.61300 0.37000 0.7360
## 38 Glyceryl-glycoside; 59 0.18900 -0.23100 0.61000 0.37800 0.7360
## 39 Eicosapentaenoic acid; 55 -0.18700 -0.60800 0.23300 0.38300 0.7360
## 40 Hydroxylamine; 62 0.16600 -0.25400 0.58700 0.43800 0.8140
## 41 Tridecanoic acid; 74 0.16000 -0.26100 0.58000 0.45700 0.8140
## 42 11-Eicosenoic acid; 35 0.15900 -0.26200 0.58000 0.45900 0.8140
## 43 Isoleucine, 2TMS; 18 -0.15600 -0.57700 0.26400 0.46700 0.8140
## 44 alpha-Tocopherol; 26 -0.14300 -0.56400 0.27800 0.50500 0.8440

```

## 45	Decanoic acid; 52	0.14200	-0.27900	0.56200	0.50900	0.8440
## 46	Ribitol; 70	0.13900	-0.28200	0.56000	0.51800	0.8440
## 47	Glyceric acid; 30	-0.12900	-0.54900	0.29200	0.54800	0.8750
## 48	Palmitic acid, TMS; 5	0.12500	-0.29600	0.54600	0.56100	0.8760
## 49	1-Monopalmitin; 37	0.11700	-0.30400	0.53700	0.58700	0.8790
## 50	3-Indoleacetic acid; 40	0.11100	-0.31000	0.53100	0.60700	0.8790
## 51	Tartronic acid; 73	-0.11000	-0.53100	0.31000	0.60700	0.8790
## 52	Arachidic acid; 46	0.10900	-0.31200	0.53000	0.61200	0.8790
## 53	1-Dodecanol; 36	0.10600	-0.31500	0.52700	0.62100	0.8790
## 54	2-Hydroxybutyric acid, 2TMS; 2	0.09480	-0.32600	0.51500	0.65900	0.9010
## 55	Fumaric acid, 2TMS; 9	0.09430	-0.32600	0.51500	0.66000	0.9010
## 56	Lactic acid; 29	0.08210	-0.33900	0.50300	0.70200	0.9210
## 57	Octanoic acid; 68	0.07920	-0.34100	0.50000	0.71200	0.9210
## 58	alpha-ketoglutaric acid, TMS M	-0.07920	-0.50000	0.34100	0.71200	0.9210
## 59	Citric acid, 4TMS; 6	0.07570	-0.34500	0.49600	0.72400	0.9210
## 60	Nonadecanoic acid; 66	0.05690	-0.36400	0.47800	0.79100	0.9560
## 61	L-5-Oxoproline; 63	-0.05560	-0.47600	0.36500	0.79600	0.9560
## 62	Nonanoic acid; 67	0.05470	-0.36600	0.47500	0.79900	0.9560
## 63	Glycerol; 58	0.05240	-0.36800	0.47300	0.80700	0.9560
## 64	Bisphenol A; 48	-0.04820	-0.46900	0.37200	0.82200	0.9560
## 65	Arachidonic acid, TMS; 24	0.03780	-0.38300	0.45800	0.86000	0.9560
## 66	Glycine, 3TMS; 17	0.03440	-0.38600	0.45500	0.87200	0.9560
## 67	Oleic acid, TMS; 3	0.03000	-0.39100	0.45100	0.88900	0.9560
## 68	Ethanolamine; 56	0.02680	-0.39400	0.44700	0.90100	0.9560
## 69	3-Hydroxybutyric acid, 2TMS; 1	0.02420	-0.39600	0.44500	0.91000	0.9560
## 70	1,3-Propanediol; 34	0.02310	-0.39800	0.44400	0.91400	0.9560
## 71	Benzeneacetic acid; 47	0.01990	-0.40100	0.44100	0.92600	0.9560
## 72	Pyruvic acid; 31	0.01910	-0.40200	0.44000	0.92900	0.9560
## 73	Docosahexaenoic acid; 53	-0.01870	-0.43900	0.40200	0.93000	0.9560
## 74	Linoleic acid, TMS; 4	0.01280	-0.40800	0.43300	0.95300	0.9640
## 75	Cholesterol, TMS; 23	0.00965	-0.41100	0.43000	0.96400	0.9640

5.1.3 Adjusted Model with eGFR

```
## [1] "Fitting models:"  
## [1] "~ Amputation.at.DATE + Age.x + Gender.x + Hba1c_baseline + CALSBP + bmi + Smoking + Statin + lo  
## [1] ""
```

5.1.3.1 Forest Plot of Model Coefficients

```
## Warning: Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## NULL
```

5.1.3.2 Tables of Model Coefficients

```

## [1] ""
## [1] "Table: Amputation.at.DATEJA"
## [1] " (from model: "
## [1] " ~ Amputation.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol + egfr)"
## [1] ""
## [1] "No significant associations at p.adj < 0.2"
## [1] ""
## [1] "Table: Age.x"
## [1] " (from model: "
## [1] " ~ Amputation.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol + egfr)"
## [1] ""
##
## Name Coefficient CI.L CI.R p.value
## 1 Eicosapentaenoic acid; 55 0.02470 1.79e-02 0.031500 1.45e-12
## 2 Docosahexaenoic acid; 53 0.01520 8.38e-03 0.022000 1.33e-05
## 3 Glyceric acid; 30 0.01200 5.22e-03 0.018900 5.50e-04
## 4 alpha-Tocopherol; 26 0.01160 4.74e-03 0.018400 9.00e-04
## 5 Pyruvic acid; 31 0.01150 4.58e-03 0.018400 1.13e-03
## 6 Decanoic acid; 52 0.01140 4.53e-03 0.018300 1.15e-03
## 7 alpha-ketoglutaric acid, TMS M 0.01140 4.47e-03 0.018300 1.28e-03
## 8 Aminomalonic acid; 45 0.01030 3.42e-03 0.017200 3.35e-03
## 9 4-Hydroxybenzeneacetic acid; 4 0.00987 3.10e-03 0.016600 4.28e-03
## 10 3-Indoleacetic acid; 40 0.00984 2.97e-03 0.016700 5.01e-03
## 11 Tyrosine; 75 0.00917 2.25e-03 0.016100 9.38e-03
## 12 2,4-Dihydroxybutanoic acid; 28 0.00874 2.06e-03 0.015400 1.04e-02
## 13 Ribitol; 70 0.00901 2.10e-03 0.015900 1.06e-02
## 14 Palmitic acid, TMS; 5 0.00845 1.57e-03 0.015300 1.61e-02
## 15 Malic acid, 3TMS; 11 0.00814 1.23e-03 0.015100 2.10e-02
## 16 11-Eicosenoic acid; 35 0.00816 1.23e-03 0.015100 2.11e-02
## 17 Myristoleic acid; 65 0.00800 1.14e-03 0.014900 2.24e-02
## 18 Succinic acid, 2TMS; 7 0.00797 1.05e-03 0.014900 2.41e-02
## 19 Glutamic acid, 3TMS; 8 0.00759 7.85e-04 0.014400 2.88e-02
## 20 Heptadecanoic acid; 61 0.00765 7.25e-04 0.014600 3.04e-02
## 21 Fumaric acid, 2TMS; 9 0.00741 4.93e-04 0.014300 3.58e-02
## 22 Dodecanoic acid; 54 0.00730 4.23e-04 0.014200 3.75e-02
## 23 Oleic acid, TMS; 3 0.00727 3.72e-04 0.014200 3.89e-02
## 24 Tartronic acid; 73 0.00703 1.73e-04 0.013900 4.45e-02
## 25 Glycerol; 57 0.00706 1.19e-04 0.014000 4.62e-02
## 26 Alanine, 2TMS; 25 0.00701 9.85e-05 0.013900 4.68e-02
## 27 L-5-Oxoproline; 63 0.00688 -3.89e-05 0.013800 5.13e-02
## 28 Octanoic acid; 68 0.00683 -7.90e-05 0.013700 5.27e-02
## 29 Hydroxylamine; 62 -0.00677 -1.37e-02 0.000172 5.60e-02
## 30 Glycine, 3TMS; 17 0.00662 -2.35e-04 0.013500 5.84e-02
## 31 4-Hydroxyphenyllactic acid; 44 0.00662 -2.74e-04 0.013500 5.98e-02
## 32 Phenylalanine, 2TMS; 13 0.00660 -3.33e-04 0.013500 6.21e-02
## 33 2-Palmitoylglycerol; 39 0.00660 -3.40e-04 0.013500 6.23e-02
## 34 Hydroxyproline; 64 -0.00654 -1.35e-02 0.000363 6.33e-02
## 35 Nonadecanoic acid; 66 0.00654 -3.90e-04 0.013500 6.43e-02
## 36 Methionine, 2TMS; 16 0.00645 -4.26e-04 0.013300 6.60e-02

```

```

## 37          Stearic acid, TMS; 2      0.00617 -7.25e-04 0.013100 7.94e-02
## 38          Heptadecanoic acid; 60    0.00612 -8.02e-04 0.013000 8.31e-02
## 39          Myo inositol 6TMS; 1      0.00557 -1.08e-03 0.012200 1.01e-01
##          p.adj
## 1  1.08e-10
## 2  5.00e-04
## 3  1.37e-02
## 4  1.37e-02
## 5  1.37e-02
## 6  1.37e-02
## 7  1.37e-02
## 8  3.14e-02
## 9  3.57e-02
## 10 3.76e-02
## 11 6.11e-02
## 12 6.11e-02
## 13 6.11e-02
## 14 8.62e-02
## 15 9.87e-02
## 16 9.87e-02
## 17 9.88e-02
## 18 1.00e-01
## 19 1.14e-01
## 20 1.14e-01
## 21 1.27e-01
## 22 1.27e-01
## 23 1.27e-01
## 24 1.35e-01
## 25 1.35e-01
## 26 1.35e-01
## 27 1.37e-01
## 28 1.37e-01
## 29 1.37e-01
## 30 1.37e-01
## 31 1.37e-01
## 32 1.37e-01
## 33 1.37e-01
## 34 1.37e-01
## 35 1.37e-01
## 36 1.37e-01
## 37 1.61e-01
## 38 1.64e-01
## 39 1.94e-01
## [1] ""
## [1] "Table: Gender.x"
## [1] " (from model: "
## [1] " ~ Amputation.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol + egfr)"
## [1] ""
##          Name Coefficient      CI.L      CI.R p.value
## 1  4-Deoxytetric acid; 33      0.431  0.27200  0.58900 1.06e-07
## 2  Myristoleic acid; 65      -0.384 -0.54300 -0.22500 2.46e-06
## 3  Glyceric acid; 30        -0.375 -0.53400 -0.21700 3.61e-06

```


## 4	Proline, 2TMS; 21	0.374	0.21500	0.53400	4.34e-06
## 5	Tartronic acid; 73	-0.348	-0.50700	-0.18900	1.91e-05
## 6	Dodecanoic acid; 54	-0.348	-0.50800	-0.18800	1.99e-05
## 7	Cholesterol, TMS; 23	-0.321	-0.47700	-0.16600	5.17e-05
## 8	Methionine, 2TMS; 16	0.326	0.16700	0.48600	6.33e-05
## 9	Oleic acid, TMS; 3	-0.319	-0.47900	-0.15900	9.77e-05
## 10	Citric acid, 4TMS; 6	-0.306	-0.46500	-0.14800	1.57e-04
## 11	Docosahexaenoic acid; 53	-0.294	-0.45300	-0.13600	2.79e-04
## 12	Glycine, 3TMS; 17	-0.290	-0.44900	-0.13100	3.59e-04
## 13	Leucine, 2TMS; 19	0.289	0.13000	0.44800	3.66e-04
## 14	Valine, 2TMS; 20	0.282	0.12500	0.44000	4.52e-04
## 15	Decanoic acid; 52	-0.281	-0.44000	-0.12100	5.69e-04
## 16	Stearic acid, TMS; 2	-0.274	-0.43400	-0.11400	8.04e-04
## 17	Aminomalonic acid; 45	-0.267	-0.42600	-0.10800	1.04e-03
## 18	Tridecanoic acid; 74	-0.264	-0.42400	-0.10300	1.31e-03
## 19	Palmitic acid, TMS; 5	-0.261	-0.42100	-0.10200	1.35e-03
## 20	Heptadecanoic acid; 61	-0.262	-0.42300	-0.10100	1.40e-03
## 21	Heptadecanoic acid; 60	-0.258	-0.41900	-0.09730	1.67e-03
## 22	Glutamic acid, 3TMS; 8	0.252	0.09370	0.41000	1.81e-03
## 23	Hydroxyproline; 64	0.252	0.09150	0.41200	2.10e-03
## 24	Isoleucine, 2TMS; 18	0.235	0.07700	0.39300	3.57e-03
## 25	2-hydroxy Isovaleric acid; 38	0.238	0.07740	0.39800	3.70e-03
## 26	Succinic acid, 2TMS; 7	-0.237	-0.39800	-0.07660	3.81e-03
## 27	Nonadecanoic acid; 66	-0.230	-0.39100	-0.06930	5.07e-03
## 28	Tyrosine; 75	-0.214	-0.37400	-0.05310	9.14e-03
## 29	Glycerol; 57	-0.198	-0.35900	-0.03680	1.61e-02
## 30	1-Monopalmitin; 37	0.168	0.00644	0.32900	4.15e-02
## 31	11-Eicosenoic acid; 35	-0.166	-0.32700	-0.00523	4.30e-02
## 32	Arachidonic acid, TMS; 24	-0.158	-0.31900	0.00320	5.47e-02
## 33	Nonanoic acid; 67	-0.157	-0.31800	0.00459	5.69e-02
## 34	Benzeneacetic acid; 47	-0.154	-0.31400	0.00649	6.00e-02
##	p.adj				
## 1	7.96e-06				
## 2	8.14e-05				
## 3	8.14e-05				
## 4	8.14e-05				
## 5	2.48e-04				
## 6	2.48e-04				
## 7	5.53e-04				
## 8	5.93e-04				
## 9	8.14e-04				
## 10	1.17e-03				
## 11	1.90e-03				
## 12	2.11e-03				
## 13	2.11e-03				
## 14	2.42e-03				
## 15	2.84e-03				
## 16	3.77e-03				
## 17	4.58e-03				
## 18	5.23e-03				
## 19	5.23e-03				
## 20	5.23e-03				
## 21	5.95e-03				
## 22	6.17e-03				

```

## 23 6.83e-03
## 24 1.10e-02
## 25 1.10e-02
## 26 1.10e-02
## 27 1.41e-02
## 28 2.45e-02
## 29 4.15e-02
## 30 1.04e-01
## 31 1.04e-01
## 32 1.28e-01
## 33 1.29e-01
## 34 1.32e-01
## [1] ""
## [1] "Table: Hba1c_baseline"
## [1] " (from model: "
## [1] " ~ Amputation.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol + egfr)"
## [1] ""
##
## Name Coefficient CI.L CI.R p.value p.adj
## 1 Eicosapentaenoic acid; 55 -0.1300 -0.20000 -0.06040 0.000263 0.0112
## 2 Tridecanoic acid; 74 -0.1320 -0.20300 -0.06030 0.000300 0.0112
## 3 Arabinopyranose; 51 0.1260 0.05540 0.19700 0.000493 0.0123
## 4 Docosahexaenoic acid; 53 -0.1210 -0.19100 -0.05080 0.000743 0.0139
## 5 Glyceric acid; 30 -0.1140 -0.18400 -0.04380 0.001470 0.0209
## 6 Alanine, 2TMS; 25 0.1140 0.04300 0.18500 0.001670 0.0209
## 7 Ethanolamine; 56 0.1120 0.04050 0.18300 0.002130 0.0229
## 8 Valine, 2TMS; 20 0.1030 0.03320 0.17300 0.003850 0.0361
## 9 Decanoic acid; 52 -0.0960 -0.16700 -0.02530 0.007790 0.0650
## 10 4-Hydroxybutanoic acid; 43 -0.0884 -0.16000 -0.01710 0.015100 0.1130
## 11 Citric acid, 4TMS; 6 0.0818 0.01150 0.15200 0.022500 0.1430
## 12 11-Eicosenoic acid; 35 -0.0827 -0.15400 -0.01150 0.022900 0.1430
## 13 Myristoleic acid; 65 -0.0782 -0.14900 -0.00756 0.030000 0.1710
## 14 Lactic acid; 29 0.0778 0.00676 0.14900 0.031900 0.1710
## 15 Octanoic acid; 68 -0.0743 -0.14500 -0.00330 0.040300 0.1850
## 16 Proline, 2TMS; 21 0.0737 0.00309 0.14400 0.040800 0.1850
## 17 Glyceryl-glycoside; 59 0.0735 0.00266 0.14400 0.042000 0.1850
## [1] ""
## [1] "Table: CALSBP"
## [1] " (from model: "
## [1] " ~ Amputation.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol + egfr)"
## [1] ""
##
## Name Coefficient CI.L CI.R p.value p.adj
## 1 Myristoleic acid; 65 0.00824 0.00362 0.0129 0.000479 0.0359
## [1] ""
## [1] "Table: bmi"
## [1] " (from model: "
## [1] " ~ Amputation.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol + egfr)"
## [1] ""
##
## Name Coefficient CI.L CI.R p.value

```

```

## 1      Glutamic acid, 3TMS; 8      0.0457  0.025600  0.065900  8.97e-06
## 2  2-Hydroxybutyric acid, 2TMS; 2  0.0408  0.020600  0.060900  7.38e-05
## 3      Campesterol; 49            -0.0389 -0.059100 -0.018800  1.59e-04
## 4      Lactic acid; 29             0.0303  0.009860  0.050800  3.70e-03
## 5      Pyruvic acid; 31            -0.0300 -0.050500 -0.009560  4.05e-03
## 6      Decanoic acid; 52           -0.0295 -0.049800 -0.009130  4.54e-03
## 7      1,3-Propanediol; 34         -0.0291 -0.049700 -0.008540  5.57e-03
## 8      Arachidic acid; 46          -0.0289 -0.049300 -0.008360  5.81e-03
## 9      alpha-Tocopherol; 26        -0.0262 -0.046400 -0.006050  1.09e-02
## 10  2,4-Dihydroxybutanoic acid; 28 -0.0255 -0.045200 -0.005670  1.17e-02
## 11      Pyroglutamic acid; 69      -0.0248 -0.045200 -0.004420  1.71e-02
## 12      Ribitol; 70                0.0228  0.002320  0.043200  2.91e-02
## 13      Citric acid, 4TMS; 6       -0.0223 -0.042500 -0.002090  3.06e-02
## 14      Isoleucine, 2TMS; 18       0.0218  0.001660  0.041900  3.39e-02
## 15  alpha-ketoglutaric acid, TMS M -0.0221 -0.042600 -0.001550  3.50e-02
## 16      Tartronic acid; 73         -0.0215 -0.041800 -0.001260  3.74e-02
## 17      Nonadecanoic acid; 66      -0.0211 -0.041600 -0.000609  4.36e-02
## 18      11-Eicosenoic acid; 35     0.0211  0.000574  0.041600  4.39e-02
##      p.adj
## 1  0.000673
## 2  0.002770
## 3  0.003980
## 4  0.054500
## 5  0.054500
## 6  0.054500
## 7  0.054500
## 8  0.054500
## 9  0.087800
## 10 0.087800
## 11 0.117000
## 12 0.175000
## 13 0.175000
## 14 0.175000
## 15 0.175000
## 16 0.175000
## 17 0.183000
## 18 0.183000
## [1] ""
## [1] "Table: Smoking"
## [1] " (from model: "
## [1] " ~ Amputation.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol + egfr)"
## [1] ""
##
##      Name Coefficient  CI.L  CI.R  p.value  p.adj
## 1  Docosahexaenoic acid; 53  -0.381 -0.5710 -0.1910  8.86e-05  0.00408
## 2  3-Indolepropionic acid; 41  -0.378 -0.5700 -0.1860  1.18e-04  0.00408
## 3  Glutamic acid, 3TMS; 8      0.365  0.1760  0.5550  1.63e-04  0.00408
## 4  Tartronic acid; 73         -0.351 -0.5420 -0.1600  3.14e-04  0.00589
## 5  Glyceric acid; 30         -0.344 -0.5340 -0.1540  3.95e-04  0.00593
## 6  Valine, 2TMS; 20          -0.314 -0.5030 -0.1250  1.12e-03  0.01400
## 7  alpha-Tocopherol; 26       -0.306 -0.4960 -0.1170  1.57e-03  0.01690
## 8  Citric acid, 4TMS; 6       -0.268 -0.4590 -0.0780  5.74e-03  0.05040
## 9  Campesterol; 49           -0.266 -0.4560 -0.0762  6.05e-03  0.05040

```

```

## 10      Benzeneacetic acid; 47      -0.265 -0.4570 -0.0726 6.94e-03 0.05210
## 11      Leucine, 2TMS; 19          -0.244 -0.4340 -0.0530 1.23e-02 0.08380
## 12      Malic acid, 3TMS; 11       -0.239 -0.4320 -0.0468 1.49e-02 0.09290
## 13 3,4-Dihydroxybutanoic acid; 27   0.223  0.0356  0.4110 1.98e-02 0.11400
## 14      Ribitol; 70                0.218  0.0262  0.4110 2.60e-02 0.13900
## [1] ""
## [1] "Table: Statin"
## [1] " (from model: "
## [1] " ~ Amputation.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol + egfr)"
## [1] ""
##
##              Name Coefficient    CI.L    CI.R  p.value  p.adj
## 1      L-5-Oxoproline; 63      -0.313 -0.4880 -0.1380 0.000459 0.0344
## 2      Campesterol; 49         0.241  0.0687  0.4130 0.006140 0.1880
## 3      Glutamic acid, 3TMS; 8    0.225  0.0530  0.3970 0.010400 0.1880
## 4      Aminomalonic acid; 45     -0.225 -0.3990 -0.0514 0.011100 0.1880
## 5 Arachidonic acid, TMS; 24      0.223  0.0482  0.3990 0.012500 0.1880
## [1] ""
## [1] "Table: log_Blood_TGA"
## [1] " (from model: "
## [1] " ~ Amputation.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol + egfr)"
## [1] ""
##
##              Name Coefficient    CI.L    CI.R  p.value
## 1      Palmitic acid, TMS; 5      0.290  0.162000  0.419000 9.63e-06
## 2      Dodecanoic acid; 54        0.278  0.150000  0.407000 2.20e-05
## 3      Stearic acid, TMS; 2       0.275  0.146000  0.404000 2.88e-05
## 4      Octanoic acid; 68          0.262  0.133000  0.391000 6.89e-05
## 5      Decanoic acid; 52          0.261  0.132000  0.389000 7.01e-05
## 6      Arachidic acid; 46         0.249  0.120000  0.378000 1.61e-04
## 7 2-Hydroxybutyric acid, 2TMS; 2  0.226  0.099200  0.353000 4.87e-04
## 8      Oleic acid, TMS; 3         0.215  0.086300  0.344000 1.07e-03
## 9      Isoleucine, 2TMS; 18       0.202  0.075300  0.329000 1.81e-03
## 10     Valine, 2TMS; 20           0.199  0.072600  0.326000 2.06e-03
## 11     Arabinopyranose; 51        0.193  0.064300  0.322000 3.32e-03
## 12     Glyceryl-glycoside; 59     0.187  0.058500  0.315000 4.36e-03
## 13     Heptadecanoic acid; 60     0.180  0.050600  0.309000 6.41e-03
## 14     Lactic acid; 29            0.177  0.048400  0.306000 7.04e-03
## 15     Glutamic acid, 3TMS; 8     0.171  0.043600  0.298000 8.49e-03
## 16     Leucine, 2TMS; 19         0.168  0.040000  0.296000 1.01e-02
## 17     Heptadecanoic acid; 61     0.168  0.039200  0.298000 1.06e-02
## 18 3,4-Dihydroxybutanoic acid; 27 0.164  0.037600  0.289000 1.09e-02
## 19     Aminomalonic acid; 45     -0.165 -0.293000 -0.037000 1.16e-02
## 20     Pyruvic acid; 31           0.165  0.036100  0.294000 1.21e-02
## 21     Myristoleic acid; 65       0.161  0.033200  0.289000 1.37e-02
## 22 4-Hydroxybenzeneacetic acid; 4  0.156  0.030000  0.282000 1.53e-02
## 23     4-Hydroxybutanoic acid; 43 0.156  0.026300  0.285000 1.84e-02
## 24 alpha-ketoglutaric acid, TMS M 0.154  0.024500  0.283000 1.98e-02
## 25     Ribonic acid; 72          0.145  0.020000  0.270000 2.30e-02
## 26     Fumaric acid, 2TMS; 9      0.140  0.011300  0.269000 3.31e-02
## 27     Arachidonic acid, TMS; 24  0.139  0.009740  0.269000 3.51e-02
## 28     Proline, 2TMS; 21         0.135  0.006830  0.263000 3.90e-02

```

## 29	Malic acid, 3TMS; 11	0.129	-0.000308	0.258000	5.05e-02
## 30	3-Indolepropionic acid; 41	-0.128	-0.257000	0.000905	5.16e-02
## 31	Succinic acid, 2TMS; 7	0.126	-0.003570	0.255000	5.67e-02
## 32	Nonadecanoic acid; 66	0.124	-0.005350	0.253000	6.02e-02
## 33	Ribitol; 71	0.119	-0.005960	0.243000	6.20e-02
## 34	Tartronic acid; 73	-0.122	-0.250000	0.006200	6.22e-02
## 35	Glycine, 3TMS; 17	-0.121	-0.249000	0.007080	6.41e-02
## 36	Glyceric acid; 30	-0.119	-0.247000	0.007860	6.59e-02
## 37	1,3-Propanediol; 34	0.117	-0.013000	0.246000	7.77e-02
## 38	Tridecanoic acid; 74	0.114	-0.015600	0.243000	8.49e-02
## 39	3-Hydroxybutyric acid, 2TMS; 1	0.114	-0.015800	0.244000	8.52e-02
##	p.adj				
## 1	0.00072				
## 2	0.00072				
## 3	0.00072				
## 4	0.00105				
## 5	0.00105				
## 6	0.00202				
## 7	0.00522				
## 8	0.01000				
## 9	0.01510				
## 10	0.01550				
## 11	0.02260				
## 12	0.02730				
## 13	0.03700				
## 14	0.03770				
## 15	0.04250				
## 16	0.04550				
## 17	0.04550				
## 18	0.04550				
## 19	0.04560				
## 20	0.04560				
## 21	0.04880				
## 22	0.05220				
## 23	0.06000				
## 24	0.06190				
## 25	0.06890				
## 26	0.09550				
## 27	0.09750				
## 28	0.10400				
## 29	0.12900				
## 30	0.12900				
## 31	0.13700				
## 32	0.13700				
## 33	0.13700				
## 34	0.13700				
## 35	0.13700				
## 36	0.13700				
## 37	0.15700				
## 38	0.16400				
## 39	0.16400				
##	[1] ""				
##	[1] "Table: Total_cholesterol"				
##	[1] " (from model: "				

```

## [1] " ~ Amputation.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol + egfr)"
## [1] ""
##
## Name Coefficient CI.L CI.R p.value
## 1 Cholesterol, TMS; 23 0.4510 0.3580 0.544000 5.10e-21
## 2 Campesterol; 49 0.3650 0.2700 0.459000 6.48e-14
## 3 alpha-Tocopherol; 26 0.3190 0.2240 0.414000 5.05e-11
## 4 Benzeneacetic acid; 47 -0.1880 -0.2840 -0.092100 1.23e-04
## 5 Linoleic acid, TMS; 4 0.1780 0.0826 0.274000 2.69e-04
## 6 4-Hydroxybutanoic acid; 43 -0.1750 -0.2710 -0.078700 3.72e-04
## 7 Proline, 2TMS; 21 -0.1730 -0.2680 -0.077400 3.88e-04
## 8 L-5-Oxoproline; 63 -0.1710 -0.2670 -0.074900 4.95e-04
## 9 Isoleucine, 2TMS; 18 -0.1680 -0.2620 -0.073400 5.03e-04
## 10 Glycine, 3TMS; 17 -0.1630 -0.2580 -0.067300 8.30e-04
## 11 Tyrosine; 75 -0.1560 -0.2520 -0.060300 1.43e-03
## 12 Methionine, 2TMS; 16 -0.1500 -0.2450 -0.054200 2.13e-03
## 13 2,4-Dihydroxybutanoic acid; 28 -0.1440 -0.2360 -0.050700 2.45e-03
## 14 Arabinopyranose; 51 -0.1470 -0.2430 -0.051300 2.63e-03
## 15 Threonine, 3TMS; 12 -0.1430 -0.2390 -0.046500 3.65e-03
## 16 Docosahexaenoic acid; 53 0.1380 0.0431 0.233000 4.39e-03
## 17 Eicosapentaenoic acid; 55 0.1360 0.0420 0.231000 4.66e-03
## 18 4-Hydroxybenzeneacetic acid; 4 -0.1330 -0.2270 -0.038800 5.65e-03
## 19 Alanine, 2TMS; 25 -0.1320 -0.2280 -0.036400 6.86e-03
## 20 Glyceryl-glycoside; 59 -0.1320 -0.2270 -0.036000 6.99e-03
## 21 2-Palmitoylglycerol; 39 0.1300 0.0340 0.227000 8.05e-03
## 22 Serine, 3TMS; 14 -0.1280 -0.2230 -0.031700 9.13e-03
## 23 Hydroxylamine; 62 -0.1210 -0.2170 -0.024600 1.39e-02
## 24 3-Indoleacetic acid; 40 -0.1180 -0.2130 -0.022800 1.52e-02
## 25 Ribitol; 71 -0.1100 -0.2030 -0.017700 1.96e-02
## 26 Phenylalanine, 2TMS; 13 -0.1110 -0.2070 -0.014600 2.40e-02
## 27 Pyruvic acid; 31 -0.1010 -0.1970 -0.005410 3.84e-02
## 28 Ribonic acid; 72 -0.0936 -0.1870 -0.000651 4.84e-02
## 29 3,4-Dihydroxybutanoic acid; 27 -0.0926 -0.1860 0.001050 5.26e-02
## 30 Malic acid, 3TMS; 11 -0.0948 -0.1910 0.001190 5.29e-02
## 31 Leucine, 2TMS; 19 -0.0928 -0.1880 0.002270 5.57e-02
## 32 Palmitic acid, TMS; 5 0.0915 -0.0039 0.187000 6.01e-02
## 33 Valine, 2TMS; 20 -0.0889 -0.1830 0.005320 6.44e-02
## 34 Ethanolamine; 56 -0.0860 -0.1820 0.010300 8.01e-02
##
## p.adj
## 1 3.82e-19
## 2 2.43e-12
## 3 1.26e-09
## 4 2.31e-03
## 5 4.03e-03
## 6 4.16e-03
## 7 4.16e-03
## 8 4.19e-03
## 9 4.19e-03
## 10 6.22e-03
## 11 9.78e-03
## 12 1.33e-02
## 13 1.41e-02
## 14 1.41e-02

```

```

## 15 1.83e-02
## 16 2.06e-02
## 17 2.06e-02
## 18 2.35e-02
## 19 2.62e-02
## 20 2.62e-02
## 21 2.87e-02
## 22 3.11e-02
## 23 4.53e-02
## 24 4.75e-02
## 25 5.88e-02
## 26 6.93e-02
## 27 1.07e-01
## 28 1.30e-01
## 29 1.32e-01
## 30 1.32e-01
## 31 1.35e-01
## 32 1.41e-01
## 33 1.46e-01
## 34 1.77e-01
## [1] ""
## [1] "Table: egfr"
## [1] " (from model: "
## [1] " ~ Amputation.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol + egfr)"
## [1] ""
##
## Name Coefficient CI.L CI.R p.value
## 1 Myo inositol 6TMS; 1 -0.01620 -0.019200 -0.013300 2.87e-26
## 2 Ribitol; 71 -0.01570 -0.018700 -0.012800 1.07e-24
## 3 Creatinine; 50 -0.01520 -0.018200 -0.012200 9.64e-23
## 4 2,4-Dihydroxybutanoic acid; 28 -0.01470 -0.017700 -0.011800 6.69e-22
## 5 Ribonic acid; 72 -0.01440 -0.017400 -0.011400 6.22e-21
## 6 3,4-Dihydroxybutanoic acid; 27 -0.01310 -0.016000 -0.010100 2.37e-17
## 7 4-Hydroxybenzeneacetic acid; 4 -0.01110 -0.014100 -0.008070 6.88e-13
## 8 4-Deoxytetrionic acid; 33 -0.01100 -0.014000 -0.007960 1.54e-12
## 9 4-Deoxytetrionic acid; 32 -0.01030 -0.013300 -0.007210 5.52e-11
## 10 2-Hydroxybutyric acid, 2TMS; 2 0.00959 0.006570 0.012600 5.84e-10
## 11 Isoleucine, 2TMS; 18 0.00957 0.006550 0.012600 6.12e-10
## 12 Valine, 2TMS; 20 0.00852 0.005510 0.011500 3.29e-08
## 13 Citric acid, 4TMS; 6 -0.00829 -0.011300 -0.005260 9.11e-08
## 14 Pyroglutamic acid; 69 -0.00786 -0.010900 -0.004800 4.95e-07
## 15 Hydroxyproline; 64 -0.00745 -0.010500 -0.004390 2.00e-06
## 16 3-Indoleacetic acid; 40 -0.00711 -0.010200 -0.004060 5.06e-06
## 17 Glyceryl-glycoside; 59 -0.00684 -0.009900 -0.003790 1.19e-05
## 18 4-Hydroxyphenyllactic acid; 44 -0.00611 -0.009170 -0.003060 9.10e-05
## 19 Serine, 3TMS; 14 0.00601 0.002950 0.009080 1.22e-04
## 20 Leucine, 2TMS; 19 0.00593 0.002890 0.008970 1.36e-04
## 21 Octanoic acid; 68 0.00597 0.002910 0.009040 1.37e-04
## 22 Stearic acid, TMS; 2 0.00575 0.002690 0.008810 2.36e-04
## 23 Methionine, 2TMS; 16 0.00521 0.002150 0.008260 8.35e-04
## 24 Glycine, 3TMS; 17 -0.00514 -0.008180 -0.002100 9.44e-04
## 25 Fumaric acid, 2TMS; 9 -0.00497 -0.008040 -0.001900 1.51e-03
## 26 Tyrosine; 75 0.00484 0.001770 0.007910 2.01e-03

```

## 27	Eicosapentaenoic acid; 55	0.00442	0.001400	0.007440	4.10e-03
## 28	2-hydroxy Isovaleric acid; 38	0.00445	0.001380	0.007520	4.53e-03
## 29	Glycerol; 57	0.00432	0.001240	0.007390	6.02e-03
## 30	Palmitic acid, TMS; 5	0.00425	0.001200	0.007310	6.29e-03
## 31	Cholesterol, TMS; 23	0.00405	0.001080	0.007030	7.52e-03
## 32	Malic acid, 3TMS; 11	-0.00395	-0.007020	-0.000881	1.17e-02
## 33	Benzeneacetic acid; 47	-0.00383	-0.006890	-0.000768	1.43e-02
## 34	Docosahexaenoic acid; 53	0.00370	0.000666	0.006730	1.69e-02
## 35	Glyceric acid; 30	0.00346	0.000428	0.006480	2.53e-02
## 36	Alanine, 2TMS; 25	-0.00335	-0.006410	-0.000283	3.23e-02
## 37	Glycerol; 58	-0.00318	-0.006270	-0.000084	4.41e-02
##	p.adj				
## 1	2.15e-24				
## 2	4.00e-23				
## 3	2.41e-21				
## 4	1.25e-20				
## 5	9.33e-20				
## 6	2.96e-16				
## 7	7.37e-12				
## 8	1.44e-11				
## 9	4.60e-10				
## 10	4.17e-09				
## 11	4.17e-09				
## 12	2.05e-07				
## 13	5.25e-07				
## 14	2.65e-06				
## 15	1.00e-05				
## 16	2.37e-05				
## 17	5.24e-05				
## 18	3.79e-04				
## 19	4.81e-04				
## 20	4.89e-04				
## 21	4.89e-04				
## 22	8.06e-04				
## 23	2.72e-03				
## 24	2.95e-03				
## 25	4.54e-03				
## 26	5.79e-03				
## 27	1.14e-02				
## 28	1.21e-02				
## 29	1.56e-02				
## 30	1.57e-02				
## 31	1.82e-02				
## 32	2.74e-02				
## 33	3.24e-02				
## 34	3.72e-02				
## 35	5.42e-02				
## 36	6.73e-02				
## 37	8.94e-02				

5.1.3.3 Table with All Metabolites

```

## [1] ""
## [1] "Table: Amputation.at.DATEJA"
## [1] " (from model: "
## [1] " ~ Amputation.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol + egfr)"
## [1] ""
##
## Name Coefficient CI.L CI.R p.value p.adj
## 1 Succinic acid, 2TMS; 7 0.5490 0.1240 0.9730 0.0113 0.450
## 2 Glycerol; 57 0.5330 0.1070 0.9590 0.0141 0.450
## 3 Threonine, 3TMS; 12 -0.5130 -0.9380 -0.0880 0.0180 0.450
## 4 Phenylalanine, 2TMS; 13 -0.4800 -0.9060 -0.0545 0.0270 0.507
## 5 Glutamic acid, 3TMS; 8 -0.4460 -0.8640 -0.0287 0.0362 0.543
## 6 Ribonic acid; 72 0.3940 -0.0174 0.8050 0.0605 0.756
## 7 Stearic acid, TMS; 2 0.3580 -0.0647 0.7820 0.0968 0.861
## 8 Tyrosine; 75 -0.3440 -0.7680 0.0804 0.1120 0.861
## 9 Proline, 2TMS; 21 -0.3240 -0.7450 0.0977 0.1320 0.861
## 10 Heptadecanoic acid; 61 0.3250 -0.0999 0.7490 0.1340 0.861
## 11 2-Hydroxybutyric acid, 2TMS; 2 0.3190 -0.0988 0.7360 0.1340 0.861
## 12 Methionine, 2TMS; 16 -0.3190 -0.7410 0.1020 0.1380 0.861
## 13 Myristoleic acid; 65 0.2980 -0.1240 0.7190 0.1660 0.863
## 14 Dodecanoic acid; 54 0.2860 -0.1360 0.7080 0.1840 0.863
## 15 4-Hydroxybutanoic acid; 43 0.2770 -0.1480 0.7020 0.2020 0.863
## 16 4-Hydroxybenzeneacetic acid; 4 0.2680 -0.1470 0.6830 0.2050 0.863
## 17 Campesterol; 49 -0.2690 -0.6870 0.1500 0.2080 0.863
## 18 Arabinopyranose; 51 -0.2690 -0.6930 0.1540 0.2130 0.863
## 19 Malic acid, 3TMS; 11 0.2580 -0.1660 0.6820 0.2330 0.863
## 20 Aminomalonic acid; 45 -0.2460 -0.6670 0.1760 0.2530 0.863
## 21 Pyroglutamic acid; 69 0.2460 -0.1760 0.6680 0.2540 0.863
## 22 Myo inositol 6TMS; 1 0.2380 -0.1710 0.6460 0.2540 0.863
## 23 Leucine, 2TMS; 19 -0.2260 -0.6460 0.1950 0.2930 0.863
## 24 Palmitic acid, TMS; 5 0.2210 -0.2010 0.6430 0.3040 0.863
## 25 Hydroxyproline; 64 0.2210 -0.2020 0.6450 0.3050 0.863
## 26 4-Hydroxyphenyllactic acid; 44 0.2170 -0.2060 0.6390 0.3150 0.863
## 27 Octanoic acid; 68 0.2160 -0.2080 0.6400 0.3180 0.863
## 28 3-Indolepropionic acid; 41 -0.2140 -0.6370 0.2100 0.3220 0.863
## 29 Decanoic acid; 52 0.1880 -0.2340 0.6100 0.3820 0.940
## 30 Heptadecanoic acid; 60 0.1860 -0.2390 0.6100 0.3920 0.940
## 31 2-hydroxy Isovaleric acid; 38 -0.1810 -0.6060 0.2430 0.4020 0.940
## 32 Valine, 2TMS; 20 -0.1760 -0.5930 0.2400 0.4060 0.940
## 33 Tridecanoic acid; 74 0.1720 -0.2530 0.5970 0.4280 0.940
## 34 Serine, 3TMS; 14 -0.1680 -0.5920 0.2550 0.4360 0.940
## 35 2-Palmitoylglycerol; 39 -0.1570 -0.5830 0.2690 0.4690 0.940
## 36 Hydroxylamine; 62 0.1490 -0.2760 0.5750 0.4920 0.940
## 37 11-Eicosenoic acid; 35 0.1450 -0.2800 0.5700 0.5040 0.940
## 38 Alanine, 2TMS; 25 0.1380 -0.2860 0.5620 0.5220 0.940
## 39 1-Monopalmitin; 37 0.1290 -0.2970 0.5560 0.5520 0.940
## 40 Arachidic acid; 46 0.1200 -0.3050 0.5440 0.5810 0.940
## 41 1-Dodecanol; 36 0.1200 -0.3070 0.5460 0.5820 0.940
## 42 Lactic acid; 29 0.1190 -0.3050 0.5430 0.5820 0.940
## 43 Citric acid, 4TMS; 6 -0.1170 -0.5360 0.3020 0.5840 0.940
## 44 Tartronic acid; 73 -0.1140 -0.5340 0.3060 0.5950 0.940

```

## 45	Creatinine; 50	0.1110	-0.3040	0.5260	0.6000	0.940
## 46	Cholesterol, TMS; 23	0.1030	-0.3080	0.5140	0.6230	0.940
## 47	Ribitol; 70	0.0993	-0.3240	0.5230	0.6460	0.940
## 48	Ribitol; 71	0.0928	-0.3170	0.5030	0.6570	0.940
## 49	alpha-Tocopherol; 26	-0.0892	-0.5080	0.3290	0.6760	0.940
## 50	Eicosapentaenoic acid; 55	-0.0880	-0.5050	0.3290	0.6790	0.940
## 51	Glycine, 3TMS; 17	-0.0863	-0.5070	0.3340	0.6880	0.940
## 52	3,4-Dihydroxybutanoic acid; 27	0.0756	-0.3380	0.4890	0.7200	0.940
## 53	alpha-ketoglutaric acid, TMS M	-0.0685	-0.4940	0.3570	0.7520	0.940
## 54	Benzeneacetic acid; 47	-0.0680	-0.4910	0.3550	0.7530	0.940
## 55	Docosahexaenoic acid; 53	0.0652	-0.3540	0.4840	0.7600	0.940
## 56	Ethanolamine; 56	0.0659	-0.3600	0.4920	0.7610	0.940
## 57	Oleic acid, TMS; 3	0.0644	-0.3590	0.4880	0.7650	0.940
## 58	Arachidonic acid, TMS; 24	0.0647	-0.3610	0.4900	0.7660	0.940
## 59	Isoleucine, 2TMS; 18	0.0614	-0.3560	0.4790	0.7730	0.940
## 60	Nonadecanoic acid; 66	0.0616	-0.3640	0.4870	0.7760	0.940
## 61	3-Indoleacetic acid; 40	-0.0557	-0.4770	0.3660	0.7960	0.940
## 62	Glyceric acid; 30	-0.0480	-0.4670	0.3710	0.8220	0.940
## 63	4-Deoxytetronic acid; 32	0.0477	-0.3740	0.4700	0.8250	0.940
## 64	2,4-Dihydroxybutanoic acid; 28	0.0461	-0.3640	0.4560	0.8260	0.940
## 65	Pyruvic acid; 31	0.0475	-0.3770	0.4720	0.8260	0.940
## 66	Linoleic acid, TMS; 4	0.0420	-0.3820	0.4660	0.8460	0.940
## 67	Nonanoic acid; 67	0.0415	-0.3850	0.4680	0.8480	0.940
## 68	4-Deoxytetronic acid; 33	0.0329	-0.3860	0.4510	0.8770	0.940
## 69	Glyceryl-glycoside; 59	0.0317	-0.3910	0.4540	0.8830	0.940
## 70	Bisphenol A; 48	-0.0301	-0.4580	0.3970	0.8900	0.940
## 71	3-Hydroxybutyric acid, 2TMS; 1	0.0279	-0.3990	0.4550	0.8980	0.940
## 72	1,3-Propanediol; 34	0.0266	-0.4000	0.4530	0.9030	0.940
## 73	Glycerol; 58	-0.0203	-0.4480	0.4070	0.9260	0.946
## 74	Fumaric acid, 2TMS; 9	-0.0180	-0.4420	0.4070	0.9340	0.946
## 75	L-5-Oxoproline; 63	-0.0130	-0.4380	0.4120	0.9520	0.952

5.1.4 Fully-Adjusted Model

```
## [1] "Fitting models:"  
## [1] "~ Amputation.at.DATE + Age.x + Gender.x + Hba1c_baseline + CALSBP + bmi + Smoking + Statin + lo  
## [1] ""
```

5.1.4.1 Forest Plot of Model Coefficients

```
## Warning: Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## NULL
```

5.1.4.2 Tables of Model Coefficients

```

## [1] ""
## [1] "Table: Amputation.at.DATEJA"
## [1] " (from model: "
## [1] " ~ Amputation.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol + egfr + logUAER)"
## [1] ""
## [1] "No significant associations at p.adj < 0.2"
## [1] ""
## [1] "Table: Age.x"
## [1] " (from model: "
## [1] " ~ Amputation.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol + egfr + logUAER)"
## [1] ""
##
## Name Coefficient CI.L CI.R p.value
## 1 Eicosapentaenoic acid; 55 0.02550 1.82e-02 0.032900 1.40e-11
## 2 Docosahexaenoic acid; 53 0.01380 6.44e-03 0.021200 2.51e-04
## 3 alpha-ketoglutaric acid, TMS M 0.01270 5.16e-03 0.020200 9.69e-04
## 4 Pyruvic acid; 31 0.01190 4.42e-03 0.019400 1.87e-03
## 5 alpha-Tocopherol; 26 0.01120 3.84e-03 0.018600 2.90e-03
## 6 Malic acid, 3TMS; 11 0.01070 3.22e-03 0.018200 5.10e-03
## 7 Palmitic acid, TMS; 5 0.01060 3.19e-03 0.018100 5.18e-03
## 8 Decanoic acid; 52 0.01060 3.11e-03 0.018100 5.52e-03
## 9 3-Indoleacetic acid; 40 0.01000 2.60e-03 0.017500 8.19e-03
## 10 Nonadecanoic acid; 66 0.01000 2.51e-03 0.017600 9.00e-03
## 11 4-Hydroxybenzeneacetic acid; 4 0.00951 2.19e-03 0.016800 1.10e-02
## 12 Glyceric acid; 30 0.00940 2.02e-03 0.016800 1.26e-02
## 13 Ribitol; 70 0.00921 1.71e-03 0.016700 1.62e-02
## 14 Oleic acid, TMS; 3 0.00915 1.66e-03 0.016600 1.67e-02
## 15 Myristoleic acid; 65 0.00879 1.33e-03 0.016200 2.10e-02
## 16 Glutamic acid, 3TMS; 8 0.00851 1.15e-03 0.015900 2.35e-02
## 17 Succinic acid, 2TMS; 7 0.00819 6.81e-04 0.015700 3.25e-02
## 18 2,4-Dihydroxybutanoic acid; 28 0.00780 5.96e-04 0.015000 3.38e-02
## 19 11-Eicosenoic acid; 35 0.00798 4.38e-04 0.015500 3.81e-02
## 20 Fumaric acid, 2TMS; 9 0.00782 3.19e-04 0.015300 4.10e-02
## 21 Stearic acid, TMS; 2 0.00780 3.04e-04 0.015300 4.14e-02
## 22 Tyrosine; 75 0.00775 2.46e-04 0.015200 4.30e-02
## 23 Tartronic acid; 73 0.00756 1.32e-04 0.015000 4.61e-02
## 24 Heptadecanoic acid; 61 0.00750 -2.12e-05 0.015000 5.06e-02
## 25 Alanine, 2TMS; 25 0.00745 -4.02e-05 0.014900 5.12e-02
## 26 Dodecanoic acid; 54 0.00703 -4.51e-04 0.014500 6.55e-02
## 27 Myo inositol 6TMS; 1 0.00665 -5.10e-04 0.013800 6.87e-02
## 28 Hydroxylamine; 62 -0.00699 -1.45e-02 0.000554 6.93e-02
## 29 Glycerol; 57 0.00697 -5.66e-04 0.014500 6.98e-02
##
## p.adj
## 1 1.05e-09
## 2 9.43e-03
## 3 2.42e-02
## 4 3.51e-02
## 5 4.36e-02
## 6 5.18e-02

```

```

## 7 5.18e-02
## 8 5.18e-02
## 9 6.75e-02
## 10 6.75e-02
## 11 7.48e-02
## 12 7.88e-02
## 13 8.93e-02
## 14 8.93e-02
## 15 1.05e-01
## 16 1.10e-01
## 17 1.41e-01
## 18 1.41e-01
## 19 1.46e-01
## 20 1.46e-01
## 21 1.46e-01
## 22 1.46e-01
## 23 1.50e-01
## 24 1.54e-01
## 25 1.54e-01
## 26 1.81e-01
## 27 1.81e-01
## 28 1.81e-01
## 29 1.81e-01
## [1] ""
## [1] "Table: Gender.x"
## [1] " (from model: "
## [1] " ~ Amputation.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol + egfr + logUAER)"
## [1] ""
##
## Name Coefficient CI.L CI.R p.value
## 1 4-Deoxytetrionic acid; 33 0.404 0.23900 0.56900 1.64e-06
## 2 Tartronic acid; 73 -0.383 -0.54900 -0.21700 6.63e-06
## 3 Proline, 2TMS; 21 0.370 0.20400 0.53600 1.37e-05
## 4 Methionine, 2TMS; 16 0.369 0.20200 0.53500 1.49e-05
## 5 Glyceric acid; 30 -0.363 -0.52900 -0.19800 1.67e-05
## 6 Myristoleic acid; 65 -0.363 -0.53000 -0.19700 2.04e-05
## 7 Valine, 2TMS; 20 0.342 0.17800 0.50600 4.48e-05
## 8 Leucine, 2TMS; 19 0.319 0.15300 0.48500 1.67e-04
## 9 Cholesterol, TMS; 23 -0.306 -0.46800 -0.14400 2.13e-04
## 10 Oleic acid, TMS; 3 -0.302 -0.46900 -0.13400 4.20e-04
## 11 Dodecanoic acid; 54 -0.300 -0.46800 -0.13300 4.34e-04
## 12 Citric acid, 4TMS; 6 -0.285 -0.45000 -0.11900 7.49e-04
## 13 Glycine, 3TMS; 17 -0.277 -0.44400 -0.11100 1.10e-03
## 14 Isoleucine, 2TMS; 18 0.265 0.10000 0.43000 1.63e-03
## 15 Hydroxyproline; 64 0.259 0.09190 0.42700 2.43e-03
## 16 2-hydroxy Isovaleric acid; 38 0.258 0.09060 0.42600 2.56e-03
## 17 Stearic acid, TMS; 2 -0.256 -0.42400 -0.08900 2.71e-03
## 18 Decanoic acid; 52 -0.255 -0.42200 -0.08800 2.79e-03
## 19 Docosahexaenoic acid; 53 -0.248 -0.41300 -0.08260 3.31e-03
## 20 Aminomalonic acid; 45 -0.245 -0.41100 -0.07820 3.98e-03
## 21 Succinic acid, 2TMS; 7 -0.242 -0.41000 -0.07460 4.66e-03
## 22 Glutamic acid, 3TMS; 8 0.237 0.07200 0.40100 4.88e-03
## 23 Palmitic acid, TMS; 5 -0.229 -0.39600 -0.06200 7.21e-03

```

```

## 24      Tridecanoic acid; 74      -0.226 -0.39500 -0.05820 8.37e-03
## 25      Heptadecanoic acid; 61    -0.212 -0.38000 -0.04370 1.35e-02
## 26      Nonadecanoic acid; 66     -0.207 -0.37600 -0.03930 1.56e-02
## 27      Heptadecanoic acid; 60    -0.194 -0.36200 -0.02620 2.35e-02
## 28              Glycerol; 57      -0.181 -0.35000 -0.01250 3.52e-02
## 29              Tyrosine; 75       -0.173 -0.34100 -0.00516 4.34e-02
## 30      Benzeneacetic acid; 47     -0.163 -0.33000  0.00449 5.65e-02
## 31              1-Monopalmitin; 37  0.161 -0.00795  0.33000 6.18e-02
## 32      Arachidonic acid, TMS; 24  -0.148 -0.31600  0.02010 8.44e-02

```

```
##      p.adj
```

```

## 1  0.000123
## 2  0.000249
## 3  0.000250
## 4  0.000250
## 5  0.000250
## 6  0.000255
## 7  0.000480
## 8  0.001570
## 9  0.001780
## 10 0.002960
## 11 0.002960
## 12 0.004680
## 13 0.006320
## 14 0.008750
## 15 0.011600
## 16 0.011600
## 17 0.011600
## 18 0.011600
## 19 0.013100
## 20 0.014900
## 21 0.016600
## 22 0.016600
## 23 0.023500
## 24 0.026200
## 25 0.040600
## 26 0.045100
## 27 0.065400
## 28 0.094400
## 29 0.112000
## 30 0.141000
## 31 0.149000
## 32 0.198000

```

```
## [1] ""
```

```
## [1] "Table: Hba1c_baseline"
```

```
## [1] " (from model: "
```

```
## [1] " ~ Amputation.at.DATE + Age.x + Gender.x + Hba1c_baseline"
```

```
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
```

```
## [1] " Total_cholesterol + egfr + logUAER)"
```

```
## [1] ""
```

```

##      Name Coefficient      CI.L      CI.R p.value p.adj
## 1      Valine, 2TMS; 20      0.1340 0.06100 0.20700 0.000331 0.0129
## 2      Ethanolamine; 56      0.1350 0.05950 0.21000 0.000451 0.0129
## 3      Arabinopyranose; 51    0.1300 0.05510 0.20400 0.000672 0.0129
## 4      Alanine, 2TMS; 25      0.1280 0.05340 0.20300 0.000790 0.0129

```

```

## 5  Eicosapentaenoic acid; 55  -0.1250 -0.19800 -0.05150 0.000859 0.0129
## 6  Docosahexaenoic acid; 53  -0.1110 -0.18500 -0.03740 0.003160 0.0395
## 7  Citric acid, 4TMS; 6      0.1090  0.03510  0.18300 0.003840 0.0411
## 8  4-Hydroxybutanoic acid; 43 -0.0976 -0.17300 -0.02250 0.010900 0.0874
## 9  Decanoic acid; 52        -0.0961 -0.17100 -0.02160 0.011500 0.0874
## 10 Glyceric acid; 30        -0.0941 -0.16800 -0.02050 0.012200 0.0874
## 11 Tridecanoic acid; 74     -0.0953 -0.17000 -0.02030 0.012800 0.0874
## 12 Campesterol; 49          0.0866  0.01310  0.16000 0.020900 0.1310
## 13 Glyceryl-glycoside; 59    0.0836  0.00918  0.15800 0.027700 0.1510
## 14 Lactic acid; 29           0.0826  0.00791  0.15700 0.030200 0.1510
## 15 Leucine, 2TMS; 19        0.0819  0.00783  0.15600 0.030200 0.1510
## 16 4-Deoxytetronic acid; 33  -0.0778 -0.15100 -0.00433 0.038000 0.1690
## 17 Myristoleic acid; 65     -0.0786 -0.15300 -0.00426 0.038300 0.1690
## 18 Ribitol; 70              -0.0780 -0.15300 -0.00323 0.040900 0.1700
## [1] ""
## [1] "Table: CALSBP"
## [1] " (from model: "
## [1] " ~ Amputation.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol + egfr + logUAER)"
## [1] ""
##
## Name Coefficient CI.L CI.R p.value p.adj
## 1 Myristoleic acid; 65 0.00797 0.00306 0.0129 0.00148 0.111
## [1] ""
## [1] "Table: bmi"
## [1] " (from model: "
## [1] " ~ Amputation.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol + egfr + logUAER)"
## [1] ""
##
## Name Coefficient CI.L CI.R p.value
## 1 Glutamic acid, 3TMS; 8 0.0446 0.02410 0.065100 2.14e-05
## 2 2-Hydroxybutyric acid, 2TMS; 2 0.0423 0.02180 0.062800 5.41e-05
## 3 Campesterol; 49 -0.0400 -0.06060 -0.019500 1.34e-04
## 4 Decanoic acid; 52 -0.0354 -0.05620 -0.014600 8.63e-04
## 5 Lactic acid; 29 0.0299 0.00899 0.050700 5.07e-03
## 6 2,4-Dihydroxybutanoic acid; 28 -0.0279 -0.04790 -0.007820 6.48e-03
## 7 1,3-Propanediol; 34 -0.0291 -0.05010 -0.008120 6.61e-03
## 8 Pyruvic acid; 31 -0.0288 -0.04980 -0.007930 6.91e-03
## 9 alpha-Tocopherol; 26 -0.0274 -0.04790 -0.006820 9.07e-03
## 10 Arachidic acid; 46 -0.0275 -0.04850 -0.006620 9.91e-03
## 11 Nonadecanoic acid; 66 -0.0256 -0.04650 -0.004660 1.66e-02
## 12 Pyroglutamic acid; 69 -0.0254 -0.04620 -0.004600 1.67e-02
## 13 Citric acid, 4TMS; 6 -0.0247 -0.04530 -0.004090 1.88e-02
## 14 Dodecanoic acid; 54 -0.0237 -0.04450 -0.002910 2.55e-02
## 15 11-Eicosenoic acid; 35 0.0236 0.00265 0.044600 2.73e-02
## 16 Isoleucine, 2TMS; 18 0.0225 0.00204 0.043000 3.12e-02
## 17 alpha-ketoglutaric acid, TMS M -0.0229 -0.04390 -0.001980 3.20e-02
## 18 Tartronic acid; 73 -0.0224 -0.04310 -0.001680 3.41e-02
## 19 Glycine, 3TMS; 17 -0.0219 -0.04260 -0.001210 3.81e-02
## 20 Ribitol; 70 0.0221 0.00121 0.043000 3.82e-02
## 21 Octanoic acid; 68 -0.0204 -0.04130 0.000426 5.49e-02
##
## p.adj
## 1 0.00161

```



```

## 2 0.00203
## 3 0.00336
## 4 0.01620
## 5 0.06470
## 6 0.06470
## 7 0.06470
## 8 0.06470
## 9 0.07440
## 10 0.07440
## 11 0.10400
## 12 0.10400
## 13 0.10900
## 14 0.13600
## 15 0.13600
## 16 0.14100
## 17 0.14100
## 18 0.14200
## 19 0.14300
## 20 0.14300
## 21 0.19600
## [1] ""
## [1] "Table: Smoking"
## [1] " (from model: "
## [1] " ~ Amputation.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol + egfr + logUAER)"
## [1] ""
##
## Name Coefficient CI.L CI.R p.value p.adj
## 1 3-Indolepropionic acid; 41 -0.357 -0.556 -0.1580 0.000437 0.0201
## 2 Tartronic acid; 73 -0.340 -0.538 -0.1430 0.000739 0.0201
## 3 Docosahexaenoic acid; 53 -0.336 -0.532 -0.1400 0.000806 0.0201
## 4 Glutamic acid, 3TMS; 8 0.323 0.127 0.5190 0.001220 0.0229
## 5 Valine, 2TMS; 20 -0.311 -0.505 -0.1160 0.001800 0.0270
## 6 alpha-Tocopherol; 26 -0.297 -0.493 -0.1010 0.003020 0.0333
## 7 Glyceric acid; 30 -0.296 -0.492 -0.1000 0.003110 0.0333
## 8 Benzeneacetic acid; 47 -0.265 -0.464 -0.0661 0.009060 0.0750
## 9 Citric acid, 4TMS; 6 -0.261 -0.458 -0.0644 0.009300 0.0750
## 10 Leucine, 2TMS; 19 -0.259 -0.457 -0.0621 0.010000 0.0750
## 11 Malic acid, 3TMS; 11 -0.253 -0.452 -0.0537 0.012800 0.0876
## 12 Ribonic acid; 72 -0.233 -0.425 -0.0417 0.017000 0.1060
## 13 Campesterol; 49 -0.234 -0.430 -0.0387 0.018900 0.1090
## [1] ""
## [1] "Table: Statin"
## [1] " (from model: "
## [1] " ~ Amputation.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol + egfr + logUAER)"
## [1] ""
##
## Name Coefficient CI.L CI.R p.value p.adj
## 1 Campesterol; 49 0.289 0.1070 0.4710 0.00187 0.0888
## 2 L-5-Oxoproline; 63 -0.281 -0.4660 -0.0951 0.00305 0.0888
## 3 Arachidonic acid, TMS; 24 0.276 0.0907 0.4620 0.00355 0.0888
## [1] ""
## [1] "Table: log_Blood_TGA"

```

```

## [1] " (from model: "
## [1] " ~ Amputation.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol + egfr + logUAER)"
## [1] ""
##
## Name Coefficient CI.L CI.R p.value
## 1 Palmitic acid, TMS; 5 0.281 0.149000 0.41300 2.97e-05
## 2 Octanoic acid; 68 0.266 0.134000 0.39800 8.16e-05
## 3 Arachidic acid; 46 0.262 0.130000 0.39500 1.09e-04
## 4 Dodecanoic acid; 54 0.261 0.129000 0.39300 1.09e-04
## 5 Stearic acid, TMS; 2 0.258 0.126000 0.39100 1.31e-04
## 6 2-Hydroxybutyric acid, 2TMS; 2 0.237 0.107000 0.36700 3.57e-04
## 7 Decanoic acid; 52 0.239 0.107000 0.37100 3.86e-04
## 8 Oleic acid, TMS; 3 0.213 0.080400 0.34500 1.64e-03
## 9 Lactic acid; 29 0.196 0.064000 0.32900 3.66e-03
## 10 Glyceryl-glycoside; 59 0.190 0.058200 0.32200 4.75e-03
## 11 Isoleucine, 2TMS; 18 0.187 0.056900 0.31700 4.85e-03
## 12 Valine, 2TMS; 20 0.186 0.056500 0.31500 4.91e-03
## 13 Heptadecanoic acid; 60 0.180 0.046800 0.31200 8.07e-03
## 14 Arabinopyranose; 51 0.173 0.041200 0.30600 1.02e-02
## 15 4-Hydroxybenzeneacetic acid; 4 0.166 0.036900 0.29600 1.18e-02
## 16 Myristoleic acid; 65 0.163 0.031200 0.29400 1.53e-02
## 17 Aminomalonic acid; 45 -0.161 -0.293000 -0.03000 1.61e-02
## 18 Ribonic acid; 72 0.155 0.028000 0.28300 1.68e-02
## 19 alpha-ketoglutaric acid, TMS M 0.161 0.028100 0.29400 1.76e-02
## 20 Glutamic acid, 3TMS; 8 0.157 0.027300 0.28700 1.78e-02
## 21 Pyruvic acid; 31 0.160 0.027300 0.29300 1.81e-02
## 22 3,4-Dihydroxybutanoic acid; 27 0.153 0.025000 0.28100 1.92e-02
## 23 Leucine, 2TMS; 19 0.156 0.024800 0.28700 1.98e-02
## 24 Fumaric acid, 2TMS; 9 0.154 0.021700 0.28600 2.26e-02
## 25 Heptadecanoic acid; 61 0.154 0.021100 0.28600 2.32e-02
## 26 Arachidonic acid, TMS; 24 0.149 0.016100 0.28200 2.80e-02
## 27 Malic acid, 3TMS; 11 0.139 0.006890 0.27100 3.92e-02
## 28 Nonadecanoic acid; 66 0.137 0.004320 0.27000 4.30e-02
## 29 4-Hydroxybutanoic acid; 43 0.133 -0.000334 0.26500 5.06e-02
## 30 Succinic acid, 2TMS; 7 0.131 -0.001280 0.26400 5.23e-02
## 31 Glyceric acid; 30 -0.129 -0.259000 0.00172 5.31e-02
## 32 1,3-Propanediol; 34 0.130 -0.002880 0.26400 5.52e-02
## 33 Proline, 2TMS; 21 0.127 -0.003950 0.25900 5.73e-02
## 34 Ribitol; 71 0.121 -0.006290 0.24800 6.25e-02
## 35 3-Indolepropionic acid; 41 -0.121 -0.253000 0.01130 7.30e-02
## 36 Glycine, 3TMS; 17 -0.114 -0.245000 0.01740 8.91e-02
## 37 Tartronic acid; 73 -0.114 -0.245000 0.01760 8.97e-02
## 38 4-Deoxytetronic acid; 33 0.111 -0.019300 0.24100 9.52e-02
##
## p.adj
## 1 0.00197
## 2 0.00197
## 3 0.00197
## 4 0.00197
## 5 0.00197
## 6 0.00413
## 7 0.00413
## 8 0.01540
## 9 0.03050

```

```

## 10 0.03070
## 11 0.03070
## 12 0.03070
## 13 0.04660
## 14 0.05460
## 15 0.05890
## 16 0.06460
## 17 0.06460
## 18 0.06460
## 19 0.06460
## 20 0.06460
## 21 0.06460
## 22 0.06460
## 23 0.06460
## 24 0.06950
## 25 0.06950
## 26 0.08070
## 27 0.10900
## 28 0.11500
## 29 0.12800
## 30 0.12800
## 31 0.12800
## 32 0.12900
## 33 0.13000
## 34 0.13800
## 35 0.15600
## 36 0.18200
## 37 0.18200
## 38 0.18800
## [1] ""
## [1] "Table: Total_cholesterol"
## [1] " (from model: "
## [1] " ~ Amputation.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol + egfr + logUAER)"
## [1] ""
##
## Name Coefficient CI.L CI.R p.value
## 1 Cholesterol, TMS; 23 0.4510 0.356000 0.54600 2.96e-20
## 2 Campesterol; 49 0.3730 0.276000 0.46900 5.72e-14
## 3 alpha-Tocopherol; 26 0.3230 0.227000 0.42000 6.93e-11
## 4 Benzeneacetic acid; 47 -0.1890 -0.287000 -0.09100 1.61e-04
## 5 Linoleic acid, TMS; 4 0.1810 0.083300 0.27900 2.94e-04
## 6 4-Hydroxybutanoic acid; 43 -0.1700 -0.269000 -0.07160 7.26e-04
## 7 L-5-Oxoproline; 63 -0.1690 -0.267000 -0.07040 7.82e-04
## 8 Isoleucine, 2TMS; 18 -0.1640 -0.261000 -0.06790 8.48e-04
## 9 Proline, 2TMS; 21 -0.1640 -0.261000 -0.06630 9.94e-04
## 10 Tyrosine; 75 -0.1600 -0.258000 -0.06170 1.42e-03
## 11 Methionine, 2TMS; 16 -0.1570 -0.254000 -0.05930 1.64e-03
## 12 Eicosapentaenoic acid; 55 0.1530 0.057200 0.25000 1.80e-03
## 13 Glycine, 3TMS; 17 -0.1510 -0.248000 -0.05330 2.43e-03
## 14 Docosahexaenoic acid; 53 0.1480 0.051500 0.24500 2.69e-03
## 15 Threonine, 3TMS; 12 -0.1500 -0.248000 -0.05140 2.88e-03
## 16 Alanine, 2TMS; 25 -0.1380 -0.236000 -0.03970 5.93e-03
## 17 Arabinopyranose; 51 -0.1360 -0.234000 -0.03800 6.54e-03

```

```

## 18      Glyceryl-glycoside; 59      -0.1310 -0.229000 -0.03370 8.42e-03
## 19 4-Hydroxybenzeneacetic acid; 4  -0.1270 -0.223000 -0.03140 9.27e-03
## 20      Malic acid, 3TMS; 11      -0.1290 -0.227000 -0.03080 1.00e-02
## 21 2,4-Dihydroxybutanoic acid; 28  -0.1220 -0.216000 -0.02770 1.12e-02
## 22      2-Palmitoylglycerol; 39      0.1240 0.025500 0.22300 1.36e-02
## 23      Hydroxylamine; 62      -0.1230 -0.222000 -0.02450 1.44e-02
## 24      Serine, 3TMS; 14      -0.1220 -0.220000 -0.02420 1.46e-02
## 25      3-Indoleacetic acid; 40      -0.1160 -0.213000 -0.01820 2.01e-02
## 26      Ribitol; 71      -0.1020 -0.196000 -0.00744 3.45e-02
## 27      Phenylalanine, 2TMS; 13      -0.1060 -0.205000 -0.00774 3.45e-02
## 28      Ribonic acid; 72      -0.0969 -0.191000 -0.00252 4.42e-02
## 29      Palmitic acid, TMS; 5      0.0971 -0.000468 0.19500 5.11e-02
## 30 3,4-Dihydroxybutanoic acid; 27  -0.0928 -0.188000 0.00217 5.55e-02
## 31      Pyruvic acid; 31      -0.0955 -0.194000 0.00274 5.67e-02
## 32      Ethanolamine; 56      -0.0934 -0.192000 0.00510 6.31e-02
## 33      Leucine, 2TMS; 19      -0.0914 -0.189000 0.00572 6.51e-02
##      p.adj
## 1 2.22e-18
## 2 2.15e-12
## 3 1.73e-09
## 4 3.01e-03
## 5 4.41e-03
## 6 7.95e-03
## 7 7.95e-03
## 8 7.95e-03
## 9 8.28e-03
## 10 1.07e-02
## 11 1.11e-02
## 12 1.12e-02
## 13 1.40e-02
## 14 1.44e-02
## 15 1.44e-02
## 16 2.78e-02
## 17 2.89e-02
## 18 3.51e-02
## 19 3.66e-02
## 20 3.75e-02
## 21 4.01e-02
## 22 4.56e-02
## 23 4.56e-02
## 24 4.56e-02
## 25 6.02e-02
## 26 9.59e-02
## 27 9.59e-02
## 28 1.18e-01
## 29 1.32e-01
## 30 1.37e-01
## 31 1.37e-01
## 32 1.48e-01
## 33 1.48e-01
## [1] ""
## [1] "Table: egfr"
## [1] " (from model: "
## [1] " ~ Amputation.at.DATE + Age.x + Gender.x + Hba1c_baseline"

```

```

## [1] "      + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] "      Total_cholesterol + egfr + logUAER)"
## [1] ""
##
##              Name Coefficient      CI.L      CI.R  p.value
## 1      Myo inositol 6TMS; 1   -0.01600 -1.92e-02 -1.28e-02 2.87e-22
## 2              Ribitol; 71   -0.01510 -1.83e-02 -1.19e-02 6.56e-20
## 3              Creatinine; 50 -0.01490 -1.82e-02 -1.17e-02 6.34e-19
## 4 2,4-Dihydroxybutanoic acid; 28 -0.01470 -1.79e-02 -1.15e-02 6.82e-19
## 5              Ribonic acid; 72 -0.01310 -1.63e-02 -9.91e-03 2.23e-15
## 6 3,4-Dihydroxybutanoic acid; 27 -0.01130 -1.45e-02 -8.06e-03 1.05e-11
## 7      4-Deoxytetrionic acid; 33 -0.01120 -1.45e-02 -7.93e-03 2.88e-11
## 8 4-Hydroxybenzeneacetic acid; 4 -0.01090 -1.41e-02 -7.59e-03 9.16e-11
## 9      Isoleucine, 2TMS; 18    0.00980  6.52e-03  1.31e-02 5.71e-09
## 10     4-Deoxytetrionic acid; 32 -0.00898 -1.23e-02 -5.67e-03 1.16e-07
## 11     Citric acid, 4TMS; 6     -0.00893 -1.22e-02 -5.63e-03 1.24e-07
## 12     Pyroglutamic acid; 69   -0.00862 -1.19e-02 -5.29e-03 4.11e-07
## 13 2-Hydroxybutyric acid, 2TMS; 2  0.00832  5.04e-03  1.16e-02 7.18e-07
## 14     3-Indoleacetic acid; 40   -0.00756 -1.09e-02 -4.24e-03 8.35e-06
## 15 4-Hydroxyphenyllactic acid; 44 -0.00756 -1.09e-02 -4.24e-03 8.70e-06
## 16     Valine, 2TMS; 20         0.00741  4.15e-03  1.07e-02 9.19e-06
## 17     Glyceryl-glycoside; 59   -0.00644 -9.77e-03 -3.12e-03 1.50e-04
## 18     Hydroxyproline; 64       -0.00623 -9.56e-03 -2.89e-03 2.62e-04
## 19     Leucine, 2TMS; 19        0.00599  2.68e-03  9.30e-03 3.95e-04
## 20     Glycine, 3TMS; 17       -0.00600 -9.32e-03 -2.69e-03 3.95e-04
## 21     Serine, 3TMS; 14        0.00604  2.70e-03  9.38e-03 4.01e-04
## 22     Fumaric acid, 2TMS; 9    -0.00586 -9.20e-03 -2.52e-03 5.96e-04
## 23     Stearic acid, TMS; 2     0.00540  2.06e-03  8.74e-03 1.54e-03
## 24     Eicosapentaenoic acid; 55 0.00501  1.73e-03  8.29e-03 2.75e-03
## 25     Methionine, 2TMS; 16     0.00459  1.27e-03  7.90e-03 6.74e-03
## 26     Glycerol; 57            0.00429  9.35e-04  7.65e-03 1.23e-02
## 27     Octanoic acid; 68        0.00409  7.51e-04  7.42e-03 1.64e-02
## 28     Palmitic acid, TMS; 5    0.00407  7.46e-04  7.39e-03 1.64e-02
## 29     Benzeneacetic acid; 47   -0.00407 -7.41e-03 -7.37e-04 1.67e-02
## 30     Malic acid, 3TMS; 11     -0.00401 -7.35e-03 -6.76e-04 1.85e-02
## 31     Aminomalonic acid; 45    -0.00383 -7.15e-03 -5.17e-04 2.35e-02
## 32     Cholesterol, TMS; 23     0.00337  1.44e-04  6.59e-03 4.06e-02
## 33     Tyrosine; 75             0.00334  1.18e-06  6.68e-03 4.99e-02
## 34     Alanine, 2TMS; 25       -0.00334 -6.68e-03 -2.94e-07 5.00e-02
## 35     Glycerol; 58            -0.00313 -6.50e-03  2.44e-04 6.90e-02
## 36     Campesterol; 49         -0.00303 -6.32e-03  2.51e-04 7.02e-02
## 37     Phenylalanine, 2TMS; 13 -0.00294 -6.29e-03  4.14e-04 8.58e-02
## 38 2-hydroxy Isovaleric acid; 38  0.00292 -4.28e-04  6.26e-03 8.74e-02
## 39 2-Palmitoylglycerol; 39     0.00285 -5.06e-04  6.21e-03 9.60e-02
##
##      p.adj
## 1 2.15e-20
## 2 2.46e-18
## 3 1.28e-17
## 4 1.28e-17
## 5 3.34e-14
## 6 1.32e-10
## 7 3.09e-10
## 8 8.59e-10
## 9 4.76e-08
## 10 8.45e-07

```

```

## 11 8.45e-07
## 12 2.57e-06
## 13 4.14e-06
## 14 4.31e-05
## 15 4.31e-05
## 16 4.31e-05
## 17 6.64e-04
## 18 1.09e-03
## 19 1.43e-03
## 20 1.43e-03
## 21 1.43e-03
## 22 2.03e-03
## 23 5.02e-03
## 24 8.58e-03
## 25 2.02e-02
## 26 3.54e-02
## 27 4.33e-02
## 28 4.33e-02
## 29 4.33e-02
## 30 4.62e-02
## 31 5.69e-02
## 32 9.51e-02
## 33 1.10e-01
## 34 1.10e-01
## 35 1.46e-01
## 36 1.46e-01
## 37 1.72e-01
## 38 1.72e-01
## 39 1.85e-01
## [1] ""
## [1] "Table: logUAER"
## [1] " (from model: "
## [1] " ~ Amputation.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol + egfr + logUAER)"
## [1] ""
##
## Name Coefficient CI.L CI.R p.value p.adj
## 1 3,4-Dihydroxybutanoic acid; 27 0.0733 0.0333 0.113 0.000337 0.0253
## 2 4-Deoxytetronic acid; 32 0.0638 0.0229 0.105 0.002270 0.0853

```

5.1.4.3 Table with All Metabolites

```

## [1] ""
## [1] "Table: Amputation.at.DATEJA"
## [1] " (from model: "
## [1] " ~ Amputation.at.DATE + Age.x + Gender.x + Hba1c_baseline"
## [1] " + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +"
## [1] " Total_cholesterol + egfr + logUAER)"
## [1] ""
##
##          Name Coefficient   CI.L   CI.R p.value p.adj
## 1  Succinic acid, 2TMS; 7    0.55400 0.1290 0.9780 0.0107 0.509
## 2           Glycerol; 57    0.52300 0.0963 0.9490 0.0163 0.509
## 3      Threonine, 3TMS; 12   -0.49200 -0.9170 -0.0663 0.0235 0.509
## 4  Phenylalanine, 2TMS; 13   -0.48000 -0.9060 -0.0543 0.0271 0.509
## 5      Glutamic acid, 3TMS; 8 -0.43800 -0.8550 -0.0213 0.0394 0.591
## 6      Ribonic acid; 72     0.37800 -0.0303 0.7870 0.0696 0.867
## 7      Stearic acid, TMS; 2   0.35300 -0.0707 0.7770 0.1020 0.867
## 8  2-Hydroxybutyric acid, 2TMS; 2 0.34100 -0.0755 0.7570 0.1090 0.867
## 9      Heptadecanoic acid; 61 0.33400 -0.0916 0.7590 0.1240 0.867
## 10             Tyrosine; 75   -0.32900 -0.7540 0.0950 0.1280 0.867
## 11             Proline, 2TMS; 21 -0.31600 -0.7370 0.1050 0.1410 0.867
## 12             Methionine, 2TMS; 16 -0.31000 -0.7310 0.1120 0.1490 0.867
## 13      Myristoleic acid; 65    0.28600 -0.1360 0.7080 0.1840 0.867
## 14      Arabinopyranose; 51   -0.27200 -0.6960 0.1520 0.2080 0.867
## 15      Dodecanoic acid; 54    0.27100 -0.1520 0.6940 0.2090 0.867
## 16  4-Hydroxybutanoic acid; 43    0.27000 -0.1560 0.6960 0.2150 0.867
## 17      Campesterol; 49       -0.26100 -0.6780 0.1560 0.2200 0.867
## 18      Pyroglutamic acid; 69    0.26200 -0.1610 0.6840 0.2240 0.867
## 19  4-Hydroxybenzeneacetic acid; 4 0.25500 -0.1590 0.6700 0.2270 0.867
## 20      Malic acid, 3TMS; 11    0.23900 -0.1850 0.6620 0.2700 0.867
## 21      Leucine, 2TMS; 19       -0.22600 -0.6460 0.1940 0.2920 0.867
## 22      Aminomalonic acid; 45   -0.22600 -0.6470 0.1960 0.2940 0.867
## 23      Hydroxyproline; 64      0.22500 -0.1990 0.6490 0.2970 0.867
## 24      Myo inositol 6TMS; 1     0.21400 -0.1920 0.6190 0.3010 0.867
## 25      Palmitic acid, TMS; 5    0.21500 -0.2070 0.6370 0.3170 0.867
## 26  3-Indolepropionic acid; 41   -0.21300 -0.6360 0.2110 0.3250 0.867
## 27      Octanoic acid; 68       0.21100 -0.2130 0.6340 0.3300 0.867
## 28      Heptadecanoic acid; 60    0.21000 -0.2150 0.6360 0.3320 0.867
## 29  4-Hydroxyphenyllactic acid; 44 0.20700 -0.2150 0.6300 0.3350 0.867
## 30      Tridecanoic acid; 74     0.19500 -0.2310 0.6210 0.3690 0.922
## 31  2-hydroxy Isovaleric acid; 38  -0.17500 -0.6000 0.2490 0.4180 0.969
## 32      Decanoic acid; 52       0.17300 -0.2500 0.5960 0.4220 0.969
## 33      Valine, 2TMS; 20        -0.16400 -0.5790 0.2510 0.4380 0.969
## 34      Serine, 3TMS; 14        -0.16600 -0.5900 0.2580 0.4430 0.969
## 35  2-Palmitoylglycerol; 39      -0.15800 -0.5840 0.2690 0.4680 0.969
## 36      Alanine, 2TMS; 25       0.15400 -0.2700 0.5780 0.4760 0.969
## 37      Hydroxylamine; 62       0.15200 -0.2740 0.5790 0.4840 0.969
## 38      1-Dodecanol; 36         0.13700 -0.2900 0.5650 0.5290 0.969
## 39      Arachidic acid; 46      0.13600 -0.2890 0.5620 0.5300 0.969
## 40      Lactic acid; 29         0.13100 -0.2930 0.5560 0.5430 0.969
## 41      Citric acid, 4TMS; 6    -0.12200 -0.5410 0.2970 0.5680 0.969
## 42      11-Eicosenoic acid; 35   0.12000 -0.3060 0.5470 0.5810 0.969
## 43      Creatinine; 50          0.11400 -0.3000 0.5280 0.5880 0.969
## 44      1-Monopalmitin; 37     0.11700 -0.3110 0.5440 0.5930 0.969

```

## 45	Eicosapentaenoic acid; 55	-0.10500	-0.5220	0.3110	0.6190	0.969
## 46	Ribitol; 70	0.10100	-0.3230	0.5260	0.6400	0.969
## 47	Cholesterol, TMS; 23	0.09560	-0.3140	0.5050	0.6470	0.969
## 48	Tartronic acid; 73	-0.09770	-0.5180	0.3230	0.6490	0.969
## 49	Arachidonic acid, TMS; 24	0.09520	-0.3310	0.5210	0.6610	0.969
## 50	Glycine, 3TMS; 17	-0.08960	-0.5110	0.3310	0.6760	0.969
## 51	alpha-Tocopherol; 26	-0.08260	-0.5000	0.3350	0.6980	0.969
## 52	alpha-ketoglutaric acid, TMS M	-0.07540	-0.5010	0.3500	0.7280	0.969
## 53	Docosahexaenoic acid; 53	0.07250	-0.3460	0.4910	0.7340	0.969
## 54	3-Indoleacetic acid; 40	-0.06790	-0.4890	0.3530	0.7520	0.969
## 55	Benzeneacetic acid; 47	-0.06620	-0.4900	0.3580	0.7590	0.969
## 56	Ribitol; 71	0.06250	-0.3450	0.4700	0.7630	0.969
## 57	Ethanolamine; 56	0.06320	-0.3630	0.4890	0.7710	0.969
## 58	Isoleucine, 2TMS; 18	0.05270	-0.3640	0.4690	0.8040	0.969
## 59	Linoleic acid, TMS; 4	0.05130	-0.3730	0.4750	0.8130	0.969
## 60	Oleic acid, TMS; 3	0.05030	-0.3740	0.4740	0.8160	0.969
## 61	Pyruvic acid; 31	0.04530	-0.3800	0.4700	0.8350	0.969
## 62	3,4-Dihydroxybutanoic acid; 27	0.04320	-0.3680	0.4540	0.8370	0.969
## 63	Glyceric acid; 30	-0.03570	-0.4540	0.3820	0.8670	0.969
## 64	Nonadecanoic acid; 66	0.03520	-0.3900	0.4610	0.8710	0.969
## 65	Glycerol; 58	-0.03410	-0.4620	0.3940	0.8760	0.969
## 66	3-Hydroxybutyric acid, 2TMS; 1	0.03040	-0.3980	0.4580	0.8890	0.969
## 67	Fumaric acid, 2TMS; 9	-0.02840	-0.4530	0.3960	0.8960	0.969
## 68	1,3-Propanediol; 34	0.02550	-0.4010	0.4530	0.9070	0.969
## 69	Nonanoic acid; 67	0.02370	-0.4040	0.4510	0.9130	0.969
## 70	Bisphenol A; 48	-0.02320	-0.4510	0.4050	0.9150	0.969
## 71	L-5-Oxoproline; 63	-0.01970	-0.4450	0.4060	0.9280	0.969
## 72	4-Deoxytetronic acid; 32	0.01880	-0.4010	0.4390	0.9300	0.969
## 73	Glyceryl-glycoside; 59	0.00789	-0.4150	0.4300	0.9710	0.978
## 74	4-Deoxytetronic acid; 33	0.00733	-0.4100	0.4240	0.9730	0.978
## 75	2,4-Dihydroxybutanoic acid; 28	0.00584	-0.4020	0.4130	0.9780	0.978

5.2 Amputation from DATE

5.2.1 Crude Model

5.2.1.1 Forest Plot of Model Coefficients

```
## NULL
```

5.2.1.2 Table with All Metabolites

Name	exp(coef)	Lower 95 %	Upper 95 %	Pr(> z)	p.adj
4-Hydroxybenzeneacetic acid	1.97	1.28	3.01	0.00189	0.142
Ribitol (2)	1.53	1.02	2.3	0.0384	0.525
Palmitic acid	0.697	0.493	0.986	0.0416	0.525
Stearic acid	0.687	0.467	1.01	0.0572	0.525
Ribonic acid	1.5	0.98	2.28	0.0622	0.525
2-Hydroxybutyric acid	0.747	0.543	1.03	0.0731	0.525
Oleic acid	0.703	0.474	1.04	0.0802	0.525
2,4-Dihydroxybutanoic acid	1.39	0.959	2.01	0.0822	0.525
3,4-Dihydroxybutanoic acid	1.37	0.943	2	0.0982	0.525
Hydroxylamine	0.805	0.615	1.05	0.113	0.525
Ethanolamine	1.35	0.928	1.97	0.116	0.525
Decanoic acid	0.787	0.582	1.07	0.121	0.525
Arabinopyranose	1.45	0.897	2.33	0.13	0.525
3-Hydroxybutyric acid	0.757	0.523	1.1	0.14	0.525
3-Indolepropionic acid	0.831	0.647	1.07	0.148	0.525
4-Deoxytetronic acid (1)	1.35	0.9	2.01	0.148	0.525
2-hydroxy Isovaleric acid	0.786	0.566	1.09	0.15	0.525
Benzeneacetic acid	1.38	0.883	2.14	0.158	0.525
Glycerol (2)	0.798	0.581	1.1	0.163	0.525
Linoleic acid	0.834	0.645	1.08	0.165	0.525
Creatinine	1.32	0.889	1.97	0.168	0.525
Nonanoic acid	0.813	0.605	1.09	0.168	0.525
Arachidic acid	0.77	0.531	1.12	0.169	0.525
Glutamic acid	1.32	0.887	1.96	0.171	0.525
Tridecanoic acid	0.822	0.62	1.09	0.175	0.525
11-Eicosenoic acid	0.828	0.62	1.11	0.201	0.561
1,3-Propanediol	0.828	0.618	1.11	0.205	0.561
Lactic acid	0.804	0.572	1.13	0.21	0.561
L-5-Oxoproline	0.823	0.591	1.14	0.247	0.621
1-Dodecanol	0.821	0.586	1.15	0.252	0.621
Heptadecanoic acid (2)	0.819	0.58	1.16	0.257	0.621
Tartronic acid	0.829	0.588	1.17	0.286	0.671
Methionine	1.23	0.825	1.83	0.309	0.697
Glycerol (1)	0.886	0.7	1.12	0.316	0.697
Phenylalanine	1.21	0.826	1.77	0.33	0.702
Alanine	1.21	0.822	1.77	0.337	0.702
Proline	1.19	0.813	1.75	0.371	0.721
Docosaehaenoic acid	0.88	0.66	1.17	0.386	0.721
Eicosapentaenoic acid	1.19	0.802	1.77	0.387	0.721
Myristoleic acid	0.863	0.616	1.21	0.395	0.721
Glyceryl-glycoside	1.21	0.777	1.9	0.395	0.721
Campesterol	0.869	0.619	1.22	0.418	0.721
Fumaric acid	1.16	0.799	1.69	0.43	0.721
3-Indoleacetic acid	1.17	0.794	1.71	0.433	0.721
Dodecanoic acid	0.868	0.605	1.24	0.441	0.721
Bisphenol A	0.869	0.601	1.26	0.456	0.721
Glyceric acid	0.88	0.628	1.23	0.458	0.721
Isoleucine	1.17	0.766	1.8	0.463	0.721
Leucine	1.16	0.77	1.76	0.473	0.721
4-Hydroxyphenyllactic acid	1.16	0.769	1.75	0.48	0.721


Name	exp(coef)	Lower 95 %	Upper 95 %	Pr(> z)	p.adj
2-Palmitoylglycerol	1.14	0.771	1.67	0.52	0.762
Aminomalonic acid	1.13	0.773	1.65	0.528	0.762
Citric acid	0.896	0.626	1.28	0.549	0.777
Cholesterol	0.896	0.619	1.3	0.56	0.777
Ribitol (1)	1.11	0.764	1.62	0.575	0.784
4-Deoxytetronic acid (2)	0.908	0.642	1.29	0.587	0.787
Succinic acid	1.1	0.758	1.61	0.607	0.788
Hydroxyproline	1.1	0.755	1.61	0.609	0.788
1-Monopalmitin	0.93	0.687	1.26	0.641	0.814
Glycine	1.09	0.752	1.57	0.655	0.818
Octanoic acid	0.942	0.679	1.31	0.721	0.879
Pyruvic acid	1.07	0.735	1.56	0.727	0.879
Arachidonic acid	1.06	0.723	1.56	0.758	0.886
Valine	0.948	0.661	1.36	0.771	0.886
Pyroglutamic acid	0.952	0.672	1.35	0.78	0.886
Myo inositol	1.05	0.725	1.53	0.784	0.886
Nonadecanoic acid	0.956	0.671	1.36	0.802	0.886
Serine	0.954	0.66	1.38	0.803	0.886
Tyrosine	1.05	0.696	1.57	0.827	0.899
Malic acid	1.04	0.713	1.51	0.843	0.904
alpha-Tocopherol	1.01	0.695	1.47	0.959	0.982
4-Hydroxybutanoic acid	0.995	0.689	1.44	0.978	0.982
Threonine	0.996	0.686	1.44	0.981	0.982
alpha-ketoglutaric acid	0.996	0.694	1.43	0.981	0.982
Heptadecanoic acid (1)	0.996	0.69	1.44	0.982	0.982

5.2.1.3 Top-Metabolite from Cross-Sectional Analysis

```
## Call:
## survival::coxph(formula = survival::Surv(time = Amputation.tdiff,
##     event = Amputation.from.DATE) ~ Ribonic_acid, data = data.km)
##
## n= 614, number of events= 28
## (23 observations deleted due to missingness)
##
##           coef exp(coef) se(coef)      z Pr(>|z|)
## Ribonic_acid 0.4095   1.5060  0.2195 1.865  0.0622 .
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
##           exp(coef) exp(-coef) lower .95 upper .95
## Ribonic_acid      1.506      0.664  0.9794      2.316
##
## Concordance= 0.611 (se = 0.05 )
## Likelihood ratio test= 3.7  on 1 df,  p=0.05
## Wald test               = 3.48  on 1 df,  p=0.06
## Score (logrank) test = 3.29  on 1 df,  p=0.07
```

5.2.1.4 Kaplan-Maier Curve with Median Cutpoint

- Top metabolite from cross-sectional analysis



Number at risk

	0	1000	2000	3000	4000
Ribonic_acid= >50%	300	296	294	287	0
Ribonic_acid= <50%	314	310	307	305	0

Cumulative number of events

	0	1000	2000	3000	4000
Ribonic_acid= >50%	0	4	6	13	17
Ribonic_acid= <50%	0	4	7	9	11

5.2.2 Adjusted Model

5.2.2.1 Forest Plot of Model Coefficients

```
## NULL
```


5.2.2.2 Table with All Metabolites

Name	exp(coef)	Lower 95 %	Upper 95 %	Pr(> z)	p.adj
2-Hydroxybutyric acid	0.582	0.412	0.823	0.00216	0.162
Palmitic acid	0.632	0.456	0.876	0.00589	0.221
4-Hydroxybenzeneacetic acid	1.73	1.08	2.76	0.0221	0.43
Lactic acid	0.7	0.511	0.958	0.026	0.43
Oleic acid	0.638	0.426	0.954	0.0286	0.43
3-Hydroxybutyric acid	0.646	0.425	0.982	0.0408	0.46
Stearic acid	0.69	0.482	0.988	0.0429	0.46
4-Deoxytetronic acid (1)	1.51	0.987	2.3	0.0573	0.537
Glycerol (2)	0.715	0.5	1.02	0.0669	0.557
Aminomalonic acid	1.44	0.94	2.21	0.094	0.615
Glycerol (1)	0.827	0.662	1.03	0.0951	0.615
Benzeneacetic acid	1.5	0.927	2.44	0.0983	0.615
Myristoleic acid	0.756	0.525	1.09	0.134	0.626
Decanoic acid	0.788	0.575	1.08	0.138	0.626
Ribonic acid	1.36	0.886	2.08	0.16	0.626
Creatinine	1.33	0.892	1.97	0.163	0.626
Ribitol (2)	1.37	0.878	2.12	0.166	0.626
Hydroxylamine	0.821	0.615	1.1	0.181	0.626
Linoleic acid	0.817	0.606	1.1	0.185	0.626
11-Eicosenoic acid	0.819	0.607	1.1	0.189	0.626
Methionine	1.33	0.867	2.05	0.189	0.626
4-Deoxytetronic acid (2)	0.781	0.538	1.13	0.192	0.626
Ethanolamine	1.29	0.882	1.87	0.192	0.626
Arachidic acid	0.772	0.51	1.17	0.222	0.685
2-hydroxy Isovaleric acid	0.813	0.58	1.14	0.228	0.685
Arabinopyranose	1.33	0.814	2.18	0.254	0.695
Glycine	1.25	0.852	1.83	0.255	0.695
2,4-Dihydroxybutanoic acid	1.26	0.838	1.9	0.265	0.695
Dodecanoic acid	0.809	0.556	1.18	0.269	0.695
Campesterol	0.824	0.561	1.21	0.324	0.79
Heptadecanoic acid (2)	0.848	0.606	1.19	0.337	0.79
Nonanoic acid	0.873	0.662	1.15	0.337	0.79
Tridecanoic acid	0.883	0.666	1.17	0.385	0.868
L-5-Oxoproline	0.847	0.579	1.24	0.394	0.868
Valine	0.857	0.572	1.28	0.453	0.947
Eicosapentaenoic acid	1.17	0.76	1.8	0.474	0.947
Phenylalanine	1.15	0.775	1.7	0.489	0.947
1,3-Propanediol	0.911	0.687	1.21	0.518	0.947
Docosahexaenoic acid	0.901	0.651	1.25	0.529	0.947
3,4-Dihydroxybutanoic acid	1.13	0.758	1.68	0.548	0.947
1-Monopalmitin	0.912	0.671	1.24	0.555	0.947
Citric acid	0.893	0.603	1.32	0.572	0.947
Bisphenol A	0.895	0.6	1.34	0.588	0.947
Threonine	1.13	0.719	1.78	0.596	0.947
3-Indolepropionic acid	0.917	0.663	1.27	0.602	0.947
Glyceryl-glycoside	1.13	0.699	1.82	0.62	0.947
Serine	1.1	0.725	1.68	0.644	0.947
Succinic acid	1.09	0.738	1.61	0.665	0.947
Leucine	1.1	0.7	1.72	0.688	0.947
Alanine	1.09	0.719	1.64	0.694	0.947


Name	exp(coef)	Lower 95 %	Upper 95 %	Pr(> z)	p.adj
4-Hydroxybutanoic acid	1.08	0.736	1.58	0.695	0.947
1-Dodecanol	0.933	0.649	1.34	0.706	0.947
Isoleucine	1.09	0.686	1.74	0.707	0.947
Myo inositol	0.932	0.637	1.36	0.716	0.947
Cholesterol	0.922	0.591	1.44	0.719	0.947
2-Palmitoylglycerol	1.07	0.711	1.62	0.736	0.947
4-Hydroxyphenyllactic acid	1.08	0.693	1.67	0.746	0.947
Octanoic acid	0.947	0.63	1.42	0.793	0.947
Tartronic acid	0.95	0.648	1.39	0.793	0.947
Ribitol (1)	0.951	0.65	1.39	0.798	0.947
alpha-ketoglutaric acid	0.962	0.708	1.31	0.802	0.947
Fumaric acid	1.05	0.71	1.56	0.803	0.947
Glyceric acid	1.04	0.746	1.45	0.811	0.947
Arachidonic acid	1.04	0.746	1.44	0.83	0.947
Malic acid	0.968	0.678	1.38	0.858	0.947
Tyrosine	1.04	0.694	1.55	0.862	0.947
Nonadecanoic acid	0.967	0.642	1.46	0.871	0.947
Hydroxyproline	1.03	0.691	1.55	0.872	0.947
Pyruvic acid	0.97	0.665	1.41	0.873	0.947
Pyroglutamic acid	0.973	0.658	1.44	0.89	0.947
3-Indoleacetic acid	1.03	0.684	1.54	0.897	0.947
Glutamic acid	1.02	0.658	1.58	0.933	0.963
Proline	1.02	0.674	1.53	0.937	0.963
Heptadecanoic acid (1)	0.994	0.68	1.45	0.976	0.989
alpha-Tocopherol	1	0.671	1.49	0.997	0.997

5.2.2.3 Top-Metabolite from Cross-Sectional Analysis

```
## Call:
## survival::coxph(formula = survival::Surv(time = Amputation.tdiff,
##     event = Amputation.from.DATE) ~ Ribonic_acid + Age.x + Gender.x +
##     Hba1c_baseline + CALSEP + bmi + Smoking + Statin + log_Blood_TGA +
##     Total_cholesterol, data = data.km)
##
## n= 600, number of events= 28
## (37 observations deleted due to missingness)
##
##           coef exp(coef) se(coef)      z Pr(>|z|)
## Ribonic_acid  0.31105  1.36486  0.22151  1.404  0.1602
## Age.x         0.02766  1.02805  0.01868  1.481  0.1387
## Gender.x     0.61355  1.84697  0.42533  1.443  0.1492
## Hba1c_baseline 0.25261  1.28738  0.14517  1.740  0.0818
## CALSBP       0.01409  1.01419  0.01051  1.341  0.1800
## bmi          0.05329  1.05473  0.04632  1.150  0.2500
## Smoking      0.43811  1.54978  0.43587  1.005  0.3148
## Statin       0.67232  1.95877  0.52152  1.289  0.1973
## log_Blood_TGA 0.31301  1.36754  0.30302  1.033  0.3016
## Total_cholesterol -0.02248  0.97777  0.22169 -0.101  0.9192
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
##           exp(coef) exp(-coef) lower .95 upper .95
## Ribonic_acid      1.3649    0.7327    0.8842    2.107
## Age.x              1.0280    0.9727    0.9911    1.066
## Gender.x           1.8470    0.5414    0.8024    4.251
## Hba1c_baseline     1.2874    0.7768    0.9686    1.711
## CALSBP             1.0142    0.9860    0.9935    1.035
## bmi                1.0547    0.9481    0.9632    1.155
## Smoking            1.5498    0.6453    0.6596    3.641
## Statin             1.9588    0.5105    0.7048    5.444
## log_Blood_TGA     1.3675    0.7312    0.7551    2.477
## Total_cholesterol  0.9778    1.0227    0.6332    1.510
##
## Concordance= 0.764 (se = 0.036 )
## Likelihood ratio test= 26.61 on 10 df, p=0.003
## Wald test              = 24.23 on 10 df, p=0.007
## Score (logrank) test = 25.34 on 10 df, p=0.005
```

5.2.2.3.1 Forest Plot with Clinical Variables

- Top metabolite from cross-sectional analysis



5.2.3 Adjusted Model with eGFR

5.2.3.1 Forest Plot of Model Coefficients

```
## NULL
```

5.2.3.2 Table with All Metabolites

Name	exp(coef)	Lower 95 %	Upper 95 %	Pr(> z)	p.adj
Palmitic acid	0.625	0.435	0.897	0.0109	0.434
2-Hydroxybutyric acid	0.632	0.438	0.91	0.0137	0.434
4-Deoxytetronic acid (2)	0.643	0.446	0.925	0.0174	0.434
3-Hydroxybutyric acid	0.632	0.413	0.967	0.0343	0.489
Oleic acid	0.659	0.444	0.978	0.0384	0.489
Lactic acid	0.74	0.554	0.99	0.0423	0.489
Glycerol (2)	0.702	0.496	0.993	0.0456	0.489
Myo inositol	0.675	0.444	1.03	0.0653	0.612
Stearic acid	0.718	0.499	1.03	0.0748	0.624
Methionine	1.46	0.945	2.24	0.0888	0.666
Aminomalonic acid	1.43	0.924	2.22	0.108	0.726
4-Hydroxybenzeneacetic acid	1.5	0.904	2.5	0.116	0.726
Decanoic acid	0.79	0.573	1.09	0.15	0.741
Benzeneacetic acid	1.39	0.867	2.24	0.17	0.741
Ethanolamine	1.32	0.887	1.96	0.172	0.741
11-Eicosenoic acid	0.817	0.607	1.1	0.181	0.741
Glycerol (1)	0.861	0.688	1.08	0.192	0.741
4-Deoxytetronic acid (1)	1.34	0.863	2.09	0.192	0.741
Myristoleic acid	0.794	0.56	1.13	0.196	0.741
Linoleic acid	0.829	0.62	1.11	0.204	0.741
Nonanoic acid	0.84	0.637	1.11	0.217	0.741
Arachidic acid	0.773	0.514	1.16	0.217	0.741
Arabinopyranose	1.35	0.817	2.23	0.243	0.772
Dodecanoic acid	0.808	0.559	1.17	0.254	0.772
Hydroxylamine	0.852	0.645	1.12	0.257	0.772
Campesterol	0.808	0.553	1.18	0.268	0.772
Citric acid	0.809	0.541	1.21	0.303	0.824
Eicosapentaenoic acid	1.26	0.808	1.97	0.308	0.824
2-hydroxy Isovaleric acid	0.843	0.589	1.21	0.351	0.9
Tridecanoic acid	0.875	0.657	1.16	0.36	0.9
L-5-Oxoproline	0.841	0.573	1.23	0.375	0.904
Heptadecanoic acid (2)	0.863	0.619	1.2	0.386	0.904
Isoleucine	1.22	0.762	1.97	0.403	0.917
1,3-Propanediol	0.893	0.66	1.21	0.46	0.977
Glycine	1.15	0.778	1.71	0.476	0.977
Leucine	1.16	0.754	1.78	0.503	0.977
Serine	1.15	0.755	1.74	0.522	0.977
Pyroglutamic acid	0.883	0.6	1.3	0.528	0.977
Threonine	1.14	0.733	1.79	0.554	0.977
Creatinine	1.13	0.745	1.72	0.563	0.977
Phenylalanine	1.11	0.755	1.65	0.584	0.977
1-Monopalmitin	0.916	0.668	1.26	0.587	0.977
Glyceric acid	1.1	0.775	1.56	0.593	0.977
Ribonic acid	1.13	0.718	1.78	0.594	0.977
Docosaehaenoic acid	0.919	0.661	1.28	0.618	0.977
Tyrosine	1.11	0.719	1.72	0.634	0.977
Bisphenol A	0.91	0.613	1.35	0.639	0.977
2-Palmitoylglycerol	1.1	0.725	1.67	0.653	0.977
4-Hydroxybutanoic acid	1.09	0.743	1.59	0.67	0.977
3,4-Dihydroxybutanoic acid	0.91	0.586	1.41	0.675	0.977


Name	exp(coef)	Lower 95 %	Upper 95 %	Pr(> z)	p.adj
Ribitol (2)	1.1	0.683	1.78	0.691	0.977
Malic acid	0.935	0.662	1.32	0.702	0.977
Succinic acid	1.07	0.722	1.59	0.732	0.977
Arachidonic acid	1.06	0.745	1.52	0.737	0.977
alpha-ketoglutaric acid	0.948	0.69	1.3	0.741	0.977
Valine	0.936	0.623	1.41	0.75	0.977
3-Indoleacetic acid	0.935	0.611	1.43	0.758	0.977
Hydroxyproline	0.941	0.622	1.42	0.772	0.977
3-Indolepropionic acid	0.954	0.689	1.32	0.776	0.977
Ribitol (1)	0.952	0.646	1.4	0.802	0.977
Tartronic acid	0.954	0.661	1.38	0.802	0.977
1-Dodecanol	0.955	0.66	1.38	0.808	0.977
Octanoic acid	0.956	0.64	1.43	0.826	0.983
Pyruvic acid	0.966	0.662	1.41	0.855	0.988
Proline	0.969	0.65	1.45	0.878	0.988
Cholesterol	0.966	0.62	1.51	0.879	0.988
Nonadecanoic acid	0.975	0.654	1.45	0.899	0.988
2,4-Dihydroxybutanoic acid	1.02	0.658	1.6	0.913	0.988
Glutamic acid	1.02	0.668	1.57	0.917	0.988
4-Hydroxyphenyllactic acid	0.982	0.634	1.52	0.933	0.988
Glyceryl-glycoside	1.02	0.642	1.62	0.936	0.988
Alanine	1.01	0.672	1.52	0.961	0.992
Fumaric acid	0.992	0.668	1.47	0.968	0.992
Heptadecanoic acid (1)	0.998	0.69	1.44	0.992	0.992
alpha-Tocopherol	1	0.681	1.47	0.992	0.992

5.2.3.3 Top-Metabolite from Cross-Sectional Analysis

```
## Call:
## survival::coxph(formula = survival::Surv(time = Amputation.tdiff,
##     event = Amputation.from.DATE) ~ Ribonic_acid + Age.x + Gender.x +
##     Hba1c_baseline + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +
##     Total_cholesterol + egfr, data = data.km)
##
## n= 598, number of events= 28
## (39 observations deleted due to missingness)
##
##              coef exp(coef)  se(coef)      z Pr(>|z|)
## Ribonic_acid    0.125827  1.134086  0.236202  0.533  0.5942
## Age.x           0.024095  1.024387  0.018670  1.291  0.1969
## Gender.x        0.737364  2.090418  0.430898  1.711  0.0870 .
## Hba1c_baseline  0.254205  1.289436  0.147353  1.725  0.0845 .
## CALSBP          0.012769  1.012850  0.010462  1.220  0.2223
## bmi             0.057599  1.059291  0.045924  1.254  0.2098
## Smoking         0.515193  1.673961  0.436684  1.180  0.2381
## Statin          0.579576  1.785282  0.522730  1.109  0.2675
## log_Blood_TGA  0.265712  1.304359  0.307168  0.865  0.3870
## Total_cholesterol 0.007319  1.007346  0.217403  0.034  0.9731
## egfr            -0.013544  0.986547  0.008162 -1.659  0.0970 .
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
##              exp(coef) exp(-coef) lower .95 upper .95
## Ribonic_acid      1.1341    0.8818    0.7138    1.802
## Age.x              1.0244    0.9762    0.9876    1.063
## Gender.x           2.0904    0.4784    0.8984    4.864
## Hba1c_baseline     1.2894    0.7755    0.9660    1.721
## CALSBP             1.0129    0.9873    0.9923    1.034
## bmi                1.0593    0.9440    0.9681    1.159
## Smoking            1.6740    0.5974    0.7113    3.940
## Statin             1.7853    0.5601    0.6409    4.973
## log_Blood_TGA     1.3044    0.7667    0.7144    2.382
## Total_cholesterol  1.0073    0.9927    0.6578    1.543
## egfr               0.9865    1.0136    0.9709    1.002
##
## Concordance= 0.778 (se = 0.032 )
## Likelihood ratio test= 29.28 on 11 df,  p=0.002
## Wald test              = 25.78 on 11 df,  p=0.007
## Score (logrank) test = 28.46 on 11 df,  p=0.003
```

5.2.3.3.1 Forest Plot with Clinical Variables

- Top metabolite from cross-sectional analysis



5.2.4 Fully Adjusted Model

5.2.4.1 Forest Plot of Model Coefficients

NULL

5.2.4.2 Table with All Metabolites

Name	exp(coef)	Lower 95 %	Upper 95 %	Pr(> z)	p.adj
Palmitic acid	0.585	0.407	0.841	0.00381	0.268
Glycerol (2)	0.649	0.463	0.91	0.0123	0.268
3-Hydroxybutyric acid	0.581	0.378	0.895	0.0136	0.268
4-Deoxytetronic acid (2)	0.637	0.442	0.917	0.0151	0.268
2-Hydroxybutyric acid	0.639	0.442	0.926	0.0179	0.268
Oleic acid	0.625	0.418	0.934	0.022	0.275
Myo inositol	0.628	0.417	0.946	0.0262	0.28
Lactic acid	0.732	0.549	0.976	0.0335	0.314
Stearic acid	0.686	0.474	0.994	0.0467	0.389
Decanoic acid	0.745	0.547	1.02	0.0628	0.471
11-Eicosenoic acid	0.718	0.497	1.04	0.0782	0.533
Methionine	1.48	0.946	2.31	0.0865	0.541
Nonanoic acid	0.8	0.614	1.04	0.0976	0.563
Aminomalonic acid	1.43	0.911	2.25	0.12	0.595
Dodecanoic acid	0.762	0.531	1.09	0.138	0.595
Ethanolamine	1.36	0.902	2.04	0.143	0.595
Myristoleic acid	0.776	0.552	1.09	0.145	0.595
Citric acid	0.74	0.492	1.11	0.148	0.595
Linoleic acid	0.816	0.618	1.08	0.151	0.595
Arachidic acid	0.745	0.491	1.13	0.167	0.605
4-Hydroxybenzeneacetic acid	1.42	0.857	2.36	0.173	0.605
Benzeneacetic acid	1.4	0.859	2.28	0.177	0.605
2-hydroxy Isovaleric acid	0.801	0.556	1.15	0.234	0.737
Campesterol	0.791	0.537	1.17	0.236	0.737
Glycerol (1)	0.871	0.688	1.1	0.252	0.756
L-5-Oxoproline	0.808	0.553	1.18	0.271	0.782
Heptadecanoic acid (2)	0.833	0.595	1.17	0.288	0.799
Hydroxylamine	0.863	0.649	1.15	0.309	0.829
Tridecanoic acid	0.866	0.648	1.16	0.333	0.837
4-Deoxytetronic acid (1)	1.25	0.796	1.96	0.335	0.837
Arabinopyranose	1.26	0.765	2.07	0.365	0.878
3,4-Dihydroxybutanoic acid	0.829	0.531	1.29	0.408	0.878
1,3-Propanediol	0.88	0.648	1.2	0.414	0.878
Malic acid	0.87	0.62	1.22	0.422	0.878
Pyroglutamic acid	0.855	0.581	1.26	0.425	0.878
Serine	1.19	0.775	1.81	0.434	0.878
Eicosapentaenoic acid	1.2	0.758	1.89	0.44	0.878
Isoleucine	1.2	0.753	1.91	0.445	0.878
Threonine	1.17	0.741	1.85	0.498	0.92
Leucine	1.15	0.752	1.75	0.526	0.92
1-Monopalmitin	0.912	0.67	1.24	0.56	0.92
Bisphenol A	0.89	0.596	1.33	0.567	0.92
Docosaheptaenoic acid	0.909	0.653	1.26	0.569	0.92
Ribitol (1)	0.894	0.607	1.32	0.569	0.92
Phenylalanine	1.12	0.753	1.66	0.58	0.92
Fumaric acid	0.902	0.606	1.34	0.613	0.92
3-Indoleacetic acid	0.894	0.579	1.38	0.613	0.92
Tyrosine	1.12	0.715	1.76	0.619	0.92
Glycine	1.1	0.737	1.65	0.636	0.92
2-Palmitoylglycerol	1.1	0.722	1.67	0.661	0.92


Name	exp(coef)	Lower 95 %	Upper 95 %	Pr(> z)	p.adj
Valine	0.913	0.606	1.38	0.663	0.92
Creatinine	1.1	0.723	1.66	0.667	0.92
1-Dodecanol	0.922	0.634	1.34	0.669	0.92
Cholesterol	0.909	0.579	1.43	0.677	0.92
Tartronic acid	0.924	0.637	1.34	0.679	0.92
3-Indolepropionic acid	0.94	0.68	1.3	0.706	0.92
2,4-Dihydroxybutanoic acid	0.921	0.578	1.47	0.729	0.92
Nonadecanoic acid	0.934	0.633	1.38	0.733	0.92
Glyceric acid	1.06	0.736	1.53	0.752	0.92
alpha-ketoglutaric acid	0.95	0.687	1.31	0.755	0.92
Glyceryl-glycoside	0.934	0.599	1.46	0.764	0.92
4-Hydroxyphenyllactic acid	0.934	0.59	1.48	0.772	0.92
Arachidonic acid	1.06	0.734	1.52	0.773	0.92
Hydroxyproline	0.944	0.618	1.44	0.788	0.923
Octanoic acid	0.955	0.65	1.4	0.813	0.938
Ribonic acid	1.04	0.665	1.62	0.868	0.967
alpha-Tocopherol	0.969	0.656	1.43	0.875	0.967
Alanine	1.03	0.68	1.57	0.882	0.967
Proline	0.974	0.65	1.46	0.898	0.967
Pyruvic acid	0.976	0.666	1.43	0.902	0.967
4-Hydroxybutanoic acid	1.02	0.694	1.5	0.92	0.972
Succinic acid	1.02	0.682	1.51	0.939	0.978
Glutamic acid	1.01	0.657	1.56	0.952	0.978
Heptadecanoic acid (1)	0.994	0.682	1.45	0.974	0.986
Ribitol (2)	0.996	0.628	1.58	0.986	0.986

5.2.4.3 Top-Metabolite from Cross-Sectional Analysis

```
## Call:
## survival::coxph(formula = survival::Surv(time = Amputation.tdiff,
##     event = Amputation.from.DATE) ~ Ribonic_acid + Age.x + Gender.x +
##     Hba1c_baseline + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +
##     Total_cholesterol + egfr + logUAER, data = data.km)
##
## n= 564, number of events= 27
## (73 observations deleted due to missingness)
##
##              coef exp(coef)  se(coef)      z Pr(>|z|)
## Ribonic_acid    0.038446  1.039194  0.230982  0.166  0.8678
## Age.x           0.020683  1.020899  0.020006  1.034  0.3012
## Gender.x        0.709210  2.032385  0.441730  1.606  0.1084
## Hba1c_baseline  0.284992  1.329752  0.149098  1.911  0.0559 .
## CALSBP          0.010211  1.010263  0.011381  0.897  0.3696
## bmi             0.046139  1.047220  0.047343  0.975  0.3298
## Smoking         0.492379  1.636205  0.457500  1.076  0.2818
## Statin          0.471402  1.602239  0.531747  0.887  0.3753
## log_Blood_TGA  0.192918  1.212784  0.315749  0.611  0.5412
## Total_cholesterol 0.004336  1.004345  0.220526  0.020  0.9843
## egfr            -0.016330  0.983803  0.008993 -1.816  0.0694 .
## logUAER         0.024631  1.024936  0.089073  0.277  0.7821
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
##              exp(coef) exp(-coef) lower .95 upper .95
## Ribonic_acid      1.0392    0.9623    0.6608    1.634
## Age.x              1.0209    0.9795    0.9816    1.062
## Gender.x           2.0324    0.4920    0.8551    4.831
## Hba1c_baseline    1.3298    0.7520    0.9928    1.781
## CALSBP             1.0103    0.9898    0.9880    1.033
## bmi                1.0472    0.9549    0.9544    1.149
## Smoking            1.6362    0.6112    0.6674    4.011
## Statin             1.6022    0.6241    0.5651    4.543
## log_Blood_TGA     1.2128    0.8245    0.6532    2.252
## Total_cholesterol 1.0043    0.9957    0.6519    1.547
## egfr               0.9838    1.0165    0.9666    1.001
## logUAER            1.0249    0.9757    0.8608    1.220
##
## Concordance= 0.772 (se = 0.033 )
## Likelihood ratio test= 26.76 on 12 df,  p=0.008
## Wald test              = 24.21 on 12 df,  p=0.02
## Score (logrank) test = 26.96 on 12 df,  p=0.008
```

5.2.4.3.1 Forest Plot with Clinical Variables

- Top metabolite from cross-sectional analysis



6 Ulcers

6.1 Ulcer Diagnosis at DATE

6.1.1 Crude Model

```
## [1] "Fitting models:"  
## [1] "~ Ulcer.diagnosis.at.DATE"  
## [1] ""
```

6.1.1.1 Forest Plot of Model Coefficients

NULL

6.1.1.2 Tables of Model Coefficients

```
## [1] ""
## [1] "Table: Ulcer.diagnosis.at.DATEJA"
## [1] " (from model: "
## [1] " ~ Ulcer.diagnosis.at.DATE)"
## [1] ""
## [1] "No significant associations at p.adj < 0.2"
```

6.1.1.3 Table with All Metabolites

```
## [1] ""
## [1] "Table: Ulcer.diagnosis.at.DATEJA"
## [1] " (from model: "
## [1] " ~ Ulcer.diagnosis.at.DATE)"
## [1] ""
```

##	Name	Coefficient	CI.L	CI.R	p.value	p.adj
## 1	Ribitol; 71	0.563000	0.1070	1.020	0.0156	0.712
## 2	Stearic acid, TMS; 2	0.514000	0.0575	0.971	0.0273	0.712
## 3	Palmitic acid, TMS; 5	0.496000	0.0394	0.952	0.0333	0.712
## 4	Glycerol; 58	0.441000	-0.0160	0.897	0.0586	0.712
## 5	Citric acid, 4TMS; 6	-0.421000	-0.8780	0.035	0.0704	0.712
## 6	Ribonic acid; 72	0.415000	-0.0415	0.871	0.0748	0.712
## 7	Myristoleic acid; 65	0.413000	-0.0438	0.869	0.0764	0.712
## 8	Succinic acid, 2TMS; 7	0.365000	-0.0916	0.821	0.1170	0.712
## 9	Serine, 3TMS; 14	-0.349000	-0.8050	0.108	0.1340	0.712
## 10	Malic acid, 3TMS; 11	0.346000	-0.1110	0.802	0.1380	0.712
## 11	L-5-Oxoproline; 63	-0.345000	-0.8010	0.112	0.1390	0.712
## 12	Nonadecanoic acid; 66	0.340000	-0.1160	0.797	0.1440	0.712
## 13	Tyrosine; 75	0.332000	-0.1240	0.789	0.1540	0.712
## 14	Decanoic acid; 52	0.331000	-0.1260	0.787	0.1560	0.712
## 15	2-Hydroxybutyric acid, 2TMS; 2	-0.318000	-0.7750	0.138	0.1720	0.712
## 16	Arachidic acid; 46	0.313000	-0.1430	0.770	0.1790	0.712
## 17	1,3-Propanediol; 34	0.303000	-0.1530	0.760	0.1930	0.712
## 18	Heptadecanoic acid; 60	0.293000	-0.1640	0.749	0.2090	0.712
## 19	2-hydroxy Isovaleric acid; 38	-0.291000	-0.7470	0.166	0.2120	0.712
## 20	Myo inositol 6TMS; 1	0.287000	-0.1700	0.744	0.2180	0.712
## 21	Oleic acid, TMS; 3	0.287000	-0.1700	0.743	0.2180	0.712
## 22	Eicosapentaenoic acid; 55	0.275000	-0.1810	0.732	0.2370	0.712
## 23	Benzeneacetic acid; 47	-0.272000	-0.7280	0.185	0.2440	0.712
## 24	Proline, 2TMS; 21	0.269000	-0.1870	0.726	0.2470	0.712
## 25	alpha-ketoglutaric acid, TMS M	0.267000	-0.1900	0.723	0.2530	0.712
## 26	Methionine, 2TMS; 16	0.266000	-0.1910	0.722	0.2540	0.712
## 27	Nonanoic acid; 67	0.264000	-0.1920	0.721	0.2560	0.712
## 28	Heptadecanoic acid; 61	0.257000	-0.2000	0.713	0.2710	0.725
## 29	Aminomalonic acid; 45	-0.216000	-0.6730	0.240	0.3540	0.888
## 30	2,4-Dihydroxybutanoic acid; 28	0.215000	-0.2410	0.672	0.3550	0.888
## 31	Tridecanoic acid; 74	0.183000	-0.2730	0.640	0.4320	0.936
## 32	Cholesterol, TMS; 23	-0.178000	-0.6340	0.279	0.4450	0.936
## 33	11-Eicosenoic acid; 35	0.177000	-0.2800	0.633	0.4470	0.936
## 34	Glycine, 3TMS; 17	-0.175000	-0.6310	0.282	0.4530	0.936
## 35	Ethanolamine; 56	0.175000	-0.2820	0.631	0.4530	0.936
## 36	Creatinine; 50	0.173000	-0.2830	0.630	0.4570	0.936
## 37	Isoleucine, 2TMS; 18	-0.165000	-0.6210	0.292	0.4800	0.936
## 38	3,4-Dihydroxybutanoic acid; 27	0.164000	-0.2930	0.620	0.4830	0.936
## 39	Dodecanoic acid; 54	0.162000	-0.2950	0.618	0.4870	0.936
## 40	4-Hydroxyphenyllactic acid; 44	0.155000	-0.3020	0.611	0.5070	0.950
## 41	Glyceryl-glycoside; 59	-0.141000	-0.5970	0.316	0.5460	0.955
## 42	Linoleic acid, TMS; 4	-0.134000	-0.5910	0.322	0.5640	0.955
## 43	Pyruvic acid; 31	0.134000	-0.3230	0.590	0.5660	0.955
## 44	3-Hydroxybutyric acid, 2TMS; 1	0.130000	-0.3260	0.587	0.5760	0.955
## 45	4-Hydroxybutanoic acid; 43	-0.128000	-0.5850	0.328	0.5810	0.955
## 46	Pyroglutamic acid; 69	0.127000	-0.3290	0.584	0.5860	0.955

## 47	Campesterol; 49	-0.091400	-0.5480	0.365	0.6950	0.999
## 48	Arabinopyranose; 51	0.088100	-0.3680	0.545	0.7050	0.999
## 49	Bisphenol A; 48	-0.087600	-0.5440	0.369	0.7070	0.999
## 50	1-Monopalmitin; 37	-0.087400	-0.5440	0.369	0.7080	0.999
## 51	Octanoic acid; 68	0.084000	-0.3730	0.540	0.7180	0.999
## 52	Glutamic acid, 3TMS; 8	0.071300	-0.3850	0.528	0.7600	0.999
## 53	Ribitol; 70	0.070400	-0.3860	0.527	0.7620	0.999
## 54	2-Palmitoylglycerol; 39	0.070400	-0.3860	0.527	0.7630	0.999
## 55	4-Deoxytetronic acid; 32	0.067300	-0.3890	0.524	0.7730	0.999
## 56	Phenylalanine, 2TMS; 13	0.066600	-0.3900	0.523	0.7750	0.999
## 57	Alanine, 2TMS; 25	0.059300	-0.3970	0.516	0.7990	0.999
## 58	4-Deoxytetronic acid; 33	-0.047800	-0.5040	0.409	0.8380	0.999
## 59	Glyceric acid; 30	-0.044100	-0.5010	0.412	0.8500	0.999
## 60	Fumaric acid, 2TMS; 9	-0.040100	-0.4970	0.416	0.8630	0.999
## 61	Tartronic acid; 73	0.039600	-0.4170	0.496	0.8650	0.999
## 62	alpha-Tocopherol; 26	-0.034400	-0.4910	0.422	0.8830	0.999
## 63	Arachidonic acid, TMS; 24	0.034100	-0.4220	0.491	0.8830	0.999
## 64	Docosahexaenoic acid; 53	0.031800	-0.4250	0.488	0.8910	0.999
## 65	Leucine, 2TMS; 19	0.031700	-0.4250	0.488	0.8920	0.999
## 66	1-Dodecanol; 36	0.028400	-0.4280	0.485	0.9030	0.999
## 67	4-Hydroxybenzeneacetic acid; 4	-0.025400	-0.4820	0.431	0.9130	0.999
## 68	3-Indolepropionic acid; 41	-0.022100	-0.4790	0.434	0.9240	0.999
## 69	Threonine, 3TMS; 12	-0.017700	-0.4740	0.439	0.9390	0.999
## 70	Valine, 2TMS; 20	-0.014300	-0.4710	0.442	0.9510	0.999
## 71	Hydroxyproline; 64	-0.008790	-0.4650	0.448	0.9700	0.999
## 72	Hydroxylamine; 62	0.004630	-0.4520	0.461	0.9840	0.999
## 73	Glycerol; 57	-0.002280	-0.4590	0.454	0.9920	0.999
## 74	Lactic acid; 29	0.001630	-0.4550	0.458	0.9940	0.999
## 75	3-Indoleacetic acid; 40	-0.000194	-0.4570	0.456	0.9990	0.999

6.1.2 Adjusted Model

```
## [1] "Fitting models:"  
## [1] "~ Ulcer.diagnosis.at.DATE + Age.x + Gender.x + Hba1c_baseline + CALSBP + bmi + Smoking + Statin  
## [1] ""
```

6.1.2.1 Forest Plot of Model Coefficients

```
## Warning: Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x

## NULL
```

6.1.2.2 Tables of Model Coefficients

```

## [1] ""
## [1] "Table: Ulcer.diagnosis.at.DATEJA"
## [1] " (from model: "
## [1] " ~ Ulcer.diagnosis.at.DATE + Age.x + Gender.x +"
## [1] "      Hba1c_baseline + CALSBP + bmi + Smoking + Statin +"
## [1] "      log_Blood_TGA + Total_cholesterol)"
## [1] ""
## [1] "No significant associations at p.adj < 0.2"
## [1] ""
## [1] "Table: Age.x"
## [1] " (from model: "
## [1] " ~ Ulcer.diagnosis.at.DATE + Age.x + Gender.x +"
## [1] "      Hba1c_baseline + CALSBP + bmi + Smoking + Statin +"
## [1] "      log_Blood_TGA + Total_cholesterol)"
## [1] ""
##
##          Name Coefficient      CI.L      CI.R  p.value
## 1      Eicosapentaenoic acid; 55  0.02210  1.54e-02  2.88e-02  9.93e-11
## 2  2,4-Dihydroxybutanoic acid; 28  0.01750  1.08e-02  2.42e-02  3.01e-07
## 3  4-Hydroxybenzeneacetic acid; 4   0.01720  1.05e-02  2.39e-02  4.61e-07
## 4      Myo inositol 6TMS; 1         0.01520  8.49e-03  2.19e-02  8.79e-06
## 5      Ribitol; 71                  0.01430  7.63e-03  2.10e-02  2.74e-05
## 6  Docosahexaenoic acid; 53         0.01360  6.93e-03  2.03e-02  6.63e-05
## 7      3-Indoleacetic acid; 40       0.01360  6.89e-03  2.03e-02  6.99e-05
## 8      Ribonic acid; 72              0.01200  5.35e-03  1.87e-02  4.24e-04
## 9      Aminomalonic acid; 45         0.01150  4.77e-03  1.82e-02  7.91e-04
## 10     Ribitol; 70                  0.01100  4.28e-03  1.77e-02  1.32e-03
## 11     Citric acid, 4TMS; 6          0.01080  4.14e-03  1.75e-02  1.51e-03
## 12  3,4-Dihydroxybutanoic acid; 27  0.01070  4.04e-03  1.74e-02  1.68e-03
## 13  alpha-ketoglutaric acid, TMS M  0.01070  4.01e-03  1.74e-02  1.72e-03
## 14     Malic acid, 3TMS; 11          0.01050  3.78e-03  1.72e-02  2.17e-03
## 15     Fumaric acid, 2TMS; 9         0.01050  3.78e-03  1.72e-02  2.18e-03
## 16  4-Hydroxyphenyllactic acid; 44  0.01020  3.53e-03  1.69e-02  2.76e-03
## 17     Pyruvic acid; 31              0.01020  3.52e-03  1.69e-02  2.79e-03
## 18     alpha-Tocopherol; 26          0.01020  3.48e-03  1.69e-02  2.89e-03
## 19     Decanoic acid; 52             0.01010  3.42e-03  1.68e-02  3.08e-03
## 20     Glyceric acid; 30             0.00987  3.17e-03  1.66e-02  3.87e-03
## 21     Succinic acid, 2TMS; 7        0.00951  2.81e-03  1.62e-02  5.39e-03
## 22     Glycine, 3TMS; 17            0.00948  2.79e-03  1.62e-02  5.51e-03
## 23     Pyroglutamic acid; 69        0.00896  2.27e-03  1.57e-02  8.69e-03
## 24     Alanine, 2TMS; 25            0.00865  1.95e-03  1.53e-02  1.13e-02
## 25     11-Eicosenoic acid; 35       0.00855  1.85e-03  1.52e-02  1.23e-02
## 26     Creatinine; 50               0.00808  1.38e-03  1.48e-02  1.80e-02
## 27     Leucine, 2TMS; 19            -0.00779 -1.45e-02 -1.09e-03  2.26e-02
## 28     Valine, 2TMS; 20             -0.00777 -1.45e-02 -1.07e-03  2.29e-02
## 29     Dodecanoic acid; 54          0.00721  5.19e-04  1.39e-02  3.47e-02
## 30     Myristoleic acid; 65         0.00712  4.25e-04  1.38e-02  3.71e-02
## 31     Heptadecanoic acid; 61       0.00701  3.17e-04  1.37e-02  4.01e-02
## 32     Phenylalanine, 2TMS; 13      0.00683  1.32e-04  1.35e-02  4.57e-02
## 33     Benzeneacetic acid; 47       0.00681  1.15e-04  1.35e-02  4.62e-02
## 34     Isoleucine, 2TMS; 18        -0.00678 -1.35e-02 -7.99e-05  4.73e-02
## 35     Tartronic acid; 73          0.00665 -4.17e-05  1.33e-02  5.15e-02
## 36     Glutamic acid, 3TMS; 8      0.00644 -2.57e-04  1.31e-02  5.95e-02

```


## 37	Oleic acid, TMS; 3	0.00640	-2.98e-04	1.31e-02	6.11e-02
## 38	Hydroxylamine; 62	-0.00618	-1.29e-02	5.14e-04	7.04e-02
## 39	1-Dodecanol; 36	-0.00616	-1.29e-02	5.34e-04	7.13e-02
## 40	L-5-Oxoproline; 63	0.00604	-6.60e-04	1.27e-02	7.73e-02
## 41	Heptadecanoic acid; 60	0.00600	-6.99e-04	1.27e-02	7.92e-02
## 42	Threonine, 3TMS; 12	-0.00598	-1.27e-02	7.12e-04	7.99e-02
## 43	Nonadecanoic acid; 66	0.00584	-8.53e-04	1.25e-02	8.72e-02
## 44	Palmitic acid, TMS; 5	0.00569	-1.00e-03	1.24e-02	9.55e-02
##	p.adj				
## 1		7.44e-09			
## 2		1.13e-05			
## 3		1.15e-05			
## 4		1.65e-04			
## 5		4.11e-04			
## 6		7.49e-04			
## 7		7.49e-04			
## 8		3.97e-03			
## 9		6.60e-03			
## 10		9.89e-03			
## 11		9.93e-03			
## 12		9.93e-03			
## 13		9.93e-03			
## 14		1.09e-02			
## 15		1.09e-02			
## 16		1.21e-02			
## 17		1.21e-02			
## 18		1.21e-02			
## 19		1.22e-02			
## 20		1.45e-02			
## 21		1.88e-02			
## 22		1.88e-02			
## 23		2.83e-02			
## 24		3.54e-02			
## 25		3.70e-02			
## 26		5.20e-02			
## 27		6.15e-02			
## 28		6.15e-02			
## 29		8.97e-02			
## 30		9.28e-02			
## 31		9.70e-02			
## 32		1.04e-01			
## 33		1.04e-01			
## 34		1.04e-01			
## 35		1.10e-01			
## 36		1.24e-01			
## 37		1.24e-01			
## 38		1.37e-01			
## 39		1.37e-01			
## 40		1.43e-01			
## 41		1.43e-01			
## 42		1.43e-01			
## 43		1.52e-01			
## 44		1.63e-01			
##	[1]	""			

```

## [1] "Table: Gender.x"
## [1] " (from model: "
## [1] " ~ Ulcer.diagnosis.at.DATE + Age.x + Gender.x +"
## [1] "      Hba1c_baseline + CALSBP + bmi + Smoking + Statin +"
## [1] "      log_Blood_TGA + Total_cholesterol)"
## [1] ""
##
##          Name Coefficient      CI.L      CI.R p.value  p.adj
## 1      Citric acid, 4TMS; 6    -0.395 -0.5520 -0.23700 8.90e-07 6.68e-05
## 2      Methionine, 2TMS; 16     0.381  0.2230  0.53800 2.16e-06 7.24e-05
## 3          Valine, 2TMS; 20     0.376  0.2180  0.53300 2.90e-06 7.24e-05
## 4          Proline, 2TMS; 21     0.366  0.2080  0.52300 5.26e-06 9.26e-05
## 5      Myristoleic acid; 65    -0.363 -0.5200 -0.20600 6.17e-06 9.26e-05
## 6          Leucine, 2TMS; 19     0.353  0.1960  0.51100 1.10e-05 1.37e-04
## 7          Glycine, 3TMS; 17    -0.348 -0.5050 -0.19000 1.50e-05 1.60e-04
## 8      Isoleucine, 2TMS; 18     0.345  0.1880  0.50300 1.71e-05 1.60e-04
## 9          Tartronic acid; 73   -0.343 -0.5010 -0.18600 1.93e-05 1.61e-04
## 10         Glyceric acid; 30    -0.332 -0.4900 -0.17500 3.52e-05 2.45e-04
## 11         Dodecanoic acid; 54  -0.332 -0.4890 -0.17400 3.59e-05 2.45e-04
## 12      4-Deoxytetronic acid; 33  0.313  0.1550  0.47000 9.97e-05 6.23e-04
## 13         Oleic acid, TMS; 3   -0.303 -0.4600 -0.14500 1.65e-04 9.54e-04
## 14      Aminomalonic acid; 45   -0.295 -0.4520 -0.13700 2.41e-04 1.29e-03
## 15 2-hydroxy Isovaleric acid; 38  0.288  0.1310  0.44600 3.34e-04 1.67e-03
## 16      Cholesterol, TMS; 23    -0.276 -0.4340 -0.11900 5.77e-04 2.71e-03
## 17      Tridecanoic acid; 74    -0.260 -0.4170 -0.10200 1.22e-03 5.06e-03
## 18      Glutamic acid, 3TMS; 8   0.259  0.1020  0.41600 1.27e-03 5.06e-03
## 19      Myo inositol 6TMS; 1    -0.257 -0.4150 -0.10000 1.35e-03 5.06e-03
## 20      Heptadecanoic acid; 60  -0.257 -0.4140 -0.09930 1.39e-03 5.06e-03
## 21      Docosahexaenoic acid; 53 -0.255 -0.4130 -0.09810 1.47e-03 5.06e-03
## 22         Decanoic acid; 52    -0.255 -0.4130 -0.09780 1.48e-03 5.06e-03
## 23      Heptadecanoic acid; 61  -0.248 -0.4060 -0.09100 1.98e-03 6.47e-03
## 24      Succinic acid, 2TMS; 7   -0.246 -0.4040 -0.08900 2.15e-03 6.72e-03
## 25      Nonadecanoic acid; 66   -0.225 -0.3820 -0.06770 5.08e-03 1.52e-02
## 26      Palmitic acid, TMS; 5    -0.213 -0.3700 -0.05530 8.10e-03 2.34e-02
## 27      Stearic acid, TMS; 2    -0.207 -0.3650 -0.04990 9.84e-03 2.73e-02
## 28      Benzeneacetic acid; 47   -0.195 -0.3520 -0.03740 1.53e-02 4.09e-02
## 29      Hydroxyproline; 64       0.182  0.0246  0.33900 2.34e-02 6.06e-02
## 30      1-Monopalmitin; 37       0.176  0.0189  0.33400 2.82e-02 7.04e-02
## 31      11-Eicosenoic acid; 35  -0.172 -0.3300 -0.01480 3.20e-02 7.75e-02
## 32         Ribonic acid; 72    -0.166 -0.3230 -0.00868 3.86e-02 8.89e-02
## 33         Tyrosine; 75       -0.166 -0.3230 -0.00829 3.91e-02 8.89e-02
## 34         Nonanoic acid; 67   -0.162 -0.3200 -0.00499 4.32e-02 9.52e-02
## 35         Pyruvic acid; 31     0.150 -0.0069  0.30800 6.09e-02 1.31e-01
## 36      Arachidonic acid, TMS; 24 -0.143 -0.3000  0.01460 7.54e-02 1.57e-01
## 37         Glycerol; 57       -0.139 -0.2960  0.01870 8.43e-02 1.71e-01
## [1] ""
## [1] "Table: Hba1c_baseline"
## [1] " (from model: "
## [1] " ~ Ulcer.diagnosis.at.DATE + Age.x + Gender.x +"
## [1] "      Hba1c_baseline + CALSBP + bmi + Smoking + Statin +"
## [1] "      log_Blood_TGA + Total_cholesterol)"
## [1] ""
##
##          Name Coefficient      CI.L      CI.R p.value  p.adj
## 1      Tridecanoic acid; 74    -0.1280 -0.19900 -0.05650 0.000440 0.0166
## 2      Arabinopyranose; 51     0.1260  0.05500  0.19700 0.000510 0.0166

```

```

## 3  Eicosapentaenoic acid; 55  -0.1240 -0.19500 -0.05240 0.000665 0.0166
## 4  Ethanolamine; 56  0.1160 0.04440 0.18700 0.001460 0.0232
## 5  Glyceric acid; 30  -0.1130 -0.18500 -0.04230 0.001770 0.0232
## 6  Docosahexaenoic acid; 53  -0.1130 -0.18400 -0.04190 0.001860 0.0232
## 7  Valine, 2TMS; 20  0.1090 0.03780 0.18000 0.002690 0.0288
## 8  Alanine, 2TMS; 25  0.1070 0.03610 0.17800 0.003130 0.0294
## 9  Decanoic acid; 52  -0.0945 -0.16600 -0.02330 0.009250 0.0770
## 10 4-Hydroxybutanoic acid; 43  -0.0898 -0.16100 -0.01860 0.013400 0.1010
## 11 11-Eicosenoic acid; 35  -0.0827 -0.15400 -0.01150 0.022800 0.1550
## 12 Lactic acid; 29  0.0801 0.00889 0.15100 0.027500 0.1720
## 13 Myristoleic acid; 65  -0.0766 -0.14800 -0.00542 0.034900 0.1910
## 14 Citric acid, 4TMS; 6  0.0754 0.00425 0.14700 0.037800 0.1910
## 15 Tartronic acid; 73  -0.0752 -0.14600 -0.00407 0.038300 0.1910
## [1] ""
## [1] "Table: CALSBP"
## [1] " (from model: "
## [1] " ~ Ulcer.diagnosis.at.DATE + Age.x + Gender.x +"
## [1] " Hba1c_baseline + CALSBP + bmi + Smoking + Statin +"
## [1] " log_Blood_TGA + Total_cholesterol)"
## [1] ""
##
## Name Coefficient CI.L CI.R p.value p.adj
## 1 Myristoleic acid; 65 0.00809 0.00341 0.01280 0.000695 0.0521
## 2 Glyceric acid; 30 -0.00666 -0.01130 -0.00199 0.005210 0.1960
## [1] ""
## [1] "Table: bmi"
## [1] " (from model: "
## [1] " ~ Ulcer.diagnosis.at.DATE + Age.x + Gender.x +"
## [1] " Hba1c_baseline + CALSBP + bmi + Smoking + Statin +"
## [1] " log_Blood_TGA + Total_cholesterol)"
## [1] ""
##
## Name Coefficient CI.L CI.R p.value
## 1 Glutamic acid, 3TMS; 8 0.0450 0.02440 0.06560 1.89e-05
## 2 Campesterol; 49 -0.0396 -0.06020 -0.01900 1.66e-04
## 3 2-Hydroxybutyric acid, 2TMS; 2 0.0385 0.01790 0.05910 2.54e-04
## 4 Pyruvic acid; 31 -0.0304 -0.05100 -0.00979 3.85e-03
## 5 Decanoic acid; 52 -0.0297 -0.05030 -0.00911 4.71e-03
## 6 Lactic acid; 29 0.0295 0.00885 0.05010 5.09e-03
## 7 Arachidic acid; 46 -0.0290 -0.04960 -0.00841 5.79e-03
## 8 1,3-Propanediol; 34 -0.0285 -0.04910 -0.00785 6.80e-03
## 9 alpha-Tocopherol; 26 -0.0274 -0.04800 -0.00679 9.18e-03
## 10 2,4-Dihydroxybutanoic acid; 28 -0.0247 -0.04530 -0.00411 1.88e-02
## 11 Pyroglutamic acid; 69 -0.0243 -0.04500 -0.00374 2.06e-02
## 12 Citric acid, 4TMS; 6 -0.0236 -0.04420 -0.00297 2.49e-02
## 13 Ribitol; 70 0.0231 0.00253 0.04380 2.78e-02
## 14 alpha-ketoglutaric acid, TMS M -0.0220 -0.04260 -0.00138 3.65e-02
## p.adj
## 1 0.00142
## 2 0.00622
## 3 0.00635
## 4 0.06200
## 5 0.06200
## 6 0.06200
## 7 0.06200
## 8 0.06380

```

```

## 9 0.07650
## 10 0.14100
## 11 0.14100
## 12 0.15600
## 13 0.16000
## 14 0.19500
## [1] ""
## [1] "Table: Smoking"
## [1] " (from model: "
## [1] " ~ Ulcer.diagnosis.at.DATE + Age.x + Gender.x +"
## [1] " Hba1c_baseline + CALSBP + bmi + Smoking + Statin +"
## [1] " log_Blood_TGA + Total_cholesterol)"
## [1] ""
##
## Name Coefficient CI.L CI.R p.value p.adj
## 1 Glutamic acid, 3TMS; 8 0.385 0.1920 0.57800 9.29e-05 0.00618
## 2 3-Indolepropionic acid; 41 -0.362 -0.5550 -0.17000 2.31e-04 0.00618
## 3 Docosahexaenoic acid; 53 -0.361 -0.5540 -0.16800 2.47e-04 0.00618
## 4 Tartronic acid; 73 -0.353 -0.5450 -0.16000 3.41e-04 0.00639
## 5 Glyceric acid; 30 -0.326 -0.5190 -0.13300 9.30e-04 0.01390
## 6 Citric acid, 4TMS; 6 -0.309 -0.5020 -0.11600 1.71e-03 0.02140
## 7 alpha-Tocopherol; 26 -0.293 -0.4860 -0.09990 2.93e-03 0.03140
## 8 Benzeneacetic acid; 47 -0.282 -0.4750 -0.08960 4.11e-03 0.03850
## 9 Ribonic acid; 72 -0.274 -0.4670 -0.08150 5.30e-03 0.04400
## 10 Malic acid, 3TMS; 11 -0.268 -0.4610 -0.07520 6.44e-03 0.04400
## 11 Valine, 2TMS; 20 -0.266 -0.4590 -0.07310 6.89e-03 0.04400
## 12 Campesterol; 49 -0.265 -0.4580 -0.07240 7.04e-03 0.04400
## 13 3-Indoleacetic acid; 40 -0.236 -0.4290 -0.04350 1.63e-02 0.09420
## 14 4-Hydroxyphenyllactic acid; 44 -0.228 -0.4210 -0.03480 2.07e-02 0.11100
## 15 Leucine, 2TMS; 19 -0.208 -0.4010 -0.01540 3.43e-02 0.15700
## 16 Ribitol; 70 0.207 0.0144 0.40000 3.51e-02 0.15700
## 17 Heptadecanoic acid; 60 -0.207 -0.4000 -0.01400 3.55e-02 0.15700
## 18 Heptadecanoic acid; 61 -0.200 -0.3930 -0.00688 4.24e-02 0.17700
## [1] ""
## [1] "Table: Statin"
## [1] " (from model: "
## [1] " ~ Ulcer.diagnosis.at.DATE + Age.x + Gender.x +"
## [1] " Hba1c_baseline + CALSBP + bmi + Smoking + Statin +"
## [1] " log_Blood_TGA + Total_cholesterol)"
## [1] ""
##
## Name Coefficient CI.L CI.R p.value p.adj
## 1 L-5-Oxoproline; 63 -0.323 -0.4970 -0.1490 0.000279 0.0209
## 2 Campesterol; 49 0.255 0.0812 0.4290 0.004060 0.1520
## 3 Arachidonic acid, TMS; 24 0.213 0.0388 0.3870 0.016500 0.1900
## 4 Arachidic acid; 46 -0.212 -0.3860 -0.0379 0.017000 0.1900
## 5 Glutamic acid, 3TMS; 8 0.211 0.0372 0.3850 0.017400 0.1900
## 6 Heptadecanoic acid; 61 -0.210 -0.3840 -0.0359 0.018100 0.1900
## 7 Cholesterol, TMS; 23 -0.208 -0.3820 -0.0334 0.019500 0.1900
## 8 Ribitol; 70 0.203 0.0292 0.3770 0.022100 0.1900
## 9 Aminomalonic acid; 45 -0.200 -0.3740 -0.0256 0.024500 0.1900
## 10 Dodecanoic acid; 54 -0.197 -0.3710 -0.0231 0.026400 0.1900
## 11 Linoleic acid, TMS; 4 -0.192 -0.3660 -0.0182 0.030400 0.1900
## 12 Ribitol; 71 0.191 0.0173 0.3660 0.031200 0.1900
## 13 Valine, 2TMS; 20 -0.189 -0.3640 -0.0153 0.033000 0.1900
## 14 2,4-Dihydroxybutanoic acid; 28 0.187 0.0128 0.3610 0.035400 0.1900

```

```

## [1] ""
## [1] "Table: log_Blood_TGA"
## [1] " (from model: "
## [1] " ~ Ulcer.diagnosis.at.DATE + Age.x + Gender.x +"
## [1] "      Hba1c_baseline + CALSBP + bmi + Smoking + Statin +"
## [1] "      log_Blood_TGA + Total_cholesterol)"
## [1] ""
##
##              Name Coefficient      CI.L      CI.R  p.value
## 1      Dodecanoic acid; 54      0.275  0.14600  0.40400  2.86e-05
## 2      Palmitic acid, TMS; 5      0.274  0.14500  0.40300  3.23e-05
## 3      Decanoic acid; 52      0.254  0.12500  0.38300  1.17e-04
## 4      Stearic acid, TMS; 2      0.253  0.12400  0.38200  1.23e-04
## 5      Arachidic acid; 46      0.249  0.12000  0.37800  1.55e-04
## 6      Octanoic acid; 68      0.236  0.10700  0.36500  3.34e-04
## 7      3,4-Dihydroxybutanoic acid; 27      0.229  0.10000  0.35800  5.01e-04
## 8      Ribonic acid; 72      0.220  0.09120  0.34900  8.21e-04
## 9      Glyceryl-glycoside; 59      0.220  0.09090  0.34900  8.36e-04
## 10     4-Hydroxybenzeneacetic acid; 4      0.213  0.08380  0.34200  1.22e-03
## 11     Oleic acid, TMS; 3      0.209  0.07990  0.33800  1.50e-03
## 12     Ribitol; 71      0.197  0.06800  0.32600  2.76e-03
## 13     Arabinopyranose; 51      0.192  0.06250  0.32100  3.62e-03
## 14     Heptadecanoic acid; 60      0.184  0.05500  0.31300  5.19e-03
## 15     2-Hydroxybutyric acid, 2TMS; 2      0.181  0.05150  0.31000  6.09e-03
## 16     Lactic acid; 29      0.171  0.04240  0.30000  9.21e-03
## 17     2,4-Dihydroxybutanoic acid; 28      0.171  0.04170  0.30000  9.52e-03
## 18     Heptadecanoic acid; 61      0.169  0.04000  0.29800  1.02e-02
## 19     Fumaric acid, 2TMS; 9      0.163  0.03430  0.29200  1.31e-02
## 20     Glutamic acid, 3TMS; 8      0.160  0.03140  0.28900  1.48e-02
## 21     Pyruvic acid; 31      0.160  0.03070  0.28900  1.53e-02
## 22     Aminomalonic acid; 45      -0.157 -0.28600 -0.02810  1.70e-02
## 23     Myristoleic acid; 65      0.157  0.02800  0.28600  1.71e-02
## 24     Isoleucine, 2TMS; 18      0.156  0.02750  0.28500  1.74e-02
## 25     Valine, 2TMS; 20      0.156  0.02720  0.28500  1.76e-02
## 26     4-Hydroxybutanoic acid; 43      0.156  0.02700  0.28500  1.78e-02
## 27     Myo inositol 6TMS; 1      0.156  0.02660  0.28500  1.81e-02
## 28     4-Deoxytetrionic acid; 33      0.153  0.02410  0.28200  2.00e-02
## 29     Malic acid, 3TMS; 11      0.152  0.02330  0.28100  2.07e-02
## 30     alpha-ketoglutaric acid, TMS M      0.152  0.02280  0.28100  2.11e-02
## 31     3-Indolepropionic acid; 41      -0.142 -0.27100 -0.01280  3.13e-02
## 32     Succinic acid, 2TMS; 7      0.138  0.00943  0.26700  3.54e-02
## 33     Glyceric acid; 30      -0.138 -0.26700 -0.00915  3.58e-02
## 34     Leucine, 2TMS; 19      0.137  0.00848  0.26600  3.67e-02
## 35     Proline, 2TMS; 21      0.135  0.00604  0.26400  4.02e-02
## 36     Arachidonic acid, TMS; 24      0.135  0.00559  0.26400  4.09e-02
## 37     Nonadecanoic acid; 66      0.124 -0.00490  0.25300  5.94e-02
## 38     Tartronic acid; 73      -0.123 -0.25200  0.00570  6.10e-02
## 39     1,3-Propanediol; 34      0.117 -0.01230  0.24600  7.63e-02
## 40     Serine, 3TMS; 14      -0.116 -0.24500  0.01290  7.77e-02
## 41     3-Hydroxybutyric acid, 2TMS; 1      0.115 -0.01440  0.24400  8.16e-02
## 42     Tridecanoic acid; 74      0.114 -0.01480  0.24300  8.28e-02
## 43     3-Indoleacetic acid; 40      0.112 -0.01690  0.24100  8.85e-02
## 44     Nonanoic acid; 67      0.107 -0.02220  0.23600  1.05e-01
##
##      p.adj
## 1  0.00121

```

```

## 2 0.00121
## 3 0.00230
## 4 0.00230
## 5 0.00232
## 6 0.00417
## 7 0.00537
## 8 0.00696
## 9 0.00696
## 10 0.00918
## 11 0.01020
## 12 0.01720
## 13 0.02090
## 14 0.02780
## 15 0.03040
## 16 0.04200
## 17 0.04200
## 18 0.04270
## 19 0.05030
## 20 0.05030
## 21 0.05030
## 22 0.05030
## 23 0.05030
## 24 0.05030
## 25 0.05030
## 26 0.05030
## 27 0.05030
## 28 0.05260
## 29 0.05260
## 30 0.05260
## 31 0.07560
## 32 0.08100
## 33 0.08100
## 34 0.08100
## 35 0.08520
## 36 0.08520
## 37 0.12000
## 38 0.12000
## 39 0.14600
## 40 0.14600
## 41 0.14800
## 42 0.14800
## 43 0.15400
## 44 0.17900
## [1] ""
## [1] "Table: Total_cholesterol"
## [1] " (from model: "
## [1] " ~ Ulcer.diagnosis.at.DATE + Age.x + Gender.x +"
## [1] "      Hba1c_baseline + CALSBP + bmi + Smoking + Statin +"
## [1] "      log_Blood_TGA + Total_cholesterol)"
## [1] ""
##
##              Name Coefficient      CI.L      CI.R  p.value
## 1      Cholesterol, TMS; 23      0.4640  0.367000  0.56000  4.49e-21
## 2              Campesterol; 49      0.3700  0.274000  0.46700  5.31e-14
## 3      alpha-Tocopherol; 26      0.3290  0.232000  0.42500  2.38e-11

```

## 4	Benzeneacetic acid; 47	-0.1900	-0.286000	-0.09340	1.14e-04
## 5	4-Hydroxybutanoic acid; 43	-0.1820	-0.278000	-0.08560	2.15e-04
## 6	Linoleic acid, TMS; 4	0.1820	0.085200	0.27800	2.22e-04
## 7	Proline, 2TMS; 21	-0.1740	-0.271000	-0.07800	3.93e-04
## 8	2,4-Dihydroxybutanoic acid; 28	-0.1700	-0.267000	-0.07400	5.30e-04
## 9	Glycine, 3TMS; 17	-0.1690	-0.265000	-0.07250	5.93e-04
## 10	L-5-Oxoproline; 63	-0.1610	-0.257000	-0.06430	1.09e-03
## 11	4-Hydroxybenzeneacetic acid; 4	-0.1550	-0.252000	-0.05880	1.61e-03
## 12	Ribitol; 71	-0.1490	-0.246000	-0.05280	2.42e-03
## 13	Docosahexaenoic acid; 53	0.1490	0.052200	0.24500	2.52e-03
## 14	Eicosapentaenoic acid; 55	0.1480	0.051600	0.24400	2.61e-03
## 15	Tyrosine; 75	-0.1460	-0.243000	-0.05000	2.92e-03
## 16	Isoleucine, 2TMS; 18	-0.1460	-0.243000	-0.04970	2.97e-03
## 17	Glyceryl-glycoside; 59	-0.1430	-0.240000	-0.04690	3.57e-03
## 18	Arabinopyranose; 51	-0.1420	-0.239000	-0.04580	3.83e-03
## 19	Alanine, 2TMS; 25	-0.1420	-0.238000	-0.04530	3.96e-03
## 20	2-Palmitoylglycerol; 39	0.1380	0.041700	0.23400	4.99e-03
## 21	Methionine, 2TMS; 16	-0.1380	-0.234000	-0.04130	5.11e-03
## 22	Threonine, 3TMS; 12	-0.1340	-0.230000	-0.03760	6.44e-03
## 23	Ribonic acid; 72	-0.1330	-0.230000	-0.03700	6.70e-03
## 24	3-Indoleacetic acid; 40	-0.1290	-0.226000	-0.03280	8.65e-03
## 25	Hydroxylamine; 62	-0.1250	-0.221000	-0.02870	1.10e-02
## 26	3,4-Dihydroxybutanoic acid; 27	-0.1170	-0.214000	-0.02090	1.71e-02
## 27	Malic acid, 3TMS; 11	-0.1090	-0.206000	-0.01300	2.62e-02
## 28	Phenylalanine, 2TMS; 13	-0.1090	-0.205000	-0.01210	2.74e-02
## 29	Serine, 3TMS; 14	-0.1080	-0.204000	-0.01140	2.83e-02
## 30	Pyruvic acid; 31	-0.1010	-0.197000	-0.00441	4.04e-02
## 31	Myo inositol 6TMS; 1	-0.0997	-0.196000	-0.00326	4.28e-02
## 32	2-Hydroxybutyric acid, 2TMS; 2	0.0962	-0.000213	0.19300	5.05e-02
## 33	Palmitic acid, TMS; 5	0.0933	-0.003080	0.19000	5.78e-02
## 34	3-Indolepropionic acid; 41	0.0861	-0.010300	0.18200	8.01e-02
## 35	1,3-Propanediol; 34	-0.0858	-0.182000	0.01060	8.10e-02
## 36	Ethanolamine; 56	-0.0827	-0.179000	0.01370	9.27e-02
##	p.adj				
## 1		3.37e-19			
## 2		1.99e-12			
## 3		5.95e-10			
## 4		2.14e-03			
## 5		2.78e-03			
## 6		2.78e-03			
## 7		4.21e-03			
## 8		4.94e-03			
## 9		4.94e-03			
## 10		8.15e-03			
## 11		1.10e-02			
## 12		1.39e-02			
## 13		1.39e-02			
## 14		1.39e-02			
## 15		1.39e-02			
## 16		1.39e-02			
## 17		1.56e-02			
## 18		1.56e-02			
## 19		1.56e-02			
## 20		1.82e-02			

21 1.82e-02
22 2.19e-02
23 2.19e-02
24 2.70e-02
25 3.30e-02
26 4.94e-02
27 7.28e-02
28 7.33e-02
29 7.33e-02
30 1.01e-01
31 1.03e-01
32 1.18e-01
33 1.31e-01
34 1.74e-01
35 1.74e-01
36 1.93e-01

6.1.2.3 Table with All Metabolites

```

## [1] ""
## [1] "Table: Ulcer.diagnosis.at.DATEJA"
## [1] " (from model: "
## [1] " ~ Ulcer.diagnosis.at.DATE + Age.x + Gender.x +"
## [1] "      Hba1c_baseline + CALSBP + bmi + Smoking + Statin +"
## [1] "      log_Blood_TGA + Total_cholesterol)"
## [1] ""
##
##          Name Coefficient   CI.L   CI.R p.value p.adj
## 1          Citric acid, 4TMS; 6  -0.567000 -1.050 -0.0878 0.0204 0.986
## 2 2-Hydroxybutyric acid, 2TMS; 2  -0.425000 -0.904 0.0546 0.0825 0.986
## 3 2-hydroxy Isovaleric acid; 38  -0.357000 -0.837 0.1220 0.1440 0.986
## 4          Cholesterol, TMS; 23  -0.343000 -0.823 0.1360 0.1610 0.986
## 5          Benzeneacetic acid; 47  -0.339000 -0.819 0.1400 0.1650 0.986
## 6              Ribitol; 71       0.338000 -0.141 0.8180 0.1670 0.986
## 7              Tyrosine; 75       0.335000 -0.144 0.8140 0.1710 0.986
## 8              Serine, 3TMS; 14   -0.326000 -0.805 0.1540 0.1830 0.986
## 9              Glycerol; 58      0.314000 -0.165 0.7940 0.1990 0.986
## 10             Nonanoic acid; 67   0.303000 -0.176 0.7820 0.2160 0.986
## 11             L-5-Oxoproline; 63  -0.296000 -0.776 0.1830 0.2260 0.986
## 12             Palmitic acid, TMS; 5 0.286000 -0.194 0.7650 0.2430 0.986
## 13             Nonadecanoic acid; 66 0.282000 -0.197 0.7620 0.2490 0.986
## 14             Glyceryl-glycoside; 59 -0.267000 -0.747 0.2120 0.2750 0.986
## 15 4-Deoxytetric acid; 33         -0.267000 -0.746 0.2120 0.2750 0.986
## 16             Myristoleic acid; 65  0.258000 -0.221 0.7380 0.2910 0.986
## 17             Heptadecanoic acid; 61 0.252000 -0.227 0.7320 0.3020 0.986
## 18             alpha-Tocopherol; 26  -0.249000 -0.728 0.2310 0.3090 0.986
## 19             Malic acid, 3TMS; 11  0.234000 -0.245 0.7140 0.3380 0.986
## 20             Ribonic acid; 72     0.234000 -0.246 0.7130 0.3400 0.986
## 21             Methionine, 2TMS; 16  0.230000 -0.249 0.7100 0.3460 0.986
## 22 4-Hydroxybenzeneacetic acid; 4  -0.226000 -0.705 0.2540 0.3560 0.986
## 23             Stearic acid, TMS; 2  0.224000 -0.256 0.7030 0.3600 0.986
## 24             Aminomalonic acid; 45  -0.205000 -0.684 0.2740 0.4020 0.986
## 25             1,3-Propanediol; 34   0.200000 -0.280 0.6790 0.4140 0.986
## 26              Ribitol; 70        -0.197000 -0.677 0.2820 0.4200 0.986
## 27             Glyceric acid; 30     -0.191000 -0.670 0.2890 0.4360 0.986
## 28             Tridecanoic acid; 74   0.187000 -0.292 0.6670 0.4440 0.986
## 29             Glutamic acid, 3TMS; 8 -0.178000 -0.657 0.3020 0.4680 0.986
## 30             Fumaric acid, 2TMS; 9  -0.177000 -0.656 0.3030 0.4700 0.986
## 31             1-Monopalmitin; 37    -0.176000 -0.655 0.3040 0.4730 0.986
## 32             Docosahexaenoic acid; 53 -0.172000 -0.652 0.3070 0.4820 0.986
## 33             Isoleucine, 2TMS; 18   -0.170000 -0.650 0.3090 0.4860 0.986
## 34             Campesterol; 49       -0.170000 -0.650 0.3090 0.4870 0.986
## 35 2,4-Dihydroxybutanoic acid; 28  -0.154000 -0.634 0.3250 0.5280 0.986
## 36 alpha-ketoglutaric acid, TMS M  0.152000 -0.327 0.6310 0.5340 0.986
## 37             Ethanolamine; 56      0.152000 -0.328 0.6310 0.5350 0.986
## 38             Proline, 2TMS; 21     0.151000 -0.329 0.6300 0.5380 0.986
## 39             Heptadecanoic acid; 60  0.144000 -0.335 0.6240 0.5550 0.986
## 40             3-Indoleacetic acid; 40 -0.144000 -0.623 0.3350 0.5560 0.986
## 41             11-Eicosenoic acid; 35  0.142000 -0.337 0.6210 0.5620 0.986
## 42             Arachidic acid; 46     0.142000 -0.337 0.6210 0.5620 0.986
## 43             Succinic acid, 2TMS; 7  0.139000 -0.340 0.6190 0.5690 0.986
## 44             Hydroxylamine; 62     0.130000 -0.350 0.6090 0.5960 0.986

```

## 45	Bisphenol A; 48	-0.123000	-0.603	0.3560	0.6140	0.986
## 46	Decanoic acid; 52	0.120000	-0.359	0.6000	0.6230	0.986
## 47	Myo inositol 6TMS; 1	0.117000	-0.362	0.5960	0.6320	0.986
## 48	Tartronic acid; 73	-0.107000	-0.587	0.3720	0.6610	0.986
## 49	4-Hydroxybutanoic acid; 43	-0.106000	-0.585	0.3740	0.6650	0.986
## 50	Glycine, 3TMS; 17	-0.102000	-0.582	0.3770	0.6750	0.986
## 51	Linoleic acid, TMS; 4	-0.102000	-0.582	0.3770	0.6760	0.986
## 52	Oleic acid, TMS; 3	0.098700	-0.381	0.5780	0.6870	0.986
## 53	3,4-Dihydroxybutanoic acid; 27	-0.090600	-0.570	0.3890	0.7110	0.986
## 54	2-Palmitoylglycerol; 39	-0.090300	-0.570	0.3890	0.7120	0.986
## 55	1-Dodecanol; 36	0.086100	-0.393	0.5660	0.7250	0.986
## 56	4-Hydroxyphenyllactic acid; 44	-0.082500	-0.562	0.3970	0.7360	0.986
## 57	Threonine, 3TMS; 12	0.071200	-0.408	0.5510	0.7710	0.997
## 58	Eicosapentaenoic acid; 55	0.060800	-0.419	0.5400	0.8040	0.997
## 59	Octanoic acid; 68	0.060000	-0.419	0.5390	0.8060	0.997
## 60	Valine, 2TMS; 20	-0.052900	-0.532	0.4270	0.8290	0.997
## 61	Creatinine; 50	0.049400	-0.430	0.5290	0.8400	0.997
## 62	Hydroxyproline; 64	-0.047300	-0.527	0.4320	0.8470	0.997
## 63	Alanine, 2TMS; 25	-0.046500	-0.526	0.4330	0.8490	0.997
## 64	Arachidonic acid, TMS; 24	-0.040900	-0.520	0.4390	0.8670	0.997
## 65	Leucine, 2TMS; 19	0.037100	-0.442	0.5170	0.8790	0.997
## 66	Phenylalanine, 2TMS; 13	-0.026600	-0.506	0.4530	0.9130	0.997
## 67	Lactic acid; 29	-0.026500	-0.506	0.4530	0.9140	0.997
## 68	Pyruvic acid; 31	0.024500	-0.455	0.5040	0.9200	0.997
## 69	3-Hydroxybutyric acid, 2TMS; 1	0.020800	-0.459	0.5000	0.9320	0.997
## 70	4-Deoxytetronic acid; 32	-0.014700	-0.494	0.4650	0.9520	0.997
## 71	Arabinopyranose; 51	-0.010700	-0.490	0.4690	0.9650	0.997
## 72	Pyroglutamic acid; 69	0.009160	-0.470	0.4890	0.9700	0.997
## 73	Glycerol; 57	-0.006500	-0.486	0.4730	0.9790	0.997
## 74	Dodecanoic acid; 54	0.005040	-0.474	0.4850	0.9840	0.997
## 75	3-Indolepropionic acid; 41	-0.000676	-0.480	0.4790	0.9980	0.998

6.1.3 Adjusted Model with eGFR

```
## [1] "Fitting models:"  
## [1] "~ Ulcer.diagnosis.at.DATE + Age.x + Gender.x + Hba1c_baseline + CALSBP + bmi + Smoking + Statin  
## [1] ""
```

6.1.3.1 Forest Plot of Model Coefficients

```
## Warning: Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## NULL
```

6.1.3.2 Tables of Model Coefficients

```

## [1] ""
## [1] "Table: Ulcer.diagnosis.at.DATEJA"
## [1] " (from model: "
## [1] " ~ Ulcer.diagnosis.at.DATE + Age.x + Gender.x +"
## [1] "      Hba1c_baseline + CALSBP + bmi + Smoking + Statin +"
## [1] "      log_Blood_TGA + Total_cholesterol + egfr)"
## [1] ""
## [1] "No significant associations at p.adj < 0.2"
## [1] ""
## [1] "Table: Age.x"
## [1] " (from model: "
## [1] " ~ Ulcer.diagnosis.at.DATE + Age.x + Gender.x +"
## [1] "      Hba1c_baseline + CALSBP + bmi + Smoking + Statin +"
## [1] "      log_Blood_TGA + Total_cholesterol + egfr)"
## [1] ""
##
##              Name Coefficient      CI.L      CI.R  p.value
## 1      Eicosapentaenoic acid; 55    0.02460  1.78e-02 0.031400 2.11e-12
## 2      Docosahexaenoic acid; 53    0.01540  8.55e-03 0.022200 1.07e-05
## 3              Glyceric acid; 30    0.01220  5.34e-03 0.019000 4.85e-04
## 4      alpha-Tocopherol; 26        0.01170  4.91e-03 0.018600 7.66e-04
## 5              Pyruvic acid; 31     0.01150  4.57e-03 0.018400 1.15e-03
## 6              Decanoic acid; 52    0.01140  4.52e-03 0.018300 1.18e-03
## 7  alpha-ketoglutaric acid, TMS M  0.01120  4.26e-03 0.018100 1.58e-03
## 8  4-Hydroxybenzeneacetic acid; 4   0.01030  3.56e-03 0.017100 2.81e-03
## 9              Aminomalonic acid; 45 0.01030  3.46e-03 0.017200 3.24e-03
## 10             3-Indoleacetic acid; 40 0.00999  3.11e-03 0.016900 4.43e-03
## 11 2,4-Dihydroxybutanoic acid; 28   0.00902  2.33e-03 0.015700 8.28e-03
## 12              Ribitol; 70         0.00928  2.36e-03 0.016200 8.59e-03
## 13              Tyrosine; 75        0.00859  1.66e-03 0.015500 1.52e-02
## 14             Palmitic acid, TMS; 5   0.00828  1.40e-03 0.015200 1.84e-02
## 15             Succinic acid, 2TMS; 7   0.00820  1.25e-03 0.015100 2.07e-02
## 16             Malic acid, 3TMS; 11    0.00811  1.18e-03 0.015000 2.18e-02
## 17             11-Eicosenoic acid; 35  0.00812  1.17e-03 0.015100 2.20e-02
## 18             Myristoleic acid; 65    0.00793  1.05e-03 0.014800 2.38e-02
## 19             Fumaric acid, 2TMS; 9   0.00760  6.75e-04 0.014500 3.15e-02
## 20             Heptadecanoic acid; 61  0.00761  6.72e-04 0.014500 3.16e-02
## 21             Glutamic acid, 3TMS; 8  0.00747  6.41e-04 0.014300 3.20e-02
## 22             Dodecanoic acid; 54    0.00747  5.82e-04 0.014400 3.36e-02
## 23              Glycerol; 57         0.00739  4.26e-04 0.014300 3.75e-02
## 24             Oleic acid, TMS; 3      0.00721  2.96e-04 0.014100 4.10e-02
## 25             Alanine, 2TMS; 25      0.00717  2.47e-04 0.014100 4.24e-02
## 26             L-5-Oxoproline; 63     0.00715  2.22e-04 0.014100 4.31e-02
## 27             Tartronic acid; 73     0.00706  1.96e-04 0.013900 4.38e-02
## 28 4-Hydroxyphenyllactic acid; 44    0.00688 -2.07e-05 0.013800 5.07e-02
## 29             Octanoic acid; 68     0.00687 -4.75e-05 0.013800 5.16e-02
## 30             Hydroxylamine; 62     -0.00679 -1.37e-02 0.000160 5.55e-02
## 31             Glycine, 3TMS; 17      0.00670 -1.68e-04 0.013600 5.59e-02
## 32             2-Palmitoylglycerol; 39  0.00657 -3.80e-04 0.013500 6.39e-02
## 33             Hydroxyproline; 64     -0.00630 -1.32e-02 0.000618 7.42e-02
## 34             Phenylalanine, 2TMS; 13 0.00633 -6.27e-04 0.013300 7.45e-02
## 35             Nonadecanoic acid; 66  0.00631 -6.37e-04 0.013300 7.50e-02
## 36             Citric acid, 4TMS; 6   0.00614 -6.88e-04 0.013000 7.79e-02

```

```

## 37          Stearic acid, TMS; 2      0.00615 -7.59e-04 0.013100 8.10e-02
## 38          Heptadecanoic acid; 60    0.00610 -8.32e-04 0.013000 8.45e-02
## 39          Methionine, 2TMS; 16     0.00598 -9.07e-04 0.012900 8.87e-02
## 40          Myo inositol 6TMS; 1     0.00572 -9.46e-04 0.012400 9.26e-02
##          p.adj
## 1  1.58e-10
## 2  4.03e-04
## 3  1.21e-02
## 4  1.44e-02
## 5  1.48e-02
## 6  1.48e-02
## 7  1.69e-02
## 8  2.63e-02
## 9  2.70e-02
## 10 3.33e-02
## 11 5.37e-02
## 12 5.37e-02
## 13 8.76e-02
## 14 9.69e-02
## 15 9.69e-02
## 16 9.69e-02
## 17 9.69e-02
## 18 9.93e-02
## 19 1.14e-01
## 20 1.14e-01
## 21 1.14e-01
## 22 1.14e-01
## 23 1.22e-01
## 24 1.22e-01
## 25 1.22e-01
## 26 1.22e-01
## 27 1.22e-01
## 28 1.33e-01
## 29 1.33e-01
## 30 1.35e-01
## 31 1.35e-01
## 32 1.50e-01
## 33 1.61e-01
## 34 1.61e-01
## 35 1.61e-01
## 36 1.62e-01
## 37 1.64e-01
## 38 1.67e-01
## 39 1.71e-01
## 40 1.74e-01
## [1] ""
## [1] "Table: Gender.x"
## [1] " (from model: "
## [1] " ~ Ulcer.diagnosis.at.DATE + Age.x + Gender.x +"
## [1] "      Hba1c_baseline + CALSBP + bmi + Smoking + Statin +"
## [1] "      log_Blood_TGA + Total_cholesterol + egfr)"
## [1] ""
##          Name Coefficient      CI.L      CI.R p.value      p.adj
## 1  4-Deoxytetric acid; 33      0.435  0.2780  0.59300 7.07e-08 5.30e-06

```

## 2	Myristoleic acid; 65	-0.379	-0.5380	-0.22000	3.25e-06	8.88e-05
## 3	Glyceric acid; 30	-0.375	-0.5330	-0.21700	3.55e-06	8.88e-05
## 4	Proline, 2TMS; 21	0.363	0.2040	0.52300	7.87e-06	1.48e-04
## 5	Tartronic acid; 73	-0.350	-0.5080	-0.19100	1.65e-05	2.47e-04
## 6	Dodecanoic acid; 54	-0.340	-0.4990	-0.18100	2.98e-05	3.72e-04
## 7	Cholesterol, TMS; 23	-0.315	-0.4700	-0.16000	6.97e-05	7.47e-04
## 8	Oleic acid, TMS; 3	-0.318	-0.4780	-0.15800	9.75e-05	9.14e-04
## 9	Methionine, 2TMS; 16	0.314	0.1550	0.47300	1.14e-04	9.48e-04
## 10	Citric acid, 4TMS; 6	-0.302	-0.4600	-0.14400	1.78e-04	1.34e-03
## 11	Docosahexaenoic acid; 53	-0.291	-0.4490	-0.13300	3.21e-04	2.09e-03
## 12	Glycine, 3TMS; 17	-0.291	-0.4500	-0.13200	3.35e-04	2.09e-03
## 13	Leucine, 2TMS; 19	0.282	0.1230	0.44100	5.00e-04	2.88e-03
## 14	Valine, 2TMS; 20	0.277	0.1200	0.43400	5.55e-04	2.98e-03
## 15	Decanoic acid; 52	-0.277	-0.4360	-0.11800	6.60e-04	3.30e-03
## 16	Aminomalonic acid; 45	-0.272	-0.4310	-0.11200	8.34e-04	3.91e-03
## 17	Stearic acid, TMS; 2	-0.267	-0.4270	-0.10700	1.08e-03	4.78e-03
## 18	Tridecanoic acid; 74	-0.261	-0.4210	-0.10100	1.43e-03	5.67e-03
## 19	Palmitic acid, TMS; 5	-0.258	-0.4180	-0.09920	1.48e-03	5.67e-03
## 20	Hydroxyproline; 64	0.259	0.0992	0.41900	1.51e-03	5.67e-03
## 21	Heptadecanoic acid; 61	-0.256	-0.4160	-0.09540	1.79e-03	6.38e-03
## 22	Heptadecanoic acid; 60	-0.254	-0.4150	-0.09390	1.90e-03	6.49e-03
## 23	Glutamic acid, 3TMS; 8	0.241	0.0831	0.39900	2.79e-03	9.10e-03
## 24	Isoleucine, 2TMS; 18	0.238	0.0804	0.39500	3.09e-03	9.66e-03
## 25	2-hydroxy Isovaleric acid; 38	0.236	0.0763	0.39700	3.82e-03	1.15e-02
## 26	Nonadecanoic acid; 66	-0.232	-0.3920	-0.07110	4.70e-03	1.36e-02
## 27	Tyrosine; 75	-0.228	-0.3880	-0.06730	5.39e-03	1.50e-02
## 28	Succinic acid, 2TMS; 7	-0.223	-0.3840	-0.06250	6.49e-03	1.74e-02
## 29	Glycerol; 57	-0.183	-0.3440	-0.02190	2.60e-02	6.72e-02
## 30	1-Monopalmitin; 37	0.174	0.0124	0.33500	3.48e-02	8.70e-02
## 31	11-Eicosenoic acid; 35	-0.164	-0.3240	-0.00299	4.59e-02	1.11e-01
## 32	Nonanoic acid; 67	-0.159	-0.3200	0.00199	5.29e-02	1.24e-01
## 33	Arachidonic acid, TMS; 24	-0.156	-0.3160	0.00513	5.78e-02	1.31e-01
## 34	Benzeneacetic acid; 47	-0.151	-0.3110	0.00832	6.32e-02	1.39e-01

```
## [1] ""
## [1] "Table: Hba1c_baseline"
## [1] " (from model: "
## [1] " ~ Ulcer.diagnosis.at.DATE + Age.x + Gender.x +"
## [1] " Hba1c_baseline + CALSBP + bmi + Smoking + Statin +"
## [1] " log_Blood_TGA + Total_cholesterol + egfr)"
## [1] ""
```

##	Name	Coefficient	CI.L	CI.R	p.value	p.adj
## 1	Eicosapentaenoic acid; 55	-0.1310	-0.20100	-0.0615	0.000235	0.0117
## 2	Tridecanoic acid; 74	-0.1310	-0.20200	-0.0599	0.000312	0.0117
## 3	Arabinopyranose; 51	0.1250	0.05350	0.1960	0.000595	0.0149
## 4	Docosahexaenoic acid; 53	-0.1200	-0.19000	-0.0497	0.000821	0.0154
## 5	Alanine, 2TMS; 25	0.1150	0.04420	0.1860	0.001490	0.0188
## 6	Glyceric acid; 30	-0.1140	-0.18400	-0.0435	0.001510	0.0188
## 7	Ethanolamine; 56	0.1120	0.04040	0.1830	0.002170	0.0232
## 8	Valine, 2TMS; 20	0.1020	0.03200	0.1710	0.004280	0.0401
## 9	Decanoic acid; 52	-0.0952	-0.16600	-0.0246	0.008290	0.0691
## 10	4-Hydroxybutanoic acid; 43	-0.0860	-0.15700	-0.0147	0.018100	0.1340
## 11	Citric acid, 4TMS; 6	0.0835	0.01340	0.1540	0.019600	0.1340
## 12	11-Eicosenoic acid; 35	-0.0823	-0.15400	-0.0110	0.023600	0.1480
## 13	Lactic acid; 29	0.0787	0.00766	0.1500	0.029900	0.1720

```

## 14      Myristoleic acid; 65      -0.0772 -0.14800 -0.0066 0.032100 0.1720
## 15      Glyceryl-glycoside; 59      0.0750  0.00421  0.1460 0.037900 0.1890
## [1] ""
## [1] "Table: CALSBP"
## [1] " (from model: "
## [1] " ~ Ulcer.diagnosis.at.DATE + Age.x + Gender.x +"
## [1] "      Hba1c_baseline + CALSBP + bmi + Smoking + Statin +"
## [1] "      log_Blood_TGA + Total_cholesterol + egfr)"
## [1] ""
##
##              Name Coefficient      CI.L      CI.R p.value  p.adj
## 1 Myristoleic acid; 65      0.00823 0.00361 0.0129 0.00049 0.0368
## [1] ""
## [1] "Table: bmi"
## [1] " (from model: "
## [1] " ~ Ulcer.diagnosis.at.DATE + Age.x + Gender.x +"
## [1] "      Hba1c_baseline + CALSBP + bmi + Smoking + Statin +"
## [1] "      log_Blood_TGA + Total_cholesterol + egfr)"
## [1] ""
##
##              Name Coefficient      CI.L      CI.R p.value
## 1      Glutamic acid, 3TMS; 8      0.0456 0.025300 0.065800 1.06e-05
## 2      Campesterol; 49      -0.0393 -0.059600 -0.019100 1.45e-04
## 3 2-Hydroxybutyric acid, 2TMS; 2      0.0392 0.019000 0.059400 1.48e-04
## 4      Lactic acid; 29      0.0301 0.009600 0.050700 4.04e-03
## 5      Pyruvic acid; 31      -0.0300 -0.050500 -0.009430 4.26e-03
## 6      Decanoic acid; 52      -0.0292 -0.049600 -0.008770 5.11e-03
## 7      Arachidic acid; 46      -0.0285 -0.049000 -0.007890 6.71e-03
## 8      1,3-Propanediol; 34      -0.0284 -0.049000 -0.007770 6.99e-03
## 9      alpha-Tocopherol; 26      -0.0270 -0.047200 -0.006740 9.01e-03
## 10 2,4-Dihydroxybutanoic acid; 28      -0.0264 -0.046200 -0.006560 9.12e-03
## 11      Pyroglutamic acid; 69      -0.0252 -0.045600 -0.004740 1.58e-02
## 12      Citric acid, 4TMS; 6      -0.0244 -0.044700 -0.004170 1.81e-02
## 13      Tartronic acid; 73      -0.0218 -0.042200 -0.001480 3.56e-02
## 14      Ribitol; 70      0.0219 0.001410 0.042400 3.62e-02
## 15      Isoleucine, 2TMS; 18      0.0213 0.001130 0.041500 3.85e-02
## 16 alpha-ketoglutaric acid, TMS M      -0.0214 -0.042000 -0.000853 4.12e-02
## 17      11-Eicosenoic acid; 35      0.0214 0.000851 0.042000 4.13e-02
##
##      p.adj
## 1 0.000791
## 2 0.003690
## 3 0.003690
## 4 0.063800
## 5 0.063800
## 6 0.063800
## 7 0.065500
## 8 0.065500
## 9 0.068400
## 10 0.068400
## 11 0.108000
## 12 0.113000
## 13 0.182000
## 14 0.182000
## 15 0.182000
## 16 0.182000
## 17 0.182000

```



```

## [1] ""
## [1] "Table: Smoking"
## [1] " (from model: "
## [1] " ~ Ulcer.diagnosis.at.DATE + Age.x + Gender.x +"
## [1] "      Hba1c_baseline + CALSBP + bmi + Smoking + Statin +"
## [1] "      log_Blood_TGA + Total_cholesterol + egfr)"
## [1] ""
##
##          Name Coefficient      CI.L      CI.R  p.value  p.adj
## 1  Docosahexaenoic acid; 53   -0.382 -0.5720 -0.19200 8.46e-05 0.00349
## 2    Glutamic acid, 3TMS; 8    0.375  0.1850  0.56400 1.11e-04 0.00349
## 3  3-Indolepropionic acid; 41  -0.374 -0.5660 -0.18200 1.39e-04 0.00349
## 4      Tartronic acid; 73     -0.349 -0.5390 -0.15800 3.45e-04 0.00622
## 5    Glyceric acid; 30       -0.342 -0.5320 -0.15200 4.15e-04 0.00622
## 6      Valine, 2TMS; 20      -0.311 -0.5000 -0.12200 1.26e-03 0.01580
## 7  alpha-Tocopherol; 26      -0.304 -0.4940 -0.11400 1.71e-03 0.01830
## 8    Citric acid, 4TMS; 6     -0.264 -0.4530 -0.07390 6.50e-03 0.05600
## 9    Campesterol; 49         -0.260 -0.4500 -0.07030 7.25e-03 0.05600
## 10 Benzeneacetic acid; 47     -0.262 -0.4540 -0.07010 7.47e-03 0.05600
## 11    Malic acid, 3TMS; 11    -0.245 -0.4380 -0.05270 1.26e-02 0.08560
## 12    Leucine, 2TMS; 19     -0.240 -0.4300 -0.04890 1.38e-02 0.08630
## 13 3,4-Dihydroxybutanoic acid; 27  0.223  0.0350  0.41000 2.01e-02 0.11600
## 14      Ribitol; 70          0.217  0.0252  0.40900 2.67e-02 0.14300
## 15  Heptadecanoic acid; 60    -0.203 -0.3950 -0.01010 3.91e-02 0.18400
## 16  Heptadecanoic acid; 61    -0.202 -0.3940 -0.00890 4.03e-02 0.18400
## 17      Ribonic acid; 72     -0.193 -0.3800 -0.00702 4.20e-02 0.18400
## 18  3-Indoleacetic acid; 40   -0.196 -0.3870 -0.00486 4.45e-02 0.18400
## 19 4-Hydroxyphenyllactic acid; 44  -0.195 -0.3860 -0.00295 4.66e-02 0.18400
## 20    Isoleucine, 2TMS; 18   -0.187 -0.3760  0.00224 5.28e-02 0.19800
## [1] ""
## [1] "Table: Statin"
## [1] " (from model: "
## [1] " ~ Ulcer.diagnosis.at.DATE + Age.x + Gender.x +"
## [1] "      Hba1c_baseline + CALSBP + bmi + Smoking + Statin +"
## [1] "      log_Blood_TGA + Total_cholesterol + egfr)"
## [1] ""
##
##          Name Coefficient      CI.L      CI.R  p.value  p.adj
## 1 L-5-Oxoproline; 63         -0.302 -0.478 -0.126 0.000761 0.057
## [1] ""
## [1] "Table: log_Blood_TGA"
## [1] " (from model: "
## [1] " ~ Ulcer.diagnosis.at.DATE + Age.x + Gender.x +"
## [1] "      Hba1c_baseline + CALSBP + bmi + Smoking + Statin +"
## [1] "      log_Blood_TGA + Total_cholesterol + egfr)"
## [1] ""
##
##          Name Coefficient      CI.L      CI.R  p.value
## 1  Palmitic acid, TMS; 5     0.293  0.164000  4.21e-01 8.18e-06
## 2   Dodecanoic acid; 54     0.280  0.151000  4.08e-01 2.01e-05
## 3   Stearic acid, TMS; 2    0.278  0.149000  4.07e-01 2.41e-05
## 4    Octanoic acid; 68     0.264  0.135000  3.93e-01 6.33e-05
## 5    Decanoic acid; 52     0.262  0.134000  3.90e-01 6.42e-05
## 6   Arachidic acid; 46     0.250  0.121000  3.80e-01 1.51e-04
## 7 2-Hydroxybutyric acid, 2TMS; 2  0.226  0.099400  3.53e-01 4.81e-04
## 8    Oleic acid, TMS; 3     0.216  0.087000  3.45e-01 1.03e-03
## 9    Isoleucine, 2TMS; 18   0.202  0.075200  3.29e-01 1.82e-03

```

## 10	Valine, 2TMS; 20	0.198	0.071700	3.25e-01	2.16e-03
## 11	Arabinopyranose; 51	0.192	0.062800	3.21e-01	3.58e-03
## 12	Glyceryl-glycoside; 59	0.186	0.057500	3.14e-01	4.58e-03
## 13	Heptadecanoic acid; 60	0.181	0.052000	3.11e-01	6.00e-03
## 14	Lactic acid; 29	0.178	0.048900	3.07e-01	6.89e-03
## 15	Heptadecanoic acid; 61	0.171	0.041800	3.00e-01	9.51e-03
## 16	Glutamic acid, 3TMS; 8	0.168	0.040600	2.95e-01	9.76e-03
## 17	Leucine, 2TMS; 19	0.167	0.039100	2.95e-01	1.05e-02
## 18	Aminomalonic acid; 45	-0.167	-0.296000	-3.91e-02	1.06e-02
## 19	3,4-Dihydroxybutanoic acid; 27	0.163	0.037400	2.89e-01	1.10e-02
## 20	Pyruvic acid; 31	0.166	0.036500	2.95e-01	1.20e-02
## 21	Myristoleic acid; 65	0.164	0.035700	2.92e-01	1.23e-02
## 22	4-Hydroxybenzeneacetic acid; 4	0.156	0.030200	2.83e-01	1.52e-02
## 23	4-Hydroxybutanoic acid; 43	0.157	0.027200	2.86e-01	1.78e-02
## 24	alpha-ketoglutaric acid, TMS M	0.154	0.024700	2.83e-01	1.96e-02
## 25	Ribonic acid; 72	0.148	0.022500	2.73e-01	2.08e-02
## 26	Fumaric acid, 2TMS; 9	0.139	0.010400	2.69e-01	3.43e-02
## 27	Arachidonic acid, TMS; 24	0.139	0.009900	2.69e-01	3.49e-02
## 28	Proline, 2TMS; 21	0.134	0.005670	2.62e-01	4.07e-02
## 29	Malic acid, 3TMS; 11	0.131	0.001750	2.60e-01	4.70e-02
## 30	3-Indolepropionic acid; 41	-0.129	-0.258000	-6.46e-05	4.99e-02
## 31	Succinic acid, 2TMS; 7	0.129	-0.000522	2.58e-01	5.09e-02
## 32	Nonadecanoic acid; 66	0.125	-0.003940	2.55e-01	5.74e-02
## 33	Ribitol; 71	0.120	-0.004490	2.45e-01	5.88e-02
## 34	Tartronic acid; 73	-0.123	-0.251000	5.21e-03	6.01e-02
## 35	Glycine, 3TMS; 17	-0.122	-0.250000	6.12e-03	6.20e-02
## 36	Glyceric acid; 30	-0.120	-0.248000	6.94e-03	6.38e-02
## 37	1,3-Propanediol; 34	0.118	-0.012100	2.47e-01	7.54e-02
## 38	Tridecanoic acid; 74	0.115	-0.014100	2.44e-01	8.07e-02
## 39	3-Hydroxybutyric acid, 2TMS; 1	0.114	-0.015600	2.44e-01	8.47e-02
##	p.adj				
## 1	0.000603				
## 2	0.000603				
## 3	0.000603				
## 4	0.000963				
## 5	0.000963				
## 6	0.001890				
## 7	0.005150				
## 8	0.009660				
## 9	0.015200				
## 10	0.016200				
## 11	0.024400				
## 12	0.028600				
## 13	0.034600				
## 14	0.036900				
## 15	0.043600				
## 16	0.043600				
## 17	0.043600				
## 18	0.043600				
## 19	0.043600				
## 20	0.043800				
## 21	0.043800				
## 22	0.051700				
## 23	0.057900				

```

## 24 0.061300
## 25 0.062300
## 26 0.096900
## 27 0.096900
## 28 0.109000
## 29 0.121000
## 30 0.123000
## 31 0.123000
## 32 0.133000
## 33 0.133000
## 34 0.133000
## 35 0.133000
## 36 0.133000
## 37 0.153000
## 38 0.159000
## 39 0.163000
## [1] ""
## [1] "Table: Total_cholesterol"
## [1] " (from model: "
## [1] " ~ Ulcer.diagnosis.at.DATE + Age.x + Gender.x +"
## [1] "      Hba1c_baseline + CALSBP + bmi + Smoking + Statin +"
## [1] "      log_Blood_TGA + Total_cholesterol + egfr)"
## [1] ""
##
##              Name Coefficient    CI.L    CI.R  p.value
## 1      Cholesterol, TMS; 23      0.4550  0.3620  0.54800 2.75e-21
## 2      Campesterol; 49          0.3710  0.2760  0.46600 2.81e-14
## 3      alpha-Tocopherol; 26      0.3240  0.2290  0.41800 2.81e-11
## 4      Benzeneacetic acid; 47     -0.1810 -0.2770 -0.08560 2.11e-04
## 5      Linoleic acid, TMS; 4       0.1790  0.0833  0.27500 2.55e-04
## 6      4-Hydroxybutanoic acid; 43 -0.1770 -0.2730 -0.08030 3.33e-04
## 7      Proline, 2TMS; 21          -0.1710 -0.2660 -0.07540 4.58e-04
## 8      Isoleucine, 2TMS; 18       -0.1670 -0.2610 -0.07230 5.51e-04
## 9      L-5-Oxoproline; 63         -0.1660 -0.2630 -0.07020 7.07e-04
## 10     Glycine, 3TMS; 17          -0.1590 -0.2550 -0.06400 1.06e-03
## 11     Tyrosine; 75              -0.1580 -0.2540 -0.06150 1.33e-03
## 12     Methionine, 2TMS; 16        -0.1500 -0.2450 -0.05410 2.16e-03
## 13     2,4-Dihydroxybutanoic acid; 28 -0.1400 -0.2330 -0.04740 3.10e-03
## 14     Arabinopyranose; 51         -0.1440 -0.2400 -0.04760 3.39e-03
## 15     Docosahexaenoic acid; 53     0.1390  0.0444  0.23400 4.04e-03
## 16     Eicosapentaenoic acid; 55    0.1360  0.0415  0.23100 4.81e-03
## 17     Threonine, 3TMS; 12         -0.1380 -0.2340 -0.04110 5.22e-03
## 18     4-Hydroxybenzeneacetic acid; 4 -0.1310 -0.2250 -0.03740 6.19e-03
## 19     Alanine, 2TMS; 25           -0.1330 -0.2290 -0.03690 6.71e-03
## 20     2-Palmitoylglycerol; 39      0.1330  0.0369  0.23000 6.76e-03
## 21     Glyceryl-glycoside; 59       -0.1270 -0.2230 -0.03150 9.23e-03
## 22     Hydroxylamine; 62           -0.1250 -0.2210 -0.02820 1.13e-02
## 23     Serine, 3TMS; 14            -0.1210 -0.2170 -0.02500 1.35e-02
## 24     Ribitol; 71                -0.1150 -0.2080 -0.02240 1.50e-02
## 25     3-Indoleacetic acid; 40      -0.1140 -0.2100 -0.01900 1.88e-02
## 26     Ribonic acid; 72            -0.1010 -0.1940 -0.00745 3.43e-02
## 27     Phenylalanine, 2TMS; 13      -0.1040 -0.2010 -0.00770 3.43e-02
## 28     Pyruvic acid; 31            -0.1020 -0.1990 -0.00629 3.68e-02
## 29     Malic acid, 3TMS; 11        -0.1010 -0.1970 -0.00500 3.92e-02
## 30     3,4-Dihydroxybutanoic acid; 27 -0.0908 -0.1850  0.00293 5.76e-02

```

```

## 31          Leucine, 2TMS; 19      -0.0912 -0.1860  0.00409 6.07e-02
## 32          Ethanolamine; 56      -0.0893 -0.1860  0.00718 6.96e-02
## 33          Valine, 2TMS; 20      -0.0867 -0.1810  0.00763 7.16e-02
## 34          1,3-Propanediol; 34    -0.0852 -0.1820  0.01150 8.40e-02
## 35          Palmitic acid, TMS; 5   0.0840 -0.0115  0.18000 8.48e-02
## 36          3-Indolepropionic acid; 41 0.0828 -0.0131  0.17900 9.06e-02
##          p.adj
## 1  2.06e-19
## 2  1.05e-12
## 3  7.02e-10
## 4  3.83e-03
## 5  3.83e-03
## 6  4.16e-03
## 7  4.91e-03
## 8  5.16e-03
## 9  5.89e-03
## 10 7.99e-03
## 11 9.06e-03
## 12 1.35e-02
## 13 1.79e-02
## 14 1.81e-02
## 15 2.02e-02
## 16 2.25e-02
## 17 2.30e-02
## 18 2.53e-02
## 19 2.53e-02
## 20 2.53e-02
## 21 3.30e-02
## 22 3.87e-02
## 23 4.40e-02
## 24 4.68e-02
## 25 5.64e-02
## 26 9.54e-02
## 27 9.54e-02
## 28 9.86e-02
## 29 1.01e-01
## 30 1.44e-01
## 31 1.47e-01
## 32 1.63e-01
## 33 1.63e-01
## 34 1.82e-01
## 35 1.82e-01
## 36 1.89e-01
## [1] ""
## [1] "Table: egfr"
## [1] " (from model: "
## [1] " ~ Ulcer.diagnosis.at.DATE + Age.x + Gender.x +"
## [1] "      Hba1c_baseline + CALSBP + bmi + Smoking + Statin +"
## [1] "      log_Blood_TGA + Total_cholesterol + egfr)"
## [1] ""
##
##              Name Coefficient      CI.L      CI.R p.value
## 1      Myo inositol 6TMS; 1  -0.01650 -0.019400 -1.36e-02 9.38e-28
## 2              Ribitol; 71  -0.01580 -0.018700 -1.29e-02 1.87e-25
## 3      Creatinine; 50      -0.01540 -0.018300 -1.24e-02 1.09e-23

```

## 4	2,4-Dihydroxybutanoic acid; 28	-0.01490	-0.017800	-1.19e-02	8.90e-23
## 5	Ribonic acid; 72	-0.01480	-0.017800	-1.19e-02	1.36e-22
## 6	3,4-Dihydroxybutanoic acid; 27	-0.01320	-0.016100	-1.02e-02	4.21e-18
## 7	4-Hydroxybenzeneacetic acid; 4	-0.01150	-0.014400	-8.51e-03	4.94e-14
## 8	4-Deoxytetronic acid; 33	-0.01110	-0.014100	-8.13e-03	4.24e-13
## 9	4-Deoxytetronic acid; 32	-0.01030	-0.013400	-7.33e-03	2.23e-11
## 10	Isoleucine, 2TMS; 18	0.00947	0.006490	1.24e-02	5.60e-10
## 11	2-Hydroxybutyric acid, 2TMS; 2	0.00911	0.006130	1.21e-02	2.43e-09
## 12	Valine, 2TMS; 20	0.00873	0.005760	1.17e-02	9.77e-09
## 13	Citric acid, 4TMS; 6	-0.00831	-0.011300	-5.33e-03	5.46e-08
## 14	Pyroglutamic acid; 69	-0.00817	-0.011200	-5.15e-03	1.24e-07
## 15	Hydroxyproline; 64	-0.00774	-0.010800	-4.72e-03	5.73e-07
## 16	3-Indoleacetic acid; 40	-0.00709	-0.010100	-4.08e-03	4.00e-06
## 17	Glyceryl-glycoside; 59	-0.00696	-0.009970	-3.95e-03	6.32e-06
## 18	4-Hydroxyphenyllactic acid; 44	-0.00641	-0.009420	-3.39e-03	3.30e-05
## 19	Leucine, 2TMS; 19	0.00622	0.003220	9.22e-03	5.07e-05
## 20	Serine, 3TMS; 14	0.00614	0.003120	9.16e-03	7.07e-05
## 21	Octanoic acid; 68	0.00574	0.002710	8.77e-03	2.06e-04
## 22	Methionine, 2TMS; 16	0.00566	0.002640	8.67e-03	2.37e-04
## 23	Stearic acid, TMS; 2	0.00539	0.002360	8.41e-03	4.87e-04
## 24	Tyrosine; 75	0.00535	0.002320	8.38e-03	5.49e-04
## 25	Glycine, 3TMS; 17	-0.00507	-0.008080	-2.07e-03	9.48e-04
## 26	Fumaric acid, 2TMS; 9	-0.00501	-0.008040	-1.97e-03	1.22e-03
## 27	Eicosapentaenoic acid; 55	0.00455	0.001570	7.53e-03	2.77e-03
## 28	2-hydroxy Isovaleric acid; 38	0.00458	0.001550	7.61e-03	3.06e-03
## 29	Malic acid, 3TMS; 11	-0.00421	-0.007230	-1.18e-03	6.54e-03
## 30	Palmitic acid, TMS; 5	0.00407	0.001060	7.08e-03	8.10e-03
## 31	Cholesterol, TMS; 23	0.00385	0.000918	6.78e-03	1.01e-02
## 32	Benzeneacetic acid; 47	-0.00384	-0.006860	-8.21e-04	1.27e-02
## 33	Glycerol; 57	0.00368	0.000637	6.73e-03	1.78e-02
## 34	Docosahexaenoic acid; 53	0.00358	0.000589	6.57e-03	1.90e-02
## 35	Alanine, 2TMS; 25	-0.00353	-0.006560	-5.06e-04	2.22e-02
## 36	Glyceric acid; 30	0.00347	0.000481	6.46e-03	2.29e-02
## 37	Glycerol; 58	-0.00307	-0.006130	-2.35e-05	4.83e-02
##	p.adj				
## 1		7.03e-26			
## 2		7.02e-24			
## 3		2.73e-22			
## 4		1.67e-21			
## 5		2.03e-21			
## 6		5.27e-17			
## 7		5.29e-13			
## 8		3.97e-12			
## 9		1.85e-10			
## 10		4.20e-09			
## 11		1.65e-08			
## 12		6.11e-08			
## 13		3.15e-07			
## 14		6.62e-07			
## 15		2.87e-06			
## 16		1.88e-05			
## 17		2.79e-05			
## 18		1.37e-04			
## 19		2.00e-04			

20 2.65e-04
21 7.36e-04
22 8.09e-04
23 1.59e-03
24 1.72e-03
25 2.84e-03
26 3.52e-03
27 7.69e-03
28 8.21e-03
29 1.69e-02
30 2.02e-02
31 2.44e-02
32 2.98e-02
33 4.05e-02
34 4.19e-02
35 4.75e-02
36 4.77e-02
37 9.78e-02

6.1.3.3 Table with All Metabolites

```
## [1] ""
## [1] "Table: Ulcer.diagnosis.at.DATEJA"
## [1] " (from model: "
## [1] " ~ Ulcer.diagnosis.at.DATE + Age.x + Gender.x +"
## [1] "      Hba1c_baseline + CALSBP + bmi + Smoking + Statin +"
## [1] "      log_Blood_TGA + Total_cholesterol + egfr)"
## [1] ""
##
##              Name Coefficient  CI.L  CI.R p.value p.adj
## 1      Citric acid, 4TMS; 6   -0.62200 -1.090 -0.151 0.00962 0.722
## 2 2-Hydroxybutyric acid, 2TMS; 2  -0.36400 -0.833  0.106 0.12900 0.927
## 3      Tyrosine; 75           0.36700 -0.110  0.844 0.13200 0.927
## 4      Benzeneacetic acid; 47    -0.36300 -0.839  0.112 0.13400 0.927
## 5      4-Deoxytetrionic acid; 33  -0.33900 -0.809  0.131 0.15800 0.927
## 6 2-hydroxy Isovaleric acid; 38  -0.32800 -0.805  0.149 0.17700 0.927
## 7      Cholesterol, TMS; 23     -0.31600 -0.778  0.145 0.17900 0.927
## 8      Glyceryl-glycoside; 59    -0.31500 -0.789  0.160 0.19300 0.927
## 9      Palmitic acid, TMS; 5     0.31000 -0.164  0.784 0.20000 0.927
## 10 4-Hydroxybenzeneacetic acid; 4 -0.29900 -0.765  0.168 0.20900 0.927
## 11      Nonanoic acid; 67        0.29800 -0.181  0.777 0.22300 0.927
## 12      Glycerol; 58            0.29400 -0.186  0.774 0.23000 0.927
## 13      Serine, 3TMS; 14        -0.28800 -0.764  0.188 0.23500 0.927
## 14      L-5-Oxoproline; 63      -0.28400 -0.761  0.193 0.24300 0.927
## 15      Nonadecanoic acid; 66    0.28100 -0.197  0.759 0.24900 0.927
## 16      Myristoleic acid; 65     0.26700 -0.207  0.741 0.26900 0.927
## 17      Methionine, 2TMS; 16     0.26400 -0.210  0.738 0.27500 0.927
## 18 2,4-Dihydroxybutanoic acid; 28 -0.25100 -0.712  0.209 0.28500 0.927
## 19      Stearic acid, TMS; 2     0.25700 -0.219  0.733 0.29000 0.927
## 20      Heptadecanoic acid; 61    0.25400 -0.223  0.732 0.29700 0.927
## 21      Ribitol; 71            0.23800 -0.223  0.698 0.31200 0.927
## 22      alpha-Tocopherol; 26     -0.23400 -0.704  0.236 0.32900 0.927
## 23      Aminomalonic acid; 45    -0.21800 -0.692  0.256 0.36700 0.927
## 24      Fumaric acid, 2TMS; 9    -0.20900 -0.686  0.268 0.39100 0.927
## 25      Ribitol; 70            -0.20800 -0.684  0.268 0.39200 0.927
## 26      Malic acid, 3TMS; 11     0.20600 -0.271  0.683 0.39700 0.927
## 27      1,3-Propanediol; 34      0.19900 -0.280  0.679 0.41500 0.927
## 28      3-Indoleacetic acid; 40  -0.19300 -0.666  0.281 0.42400 0.927
## 29      Tridecanoic acid; 74     0.19000 -0.287  0.668 0.43500 0.927
## 30 3,4-Dihydroxybutanoic acid; 27 -0.17700 -0.642  0.288 0.45600 0.927
## 31      Campesterol; 49         -0.17700 -0.648  0.293 0.46000 0.927
## 32      Glyceric acid; 30        -0.16900 -0.640  0.301 0.48000 0.927
## 33      1-Monopalmitin; 37       -0.17200 -0.652  0.307 0.48100 0.927
## 34      Glutamic acid, 3TMS; 8   -0.16700 -0.637  0.303 0.48700 0.927
## 35      Ethanolamine; 56        0.16200 -0.317  0.641 0.50600 0.927
## 36 alpha-ketoglutaric acid, TMS M  0.15500 -0.323  0.633 0.52400 0.927
## 37      Docosahexaenoic acid; 53 -0.14700 -0.618  0.323 0.53900 0.927
## 38      Proline, 2TMS; 21       0.14400 -0.329  0.618 0.55000 0.927
## 39      Arachidic acid; 46       0.14300 -0.335  0.621 0.55700 0.927
## 40      Ribonic acid; 72        0.13600 -0.326  0.599 0.56300 0.927
## 41      Heptadecanoic acid; 60    0.13900 -0.338  0.617 0.56700 0.927
## 42      Glycine, 3TMS; 17       -0.13600 -0.609  0.337 0.57200 0.927
## 43      11-Eicosenoic acid; 35   0.13700 -0.341  0.615 0.57400 0.927
## 44      Decanoic acid; 52       0.13100 -0.343  0.605 0.58800 0.927
```

## 45	4-Hydroxyphenyllactic acid; 44	-0.12800	-0.603	0.348	0.59800	0.927
## 46	Succinic acid, 2TMS; 7	0.12800	-0.350	0.606	0.59900	0.927
## 47	Hydroxylamine; 62	0.12500	-0.354	0.604	0.60900	0.927
## 48	Bisphenol A; 48	-0.11800	-0.599	0.362	0.63000	0.927
## 49	Isoleucine, 2TMS; 18	-0.11200	-0.581	0.357	0.63900	0.927
## 50	Tartronic acid; 73	-0.11100	-0.583	0.362	0.64700	0.927
## 51	Oleic acid, TMS; 3	0.10800	-0.368	0.584	0.65600	0.927
## 52	4-Hydroxybutanoic acid; 43	-0.10700	-0.586	0.371	0.66000	0.927
## 53	Hydroxyproline; 64	-0.09880	-0.575	0.378	0.68400	0.927
## 54	Octanoic acid; 68	0.09680	-0.380	0.573	0.69000	0.927
## 55	Linoleic acid, TMS; 4	-0.09540	-0.572	0.381	0.69500	0.927
## 56	Eicosapentaenoic acid; 55	0.09060	-0.378	0.560	0.70500	0.927
## 57	1-Dodecanol; 36	0.08810	-0.392	0.568	0.71900	0.927
## 58	4-Deoxytetronic acid; 32	-0.08410	-0.558	0.390	0.72800	0.927
## 59	Threonine, 3TMS; 12	0.08020	-0.398	0.559	0.74200	0.927
## 60	2-Palmitoylglycerol; 39	-0.07690	-0.556	0.402	0.75300	0.927
## 61	Leucine, 2TMS; 19	0.07460	-0.398	0.547	0.75700	0.927
## 62	Alanine, 2TMS; 25	-0.07230	-0.549	0.404	0.76600	0.927
## 63	Creatinine; 50	-0.05080	-0.518	0.416	0.83100	0.982
## 64	Pyroglutamic acid; 69	-0.04420	-0.519	0.431	0.85500	0.982
## 65	Phenylalanine, 2TMS; 13	-0.04150	-0.521	0.438	0.86500	0.982
## 66	Arachidonic acid, TMS; 24	-0.03440	-0.513	0.444	0.88800	0.982
## 67	Pyruvic acid; 31	0.02930	-0.448	0.506	0.90400	0.982
## 68	3-Hydroxybutyric acid, 2TMS; 1	0.02010	-0.460	0.500	0.93400	0.982
## 69	Lactic acid; 29	-0.01800	-0.495	0.459	0.94100	0.982
## 70	Glycerol; 57	0.01560	-0.464	0.495	0.94900	0.982
## 71	3-Indolepropionic acid; 41	0.01460	-0.461	0.491	0.95200	0.982
## 72	Dodecanoic acid; 54	0.01190	-0.463	0.487	0.96100	0.982
## 73	Myo inositol 6TMS; 1	0.00929	-0.450	0.468	0.96800	0.982
## 74	Arabinopyranose; 51	-0.00936	-0.486	0.467	0.96900	0.982
## 75	Valine, 2TMS; 20	0.00142	-0.466	0.469	0.99500	0.995

6.1.4 Fully-Adjusted Model

```
## [1] "Fitting models:"  
## [1] "~ Ulcer.diagnosis.at.DATE + Age.x + Gender.x + Hba1c_baseline + CALSBP + bmi + Smoking + Statin  
## [1] ""
```

6.1.4.1 Forest Plot of Model Coefficients

```
## Warning: Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## Ignoring unknown aesthetics: x
## NULL
```

6.1.4.2 Tables of Model Coefficients

```

## [1] ""
## [1] "Table: Ulcer.diagnosis.at.DATEJA"
## [1] " (from model: "
## [1] " ~ Ulcer.diagnosis.at.DATE + Age.x + Gender.x +"
## [1] "      Hba1c_baseline + CALSBP + bmi + Smoking + Statin +"
## [1] "      log_Blood_TGA + Total_cholesterol + egfr + logUAER)"
## [1] ""
## [1] "No significant associations at p.adj < 0.2"
## [1] ""
## [1] "Table: Age.x"
## [1] " (from model: "
## [1] " ~ Ulcer.diagnosis.at.DATE + Age.x + Gender.x +"
## [1] "      Hba1c_baseline + CALSBP + bmi + Smoking + Statin +"
## [1] "      log_Blood_TGA + Total_cholesterol + egfr + logUAER)"
## [1] ""
##
##              Name Coefficient      CI.L      CI.R  p.value
## 1      Eicosapentaenoic acid; 55    0.02540  0.018000 0.032700 2.18e-11
## 2      Docosahexaenoic acid; 53    0.01390  0.006530 0.021400 2.32e-04
## 3  alpha-ketoglutaric acid, TMS M    0.01250  0.004970 0.020100 1.16e-03
## 4              Pyruvic acid; 31    0.01200  0.004480 0.019600 1.80e-03
## 5      alpha-Tocopherol; 26        0.01150  0.004120 0.018900 2.30e-03
## 6      Decanoic acid; 52           0.01060  0.003080 0.018100 5.70e-03
## 7      Malic acid, 3TMS; 11        0.01060  0.003080 0.018100 5.74e-03
## 8      Palmitic acid, TMS; 5       0.01040  0.002950 0.017900 6.31e-03
## 9      3-Indoleacetic acid; 40     0.01030  0.002840 0.017800 6.83e-03
## 10 4-Hydroxybenzeneacetic acid; 4  0.01010  0.002760 0.017400 7.05e-03
## 11      Glyceric acid; 30          0.00952  0.002120 0.016900 1.18e-02
## 12      Ribitol; 70                0.00957  0.002050 0.017100 1.26e-02
## 13      Nonadecanoic acid; 66      0.00954  0.002000 0.017100 1.32e-02
## 14      Oleic acid, TMS; 3         0.00911  0.001600 0.016600 1.75e-02
## 15      Myristoleic acid; 65       0.00872  0.001230 0.016200 2.24e-02
## 16      Glutamic acid, 3TMS; 8     0.00845  0.001060 0.015800 2.51e-02
## 17 2,4-Dihydroxybutanoic acid; 28  0.00818  0.000965 0.015400 2.63e-02
## 18      Succinic acid, 2TMS; 7     0.00835  0.000811 0.015900 3.00e-02
## 19      Fumaric acid, 2TMS; 9     0.00804  0.000517 0.015600 3.62e-02
## 20      11-Eicosenoic acid; 35     0.00787  0.000312 0.015400 4.13e-02
## 21      Stearic acid, TMS; 2       0.00775  0.000236 0.015300 4.32e-02
## 22      Alanine, 2TMS; 25          0.00772  0.000200 0.015200 4.42e-02
## 23      Tartronic acid; 73         0.00757  0.000111 0.015000 4.67e-02
## 24      Heptadecanoic acid; 61     0.00736  -0.000182 0.014900 5.58e-02
## 25      Glycerol; 57               0.00737  -0.000202 0.014900 5.64e-02
## 26      Dodecanoic acid; 54        0.00724  -0.000268 0.014700 5.87e-02
## 27      Myo inositol 6TMS; 1       0.00691  -0.000268 0.014100 5.92e-02
## 28      Tyrosine; 75               0.00699  -0.000537 0.014500 6.87e-02
## 29      Hydroxylamine; 62          -0.00701 -0.014600 0.000561 6.95e-02
##
##      p.adj
## 1  1.64e-09
## 2  8.69e-03
## 3  2.91e-02
## 4  3.37e-02
## 5  3.45e-02
## 6  5.29e-02

```

```

## 7 5.29e-02
## 8 5.29e-02
## 9 5.29e-02
## 10 5.29e-02
## 11 7.61e-02
## 12 7.61e-02
## 13 7.61e-02
## 14 9.38e-02
## 15 1.12e-01
## 16 1.16e-01
## 17 1.16e-01
## 18 1.25e-01
## 19 1.43e-01
## 20 1.51e-01
## 21 1.51e-01
## 22 1.51e-01
## 23 1.52e-01
## 24 1.64e-01
## 25 1.64e-01
## 26 1.64e-01
## 27 1.64e-01
## 28 1.80e-01
## 29 1.80e-01
## [1] ""
## [1] "Table: Gender.x"
## [1] " (from model: "
## [1] " ~ Ulcer.diagnosis.at.DATE + Age.x + Gender.x +"
## [1] " Hba1c_baseline + CALSBP + bmi + Smoking + Statin +"
## [1] " log_Blood_TGA + Total_cholesterol + egfr + logUAER)"
## [1] ""
##
## Name Coefficient CI.L CI.R p.value
## 1 4-Deoxytetrionic acid; 33 0.406 0.24200 0.57100 1.38e-06
## 2 Tartronic acid; 73 -0.385 -0.55100 -0.21900 5.58e-06
## 3 Glyceric acid; 30 -0.364 -0.52800 -0.19900 1.57e-05
## 4 Proline, 2TMS; 21 0.360 0.19400 0.52600 2.21e-05
## 5 Methionine, 2TMS; 16 0.359 0.19300 0.52500 2.40e-05
## 6 Myristoleic acid; 65 -0.357 -0.52300 -0.19000 2.76e-05
## 7 Valine, 2TMS; 20 0.338 0.17400 0.50100 5.36e-05
## 8 Leucine, 2TMS; 19 0.313 0.14700 0.47900 2.18e-04
## 9 Cholesterol, TMS; 23 -0.301 -0.46300 -0.14000 2.54e-04
## 10 Oleic acid, TMS; 3 -0.301 -0.46800 -0.13400 4.28e-04
## 11 Dodecanoic acid; 54 -0.293 -0.46000 -0.12600 5.89e-04
## 12 Citric acid, 4TMS; 6 -0.285 -0.45000 -0.12000 7.15e-04
## 13 Glycine, 3TMS; 17 -0.279 -0.44500 -0.11300 1.00e-03
## 14 Isoleucine, 2TMS; 18 0.268 0.10300 0.43200 1.43e-03
## 15 Hydroxyproline; 64 0.266 0.09910 0.43400 1.82e-03
## 16 2-hydroxy Isovaleric acid; 38 0.255 0.08780 0.42300 2.83e-03
## 17 Decanoic acid; 52 -0.251 -0.41800 -0.08420 3.20e-03
## 18 Aminomalonic acid; 45 -0.250 -0.41600 -0.08360 3.24e-03
## 19 Docosahexaenoic acid; 53 -0.246 -0.41100 -0.08070 3.54e-03
## 20 Stearic acid, TMS; 2 -0.248 -0.41500 -0.08100 3.65e-03
## 21 Glutamic acid, 3TMS; 8 0.226 0.06140 0.39000 7.14e-03
## 22 Succinic acid, 2TMS; 7 -0.228 -0.39600 -0.06060 7.66e-03
## 23 Palmitic acid, TMS; 5 -0.225 -0.39100 -0.05830 8.17e-03

```

```

## 24      Tridecanoic acid; 74      -0.222 -0.39000 -0.05440 9.48e-03
## 25      Nonadecanoic acid; 66     -0.209 -0.37700 -0.04130 1.46e-02
## 26      Heptadecanoic acid; 61    -0.204 -0.37200 -0.03670 1.69e-02
## 27      Heptadecanoic acid; 60    -0.190 -0.35700 -0.02170 2.69e-02
## 28              Tyrosine; 75      -0.184 -0.35200 -0.01700 3.09e-02
## 29              Glycerol; 57      -0.167 -0.33500  0.00184 5.26e-02
## 30              1-Monopalmitin; 37  0.165 -0.00352  0.33400 5.50e-02
## 31      Benzeneacetic acid; 47     -0.162 -0.32900  0.00461 5.67e-02
##      p.adj
## 1  0.000104
## 2  0.000209
## 3  0.000345
## 4  0.000345
## 5  0.000345
## 6  0.000345
## 7  0.000574
## 8  0.002050
## 9  0.002110
## 10 0.003210
## 11 0.004020
## 12 0.004470
## 13 0.005780
## 14 0.007650
## 15 0.009080
## 16 0.013300
## 17 0.013500
## 18 0.013500
## 19 0.013700
## 20 0.013700
## 21 0.025500
## 22 0.026100
## 23 0.026600
## 24 0.029600
## 25 0.043900
## 26 0.048900
## 27 0.074600
## 28 0.082700
## 29 0.136000
## 30 0.137000
## 31 0.137000
## [1] ""
## [1] "Table: Hba1c_baseline"
## [1] " (from model: "
## [1] " ~ Ulcer.diagnosis.at.DATE + Age.x + Gender.x +"
## [1] "      Hba1c_baseline + CALSBP + bmi + Smoking + Statin +"
## [1] "      log_Blood_TGA + Total_cholesterol + egfr + logUAER)"
## [1] ""
##      Name Coefficient      CI.L      CI.R p.value p.adj
## 1      Valine, 2TMS; 20      0.1330 0.06010 0.20600 0.000363 0.0118
## 2      Ethanolamine; 56      0.1350 0.05950 0.21000 0.000448 0.0118
## 3      Alanine, 2TMS; 25      0.1290 0.05470 0.20400 0.000696 0.0118
## 4      Eicosapentaenoic acid; 55 -0.1260 -0.19900 -0.05250 0.000783 0.0118
## 5      Arabinopyranose; 51      0.1280 0.05340 0.20300 0.000788 0.0118
## 6      Docosahexaenoic acid; 53 -0.1100 -0.18400 -0.03680 0.003310 0.0384

```

```

## 7      Citric acid, 4TMS; 6      0.1100  0.03590  0.18300  0.003590  0.0384
## 8      Decanoic acid; 52      -0.0953 -0.17000 -0.02080  0.012200  0.0921
## 9      Glyceric acid; 30      -0.0941 -0.16800 -0.02050  0.012300  0.0921
## 10 4-Hydroxybutanoic acid; 43  -0.0955 -0.17100 -0.02050  0.012700  0.0921
## 11      Tridecanoic acid; 74    -0.0945 -0.16900 -0.01950  0.013500  0.0921
## 12      Campesterol; 49      0.0853  0.01190  0.15900  0.022800  0.1420
## 13      Glyceryl-glycoside; 59   0.0845  0.01020  0.15900  0.025900  0.1490
## 14      Lactic acid; 29      0.0834  0.00870  0.15800  0.028700  0.1540
## 15      Leucine, 2TMS; 19      0.0803  0.00633  0.15400  0.033400  0.1670
## 16 4-Deoxytetroneic acid; 33   -0.0771 -0.15000 -0.00363  0.039700  0.1830
## 17      Myristoleic acid; 65    -0.0773 -0.15200 -0.00297  0.041500  0.1830
## 18      Ribitol; 70      -0.0767 -0.15100 -0.00201  0.044200  0.1840
## [1] ""
## [1] "Table: CALSBP"
## [1] " (from model: "
## [1] " ~ Ulcer.diagnosis.at.DATE + Age.x + Gender.x +"
## [1] "      Hba1c_baseline + CALSBP + bmi + Smoking + Statin +"
## [1] "      log_Blood_TGA + Total_cholesterol + egfr + logUAER)"
## [1] ""
##
##          Name Coefficient      CI.L      CI.R p.value p.adj
## 1 Myristoleic acid; 65      0.00793 0.00302 0.0129 0.00158 0.118
## [1] ""
## [1] "Table: bmi"
## [1] " (from model: "
## [1] " ~ Ulcer.diagnosis.at.DATE + Age.x + Gender.x +"
## [1] "      Hba1c_baseline + CALSBP + bmi + Smoking + Statin +"
## [1] "      log_Blood_TGA + Total_cholesterol + egfr + logUAER)"
## [1] ""
##
##          Name Coefficient      CI.L      CI.R p.value
## 1      Glutamic acid, 3TMS; 8      0.0442  0.023600  0.06480  2.76e-05
## 2      Campesterol; 49      -0.0405 -0.061100 -0.01990  1.22e-04
## 3 2-Hydroxybutyric acid, 2TMS; 2    0.0402  0.019600  0.06080  1.30e-04
## 4      Decanoic acid; 52      -0.0351 -0.056000 -0.01430  9.86e-04
## 5 2,4-Dihydroxybutanoic acid; 28   -0.0290 -0.049100 -0.00888  4.76e-03
## 6      Lactic acid; 29      0.0299  0.008900  0.05080  5.27e-03
## 7      Pyruvic acid; 31      -0.0290 -0.050000 -0.00803  6.78e-03
## 8      alpha-Tocopherol; 26     -0.0284 -0.049000 -0.00773  7.08e-03
## 9      1,3-Propanediol; 34     -0.0285 -0.049600 -0.00740  8.15e-03
## 10     Arachidic acid; 46     -0.0271 -0.048100 -0.00611  1.14e-02
## 11     Citric acid, 4TMS; 6     -0.0266 -0.047300 -0.00595  1.16e-02
## 12     Pyroglutamic acid; 69    -0.0258 -0.046600 -0.00489  1.56e-02
## 13     Dodecanoic acid; 54     -0.0240 -0.044900 -0.00308  2.46e-02
## 14     Nonadecanoic acid; 66    -0.0241 -0.045100 -0.00309  2.46e-02
## 15     11-Eicosenoic acid; 35    0.0241  0.003020  0.04520  2.50e-02
## 16     Tartronic acid; 73     -0.0225 -0.043300 -0.00172  3.38e-02
## 17     Glycine, 3TMS; 17     -0.0224 -0.043200 -0.00160  3.48e-02
## 18 alpha-ketoglutaric acid, TMS M  -0.0225 -0.043600 -0.00151  3.57e-02
## 19     Isoleucine, 2TMS; 18     0.0218  0.001180  0.04230  3.82e-02
## 20     Ribitol; 70      0.0211  0.000183  0.04210  4.80e-02
##
##          p.adj
## 1 0.00207
## 2 0.00324
## 3 0.00324
## 4 0.01850

```

```

## 5 0.06580
## 6 0.06580
## 7 0.06630
## 8 0.06630
## 9 0.06790
## 10 0.07930
## 11 0.07930
## 12 0.09740
## 13 0.12500
## 14 0.12500
## 15 0.12500
## 16 0.14900
## 17 0.14900
## 18 0.14900
## 19 0.15100
## 20 0.18000
## [1] ""
## [1] "Table: Smoking"
## [1] " (from model: "
## [1] " ~ Ulcer.diagnosis.at.DATE + Age.x + Gender.x +"
## [1] "      Hba1c_baseline + CALSBP + bmi + Smoking + Statin +"
## [1] "      log_Blood_TGA + Total_cholesterol + egfr + logUAER)"
## [1] ""
##
## Name Coefficient CI.L CI.R p.value p.adj
## 1 3-Indolepropionic acid; 41 -0.352 -0.551 -0.1530 0.000524 0.0167
## 2 Docosahexaenoic acid; 53 -0.338 -0.534 -0.1420 0.000740 0.0167
## 3 Tartronic acid; 73 -0.338 -0.536 -0.1410 0.000782 0.0167
## 4 Glutamic acid, 3TMS; 8 0.332 0.136 0.5280 0.000891 0.0167
## 5 Valine, 2TMS; 20 -0.307 -0.502 -0.1120 0.002010 0.0301
## 6 alpha-Tocopherol; 26 -0.297 -0.493 -0.1010 0.002990 0.0331
## 7 Glyceric acid; 30 -0.296 -0.492 -0.1000 0.003090 0.0331
## 8 Benzeneacetic acid; 47 -0.266 -0.465 -0.0674 0.008700 0.0748
## 9 Citric acid, 4TMS; 6 -0.262 -0.458 -0.0655 0.008980 0.0748
## 10 Malic acid, 3TMS; 11 -0.257 -0.456 -0.0580 0.011400 0.0790
## 11 Leucine, 2TMS; 19 -0.254 -0.451 -0.0569 0.011600 0.0790
## 12 Ribonic acid; 72 -0.242 -0.433 -0.0500 0.013500 0.0842
## 13 Campesterol; 49 -0.229 -0.425 -0.0339 0.021500 0.1240
## [1] ""
## [1] "Table: Statin"
## [1] " (from model: "
## [1] " ~ Ulcer.diagnosis.at.DATE + Age.x + Gender.x +"
## [1] "      Hba1c_baseline + CALSBP + bmi + Smoking + Statin +"
## [1] "      log_Blood_TGA + Total_cholesterol + egfr + logUAER)"
## [1] ""
##
## Name Coefficient CI.L CI.R p.value p.adj
## 1 Campesterol; 49 0.294 0.1110 0.4760 0.00161 0.107
## 2 Arachidonic acid, TMS; 24 0.278 0.0913 0.4640 0.00353 0.107
## 3 L-5-Oxoproline; 63 -0.272 -0.4580 -0.0854 0.00427 0.107
## 4 Glutamic acid, 3TMS; 8 0.241 0.0583 0.4230 0.00974 0.183
## [1] ""
## [1] "Table: log_Blood_TGA"
## [1] " (from model: "
## [1] " ~ Ulcer.diagnosis.at.DATE + Age.x + Gender.x +"
## [1] "      Hba1c_baseline + CALSBP + bmi + Smoking + Statin +"

```

```

## [1] "      log_Blood_TGA + Total_cholesterol + egfr + logUAER)"
## [1] ""
##
##          Name Coefficient      CI.L      CI.R  p.value
## 1      Palmitic acid, TMS; 5      0.283  0.151000  0.41400 2.70e-05
## 2          Octanoic acid; 68      0.267  0.135000  0.39900 7.69e-05
## 3      Dodecanoic acid; 54      0.262  0.130000  0.39400 1.02e-04
## 4      Arachidic acid; 46      0.263  0.131000  0.39600 1.04e-04
## 5      Stearic acid, TMS; 2      0.260  0.128000  0.39300 1.18e-04
## 6 2-Hydroxybutyric acid, 2TMS; 2  0.238  0.108000  0.36700 3.41e-04
## 7          Decanoic acid; 52      0.240  0.108000  0.37200 3.67e-04
## 8          Oleic acid, TMS; 3      0.213  0.080700  0.34500 1.62e-03
## 9          Lactic acid; 29      0.197  0.064600  0.32900 3.57e-03
## 10     Glyceryl-glycoside; 59      0.189  0.057700  0.32100 4.85e-03
## 11     Isoleucine, 2TMS; 18      0.187  0.056900  0.31700 4.86e-03
## 12     Valine, 2TMS; 20      0.185  0.055700  0.31500 5.09e-03
## 13     Heptadecanoic acid; 60      0.181  0.047900  0.31400 7.68e-03
## 14     Arabinopyranose; 51      0.172  0.039800  0.30400 1.08e-02
## 15 4-Hydroxybenzeneacetic acid; 4  0.167  0.037500  0.29600 1.15e-02
## 16     Myristoleic acid; 65      0.164  0.032800  0.29600 1.44e-02
## 17     Aminomalonic acid; 45     -0.163 -0.294000 -0.03130 1.53e-02
## 18     Ribonic acid; 72      0.157  0.029800  0.28500 1.57e-02
## 19 alpha-ketoglutaric acid, TMS M  0.161  0.027800  0.29300 1.78e-02
## 20     Pyruvic acid; 31      0.160  0.027400  0.29300 1.80e-02
## 21 3,4-Dihydroxybutanoic acid; 27  0.153  0.024800  0.28100 1.93e-02
## 22     Glutamic acid, 3TMS; 8      0.155  0.024900  0.28500 1.96e-02
## 23     Leucine, 2TMS; 19      0.155  0.023800  0.28600 2.06e-02
## 24     Heptadecanoic acid; 61      0.156  0.023000  0.28800 2.15e-02
## 25     Fumaric acid, 2TMS; 9      0.154  0.021300  0.28600 2.29e-02
## 26     Arachidonic acid, TMS; 24    0.149  0.016400  0.28200 2.77e-02
## 27     Malic acid, 3TMS; 11      0.140  0.008280  0.27300 3.73e-02
## 28     Nonadecanoic acid; 66      0.138  0.005230  0.27100 4.16e-02
## 29     Succinic acid, 2TMS; 7      0.134  0.001190  0.26700 4.80e-02
## 30     4-Hydroxybutanoic acid; 43   0.134  0.000579  0.26700 4.90e-02
## 31     Glyceric acid; 30     -0.129 -0.259000  0.00136 5.24e-02
## 32     1,3-Propanediol; 34      0.131 -0.002490  0.26400 5.44e-02
## 33     Proline, 2TMS; 21      0.126 -0.005160  0.25800 5.97e-02
## 34     Ribitol; 71      0.121 -0.005610  0.24800 6.10e-02
## 35     3-Indolepropionic acid; 41   -0.122 -0.254000  0.01040 7.10e-02
## 36     Glycine, 3TMS; 17     -0.115 -0.246000  0.01680 8.73e-02
## 37     Tartronic acid; 73     -0.114 -0.245000  0.01710 8.82e-02
## 38     4-Deoxytetronic acid; 33    0.110 -0.019700  0.24000 9.63e-02
##
##      p.adj
## 1 0.00177
## 2 0.00177
## 3 0.00177
## 4 0.00177
## 5 0.00177
## 6 0.00394
## 7 0.00394
## 8 0.01510
## 9 0.02970
## 10 0.03180
## 11 0.03180
## 12 0.03180

```



```

## 13 0.04430
## 14 0.05730
## 15 0.05730
## 16 0.06520
## 17 0.06520
## 18 0.06520
## 19 0.06670
## 20 0.06670
## 21 0.06670
## 22 0.06670
## 23 0.06730
## 24 0.06730
## 25 0.06880
## 26 0.07980
## 27 0.10400
## 28 0.11200
## 29 0.12300
## 30 0.12300
## 31 0.12700
## 32 0.12800
## 33 0.13500
## 34 0.13500
## 35 0.15200
## 36 0.17900
## 37 0.17900
## 38 0.19000
## [1] ""
## [1] "Table: Total_cholesterol"
## [1] " (from model: "
## [1] " ~ Ulcer.diagnosis.at.DATE + Age.x + Gender.x +"
## [1] "      Hba1c_baseline + CALSBP + bmi + Smoking + Statin +"
## [1] "      log_Blood_TGA + Total_cholesterol + egfr + logUAER)"
## [1] ""
##
##              Name Coefficient      CI.L      CI.R  p.value
## 1      Cholesterol, TMS; 23      0.4550  0.36000  0.549000 1.60e-20
## 2      Campesterol; 49      0.3790  0.28200  0.475000 2.60e-14
## 3      alpha-Tocopherol; 26      0.3290  0.23200  0.425000 3.62e-11
## 4      Linoleic acid, TMS; 4      0.1820  0.08430  0.281000 2.76e-04
## 5      Benzeneacetic acid; 47     -0.1820 -0.28000 -0.084100 2.78e-04
## 6      4-Hydroxybutanoic acid; 43 -0.1720 -0.27100 -0.073200 6.55e-04
## 7      Isoleucine, 2TMS; 18     -0.1620 -0.25800 -0.065400 1.02e-03
## 8      L-5-Oxoproline; 63     -0.1640 -0.26300 -0.065800 1.09e-03
## 9      Proline, 2TMS; 21     -0.1620 -0.26000 -0.064400 1.15e-03
## 10     Tyrosine; 75     -0.1620 -0.26000 -0.063500 1.27e-03
## 11     Methionine, 2TMS; 16     -0.1560 -0.25300 -0.058200 1.77e-03
## 12     Eicosapentaenoic acid; 55  0.1540  0.05720  0.250000 1.80e-03
## 13     Docosahexaenoic acid; 53  0.1480  0.05120  0.245000 2.76e-03
## 14     Glycine, 3TMS; 17     -0.1470 -0.24500 -0.049800 3.08e-03
## 15     Threonine, 3TMS; 12     -0.1440 -0.24200 -0.045000 4.34e-03
## 16     Alanine, 2TMS; 25     -0.1380 -0.23600 -0.039700 5.96e-03
## 17     Malic acid, 3TMS; 11     -0.1350 -0.23300 -0.037100 6.93e-03
## 18     Arabinopyranose; 51     -0.1320 -0.23000 -0.033600 8.54e-03
## 19     4-Hydroxybenzeneacetic acid; 4 -0.1260 -0.22200 -0.029800 1.02e-02
## 20     Glyceryl-glycoside; 59   -0.1260 -0.22400 -0.028500 1.14e-02

```

## 21	2-Palmitoylglycerol; 39	0.1280	0.02880	0.226000	1.14e-02
## 22	Hydroxylamine; 62	-0.1270	-0.22600	-0.027800	1.21e-02
## 23	2,4-Dihydroxybutanoic acid; 28	-0.1180	-0.21200	-0.023300	1.46e-02
## 24	Serine, 3TMS; 14	-0.1150	-0.21300	-0.016400	2.22e-02
## 25	3-Indoleacetic acid; 40	-0.1110	-0.20900	-0.013500	2.57e-02
## 26	Ribitol; 71	-0.1050	-0.19900	-0.011000	2.86e-02
## 27	Ribonic acid; 72	-0.1030	-0.19800	-0.008590	3.25e-02
## 28	Phenylalanine, 2TMS; 13	-0.0996	-0.19800	-0.000782	4.82e-02
## 29	Ethanolamine; 56	-0.0964	-0.19500	0.002240	5.54e-02
## 30	Pyruvic acid; 31	-0.0955	-0.19400	0.002940	5.72e-02
## 31	3,4-Dihydroxybutanoic acid; 27	-0.0888	-0.18400	0.006250	6.71e-02
## 32	Palmitic acid, TMS; 5	0.0899	-0.00784	0.188000	7.14e-02
## 33	Leucine, 2TMS; 19	-0.0887	-0.18600	0.008620	7.40e-02
## 34	3-Indolepropionic acid; 41	0.0861	-0.01200	0.184000	8.54e-02
## 35	2-Hydroxybutyric acid, 2TMS; 2	0.0830	-0.01340	0.179000	9.14e-02
##	p.adj				
## 1		1.20e-18			
## 2		9.76e-13			
## 3		9.04e-10			
## 4		4.17e-03			
## 5		4.17e-03			
## 6		8.18e-03			
## 7		9.52e-03			
## 8		9.52e-03			
## 9		9.52e-03			
## 10		9.52e-03			
## 11		1.13e-02			
## 12		1.13e-02			
## 13		1.59e-02			
## 14		1.65e-02			
## 15		2.17e-02			
## 16		2.79e-02			
## 17		3.06e-02			
## 18		3.56e-02			
## 19		4.04e-02			
## 20		4.08e-02			
## 21		4.08e-02			
## 22		4.11e-02			
## 23		4.76e-02			
## 24		6.95e-02			
## 25		7.71e-02			
## 26		8.26e-02			
## 27		9.04e-02			
## 28		1.29e-01			
## 29		1.43e-01			
## 30		1.43e-01			
## 31		1.62e-01			
## 32		1.67e-01			
## 33		1.68e-01			
## 34		1.88e-01			
## 35		1.96e-01			
##	[1]	"			
##	[1]	"Table: egfr"			
##	[1]	" (from model: "			

```

## [1] " ~ Ulcer.diagnosis.at.DATE + Age.x + Gender.x +"
## [1] " Hba1c_baseline + CALSBP + bmi + Smoking + Statin +"
## [1] " log_Blood_TGA + Total_cholesterol + egfr + logUAER)"
## [1] ""
##
## Name Coefficient CI.L CI.R p.value
## 1 Myo inositol 6TMS; 1 -0.01630 -1.94e-02 -0.013100 2.37e-23
## 2 Ribitol; 71 -0.01520 -1.83e-02 -0.012000 2.04e-20
## 3 Creatinine; 50 -0.01510 -1.83e-02 -0.011900 1.31e-19
## 4 2,4-Dihydroxybutanoic acid; 28 -0.01480 -1.79e-02 -0.011600 2.20e-19
## 5 Ribonic acid; 72 -0.01350 -1.67e-02 -0.010400 1.51e-16
## 6 3,4-Dihydroxybutanoic acid; 27 -0.01140 -1.46e-02 -0.008180 4.28e-12
## 7 4-Deoxytetroneic acid; 33 -0.01130 -1.45e-02 -0.008020 1.47e-11
## 8 4-Hydroxybenzeneacetic acid; 4 -0.01120 -1.44e-02 -0.007960 1.51e-11
## 9 Isoleucine, 2TMS; 18 0.00971 6.47e-03 0.013000 5.35e-09
## 10 4-Deoxytetroneic acid; 32 -0.00902 -1.23e-02 -0.005750 7.44e-08
## 11 Citric acid, 4TMS; 6 -0.00886 -1.21e-02 -0.005600 1.11e-07
## 12 Pyroglutamic acid; 69 -0.00893 -1.22e-02 -0.005630 1.20e-07
## 13 2-Hydroxybutyric acid, 2TMS; 2 0.00786 4.62e-03 0.011100 2.14e-06
## 14 4-Hydroxyphenyllactic acid; 44 -0.00781 -1.11e-02 -0.004520 3.51e-06
## 15 Valine, 2TMS; 20 0.00760 4.36e-03 0.010800 4.39e-06
## 16 3-Indoleacetic acid; 40 -0.00751 -1.08e-02 -0.004230 7.60e-06
## 17 Glyceryl-glycoside; 59 -0.00650 -9.79e-03 -0.003210 1.12e-04
## 18 Hydroxyproline; 64 -0.00650 -9.81e-03 -0.003200 1.18e-04
## 19 Leucine, 2TMS; 19 0.00625 2.97e-03 0.009520 1.88e-04
## 20 Serine, 3TMS; 14 0.00618 2.88e-03 0.009490 2.51e-04
## 21 Glycine, 3TMS; 17 -0.00592 -9.20e-03 -0.002640 4.14e-04
## 22 Fumaric acid, 2TMS; 9 -0.00585 -9.16e-03 -0.002550 5.31e-04
## 23 Eicosapentaenoic acid; 55 0.00514 1.90e-03 0.008390 1.90e-03
## 24 Stearic acid, TMS; 2 0.00502 1.72e-03 0.008330 2.91e-03
## 25 Methionine, 2TMS; 16 0.00497 1.69e-03 0.008250 3.04e-03
## 26 Malic acid, 3TMS; 11 -0.00426 -7.56e-03 -0.000953 1.16e-02
## 27 Benzeneacetic acid; 47 -0.00405 -7.35e-03 -0.000749 1.62e-02
## 28 Palmitic acid, TMS; 5 0.00386 5.72e-04 0.007150 2.14e-02
## 29 Octanoic acid; 68 0.00386 5.57e-04 0.007160 2.20e-02
## 30 Tyrosine; 75 0.00377 4.67e-04 0.007080 2.53e-02
## 31 Glycerol; 57 0.00369 3.62e-04 0.007020 2.98e-02
## 32 Aminomalonic acid; 45 -0.00360 -6.88e-03 -0.000317 3.16e-02
## 33 Alanine, 2TMS; 25 -0.00353 -6.84e-03 -0.000226 3.63e-02
## 34 Cholesterol, TMS; 23 0.00322 2.88e-05 0.006400 4.80e-02
## 35 2-hydroxy Isovaleric acid; 38 0.00308 -2.27e-04 0.006390 6.79e-02
## 36 Glycerol; 58 -0.00304 -6.38e-03 0.000292 7.37e-02
## 37 2-Palmitoylglycerol; 39 0.00302 -3.04e-04 0.006340 7.50e-02
## 38 Campesterol; 49 -0.00276 -6.01e-03 0.000494 9.65e-02
## 39 Succinic acid, 2TMS; 7 -0.00280 -6.11e-03 0.000520 9.84e-02
## 40 Glutamic acid, 3TMS; 8 0.00270 -5.53e-04 0.005950 1.04e-01
##
## p.adj
## 1 1.78e-21
## 2 7.63e-19
## 3 3.29e-18
## 4 4.12e-18
## 5 2.26e-15
## 6 5.35e-11
## 7 1.41e-10
## 8 1.41e-10

```

```

## 9 4.46e-08
## 10 5.58e-07
## 11 7.52e-07
## 12 7.52e-07
## 13 1.24e-05
## 14 1.88e-05
## 15 2.20e-05
## 16 3.56e-05
## 17 4.93e-04
## 18 4.93e-04
## 19 7.43e-04
## 20 9.40e-04
## 21 1.48e-03
## 22 1.81e-03
## 23 6.20e-03
## 24 9.09e-03
## 25 9.11e-03
## 26 3.34e-02
## 27 4.50e-02
## 28 5.70e-02
## 29 5.70e-02
## 30 6.34e-02
## 31 7.21e-02
## 32 7.41e-02
## 33 8.24e-02
## 34 1.06e-01
## 35 1.46e-01
## 36 1.52e-01
## 37 1.52e-01
## 38 1.89e-01
## 39 1.89e-01
## 40 1.95e-01
## [1] ""
## [1] "Table: logUAER"
## [1] " (from model: "
## [1] " ~ Ulcer.diagnosis.at.DATE + Age.x + Gender.x +"
## [1] " Hba1c_baseline + CALSBP + bmi + Smoking + Statin +"
## [1] " log_Blood_TGA + Total_cholesterol + egfr + logUAER)"
## [1] ""
##
## Name Coefficient CI.L CI.R p.value p.adj
## 1 3,4-Dihydroxybutanoic acid; 27 0.0744 0.0344 0.114 0.000272 0.0204
## 2 4-Deoxytetronic acid; 32 0.0644 0.0234 0.105 0.002080 0.0781

```

6.1.4.3 Table with All Metabolites

```
## [1] ""
## [1] "Table: Ulcer.diagnosis.at.DATEJA"
## [1] " (from model: "
## [1] " ~ Ulcer.diagnosis.at.DATE + Age.x + Gender.x +"
## [1] "      Hba1c_baseline + CALSBP + bmi + Smoking + Statin +"
## [1] "      log_Blood_TGA + Total_cholesterol + egfr + logUAER)"
## [1] ""
##
##          Name Coefficient   CI.L   CI.R p.value p.adj
## 1      Citric acid, 4TMS; 6  -0.52900 -1.0100 -0.0442 0.0325 0.980
## 2 2-Hydroxybutyric acid, 2TMS; 2  -0.45800 -0.9400 0.0235 0.0623 0.980
## 3      Nonadecanoic acid; 66    0.40000 -0.0923 0.8930 0.1110 0.980
## 4          Tyrosine; 75      0.39400 -0.0973 0.8860 0.1160 0.980
## 5      Benzeneacetic acid; 47  -0.38800 -0.8790 0.1020 0.1210 0.980
## 6          Serine, 3TMS; 14   -0.36400 -0.8550 0.1270 0.1460 0.980
## 7      Glyceryl-glycoside; 59  -0.33500 -0.8240 0.1540 0.1800 0.980
## 8          Glycerol; 58      0.33500 -0.1610 0.8310 0.1850 0.980
## 9      Cholesterol, TMS; 23   -0.31800 -0.7920 0.1550 0.1880 0.980
## 10 4-Hydroxybenzeneacetic acid; 4  -0.30600 -0.7860 0.1740 0.2110 0.980
## 11 3,4-Dihydroxybutanoic acid; 27  -0.29500 -0.7710 0.1800 0.2230 0.980
## 12 2,4-Dihydroxybutanoic acid; 28  -0.29200 -0.7630 0.1800 0.2250 0.980
## 13      Heptadecanoic acid; 61    0.30100 -0.1920 0.7940 0.2310 0.980
## 14      Palmitic acid, TMS; 5     0.29500 -0.1940 0.7840 0.2370 0.980
## 15      alpha-Tocopherol; 26   -0.27700 -0.7600 0.2070 0.2620 0.980
## 16      Nonanoic acid; 67       0.28300 -0.2120 0.7790 0.2620 0.980
## 17      4-Deoxytetroneic acid; 33  -0.27200 -0.7550 0.2110 0.2690 0.980
## 18      L-5-Oxoproline; 63      -0.27400 -0.7670 0.2180 0.2750 0.980
## 19 2-hydroxy Isovaleric acid; 38   -0.26600 -0.7580 0.2260 0.2890 0.980
## 20      3-Indoleacetic acid; 40   -0.23900 -0.7270 0.2490 0.3360 0.980
## 21      Stearic acid, TMS; 2     0.24000 -0.2520 0.7310 0.3390 0.980
## 22      Malic acid, 3TMS; 11     0.22900 -0.2620 0.7200 0.3610 0.980
## 23      Myristoleic acid; 65     0.22200 -0.2670 0.7110 0.3730 0.980
## 24      Ribitol; 70            -0.22200 -0.7130 0.2690 0.3760 0.980
## 25      Glutamic acid, 3TMS; 8   -0.20800 -0.6910 0.2760 0.3990 0.980
## 26      Tridecanoic acid; 74     0.20700 -0.2860 0.7010 0.4090 0.980
## 27      Methionine, 2TMS; 16     0.19900 -0.2900 0.6870 0.4250 0.980
## 28      Succinic acid, 2TMS; 7    0.19600 -0.2970 0.6890 0.4350 0.980
## 29      Aminomalonic acid; 45    -0.19400 -0.6820 0.2940 0.4350 0.980
## 30      Ribitol; 71            0.18700 -0.2840 0.6580 0.4370 0.980
## 31      Isoleucine, 2TMS; 18    -0.19100 -0.6740 0.2910 0.4370 0.980
## 32      Fumaric acid, 2TMS; 9    -0.18600 -0.6770 0.3060 0.4580 0.980
## 33      Campesterol; 49         -0.17300 -0.6560 0.3100 0.4830 0.980
## 34      1,3-Propanediol; 34     0.17300 -0.3220 0.6670 0.4940 0.980
## 35      Heptadecanoic acid; 60    0.17200 -0.3210 0.6650 0.4950 0.980
## 36      4-Deoxytetroneic acid; 32  -0.15500 -0.6420 0.3320 0.5320 0.980
## 37      11-Eicosenoic acid; 35    0.15000 -0.3440 0.6440 0.5520 0.980
## 38      Proline, 2TMS; 21       0.14800 -0.3400 0.6360 0.5530 0.980
## 39      Glycine, 3TMS; 17      -0.14600 -0.6340 0.3420 0.5570 0.980
## 40      Ethanolamine; 56        0.14600 -0.3470 0.6400 0.5610 0.980
## 41      1-Monopalmitin; 37      -0.14700 -0.6420 0.3490 0.5620 0.980
## 42      Arachidic acid; 46       0.14300 -0.3500 0.6350 0.5700 0.980
## 43      Bisphenol A; 48        -0.13200 -0.6280 0.3640 0.6010 0.980
## 44      Hydroxyproline; 64      -0.12500 -0.6160 0.3670 0.6190 0.980
```


## 45	Linoleic acid, TMS; 4	-0.11500	-0.6060	0.3760	0.6450	0.980
## 46	Glyceric acid; 30	-0.11200	-0.5960	0.3720	0.6500	0.980
## 47	Alanine, 2TMS; 25	-0.11300	-0.6040	0.3780	0.6520	0.980
## 48	Decanoic acid; 52	0.10800	-0.3820	0.5970	0.6660	0.980
## 49	Ribonic acid; 72	0.10100	-0.3720	0.5750	0.6750	0.980
## 50	Octanoic acid; 68	0.10400	-0.3870	0.5950	0.6780	0.980
## 51	Hydroxylamine; 62	0.10200	-0.3920	0.5970	0.6850	0.980
## 52	4-Hydroxybutanoic acid; 43	-0.09950	-0.5930	0.3940	0.6930	0.980
## 53	2-Palmitoylglycerol; 39	-0.09410	-0.5880	0.4000	0.7090	0.980
## 54	1-Dodecanol; 36	0.08940	-0.4060	0.5850	0.7230	0.980
## 55	alpha-ketoglutaric acid, TMS M	0.08120	-0.4120	0.5740	0.7470	0.980
## 56	Myo inositol 6TMS; 1	-0.07490	-0.5440	0.3950	0.7540	0.980
## 57	Eicosapentaenoic acid; 55	0.07480	-0.4070	0.5570	0.7610	0.980
## 58	4-Hydroxyphenyllactic acid; 44	-0.07380	-0.5630	0.4160	0.7680	0.980
## 59	Creatinine; 50	-0.07050	-0.5500	0.4090	0.7730	0.980
## 60	Oleic acid, TMS; 3	0.06250	-0.4280	0.5530	0.8030	0.980
## 61	Tartronic acid; 73	-0.05800	-0.5450	0.4290	0.8150	0.980
## 62	Arabinopyranose; 51	-0.05120	-0.5420	0.4400	0.8380	0.980
## 63	Docosahexaenoic acid; 53	-0.04800	-0.5320	0.4360	0.8460	0.980
## 64	Phenylalanine, 2TMS; 13	-0.04120	-0.5360	0.4530	0.8700	0.980
## 65	Valine, 2TMS; 20	-0.03910	-0.5200	0.4420	0.8730	0.980
## 66	Pyruvic acid; 31	-0.03800	-0.5310	0.4550	0.8800	0.980
## 67	Pyroglutamic acid; 69	-0.03640	-0.5260	0.4530	0.8840	0.980
## 68	Arachidonic acid, TMS; 24	-0.03520	-0.5290	0.4580	0.8890	0.980
## 69	Lactic acid; 29	0.03010	-0.4610	0.5220	0.9040	0.983
## 70	3-Indolepropionic acid; 41	0.02100	-0.4700	0.5120	0.9330	0.992
## 71	3-Hydroxybutyric acid, 2TMS; 1	-0.01670	-0.5130	0.4790	0.9470	0.992
## 72	Threonine, 3TMS; 12	0.01040	-0.4830	0.5040	0.9670	0.992
## 73	Leucine, 2TMS; 19	0.00692	-0.4800	0.4940	0.9780	0.992
## 74	Glycerol; 57	-0.00309	-0.4980	0.4920	0.9900	0.992
## 75	Dodecanoic acid; 54	-0.00240	-0.4930	0.4880	0.9920	0.992

6.2 Ulcer Diagnosis from DATE

6.2.1 Crude Model

6.2.1.1 Forest Plot of Model Coefficients

Warning: Ignoring unknown aesthetics: x



6.2.1.2 Table with All Metabolites

Name	exp(coef)	Lower 95 %	Upper 95 %	Pr(> z)	p.adj
Ribonic acid	1.8	1.44	2.24	1.69e-07	1.27e-05
4-Hydroxybenzeneacetic acid	1.62	1.31	2	7.56e-06	0.000201
Ribitol (2)	1.59	1.29	1.95	9.19e-06	0.000201
2,4-Dihydroxybutanoic acid	1.55	1.27	1.88	1.07e-05	0.000201
3,4-Dihydroxybutanoic acid	1.48	1.23	1.8	4.85e-05	0.000728
Myo inositol	1.44	1.19	1.73	0.000132	0.00164
Fumaric acid	1.39	1.15	1.69	0.000801	0.00858
Serine	0.747	0.62	0.901	0.00229	0.0215
Benzeneacetic acid	1.39	1.11	1.75	0.00444	0.037
Creatinine	1.33	1.09	1.63	0.00536	0.0402
Nonanoic acid	0.808	0.693	0.942	0.00664	0.0453
Tyrosine	0.834	0.728	0.956	0.00895	0.056
4-Hydroxyphenyllactic acid	1.29	1.04	1.61	0.0225	0.121
Alanine	1.26	1.03	1.53	0.0227	0.121
3-Indolepropionic acid	0.861	0.753	0.983	0.0269	0.132
4-Deoxytetronic acid (1)	1.25	1.02	1.53	0.0284	0.132
Malic acid	1.24	1.02	1.52	0.03	0.132
Arabinopyranose	1.28	1.02	1.6	0.0356	0.148
Hydroxyproline	1.22	1.01	1.49	0.0431	0.156
Valine	0.824	0.684	0.994	0.0432	0.156
Threonine	0.864	0.75	0.996	0.0442	0.156
Succinic acid	1.22	1	1.47	0.0458	0.156
Glyceryl-glycoside	1.25	0.995	1.58	0.0553	0.18
Glycine	1.2	0.991	1.44	0.0626	0.196
1,3-Propanediol	0.872	0.745	1.02	0.0845	0.253
Citric acid	1.18	0.975	1.43	0.0895	0.258
Leucine	0.867	0.732	1.03	0.099	0.275
Nonadecanoic acid	0.88	0.753	1.03	0.108	0.29
Eicosapentaenoic acid	1.16	0.954	1.42	0.136	0.351
3-Indoleacetic acid	1.16	0.952	1.41	0.142	0.352
2-Hydroxybutyric acid	0.871	0.722	1.05	0.146	0.352
Pyroglutamic acid	1.16	0.938	1.43	0.171	0.396
Arachidic acid	0.872	0.715	1.06	0.174	0.396
Cholesterol	0.885	0.733	1.07	0.204	0.449
Linoleic acid	0.906	0.774	1.06	0.224	0.473
Pyruvic acid	1.13	0.929	1.36	0.227	0.473
Hydroxylamine	0.906	0.763	1.08	0.262	0.532
Tartronic acid	0.906	0.758	1.08	0.28	0.552
Glycerol (1)	1.13	0.899	1.43	0.289	0.556
3-Hydroxybutyric acid	0.904	0.747	1.09	0.3	0.562
alpha-ketoglutaric acid	1.11	0.902	1.36	0.328	0.599
Methionine	0.915	0.763	1.1	0.337	0.601
Decanoic acid	0.918	0.768	1.1	0.347	0.604
Glycerol (2)	1.09	0.899	1.32	0.381	0.636
Ethanolamine	1.09	0.899	1.32	0.382	0.636
Phenylalanine	0.929	0.773	1.12	0.428	0.698
Lactic acid	1.08	0.889	1.3	0.45	0.704
Glyceric acid	0.933	0.78	1.12	0.45	0.704
Isoleucine	0.934	0.777	1.12	0.469	0.718
Glutamic acid	1.07	0.877	1.29	0.524	0.776


Name	exp(coef)	Lower 95 %	Upper 95 %	Pr(> z)	p.adj
alpha-Tocopherol	1.06	0.876	1.29	0.528	0.776
4-Deoxytetronic acid (2)	1.06	0.875	1.29	0.538	0.776
Octanoic acid	0.95	0.801	1.13	0.56	0.79
1-Monopalmitin	1.06	0.868	1.29	0.576	0.79
2-Palmitoylglycerol	1.05	0.873	1.27	0.58	0.79
Campesterol	1.05	0.866	1.27	0.626	0.838
Oleic acid	0.96	0.795	1.16	0.67	0.882
1-Dodecanol	0.964	0.801	1.16	0.696	0.883
2-hydroxy Isovaleric acid	0.964	0.802	1.16	0.699	0.883
Myristoleic acid	1.04	0.858	1.25	0.706	0.883
11-Eicosenoic acid	1.03	0.854	1.25	0.734	0.903
Stearic acid	0.973	0.803	1.18	0.779	0.943
Docosaehaenoic acid	0.979	0.817	1.17	0.814	0.962
4-Hydroxybutanoic acid	1.02	0.846	1.23	0.828	0.962
Palmitic acid	0.98	0.809	1.19	0.833	0.962
Aminomalonic acid	0.988	0.82	1.19	0.899	0.997
Heptadecanoic acid (1)	0.99	0.821	1.19	0.916	0.997
L-5-Oxoproline	1.01	0.836	1.21	0.935	0.997
Ribitol (1)	0.994	0.815	1.21	0.951	0.997
Dodecanoic acid	1.01	0.834	1.21	0.952	0.997
Bisphenol A	0.995	0.825	1.2	0.958	0.997
Heptadecanoic acid (2)	1	0.834	1.21	0.968	0.997
Proline	0.997	0.827	1.2	0.971	0.997
Tridecanoic acid	1	0.832	1.2	0.996	0.997
Arachidonic acid	1	0.826	1.21	0.997	0.997

6.2.1.3 Top Metabolite

```
## Call:
## survival::coxph(formula = survival::Surv(time = Ulcer.diagnosis.tdiff,
##     event = Ulcer.diagnosis.from.DATE) ~ Ribonic_acid, data = data.km)
##
##   n= 618, number of events= 108
##   (19 observations deleted due to missingness)
##
##           coef exp(coef) se(coef)      z Pr(>|z|)
## Ribonic_acid 0.5957    1.8142   0.1139  5.231 1.69e-07 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
##           exp(coef) exp(-coef) lower .95 upper .95
## Ribonic_acid      1.814    0.5512    1.451    2.268
##
## Concordance= 0.647 (se = 0.026 )
## Likelihood ratio test= 28.99  on 1 df,   p=7e-08
## Wald test               = 27.36  on 1 df,   p=2e-07
## Score (logrank) test = 24.86  on 1 df,   p=6e-07
```

6.2.1.4 Kaplan-Maier Curve with Median Cutpoint

- Top metabolite




Number at risk

Ribonic_acid= >50%	306	293	268	241	0
Ribonic_acid= <50%	312	307	293	281	1

Cumulative number of events

Ribonic_acid= >50%	0	13	38	65	75
Ribonic_acid= <50%	0	5	19	31	33



Number at risk

Ribonic_acid= >50%	306	293	268	241	0
Ribonic_acid= <50%	312	307	293	281	1


Cumulative number of events

Ribonic_acid= >50%	0	13	38	65	75
Ribonic_acid= <50%	0	5	19	31	33

6.2.2 Adjusted Model

6.2.2.1 Forest Plot of Model Coefficients

Warning: Ignoring unknown aesthetics: x



6.2.2.2 Table with All Metabolites

Name	exp(coef)	Lower 95 %	Upper 95 %	Pr(> z)	p.adj
Ribonic acid	1.57	1.25	1.97	8.95e-05	0.00671
Tyrosine	0.793	0.696	0.902	0.000425	0.0159
2,4-Dihydroxybutanoic acid	1.35	1.09	1.67	0.00583	0.146
Fumaric acid	1.3	1.06	1.59	0.0104	0.157
Valine	0.773	0.631	0.946	0.0125	0.157
Nonanoic acid	0.829	0.715	0.963	0.014	0.157
Ribitol (2)	1.31	1.05	1.62	0.0172	0.157
4-Hydroxybenzeneacetic acid	1.32	1.05	1.65	0.0173	0.157
2-Hydroxybutyric acid	0.791	0.648	0.966	0.0214	0.157
Myo inositol	1.25	1.03	1.52	0.0241	0.157
Benzeneacetic acid	1.29	1.03	1.63	0.0289	0.157
Glycine	1.24	1.02	1.51	0.0295	0.157
4-Deoxytetronic acid (1)	1.26	1.02	1.55	0.03	0.157
3,4-Dihydroxybutanoic acid	1.25	1.02	1.54	0.0303	0.157
Serine	0.8	0.652	0.98	0.0314	0.157
Leucine	0.848	0.727	0.99	0.0368	0.173
Nonadecanoic acid	0.831	0.696	0.992	0.0406	0.179
Creatinine	1.23	1	1.5	0.0456	0.19
Phenylalanine	0.834	0.693	1	0.0539	0.213
Succinic acid	1.2	0.986	1.47	0.0689	0.259
Proline	0.842	0.686	1.03	0.102	0.349
Malic acid	1.18	0.965	1.45	0.106	0.349
Ribitol (1)	0.851	0.699	1.04	0.107	0.349
Hydroxyproline	1.18	0.958	1.45	0.12	0.374
Arabinopyranose	1.19	0.948	1.51	0.131	0.394
3-Hydroxybutyric acid	0.863	0.705	1.05	0.15	0.433
Isoleucine	0.873	0.72	1.06	0.17	0.462
4-Hydroxyphenyllactic acid	1.18	0.932	1.48	0.172	0.462
Threonine	0.886	0.743	1.06	0.179	0.462
Citric acid	1.15	0.935	1.41	0.187	0.469
Alanine	1.15	0.931	1.41	0.197	0.477
Glutamic acid	0.882	0.725	1.07	0.208	0.488
1,3-Propanediol	0.909	0.779	1.06	0.229	0.52
Methionine	0.884	0.721	1.09	0.239	0.528
Hydroxylamine	0.912	0.764	1.09	0.303	0.637
Decanoic acid	0.912	0.764	1.09	0.306	0.637
Glyceryl-glycoside	1.12	0.885	1.42	0.34	0.685
Pyroglutamic acid	1.11	0.89	1.38	0.356	0.685
4-Hydroxybutanoic acid	1.09	0.901	1.33	0.361	0.685
Eicosapentaenoic acid	1.11	0.889	1.38	0.365	0.685
Arachidic acid	0.91	0.738	1.12	0.375	0.687
4-Deoxytetronic acid (2)	0.92	0.75	1.13	0.426	0.758
3-Indolepropionic acid	0.936	0.792	1.11	0.435	0.758
L-5-Oxoproline	1.08	0.877	1.34	0.458	0.781
Tridecanoic acid	1.07	0.894	1.27	0.474	0.789
1-Dodecanol	1.07	0.882	1.3	0.491	0.8
Glycerol (2)	1.07	0.875	1.31	0.509	0.812
Tartronic acid	0.937	0.768	1.14	0.521	0.814
1-Monopalmitin	1.07	0.858	1.34	0.534	0.814
Ethanolamine	1.06	0.87	1.29	0.56	0.814


Name	exp(coef)	Lower 95 %	Upper 95 %	Pr(> z)	p.adj
Aminomalonic acid	1.06	0.869	1.29	0.564	0.814
Glycerol (1)	1.07	0.849	1.35	0.564	0.814
Octanoic acid	0.946	0.773	1.16	0.593	0.839
Bisphenol A	1.05	0.866	1.27	0.616	0.84
alpha-Tocopherol	1.06	0.851	1.31	0.616	0.84
Cholesterol	1.05	0.841	1.32	0.654	0.875
2-Palmitoylglycerol	1.04	0.855	1.27	0.672	0.875
Oleic acid	0.96	0.788	1.17	0.683	0.875
Linoleic acid	0.966	0.808	1.15	0.703	0.875
Campesterol	1.04	0.841	1.29	0.709	0.875
11-Eicosenoic acid	1.04	0.851	1.27	0.711	0.875
Palmitic acid	0.967	0.796	1.17	0.733	0.883
Heptadecanoic acid (1)	0.969	0.802	1.17	0.741	0.883
Docosahexaenoic acid	0.97	0.799	1.18	0.759	0.889
3-Indoleacetic acid	0.97	0.784	1.2	0.776	0.893
alpha-ketoglutaric acid	1.03	0.852	1.24	0.786	0.893
Myristoleic acid	0.976	0.795	1.2	0.813	0.903
Dodecanoic acid	0.977	0.8	1.19	0.819	0.903
Arachidonic acid	0.981	0.814	1.18	0.841	0.915
Heptadecanoic acid (2)	1.02	0.839	1.23	0.867	0.929
2-hydroxy Isovaleric acid	1.01	0.835	1.23	0.881	0.931
Glyceric acid	1.01	0.844	1.21	0.909	0.947
Lactic acid	1.01	0.824	1.24	0.928	0.953
Stearic acid	1	0.821	1.22	0.982	0.995
Pyruvic acid	0.999	0.825	1.21	0.995	0.995

6.2.2.3 Top Metabolite

```
## Call:
## survival::coxph(formula = survival::Surv(time = Ulcer.diagnosis.tdiff,
##     event = Ulcer.diagnosis.from.DATE) ~ Ribonic_acid + Age.x +
##     Gender.x + Hba1c_baseline + CALSBP + bmi + Smoking + Statin +
##     log_Blood_TGA + Total_cholesterol, data = data.km)
##
## n= 605, number of events= 107
## (32 observations deleted due to missingness)
##
##              coef exp(coef) se(coef)      z Pr(>|z|)
## Ribonic_acid  0.4601710  1.5843449  0.1174692  3.917 8.95e-05 ***
## Age.x         0.0434494  1.0444071  0.0091261  4.761 1.93e-06 ***
## Gender.x     0.3421315  1.4079455  0.2055785  1.664 0.096065 .
## Hba1c_baseline 0.3097510  1.3630857  0.0865588  3.579 0.000346 ***
## CALSBP      -0.0009112  0.9990892  0.0055210 -0.165 0.868913
## bmi         0.0167344  1.0168752  0.0243790  0.686 0.492446
## Smoking     0.3277397  1.3878276  0.2411257  1.359 0.174081
## Statin      0.7673117  2.1539680  0.2623612  2.925 0.003449 **
## log_Blood_TGA 0.0691174  1.0715620  0.1705221  0.405 0.685236
## Total_cholesterol -0.0901358  0.9138071  0.1237872 -0.728 0.466521
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
##              exp(coef) exp(-coef) lower .95 upper .95
## Ribonic_acid  1.5843  0.6312  1.2585  1.995
## Age.x         1.0444  0.9575  1.0259  1.063
## Gender.x     1.4079  0.7103  0.9410  2.107
## Hba1c_baseline 1.3631  0.7336  1.1504  1.615
## CALSBP      0.9991  1.0009  0.9883  1.010
## bmi         1.0169  0.9834  0.9694  1.067
## Smoking     1.3878  0.7206  0.8651  2.226
## Statin      2.1540  0.4643  1.2880  3.602
## log_Blood_TGA 1.0716  0.9332  0.7671  1.497
## Total_cholesterol 0.9138  1.0943  0.7169  1.165
##
## Concordance= 0.753 (se = 0.019 )
## Likelihood ratio test= 90.56 on 10 df, p=4e-15
## Wald test = 79.09 on 10 df, p=8e-13
## Score (logrank) test = 81.22 on 10 df, p=3e-13
```

6.2.2.3.1 Forest Plot with Clinical Variables

- Top metabolite



6.2.3 Adjusted Model with eGFR

6.2.3.1 Forest Plot of Model Coefficients

```
## NULL
```

6.2.3.2 Table with All Metabolites

Name	exp(coef)	Lower 95 %	Upper 95 %	Pr(> z)	p.adj
Nonanoic acid	0.797	0.687	0.926	0.00293	0.115
Tyrosine	0.816	0.713	0.934	0.00308	0.115
Ribonic acid	1.38	1.07	1.79	0.0121	0.302
4-Deoxytetronic acid (2)	0.779	0.635	0.955	0.0164	0.308
Phenylalanine	0.817	0.679	0.982	0.0316	0.395
Fumaric acid	1.24	1.02	1.52	0.0346	0.395
Nonadecanoic acid	0.831	0.698	0.989	0.0369	0.395
Ribitol (1)	0.834	0.684	1.02	0.0709	0.596
Proline	0.834	0.683	1.02	0.074	0.596
Serine	0.833	0.679	1.02	0.0794	0.596
Valine	0.842	0.686	1.03	0.101	0.617
Benzeneacetic acid	1.21	0.961	1.51	0.105	0.617
Glycine	1.17	0.961	1.43	0.116	0.617
3-Hydroxybutyric acid	0.853	0.699	1.04	0.12	0.617
1,3-Propanediol	0.881	0.749	1.04	0.124	0.617
Arabinopyranose	1.2	0.947	1.52	0.132	0.617
Succinic acid	1.17	0.951	1.43	0.14	0.618
Eicosapentaenoic acid	1.18	0.941	1.48	0.152	0.634
Leucine	0.901	0.774	1.05	0.176	0.697
2-Hydroxybutyric acid	0.872	0.709	1.07	0.193	0.725
Threonine	0.892	0.746	1.07	0.211	0.754
3-Indoleacetic acid	0.877	0.702	1.1	0.249	0.804
4-Deoxytetronic acid (1)	1.13	0.915	1.41	0.252	0.804
2,4-Dihydroxybutanoic acid	1.15	0.901	1.46	0.269	0.804
4-Hydroxybenzeneacetic acid	1.14	0.898	1.45	0.281	0.804
Glutamic acid	0.899	0.74	1.09	0.282	0.804
4-Hydroxybutanoic acid	1.11	0.914	1.35	0.292	0.804
Decanoic acid	0.91	0.763	1.09	0.3	0.804
Malic acid	1.11	0.905	1.36	0.318	0.821
Glycerol (1)	1.12	0.891	1.4	0.334	0.821
Arachidic acid	0.908	0.741	1.11	0.351	0.821
Hydroxylamine	0.923	0.78	1.09	0.352	0.821
Hydroxyproline	1.1	0.892	1.37	0.361	0.821
Cholesterol	1.11	0.883	1.39	0.376	0.83
L-5-Oxoproline	1.09	0.884	1.34	0.418	0.873
1-Dodecanol	1.08	0.892	1.32	0.419	0.873
2-Palmitoylglycerol	1.08	0.885	1.32	0.446	0.9
Alanine	1.08	0.879	1.33	0.456	0.9
2-hydroxy Isovaleric acid	1.08	0.876	1.32	0.483	0.911
4-Hydroxyphenyllactic acid	1.08	0.858	1.37	0.502	0.911
Glyceric acid	1.07	0.879	1.29	0.513	0.911
alpha-Tocopherol	1.07	0.867	1.32	0.529	0.911
Ribitol (2)	1.08	0.847	1.38	0.531	0.911
1-Monopalmitin	1.07	0.86	1.34	0.536	0.911
3,4-Dihydroxybutanoic acid	1.07	0.854	1.35	0.548	0.911
Tridecanoic acid	1.05	0.884	1.25	0.572	0.911
Ethanolamine	1.06	0.864	1.3	0.576	0.911
Methionine	0.945	0.767	1.16	0.592	0.911
Bisphenol A	1.05	0.868	1.28	0.595	0.911
Tartronic acid	0.951	0.783	1.16	0.612	0.918


Name	exp(coef)	Lower 95 %	Upper 95 %	Pr(> z)	p.adj
Creatinine	1.05	0.857	1.29	0.63	0.92
Heptadecanoic acid (1)	0.962	0.801	1.16	0.681	0.92
Isoleucine	0.961	0.788	1.17	0.692	0.92
Citric acid	1.04	0.843	1.29	0.701	0.92
3-Indolepropionic acid	0.967	0.816	1.15	0.702	0.92
Aminomalonic acid	1.04	0.848	1.27	0.708	0.92
Oleic acid	0.964	0.796	1.17	0.711	0.92
Linoleic acid	0.968	0.813	1.15	0.712	0.92
Dodecanoic acid	0.966	0.792	1.18	0.729	0.92
Stearic acid	1.03	0.849	1.26	0.736	0.92
Myo inositol	1.03	0.818	1.3	0.791	0.943
11-Eicosenoic acid	1.03	0.843	1.25	0.792	0.943
Glyceryl-glycoside	1.03	0.816	1.29	0.827	0.943
Heptadecanoic acid (2)	1.02	0.843	1.24	0.832	0.943
Octanoic acid	0.981	0.805	1.19	0.845	0.943
Lactic acid	1.02	0.838	1.24	0.846	0.943
Glycerol (2)	1.02	0.835	1.24	0.851	0.943
Myristoleic acid	0.984	0.81	1.2	0.873	0.943
Campesterol	1.02	0.823	1.25	0.88	0.943
alpha-ketoglutaric acid	1.01	0.838	1.23	0.893	0.943
Arachidonic acid	0.988	0.813	1.2	0.903	0.943
Pyroglutamic acid	0.987	0.792	1.23	0.906	0.943
Palmitic acid	0.996	0.814	1.22	0.973	0.995
Docosahexaenoic acid	1	0.821	1.22	0.982	0.995
Pyruvic acid	1	0.827	1.21	0.995	0.995

6.2.3.3 Top Metabolite from Adjusted Model

```
## Call:
## survival::coxph(formula = survival::Surv(time = Ulcer.diagnosis.tdiff,
##   event = Ulcer.diagnosis.from.DATE) ~ Ribonic_acid + Age.x +
##   Gender.x + Hba1c_baseline + CALSBP + bmi + Smoking + Statin +
##   log_Blood_TGA + Total_cholesterol + egfr, data = data.km)
##
##   n= 603, number of events= 107
##   (34 observations deleted due to missingness)
##
##              coef exp(coef)  se(coef)      z Pr(>|z|)
## Ribonic_acid    0.331041  1.392417  0.131879  2.510 0.012067 *
## Age.x           0.040851  1.041696  0.009169  4.455 8.38e-06 ***
## Gender.x        0.407541  1.503116  0.207463  1.964 0.049484 *
## Hba1c_baseline  0.299112  1.348661  0.087588  3.415 0.000638 ***
## CALSBP          -0.001878  0.998124  0.005517 -0.340 0.733554
## bmi             0.016694  1.016835  0.024309  0.687 0.492229
## Smoking         0.342762  1.408834  0.241142  1.421 0.155196
## Statin          0.710802  2.035622  0.264929  2.683 0.007297 **
## log_Blood_TGA  0.042170  1.043072  0.170503  0.247 0.804654
## Total_cholesterol -0.076283  0.926554  0.122820 -0.621 0.534535
## egfr            -0.008234  0.991800  0.004232 -1.946 0.051697 .
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
##              exp(coef) exp(-coef) lower .95 upper .95
## Ribonic_acid      1.3924    0.7182    1.0753    1.803
## Age.x              1.0417    0.9600    1.0231    1.061
## Gender.x           1.5031    0.6653    1.0009    2.257
## Hba1c_baseline     1.3487    0.7415    1.1359    1.601
## CALSBP             0.9981    1.0019    0.9874    1.009
## bmi                1.0168    0.9834    0.9695    1.066
## Smoking            1.4088    0.7098    0.8782    2.260
## Statin             2.0356    0.4913    1.2111    3.421
## log_Blood_TGA     1.0431    0.9587    0.7468    1.457
## Total_cholesterol  0.9266    1.0793    0.7283    1.179
## egfr              0.9918    1.0083    0.9836    1.000
##
## Concordance= 0.761 (se = 0.019 )
## Likelihood ratio test= 94.16 on 11 df, p=3e-15
## Wald test              = 82.66 on 11 df, p=5e-13
## Score (logrank) test = 88.44 on 11 df, p=3e-14
```


6.2.3.3.1 Forest Plot with Clinical Variables

- Top metabolite from adjusted model



6.2.4 Fully Adjusted Model

6.2.4.1 Forest Plot of Model Coefficients

NULL

6.2.4.2 Table with All Metabolites

Name	exp(coef)	Lower 95 %	Upper 95 %	Pr(> z)	p.adj
Tyrosine	0.81	0.707	0.928	0.00233	0.12
Nonanoic acid	0.798	0.687	0.927	0.00321	0.12
Ribonic acid	1.37	1.06	1.77	0.0154	0.385
Nonadecanoic acid	0.816	0.685	0.971	0.022	0.394
4-Deoxytetronic acid (2)	0.791	0.643	0.973	0.0263	0.394
Phenylalanine	0.814	0.675	0.982	0.0315	0.394
Ribitol (1)	0.813	0.666	0.991	0.0405	0.434
Fumaric acid	1.21	0.989	1.48	0.0641	0.543
Valine	0.821	0.666	1.01	0.0651	0.543
Proline	0.834	0.682	1.02	0.0755	0.547
Serine	0.832	0.677	1.02	0.0802	0.547
3-Hydroxybutyric acid	0.84	0.687	1.03	0.0892	0.549
Succinic acid	1.19	0.97	1.46	0.0952	0.549
1,3-Propanediol	0.882	0.75	1.04	0.131	0.69
Benzeneacetic acid	1.19	0.946	1.5	0.138	0.69
Arabinopyranose	1.18	0.932	1.5	0.168	0.721
Leucine	0.901	0.775	1.05	0.176	0.721
Glycine	1.15	0.938	1.4	0.181	0.721
3-Indoleacetic acid	0.859	0.685	1.08	0.189	0.721
Malic acid	1.15	0.932	1.42	0.192	0.721
Decanoic acid	0.897	0.752	1.07	0.227	0.811
Threonine	0.9	0.751	1.08	0.253	0.812
Arachidic acid	0.891	0.724	1.1	0.276	0.812
Glycerol (1)	1.13	0.899	1.43	0.291	0.812
2-Hydroxybutyric acid	0.893	0.723	1.1	0.294	0.812
4-Hydroxybutanoic acid	1.11	0.91	1.35	0.303	0.812
Eicosapentaenoic acid	1.13	0.896	1.42	0.306	0.812
Glutamic acid	0.903	0.74	1.1	0.311	0.812
4-Deoxytetronic acid (1)	1.12	0.897	1.39	0.324	0.812
Hydroxyproline	1.11	0.898	1.38	0.325	0.812
Hydroxylamine	0.923	0.777	1.1	0.361	0.845
Cholesterol	1.11	0.881	1.39	0.381	0.845
Alanine	1.09	0.888	1.35	0.398	0.845
4-Hydroxybenzeneacetic acid	1.11	0.874	1.4	0.401	0.845
L-5-Oxoproline	1.09	0.886	1.35	0.404	0.845
2,4-Dihydroxybutanoic acid	1.11	0.868	1.42	0.406	0.845
4-Hydroxyphenyllactic acid	1.09	0.854	1.38	0.501	0.891
2-Palmitoylglycerol	1.07	0.876	1.31	0.508	0.891
1-Dodecanol	1.07	0.877	1.3	0.516	0.891
Ethanolamine	1.07	0.868	1.31	0.535	0.891
2-hydroxy Isovaleric acid	1.07	0.866	1.32	0.538	0.891
Tartronic acid	0.941	0.774	1.14	0.542	0.891
Tridecanoic acid	1.05	0.884	1.25	0.564	0.891
1-Monopalmitin	1.07	0.857	1.33	0.568	0.891
Heptadecanoic acid (1)	0.948	0.787	1.14	0.573	0.891
Methionine	0.947	0.767	1.17	0.609	0.891
3-Indolepropionic acid	0.957	0.809	1.13	0.61	0.891
Isoleucine	0.95	0.781	1.16	0.611	0.891
3,4-Dihydroxybutanoic acid	1.06	0.841	1.34	0.614	0.891
Dodecanoic acid	0.951	0.78	1.16	0.619	0.891

Name	exp(coef)	Lower 95 %	Upper 95 %	Pr(> z)	p.adj
Creatinine	1.05	0.857	1.29	0.62	0.891
Glyceric acid	1.05	0.864	1.28	0.62	0.891
alpha-Tocopherol	1.05	0.852	1.3	0.629	0.891
Lactic acid	1.04	0.856	1.27	0.681	0.946
Oleic acid	0.965	0.795	1.17	0.714	0.951
Ribitol (2)	1.05	0.82	1.33	0.719	0.951
Bisphenol A	1.04	0.851	1.26	0.727	0.951
Linoleic acid	0.972	0.815	1.16	0.747	0.951
alpha-ketoglutaric acid	1.03	0.847	1.25	0.768	0.951
Stearic acid	1.03	0.843	1.25	0.783	0.951
Octanoic acid	0.973	0.801	1.18	0.785	0.951
Aminomalonic acid	1.03	0.837	1.27	0.786	0.951
Myristoleic acid	0.976	0.804	1.18	0.805	0.958
Glyceryl-glycoside	0.978	0.778	1.23	0.845	0.96
Citric acid	1.02	0.824	1.27	0.851	0.96
Pyroglutamic acid	0.98	0.786	1.22	0.858	0.96
Glycerol (2)	1.02	0.831	1.24	0.88	0.96
Palmitic acid	0.986	0.804	1.21	0.896	0.96
Heptadecanoic acid (2)	0.989	0.816	1.2	0.913	0.96
Docosahexaenoic acid	0.99	0.813	1.21	0.923	0.96
Myo inositol	1.01	0.8	1.28	0.932	0.96
11-Eicosenoic acid	0.991	0.801	1.23	0.935	0.96
Campesterol	1.01	0.813	1.25	0.944	0.96
Pyruvic acid	1.01	0.829	1.22	0.959	0.96
Arachidonic acid	0.995	0.816	1.21	0.96	0.96


6.2.4.3 Top Metabolites

6.2.4.3.1 Top Metabolite – Tyrosine

```
## Call:
## survival::coxph(formula = survival::Surv(time = Ulcer.diagnosis.tdiff,
##     event = Ulcer.diagnosis.from.DATE) ~ Tyrosine + Age.x + Gender.x +
##     Hba1c_baseline + CALSBP + bmi + Smoking + Statin + log_Blood_TGA +
##     Total_cholesterol + egfr + logUAER, data = data.km)
##
## n= 570, number of events= 105
## (67 observations deleted due to missingness)
##
##              coef exp(coef) se(coef)      z Pr(>|z|)
## Tyrosine      -0.211095  0.809697  0.069329 -3.045  0.00233 **
## Age.x          0.532079  1.702469  0.125699  4.233  2.31e-05 ***
## Gender.x       0.391308  1.478913  0.215163  1.819  0.06896 .
## Hba1c_baseline 0.392627  1.480866  0.100879  3.892  9.94e-05 ***
## CALSBP        -0.042728  0.958172  0.105902 -0.403  0.68660
## bmi           0.003430  1.003436  0.101722  0.034  0.97310
## Smoking        0.250030  1.284064  0.246942  1.013  0.31130
## Statin         0.620318  1.859519  0.267533  2.319  0.02041 *
## log_Blood_TGA  0.061086  1.062991  0.119191  0.513  0.60830
## Total_cholesterol -0.137230  0.871770  0.109713 -1.251  0.21101
## egfr          -0.362850  0.695691  0.119620 -3.033  0.00242 **
## logUAER       -0.007858  0.992173  0.110637 -0.071  0.94338
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
##              exp(coef) exp(-coef) lower .95 upper .95
## Tyrosine          0.8097      1.2350    0.7068    0.9275
## Age.x             1.7025      0.5874    1.3307    2.1781
## Gender.x          1.4789      0.6762    0.9701    2.2547
## Hba1c_baseline    1.4809      0.6753    1.2152    1.8046
## CALSBP            0.9582      1.0437    0.7786    1.1792
## bmi               1.0034      0.9966    0.8221    1.2248
## Smoking           1.2841      0.7788    0.7914    2.0835
## Statin            1.8595      0.5378    1.1007    3.1414
## log_Blood_TGA     1.0630      0.9407    0.8415    1.3427
## Total_cholesterol 0.8718      1.1471    0.7031    1.0809
## egfr              0.6957      1.4374    0.5503    0.8795
## logUAER           0.9922      1.0079    0.7988    1.2324
##
## Concordance= 0.753 (se = 0.019 )
## Likelihood ratio test= 87.75 on 12 df, p=1e-13
## Wald test              = 79.74 on 12 df, p=5e-12
## Score (logrank) test = 85.52 on 12 df, p=4e-13
```


Forest Plot with Clinical Variables

- Tyrosine



Kaplan-Maier Curve with Median Cutpoint

- Tyrosine




Number at risk

Tyrosine_group= >50%	254	249	235	222	1
Tyrosine_group= <50%	364	351	326	300	0

Cumulative number of events

Tyrosine_group= >50%	0	5	19	32	37
Tyrosine_group= <50%	0	13	38	64	71



Number at risk

Tyrosine_group= >50%	254	249	235	222	1
Tyrosine_group= <50%	364	351	326	300	0

Cumulative number of events


Tyrosine_group= >50%	0	5	19	32	37
Tyrosine_group= <50%	0	13	38	64	71

```
##
## 1
## 517

##
## (-9.21,-0.29] (-0.29,0.155] (0.155,0.541] (0.541,1.57]
## 159 210 108 159

##
## 4th Quartile 3rd Quartile 2nd Quartile 1st Quartile
## 159 108 210 159

## Loading required package: ggplot2
```




6.2.4.3.2 Top Metabolite from Adjusted Model – Ribonic Acid


```
## Call:
## survival::coxph(formula = survival::Surv(time = Ulcer.diagnosis.tdiff,
##     event = Ulcer.diagnosis.from.DATE) ~ Ribonic_acid + Age.x +
##     Gender.x + Hba1c_baseline + CALSBP + bmi + Smoking + Statin +
##     log_Blood_TGA + Total_cholesterol + egfr + logUAER, data = data.km)
##
## n= 570, number of events= 105
## (67 observations deleted due to missingness)
##
##           coef exp(coef) se(coef)      z Pr(>|z|)
## Ribonic_acid  0.31444  1.36949  0.12977  2.423 0.015392 *
## Age.x         0.46314  1.58905  0.12302  3.765 0.000167 ***
## Gender.x      0.45362  1.57400  0.21598  2.100 0.035701 *
## Hba1c_baseline 0.37866  1.46033  0.10263  3.690 0.000224 ***
## CALSBP       -0.03533  0.96529  0.10325 -0.342 0.732234
## bmi          0.04687  1.04799  0.10025  0.468 0.640089
## Smoking      0.32928  1.38997  0.24962  1.319 0.187116
## Statin       0.65246  1.92026  0.26774  2.437 0.014811 *
## log_Blood_TGA 0.01055  1.01061  0.12009  0.088 0.929969
## Total_cholesterol -0.05763  0.94400  0.10868 -0.530 0.595947
## egfr        -0.24726  0.78094  0.13022 -1.899 0.057587 .
## logUAER     -0.01014  0.98992  0.11117 -0.091 0.927351
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
##           exp(coef) exp(-coef) lower .95 upper .95
## Ribonic_acid      1.3695    0.7302    1.0619    1.766
## Age.x             1.5891    0.6293    1.2486    2.022
## Gender.x          1.5740    0.6353    1.0308    2.403
## Hba1c_baseline    1.4603    0.6848    1.1943    1.786
## CALSBP            0.9653    1.0360    0.7884    1.182
## bmi               1.0480    0.9542    0.8610    1.276
## Smoking           1.3900    0.7194    0.8522    2.267
## Statin            1.9203    0.5208    1.1362    3.245
## log_Blood_TGA     1.0106    0.9895    0.7987    1.279
## Total_cholesterol 0.9440    1.0593    0.7629    1.168
## egfr              0.7809    1.2805    0.6050    1.008
## logUAER           0.9899    1.0102    0.7961    1.231
##
## Concordance= 0.755 (se = 0.02 )
## Likelihood ratio test= 86.86 on 12 df, p=2e-13
## Wald test              = 78.01 on 12 df, p=1e-11
## Score (logrank) test = 82.79 on 12 df, p=1e-12
```

Forest Plot with Clinical Variables

- Top metabolite from adjusted model




6.2.5 Compilation




7 Integration of Results

7.1 Crude Models

7.1.1 Cross-Sectional




7.1.2 Longitudinal



7.2 Adjusted Models

7.2.1 Cross-Sectional



7.2.2 Longitudinal

