

Supplementary Material

A cross-sectional questionnaire-based landscaping of female infertility reveals genital Infections as major contributor to reproductive tract anomalies, menstrual disorders and infertility

Naresh Patnaik¹, Uttam Sarkar², Malathi Jojula³, Hema Vaddiraju⁴, Ruchi Jain Dey^{1, *}

¹Department of Biological Sciences, BITS Pilani, Hyderabad Campus, Telangana State- 500 078, India

²West Bengal University of Animal and Fishery Sciences, Department of Animal Genetics and Breeding, West Bengal – 700037, India

³Department of Microbiology, Sri Shivani College of Pharmacy, Mulugu Road, Warangal, Telangana State – 506002, India

⁴Cure well Hospital, Srinivasa Colony, Warangal, Telangana State – 506007, India

***Corresponding author**

Email for correspondence: ruchij80@hyderabad.bits-pilani.ac.in

List of Supplementary Materials

- **Supplementary Material 1 – Patient consent form**
- **Supplementary Material 2 – Patient Questionnaire**
- **Supplementary Material 3 - Tables S1-S2 (A, B, C and D)**

Supplementary Material 1 – Patient consent form

1. Patient Declaration/Informed Consent Form (English)

I declare that the information provided by me is true and correct to the best of my knowledge and belief. I provide my consent to be contacted for further clarifications/discussions.

I have been asked to take part in a research study “*Design and development of rapid and cost-effective point-of-care, nano-based nucleic acid biosensors for prognosis, diagnosis and management of infection-induced infertility in females.*” carried out by **BITS-Pilani, Hyderabad campus** in collaboration with **Curewell Hospital, Warangal**. The study team has described the following details pertaining to the research topic with special emphasis on its benefits for the maternal and child health. (The details have been explained to me in English/Telugu/Hindi).

- a. **Why the study is being done?** [The study will be helpful to find out the prevalence of genital infections and its association with reproductive tract disorders including infertility in females in the region of Warangal, Telangana]
- b. **What will happen to me if I participate in the study?** [Clinician will be able to diagnose the infections on time and will be able to decide the most appropriate treatment specific to a particular infection(s) which will provide effective and timely symptomatic relief and prevent worsening of the symptoms.]
- c. **How long I will be in the study?** [It is going to be a one-time interaction on enrolment, where you will fill a questionnaire and provide consent to give urine/vaginal swab samples as part of routine procedure in the hospital for regular diagnosis. The leftover samples (waste) will be given to us for our study]
- d. **The possible risks, discomforts, and the benefits of the study?** [Since the study involves minimally invasive techniques for self-sampling/sample collection by a trained medical technician at the hospital, there is minimal to no risk or discomfort involved. Plus, the study will be beneficial for research related to development of cost effective diagnosis methods important for maternal and fetal health]
- e. **How my study records will be kept private?** [Multiple steps will be taken to ensure data anonymization/de-identification/security, such as
 1. The identities of the patients will not be disclosed in any publication/conferences/reports to funding agency/public forum or to any commercial organization.
 2. Patients samples will be double blinded and assigned codes – one at the level of clinic for the clinician and will also be de-identified and coded for research purpose. These codes will be alphanumeric in nature and assigned at hospital by the investigating clinician and will be then de-identified and coded when sent to PI’s lab for research purpose.
- f. **Whether the study will cost me anything?** [The patient will not be charged anything for this study]

I may contact Doctors of the research team at any time if I have questions about the research. In future I have the liberty to withdraw from the study at any time. I, hereby, give my consent to provide my details in the questionnaire and subsequently, give my consent to use the leftover urine/vaginal swab samples which are collected by the clinician as part of routine diagnosis to be used for the aforementioned research study.

Patient Name

Patient’s Signature*

Date

Reviewed by

Reviewer signature

Date

Supplementary Material 2 - Patient Questionnaire

For office use only
Patient Details:
Name: Gender: Age: Contact no.: Address: _____
Patient ID (Hospital):
Patient ID (De-identified): (generated slip)

Questionnaire for the female patient

I. Personal Information

1.	Partner's Age	
2.	Patient Occupation	
3.	Partner's Occupation	
4.	Reason for the visit to clinic	

II. General Health Details (Female patient)

Height (cms) =	Weight (kgs) =
Blood type =	
Do you exercise/workout? Yes - _____ No - _____	List of exercises and duration
Any addictions (caffeine/tobacco/alcohol/drug abuse): Yes - _____ No - _____	

III. Menstrual History

1. Age at first period?	_____ yrs
2. First day of your last period? _____	Normal _____ / Abnormal _____
4. Are your periods regular? Yes _____ / No _____	Mention the gap between the periods:
5. Details of menstrual flow.	Light _____ / Moderate _____ / Heavy _____
6. Duration of the flow	_____ days
8. Do you experience cramps before, during, or after your period? Yes _____ No _____	If yes: Cramps are Mild _____ Moderate _____ Severe _____
	Medication for cramps (if taken) _____
9. Do you bleed or spot between periods?	Yes _____ / No _____

IV. Pregnancy History

- a) Did you have term pregnancies previously? Yes - No-
If yes, then how many _____
- b) Did you have preterm pregnancies/deliveries previously? Yes- No-
If yes, then give details of health of the delivered baby _____
- c) Did you have natural abortions earlier? Yes- No-
If yes, then how many _____
- d) Did you have medical termination of pregnancy (medical abortions) previously? Yes- No-
If yes, then how many _____
- e) Did you have Ectopic pregnancy/tubal pregnancy previously? Yes- No-
If yes, then how many _____

V. Contraceptive / Sexual History

1. What form of contraception do you use now or have you used in the past? (Tick wherever necessary.)	Pills / IUD / Diaphragm Rhythm Withdrawal Foams/Jellies/Condom Tubal ligation / Vasectomy
2. If you've ever been on oral contraceptives(pills), were your periods regular after stopping the pills? Yes _____ No _____	
3. Do you time intercourse around ovulation? Yes _____ No _____	If yes, how?

VI. Fertility Treatment History

- 1. Have you been treated for infertility before? Yes _____ No _____
If yes, who was your physician? _____
Diagnosed cause? _____

Treatment History			
Intrauterine insemination	# Cycles	Dates / to __/	Outcome: Pregnant/ Delivered/ Ectopic/ Miscarriage/ Not pregnant
Clomid/Letrozole alone maximum tablets/day? _____		/ to __/	Outcome: Pregnant/ Delivered/ Ectopic/ Miscarriage/ Not pregnant
Clomid/Letrozole with intrauterine insemination		/ to __/	Outcome: Pregnant/ Delivered/ Ectopic/ Miscarriage/ Not pregnant
Daily hCG injections/ intrauterine insemination maximum # vials/day? _____		/ to __/	Outcome: Pregnant/ Delivered/ Ectopic/ Miscarriage/ Not pregnant
Completed IVF cycles		/ to __/	Outcome: Pregnant/ Delivered/ Ectopic/ Miscarriage/ Not pregnant
Frozen embryo cycles		/ to __/	Outcome: Pregnant/ Delivered/ Ectopic/ Miscarriage/ Not pregnant
Canceled IVF attempts		/ to __/	
Any other treatment? (Describe)			
Current Diagnosis (Tick whichever is applicable):			

1. Amenorrhoea/Dysmenorrhoea/Irregular periods/Spot bleeding
2. Abortions/MTP
3. PCOD(PCOS)/ PID (Pelvic Inflammatory Disease)/ Endometriosis
4. Hyperthyroidism / Hypothyroidism
5. Do you experience any of the following symptoms (Tick whichever is applicable):
 - a) Vaginal Itching/burning. (Yes- No-)
 - b) Inflammation or soreness of vagina (Yes- No-)
 - c) Vaginal Discharge (Yes- No-)
 - d) Painful micturition (pain during urination): (Yes- No-)
 - e) Pain during vaginal sex: (Yes- No-)
 - f) Vaginal bleeding or spotting during vaginal sex: (Yes- No-)

2. Any previous history of following ailments? (Tick whichever is applicable)

High Blood pressure/ Low Blood pressure	Diabetes	Epilepsy	Vertigo
Heart diseases	Neurological Conditions	Kidney diseases	Liver diseases
Hyperthyroidism/ Hypothyroidism	Chronic Bronchitis	Chronic Migraines and headaches	Bowel irritation
Urinary tract infection	Gonorrhoea	Chlamydia	Syphilis
Hepatitis	Tuberculosis	Measles	Pneumonia
Sexually Transmitted Diseases (HIV, HPV, HCV)	Vaginal Candidiasis	Trichomoniasis	Cancers/Tumors

Any allergies (Food allergen/Environment allergen/Drug/ Antibiotic allergens/autoimmune disorders)

Yes- /No- _____ Mention the name _____

3. What drugs are you taking as part of current treatment procedure?

Letrozole (Femara)	Clomiphene citrate (Clomid)
hCG (Profasi, Pregnyl, Novarel)	HMG (Repronex, Pergonal, Menopur)
bromocriptine (Parlodel)	Progesterone
Estrogen	Danazol/Danocrine
Prednisone	FSH (Gonal F, Follistim)
GnRH agonists (Lupron, Synarel)	Others? Specify.

4. Which of the following tests have you had performed? Check all that apply and the results if known:

	Values	Results?
Pap smear		
Basal Body Temperature (BBT) charts		
Hormonal Tests		
Follicle stimulating hormone (FSH)		High /Low /Normal
Leutenising hormone (LH)		High /Low /Normal
Prolactin		High /Low /Normal
Anti-Mullerian Hormone (AMH)		High /Low /Normal
Estrogen		High /Low /Normal
Progesterone		High /Low /Normal
DHEA-S		High /Low /Normal
Testosterone		High /Low /Normal
Thyroid tests	Yes /No	High /Low /Normal Are you on medication; If yes (name and dosage)
Radiological/Invasive Examination		
Endometrial Biopsy	Yes /No	
Hysterosalpingogram (X-ray of uterus/tubes)	Yes /No	
Ultrasound/Sonogram	Yes /No	
Laparoscopy	Yes /No	
Examination of genital infections		
Chlamydia/Gonorrhoea test	Yes /No	
Urinary tract infection.	Yes /No	If yes, provide the name of infection:
PPD/Quantiferon TB test/TB PCR test/TB culture test?	Yes /No	Results: If yes, are you on TB treatment/DOTS - _____
Others infections? Specify.		

5. Past surgery(s)/treatment(s)

Type of surgery	When?
Surgery for reversal of tubal ligation? Yes / No	
Surgery for pelvic adhesions or other pelvic surgery? Yes / No	
Treatment of cervix for abnormal Pap Smear? Yes / No	
Other surgeries (D&C, ovarian, appendectomy, thyroid)? Yes / No	Specify details:
If you've had anaesthesia, have you had problems with anaesthesia? Yes / No	Specify details:

VII. Partner's health history:

Has your partner had a semen analysis? Yes /No	Normal /Abnormal
Sperm Analysis stats	
Sperm count: Sperm motility: TZI (Teratozoospermia index) levels:	UTI test: White blood cells:
Is your partner seeing a doctor for evaluation of infertility? Yes / No	If yes, what is the diagnosis and how is he being treated?
Has he ever fathered a child previously, either with you or with other women? Yes /No	If yes, when?
Is your partner ever diagnosed with Tuberculosis/UTI/STD? Yes /No	If Yes, mention details and prescribed drugs/duration of therapy

VIII. Family History

1. Did your mother have any difficulty with conception or pregnancy or abortions or pre-term birth? Yes ____ No ____	If yes, give details.
2. Is there a family history of infertility? Yes ____ No ____	If yes, who (list all members and relationship to you):
3. Is there a family history (mother and father side of the female patient)? Bleeding tendencies / Strokes / Cancer / Thyroid Disorders / Diabetes / Tuberculosis / (HPV, HCV, HIV) / Heart Disease / High Blood Pressure Other (Specify) _____	

Supplementary Material 3 – Tables

Table S1. List of parameters. Table enlists the details of parameters used for the questionnaire based assessment of the subjects. Each parameter is provided with a variable name (ID), starting from P1 to P45. The IDs of the variable/parameter are assigned for the ease of statistical analysis – frequency distribution and Phi correlation.

ID	Parameter
P1	Oligomenorrhoeae / Irregular Periods or inconsistent blood flow
P2	Polycystic ovarian syndrome (PCOS)/Polycystic ovarian disease (PCOD)
P3	Metrorrhagia/Spot Bleeding
P4	Amenorrhoea/Absence of periods
P5	Dysmenorrhoea/Painful periods with cramps
P6	Menorrhagia (Heavy Bleeding)
P7	Anovulation
P8	Vaginal discharge/leukorrhea
P9	Thrombocytopenia
P10	Tubal Blockage
P11	Secretory/Proliferative/thickened Endometrium/Endometrium hyperplasia/Endometrial Cysts
P12	Teratoma (Ovarian Cyst)
P13	Abortions/Medical termination of pregnancy
P14	Endometriosis
P15	Dyspareunia (pain during intercourse)
P16	Fallopian tubes or uterine blockage
P17	Cervicitis (Cervical inflammation)
P18	TB Positivity (PPD/Quantiferon TB test/TB PCR test/TB culture test)
P19	Confirmed/Symptoms of UTI (painful micturition)
P20	Pelvic Inflammatory Disorder
P21	Vaginitis/symptoms of infections (Itching, burning, discharge)
P22	Treatment with Clomid and/or Letrozole alone
P23	Treatment with Estrogen Priming followed by Letrozole and/or Clomid
P24	Treatment with Letrozole/Clomid priming followed by Progesterone
P25	Treatment with Estrogen Alone
P26	Treatment with Progesterone Alone
P27	Follicle stimulating hormone (FSH) levels
P28	Luteinising hormone (LH) levels
P29	Prolactin hormone levels
P30	Anti-Mullerian Hormone (AMH) levels
P31	Age at first period? (in years)
P32	Duration of the menstrual cycle (in days)
P33	Details of menstrual flow?
P34	Body Mass Index (BMI) Status
P35	Do you exercise or workout?
P36	Was the semen abnormal?
P37	Oligospermia (Low Sperm Count)
P38	Low Sperm DNA Integrity
P39	Asthenozoospermia (AS) or Low motility Sperm
P40	High TZI (Teratozoospermia index) levels
P41	Normospermia
P42	Pyospermia [Presence of pus cells]
P43	Hyospermia [Low volume of semen]
P44	Hyperviscosity
P45	Treated for TB with Macoz (Rifampicin and Isoniazid)

Table S2. Frequency distribution analysis of parameters in infertile and healthy groups. The table represents frequency distribution of individuals in each population group (healthy and infertile) with respect to parameters. A. Pathological sequelae- menstrual disorders (P1, P3-6) and reproductive tract anomalies (P2, P7, P10-14 and P16), genital infection associated symptoms or confirmed diagnosis of infections (P8, P9, P15, P17-21), female treatment (P22-26), exercise (P35), male reproductive semen/sperm abnormalities (P36-44) and male treatment (P45); B. Details of menstrual flow (P33) and C. Body Mass Index (BMI - P34). D. Female reproductive hormones (P27-30)- FSH, LH, Prolactin and AMH. The percentage frequencies for each parameter (or variable) are calculated with respect to the total frequencies in the respective group (infertility group: 62 and healthy control group: 38). Frequency distribution in all these parameters are analysed on the basis of multinomial response “Yes” (represented as 1) and “No” (represented as 0) and absence of response by the subjects for any parameter is recorded as “No data”. P31 and P32 are excluded from the frequency analysis as the responses for these parameters are continuous in nature.

A.

Category of parameter	ID	Parameter	Total frequency of infertility group, N1 = 62		Total frequency of healthy control group, N2 = 38		Remarks about the parameters (if any)
			Frequency of patients (F1)	Infertile [%] (F1*100/N1)	Frequency of healthy subjects (F2)	Healthy [%] (F2*100/N2)	
Pathological sequelae (Menstrual disorders)	P1	Oligomenorrhoeae / Irregular Periods or inconsistent blood flow	9	14.5	0	0	
	P3	Metrorrhagia/ Spot Bleeding	5	8.1	0	0	
	P4	Amenorrhoea/Absence of periods	8	12.9	0	0	
	P5	Dysmenorrhoea/ Painful periods with cramps	40	64.5	11	28.9	
	P6	Menorrhagia (Heavy Bleeding)	21	33.9	9	23.7	Derived from P32
Pathological sequelae (reproductive anomalies)	P2	PCOS/PCOD	19	30.6	0	0	
	P7	Anovulation	1	1.6	0	0	
	P10	Tubal Blockage	1	1.6	0	0	Same as P16
	P11	Secretory/Proliferative/thickened Endometrium/Endometrium hyperplasia/Endometrial Cysts	4	6.5	0	0	
	P12	Teratoma (Ovarian Cyst)	1	1.6	0	0	
	P13	Abortions/Medical termination of pregnancy	16	25.8	0	0	
	P14	Endometriosis	2	3.2	0	0	
	P16	Fallopian tubes or uterine blockage suggested by Hysterosalpingogram (X-ray of uterus/tubes)	5	8.1	0	0	
Genital infection associated	P8	Vaginal discharge/leukorrhoea	1	1.6	0	0	Same as P21

symptoms/co nfirm diagnosis of infections	P9	Thrombocytopenia	1	1.6	0	0	
	P15	Dyspareunia (pain during intercourse)	7	11.3	0	0	
	P17	Cervicitis (Cervical inflammation)	2	3.2	0	0	
	P18	TB Positivity PPD/Quantiferon TB test/TB PCR test/TB culture test done or not ?	2	3.2	0	0	
	P19	Confirmed/Symptoms of UTI (painful micturition)	2	3.2	0	0	
	P20	Pelvic Inflammatory Disorder	16	25.8	0	0	
	P21	Vaginitis/symptoms of infections (Itching, burning, discharge)	11	17.7	0	0	
Female Treatment	P22	Treatment with Clomid and/or Letrozole alone	24	38.7	0	0	
	P23	Treatment with Estrogen Priming followed by Letrozole and/or Clomid	25	40.3	0	0	
	P24	Treatment with Letrozole/Clomid priming followed by Progesterone	1	1.6	0	0	
	P25	Treatment with Estrogen Alone	1	1.6	0	0	
	P26	Treatment with Progesterone Alone	1	1.6	0	0	
Physical parameters	P35	Do you exercise or workout?	22	35.5	15	39.5	
Male reproductive/ semen/sperm anomalies	P36	Was the semen abnormal?	23	37.1	0	0	
	P37	Oligospermia (Low Sperm Count)	13	21	0	0	
	P38	Low Sperm DNA Integrity	2	3.2	0	0	
	P39	Asthenozoospermia (AS) or Low motility Sperm	14	22.6	0	0	
	P40	High TZI (Teratozoospermia index) levels	9	14.5	0	0	
	P41	Normospermia	8	12.9	0	0	
	P42	Pyospermia [Presence of pus cells]	5	8.1	0	0	
	P43	Hypospermia [Low volume of semen]	2	3.2	0	0	
	P44	Hyperviscosity	3	4.8	0	0	
Male Treatment	P45	Treated for TB with Macoz (Rifampicin and Isoniazid)	1	1.6	0	0	

B.

		P33: Details of menstrual flow^a
Total frequency of infertility group, N1 = 62	Frequency of patients with heavy menstrual bleeding (F1)	21
	Infertile % with heavy menstrual bleeding (F1*100/N1)	33.9
	Frequency of patients with light menstrual bleeding (F2)	3
	Infertile % with light menstrual bleeding (F2*100/N1)	4.8
	Frequency of patients with moderate menstrual bleeding (F3)	38
	Infertile % with moderate menstrual bleeding (F3*100/N1)	61.3
Total frequency of healthy control group, N2 = 38	Frequency of healthy subjects with heavy menstrual bleeding (F4)	9
	Healthy % with heavy menstrual bleeding (F4*100/N2)	23.7
	Frequency of healthy subjects with light menstrual bleeding (F5)	0
	Healthy % with light menstrual bleeding (F5*100/N2)	0
	Frequency of healthy subjects with moderate menstrual bleeding (F6)	29
	Healthy % with moderate menstrual bleeding (F6*100/N2)	76.3
a: Menstrual flow data is sub-categorized into three categories- Light, moderate and heavy		

C.

		P34: Physical parameter (BMI)^b
Total frequency of infertility group, N1 = 62	Frequency of patients with Normal BMI (F1)	19
	Infertile % with normal BMI (F1*100/N1)	30.6
	Frequency of patients with high BMI (F2)	10
	Infertile % with high BMI (F2*100/N1)	16.1
	Frequency of patients with low BMI (F3)	7
	Infertile % with low BMI (F3*100/N1)	11.3
	Frequency of patients with no BMI data (F4)	26
	Infertile % with no BMI data (F4*100/N1)	41.9
Total frequency of healthy control group, N2 = 38	Frequency of healthy with Normal BMI (F5)	16
	Healthy % with normal BMI (F5*100/N2)	42.1
	Frequency of healthy with high BMI (F6)	6
	Healthy % with high BMI (F6*100/N2)	15.8
	Frequency of healthy with low BMI (F7)	0
	Healthy % with low BMI (F7*100/N2)	0
	Frequency of healthy with no BMI data (F8)	16
	Healthy % with no BMI data (F8*100/N2)	42.1

b: BMI data is sub-categorized into three categories- Low, normal and high

D.

		Physiological parameters (female reproductive hormone profiles)			
		P27	P28	P29	P30
		Follicle stimulating hormone (FSH) ^c	Luteinising hormone (LH) ^c	Prolactin hormone ^d	Anti-Mullerian Hormone (AMH) ^d
Total frequency of infertility group, N1 = 62	Frequency of patients with high hormone levels (F1)	3	1	2	6
	Infertile % with high hormone levels (F1*100/N1)	4.8	1.6	3.2	9.7
	Frequency of patients with low hormone levels (F2)	2	2	0	0
	Infertile % with low hormone levels (F2*100/N1)	3.2	3.2	0	0
	Frequency of patients with normal hormone levels (F3)	31	5	9	8
	Infertile % with normal hormone levels (F3*100/N1)	50	8.1	14.5	12.9
	Frequency of patients with no hormone data (F4)	26	54	51	48
	Infertile % with no hormone data (F4*100/N1)	41.9	87.1	82.3	77.4
Healthy (N2 = 38)		No data	No data	No data	No data
c: FSH and LH levels are sub-categorized into three categories- Low, high and normal d: Prolactin and AMH are sub-categorized only into two categories- High and normal (hence, low frequency is listed as 0)					