

Table S1. Logistic regression analysis of associations between severe cognition deficit and acute COVID infection severity, referent to people never infected.

	Univariate model		Adjusted model	
	OR (95% CI)	p-value	OR (95% CI)	p-value
Asymptomatic	1.12 (0.99, 1.26)	0.05	1.01 (0.91, 1.14)	0.75
Mild	1.46 (1.40, 1.52)	<0.0001	1.24 (1.19, 1.30)	<0.0001
Moderate	1.49 (1.43, 1.55)	<0.0001	1.32 (1.26, 1.37)	<0.0001
Severe	3.97 (3.78, 4.17)	<0.0001	3.07 (2.91, 3.22)	<0.0001

OR: odds ratio. Adjusted: model adjusted for age, gender, race/ethnicity, education, and region.

Table S2. Association between cognitive deficit and sociodemographic factors among long COVID patients

	Severe Cognitive Deficit		OR (95% CI)	p-value
	Yes	No		
Gender at Birth, N				
Male	1,738	11,857	1.0	Reference
Female	4,945	25,073	1.32 (1.25, 1.40)	<0.0001
Race/Ethnicity, N				
Non-Hispanic White	4,932	27,428	1.0	Reference
Non-Hispanic Black	410	2,436	0.85 (0.76, 0.95)	0.003
Non-Hispanic Asian	116	1,069	0.65 (0.54, 0.80)	<0.0001
Non-Hispanic, Multi-races	445	1,855	1.27 (1.14, 1.42)	<0.0001
Hispanic	780	4,142	0.97 (0.89, 1.05)	0.467
Age, N				
18-34	1,494	6,803	1.0	Reference
35-49	2,272	12,204	0.85 (0.80, 0.92)	<0.0001
50-64	1,668	11,414	0.65 (0.60, 0.71)	<0.0001
65 and above	1,249	6,509	0.88 (0.81, 0.96)	0.004
Education, N				
High School and Below	1,153	5,480	1.0	Reference
Some College/Associate	3,037	13,905	1.03 (0.96, 1.11)	0.41
Bachelor's degree	1,486	9,867	0.72 (0.66, 0.78)	<0.0001
Graduate degree	1,007	7,678	0.63 (0.58, 0.69)	<0.0001
Region, N				
Northeast	800	4,968	1.0	Reference
South	2,389	11,990	1.21 (1.11, 1.32)	< 0.0001
Midwest	1,449	8,452	1.01 (0.92, 1.11)	0.88
West	2,045	11,520	1.06 (0.97, 1.15)	0.24

Odds ratios are calculated using adjusted logistic regression analyses that are controlled for the other categorical variables in the table.

Table S3. Prevalence of Cognitive Deficit Reported by Long COVID Patients in US States

State	Cognitive Deficit		%	State	Cognitive Deficit		%
	Yes	No			Yes	No	
Alabama	127	612	17.2	Alaska	98	546	15.2
Arizona	167	1033	13.9	Arkansas	142	629	18.4
California	349	2306	13.2	Colorado	182	964	15.9
Connecticut	77	584	11.6	Delaware	51	292	14.9
District of Columbia	53	291	15.4	Florida	187	1070	14.9
Georgia	159	875	15.4	Hawaii	46	314	12.8
Idaho	150	799	15.8	Illinois	124	803	13.4
Indiana	123	769	13.8	Iowa	140	668	17.3
Kansas	125	753	14.2	Kentucky	155	635	19.6
Louisiana	110	560	16.4	Maine	58	318	15.4
Maryland	93	655	12.4	Massachusetts	120	809	12.9
Michigan	170	1020	14.3	Minnesota	127	783	14.0
Mississippi	100	505	16.5	Montana	136	726	15.8
Montana	113	536	17.4	Nebraska	118	683	14.7
Nevada	98	594	14.2	New Hampshire	80	521	13.3
New Jersey	99	642	13.4	New Mexico	126	683	15.6
New York	115	658	14.9	North Carolina	114	600	16.0
North Dakota	77	423	15.4	Ohio	126	639	16.5
Oklahoma	192	805	19.3	Oregon	189	865	17.9
Pennsylvania	144	843	14.6	Rhode Island	52	306	14.5
South Carolina	126	638	16.5	South Dakota	84	510	14.1
Tennessee	161	789	16.9	Texas	340	1770	16.1
Utah	202	1114	15.3	Vermont	55	287	16.1
Virginia	151	752	16.7	Washington	218	1251	14.8
West Virginia	128	512	20.0	Wisconsin	99	675	12.8
Wyoming	109	515	17.5				

Numbers in % indicate the percentages of long COVID patients reporting severe cognitive deficits in each US state.

Table S4. Sociodemographic characteristics of long COVID patients in CT, MD, KY and WV States

	CT	MD	KY	WV	p-value
	N = 661	N= 748	N = 790	N = 640	
Gender at Birth, N (%)					0.89
Male	193 (29.2)	224 (29.9)	224 (28.4)	182 (28.4)	
Female	468 (70.8)	524 (70.1)	566 (71.6)	458 (71.6)	
Race/Ethnicity, N (%)					< 0.0001
Non-Hispanic White	467 (70.7)	446 (59.6)	708 (89.6)	592 (92.5)	
Non-Hispanic Black	49 (7.4)	164 (21.9)	26 (3.3)	13 (2.0)	
Non-Hispanic Asian	15 (2.3)	27 (3.6)	8 (1.0)	6 (0.9)	
Non-Hispanic, Multi-races	22 (3.3)	32 (4.3)	25 (3.2)	13 (2.0)	
Hispanic	108 (16.3)	79 (10.6)	23 (2.9)	16 (2.5)	
Age, N (%)					0.23
18-34	123 (18.6)	122 (16.3)	154 (19.5)	95 (14.8)	
35-49	230 (34.8)	257 (34.4)	246 (31.1)	221 (34.5)	
50-64	209 (31.6)	246 (32.9)	246 (31.1)	223 (34.8)	
65 and above	99 (15.0)	123 (16.4)	144 (18.2)	101 (15.8)	
Education, N (%)					< 0.0001
High School and Below	112 (16.9)	102 (13.6)	147 (18.6)	154 (24.1)	
Some College/Associate	229 (34.6)	213 (28.5)	326 (41.3)	254 (39.7)	
Bachelor's degree	175 (26.5)	202 (27.0)	176 (22.3)	129 (20.2)	
Graduate degree	145 (21.9)	231 (30.9)	141 (17.8)	103 (16.1)	

N represents the total number of long COVID patients in each of the four states. The numbers inside the parenthesis indicate the percentages of long COVID patients in each sociodemographic group. P-value calculation was based on the Chi-Squared test.