Supplementary Tables and Figures

Supplementary Table 1: Digital biomarkers measured by the Fitbit available in the *All of Us* Research Program (AoURP) dataset v6.

Name	Category	Description
Average HR	Heart rate	Mean heart rate per date
SD HR	Heart rate	Heart rate's standard deviation per date
Minimum HR	Heart rate	Minimum heart rate per date
Q1 HR	Heart rate	Heart rate's first quartile per date
Median HR	Heart rate	Median heart rate per date
Q3 HR	Heart rate	Heart rate's third quartile per date
Maximum HR	Heart rate	Maximum heart rate per date
Sum steps	Activity	Sum of steps per date
Activity calories	Activity	Sum of calories burned when not at rest per date
Calories BMR	Activity	Sum of calories burned at rest per date
Calories out	Activity	Sum of total calories burned per date
Fairly active minutes	Activity	Sum of fairly active minutes per date
Lightly active minutes	Activity	Sum of lightly active minutes per date
Marginal calories	Activity	Difference in calories burned at rest and during activity per date
Sedentary minutes	Activity	Sum of sedentary minutes per date
Very active minutes	Activity	Sum of very active minutes per date

Supplementary Table 2: Random effect p-value from linear mixed effects model with person ID as the random effect.

Digital biomarker	Degrees of freedom	p-value	
Average HR	1	0.00E+00	
SD HR	1	0.00E+00	
Minimum HR	1	0.00E+00	
Q1 HR	1	0.00E+00	
Median HR	1	0.00E+00	
Q3 HR	1	0.00E+00	
Maximum HR	1	5.78E-164	
Sum steps	1	0.00E+00	
Activity calories	1	0.00E+00	
Calories BMR	1	0.00E+00	
Calories out	1	0.00E+00	
Fairly active minutes	1	0.00E+00	
Lightly active minutes	1	0.00E+00	
Marginal calories	1	0.00E+00	
Sedentary minutes	1	3.22E-285	
Very active minutes	1	0.00E+00	

^{*}Statistical tests were run at a significance level of 0.05.

Supplementary Table 3: Percentage of women with a significant difference between time periods from the interrupted time series analysis (ITSA).

Digital biomarker	Percent significant
Average HR	65-70
SD HR	75-80
Minimum HR	65-70
Q1 HR	70-75
Median HR	65-70
Q3 HR	70-75
Maximum HR	65-70
Sum steps	65-70
Activity calories	75-80
Calories BMR	50-55
Calories out	65-70
Fairly active minutes	75-80
Lightly active minutes	75-80
Marginal calories	75-80
Sedentary minutes	60-65
Very active minutes	60-65

^{*}Statistical tests were run at a significance level of 0.05.

Supplementary Table 4: Percentage of women with a significant difference between all time periods from Tukey HSD tests.

Digital biomarker	Group	Percent significant
Average HR	PPD-Pre_pregnancy	55-60
Average HR	PPD-Pregnancy	75-80
Average HR	PPD-Postpartum	50-55
Average HR	Postpartum-Pre_pregnancy	50-55
Average HR	Postpartum-Pregnancy	80-85
Average HR	Pregnancy-Pre_pregnancy	90-95
SD HR	PPD-Pre_pregnancy	60-65
SD HR	PPD-Pregnancy	50-55
SD HR	PPD-Postpartum	25-30
SD HR	Postpartum-Pre_pregnancy	75-80
SD HR	Postpartum-Pregnancy	30-35
SD HR	Pregnancy-Pre_pregnancy	90-95
Minimum HR	PPD-Pre_pregnancy	55-60
Minimum HR	PPD-Pregnancy	50-55
Minimum HR	PPD-Postpartum	50-55
Minimum HR	Postpartum-Pre_pregnancy	60-65
Minimum HR	Postpartum-Pregnancy	90-95
Minimum HR	Pregnancy-Pre_pregnancy	95-100
Q1 HR	PPD-Pre_pregnancy	45-50
Q1 HR	PPD-Pregnancy	65-70
Q1 HR	PPD-Postpartum	50-55
Q1 HR	Postpartum-Pre_pregnancy	35-40
Q1 HR	Postpartum-Pregnancy	80-85
Q1 HR	Pregnancy-Pre_pregnancy	95-100
Median HR	PPD-Pre_pregnancy	35-40
Median HR	PPD-Pregnancy	75-80
Median HR	PPD-Postpartum	45-50
Median HR	Postpartum-Pre_pregnancy	35-40
Median HR	Postpartum-Pregnancy	80-85
Median HR	Pregnancy-Pre_pregnancy	95-100
Q3 HR	PPD-Pre_pregnancy	45-50

Q3 HR	PPD-Pregnancy	75-80
Q3 HR	PPD-Postpartum	40-45
Q3 HR	Postpartum-Pre_pregnancy	35-40
Q3 HR	Postpartum-Pregnancy	80-85
Q3 HR	Pregnancy-Pre_pregnancy	90-95
Maximum HR	PPD-Pre_pregnancy	60-65
Maximum HR	PPD-Pregnancy	60-65
Maximum HR	PPD-Postpartum	25-30
Maximum HR	Postpartum-Pre_pregnancy	35-40
Maximum HR	Postpartum-Pregnancy	40-45
Maximum HR	Pregnancy-Pre_pregnancy	35-40
Sum steps	PPD-Pre_pregnancy	80-85
Sum steps	PPD-Pregnancy	65-70
Sum steps	PPD-Postpartum	20-25
Sum steps	Postpartum-Pre_pregnancy	60-65
Sum steps	Postpartum-Pregnancy	40-45
Sum steps	Pregnancy-Pre_pregnancy	80-85
Activity calories	PPD-Pre_pregnancy	60-65
Activity calories	PPD-Pregnancy	60-65
Activity calories	PPD-Postpartum	45-50
Activity calories	Postpartum-Pre_pregnancy	60-65
Activity calories	Postpartum-Pregnancy	50-55
Activity calories	Pregnancy-Pre_pregnancy	90-95
Calories BMR	PPD-Pre_pregnancy	90-95
Calories BMR	PPD-Pregnancy	85-90
Calories BMR	PPD-Postpartum	60-65
Calories BMR	Postpartum-Pre_pregnancy	95-100
Calories BMR	Postpartum-Pregnancy	90-95
Calories BMR	Pregnancy-Pre_pregnancy	80-85
Calories out	PPD-Pre_pregnancy	60-65
Calories out	PPD-Pregnancy	60-65
Calories out	PPD-Postpartum	40-45
Calories out	Postpartum-Pre_pregnancy	35-40
Calories out	Postpartum-Pregnancy	50-55
Calories out	Pregnancy-Pre_pregnancy	60-65

Fairly active minutes	PPD-Pre_pregnancy	80-85
Fairly active minutes	PPD-Pregnancy	50-55
Fairly active minutes	PPD-Postpartum	25-30
Fairly active minutes	Postpartum-Pre_pregnancy	60-65
Fairly active minutes	Postpartum-Pregnancy	40-45
Fairly active minutes	Pregnancy-Pre_pregnancy	55-60
Lightly active minutes	PPD-Pre pregnancy	70-75
		60-65
Lightly active minutes	PPD-Pregnancy	
Lightly active minutes	PPD-Postpartum	30-35
Lightly active minutes	Postpartum-Pre_pregnancy	35-40
Lightly active minutes	Postpartum-Pregnancy	50-55
Lightly active minutes	Pregnancy-Pre_pregnancy	70-75
Marginal calories	PPD-Pre_pregnancy	60-65
Marginal calories	PPD-Pregnancy	65-70
Marginal calories	PPD-Postpartum	25-30
Marginal calories	Postpartum-Pre_pregnancy	60-65
Marginal calories	Postpartum-Pregnancy	50-55
Marginal calories	Pregnancy-Pre_pregnancy	90-95
Sedentary minutes	PPD-Pre_pregnancy	25-30
Sedentary minutes	PPD-Pregnancy	30-35
Sedentary minutes	PPD-Postpartum	25-30
Sedentary minutes	Postpartum-Pre_pregnancy	75-80
Sedentary minutes	Postpartum-Pregnancy	40-45
Sedentary minutes	Pregnancy-Pre_pregnancy	45-50
Very active minutes	PPD-Pre_pregnancy	70-75
Very active minutes	PPD-Pregnancy	45-50
Very active minutes	PPD-Postpartum	10-15
Very active minutes	Postpartum-Pre_pregnancy	60-65
Very active minutes	Postpartum-Pregnancy	30-35
Very active minutes	Pregnancy-Pre_pregnancy	55-60

^{*}Statistical tests were run at a significance level of 0.05.

Supplementary Table 5: Mean difference and direction of digital biomarkers between all time periods.

Digital biomarker	Group	Mean difference	SD difference	p-value	Net direction
Average HR	PPD-Pre_pregnancy	-0.02	2.99	0.98	Not significant
Average HR	PPD-Pregnancy	-4.76	4.82	0	Negative
Average HR	PPD-Postpartum	-0.56	3.45	0.54	Not significant
Average HR	Postpartum-Pre_pregnancy	-1.58	3.66	0.26	Not significant
Average HR	Postpartum-Pregnancy	-3.9	5.46	0.05	Not significant
Average HR	Pregnancy-Pre_pregnancy	4.97	4.86	0.01	Positive
SD HR	PPD-Pre_pregnancy	-1.76	1.58	0	Negative
SD HR	PPD-Pregnancy	-0.47	1.14	0.16	Not significant
SD HR	PPD-Postpartum	0.09	1.17	0.78	Not significant
SD HR	Postpartum-Pre_pregnancy	-1.82	1.72	0.02	Negative
SD HR	Postpartum-Pregnancy	-0.45	1.34	0.31	Not significant
SD HR	Pregnancy-Pre_pregnancy	-1.18	1.28	0.01	Negative
Minimum HR	PPD-Pre_pregnancy	1.08	2.56	0.19	Not significant
Minimum HR	PPD-Pregnancy	-4.02	4.32	0.01	Negative
Minimum HR	PPD-Postpartum	-0.27	3.73	0.79	Not significant
Minimum HR	Postpartum-Pre_pregnancy	0.08	4.23	0.96	Not significant
Minimum HR	Postpartum-Pregnancy	-3.26	5.53	0.1	Not significant
Minimum HR	Pregnancy-Pre_pregnancy	4.94	3.96	0	Positive
Q1 HR	PPD-Pre_pregnancy	1.34	3.06	0.18	Not significant
Q1 HR	PPD-Pregnancy	-4.41	5	0.01	Negative
Q1 HR	PPD-Postpartum	-0.55	3.54	0.56	Not significant
Q1 HR	Postpartum-Pre_pregnancy	-0.24	3.71	0.86	Not significant
Q1 HR	Postpartum-Pregnancy	-3.61	5.65	0.07	Not significant
Q1 HR	Pregnancy-Pre_pregnancy	5.81	5.07	0	Positive
Median HR	PPD-Pre_pregnancy	0.59	2.88	0.51	Not significant
Median HR	PPD-Pregnancy	-4.43	5.33	0.01	Negative
Median HR	PPD-Postpartum	-0.63	3.41	0.49	Not significant
Median HR	Postpartum-Pre_pregnancy	-0.97	3.21	0.42	Not significant
Median HR	Postpartum-Pregnancy	-3.64	5.92	0.08	Not significant
Median HR	Pregnancy-Pre_pregnancy	5.46	4.89	0	Positive

Q3 HR	PPD-Pre_pregnancy	-0.75	2.97	0.42	Not significant
Q3 HR	PPD-Pregnancy	-4.94	5.08	0	Negative
Q3 HR	PPD-Postpartum	-0.65	3.63	0.5	Not significant
Q3 HR	Postpartum-Pre_pregnancy	-2.22	3.59	0.12	Not significant
Q3 HR	Postpartum-Pregnancy	-4.01	5.83	0.06	Not significant
Q3 HR	Pregnancy-Pre_pregnancy	4.69	4.9	0.01	Positive
Maximum HR	PPD-Pre_pregnancy	-5.95	9.11	0.06	Not significant
Maximum HR	PPD-Pregnancy	-5.36	6.95	0.02	Negative
Maximum HR	PPD-Postpartum	0.44	7.08	0.81	Not significant
Maximum HR	Postpartum-Pre_pregnancy	-7.29	7.75	0.03	Negative
Maximum HR	Postpartum-Pregnancy	-4.89	6.34	0.04	Negative
Maximum HR	Pregnancy-Pre_pregnancy	-0.01	5.77	0.99	Not significant
Sum steps	PPD-Pre_pregnancy	-3659.25	2266.34	0	Negative
Sum steps	PPD-Pregnancy	-1633.4	1920.59	0.01	Negative
Sum steps	PPD-Postpartum	38.29	1182.07	0.9	Not significant
Sum steps	Postpartum-Pre_pregnancy	-3357.43	1431.2	0	Negative
Sum steps	Postpartum-Pregnancy	-1262.69	1477.86	0.02	Negative
Sum steps	Pregnancy-Pre_pregnancy	-1694.59	1328.11	0	Negative
Activity calories	PPD-Pre_pregnancy	-295.71	239.34	0	Negative
Activity calories	PPD-Pregnancy	-81.06	183.73	0.14	Not significant
Activity calories	PPD-Postpartum	-23.84	157.73	0.57	Not significant
Activity calories	Postpartum-Pre_pregnancy	-270.1	214.75	0.01	Negative
Activity calories	Postpartum-Pregnancy	-57.63	194.46	0.37	Not significant
Activity calories	Pregnancy-Pre_pregnancy	-178.29	162.57	0	Negative
Calories BMR	PPD-Pre_pregnancy	19.97	93.84	0.5	Not significant
Calories BMR	PPD-Pregnancy	7.23	62.83	0.69	Not significant
Calories BMR	PPD-Postpartum	-4.55	38.84	0.66	Not significant
Calories BMR	Postpartum-Pre_pregnancy	14.92	118.06	0.73	Not significant
Calories BMR	Postpartum-Pregnancy	6.52	43.23	0.64	Not significant
Calories BMR	Pregnancy-Pre_pregnancy	14.9	95.82	0.62	Not significant
Calories out	PPD-Pre_pregnancy	-217.82	206.13	0.01	Negative
Calories out	PPD-Pregnancy	-70.08	141.95	0.1	Not significant
Calories out	PPD-Postpartum	-25.75	132.44	0.46	Not significant
Calories out	Postpartum-Pre_pregnancy	-208.54	273.36	0.07	Not significant
Calories out	Postpartum-Pregnancy	-49.87	180.69	0.41	Not significant

Calories out	Pregnancy-Pre_pregnancy	-116.69	181.65	0.06	Not significant
Fairly active minutes	PPD-Pre_pregnancy	-12.98	12.21	0.01	Negative
Fairly active minutes	PPD-Pregnancy	-6.47	8.15	0.01	Negative
Fairly active minutes	PPD-Postpartum	-0.73	7.95	0.73	Not significant
Fairly active minutes	Postpartum-Pre_pregnancy	-13.21	13.37	0.03	Negative
Fairly active minutes	Postpartum-Pregnancy	-4.82	5.67	0.02	Negative
Fairly active minutes	Pregnancy-Pre_pregnancy	-6.74	8.01	0.02	Negative
Lightly active minutes	PPD-Pre_pregnancy	-34.38	56.84	0.07	Not significant
Lightly active minutes	PPD-Pregnancy	6.4	50.3	0.65	Not significant
Lightly active minutes	PPD-Postpartum	-2.46	37.7	0.8	Not significant
Lightly active minutes	Postpartum-Pre_pregnancy	-32.2	40.76	0.06	Not significant
Lightly active minutes	Postpartum-Pregnancy	5.41	48.64	0.73	Not significant
Lightly active minutes	Pregnancy-Pre_pregnancy	-29.45	27.63	0.01	Negative
Marginal calories	PPD-Pre_pregnancy	-195.21	143.91	0	Negative
Marginal calories	PPD-Pregnancy	-70.76	100.28	0.03	Negative
Marginal calories	PPD-Postpartum	-15.2	88.55	0.52	Not significant
Marginal calories	Postpartum-Pre_pregnancy	-180.45	144.17	0.01	Negative
Marginal calories	Postpartum-Pregnancy	-49.62	108.47	0.18	Not significant
Marginal calories	Pregnancy-Pre_pregnancy	-108.13	107.12	0.01	Negative
Sedentary minutes	PPD-Pre_pregnancy	50.68	55.36	0.01	Positive
Sedentary minutes	PPD-Pregnancy	21.65	70.09	0.29	Not significant
Sedentary minutes	PPD-Postpartum	-24.22	74.85	0.23	Not significant
Sedentary minutes	Postpartum-Pre_pregnancy	102.6	95.3	0.02	Positive
Sedentary minutes	Postpartum-Pregnancy	70.59	68.82	0.01	Positive
Sedentary minutes	Pregnancy-Pre_pregnancy	37.19	81.98	0.16	Not significant
Very active minutes	PPD-Pre_pregnancy	-11.67	9.09	0	Negative
Very active minutes	PPD-Pregnancy	-6.02	6.81	0.01	Negative
Very active minutes	PPD-Postpartum	0.08	3.97	0.94	Not significant
Very active minutes	Postpartum-Pre_pregnancy	-10.62	7.67	0.01	Negative
Very active minutes	Postpartum-Pregnancy	-5.37	6.11	0.02	Negative
Very active minutes	Pregnancy-Pre_pregnancy	-5.25	5.75	0.01	Negative


^{*}Statistical tests were run at a significance level of 0.05.

Supplementary Table 6: Net direction of digital biomarkers between pairs of time periods.

Group	Direction	Digital biomarker
PPD-Pre_pregnancy	Positive	Sedentary minutes
PPD-Pre_pregnancy	Negative	SD HR, Sum steps, Activity calories, Calories out, Fairly active minutes, Marginal calories, Very active minutes
PPD-Pre_pregnancy	Not significant	Average HR, Minimum HR, Q1 HR, Median HR, Q3 HR, Maximum HR, Calories BMR, Lightly active minutes
PPD-Pregnancy	Negative	Average HR, Minimum HR, Q1 HR, Median HR, Q3 HR, Maximum HR, Sum steps, Fairly active minutes, Marginal calories, Very active minutes
PPD-Pregnancy	Not significant	SD HR, Activity calories, Calories BMR, Calories out, Lightly active minutes, Sedentary minutes
PPD-Postpartum	Positive	None
PPD-Postpartum	Negative	None
PPD-Postpartum	Not significant	Average HR, SD HR, Minimum HR, Q1 HR, Median HR, Q3 HR, Maximum HR, Sum steps, Activity calories, Calories BMR, Calories out, Fairly active minutes, Lightly active minutes, Marginal calories, Sedentary minutes, Very active minutes
Postpartum-Pre_pregnancy	Positive	Sedentary minutes
Postpartum-Pre_pregnancy	Negative	SD HR, Maximum HR, Sum steps, Activity calories, Fairly active minutes, Marginal calories, Very active minutes
Postpartum-Pre_pregnancy	Not significant	Average HR, Minimum HR, Q1 HR, Median HR, Q3 HR, Calories BMR, Calories out, Lightly active minutes
Postpartum-Pregnancy	Positive	Sedentary minutes
Postpartum-Pregnancy	Negative	Maximum HR, Sum steps, Fairly active minutes, Very active minutes
Postpartum-Pregnancy	Not significant	Average HR, SD HR, Minimum HR, Q1 HR, Median HR, Q3 HR, Activity calories, Calories BMR, Calories out, Lightly active minutes, Marginal calories
Pregnancy-Pre_pregnancy	Positive	Average HR, Minimum HR, Q1 HR, Median HR, Q3 HR
Pregnancy-Pre_pregnancy	Negative	SD HR, Sum steps, Activity calories, Fairly active minutes, Lightly active minutes, Marginal calories, Very active minutes
Pregnancy-Pre_pregnancy	Not significant	Maximum HR, Calories BMR, Calories out, Sedentary minutes

^{*}Statistical tests were run at a significance level of 0.05.

Supplementary Figure 1: Individualized RF models exhibited a strong performance for identifying all four time periods.



A: The sensitivity, specificity, precision, recall, and F1 score across individual RF models for the pre-pregnancy class.


B: The sensitivity, specificity, precision, recall, and F1 score across individual RF models for the pregnancy class.

C: The sensitivity, specificity, precision, recall, and F1 score across individual RF models for the postpartum class.

Individualized RF models exhibited robust performance in terms of sensitivity, specificity, precision, recall, and F1 score for recognizing the pre-pregnancy, pregnancy, and postpartum time periods.


Data are expressed as mean ± SD in A-C.

Supplementary Figure 2: Prior history of depression before or duing pregnancy did not impact model performance for recognizing the PPD time period.



The sensitivity (top left), specificity (top right), precision (middle left), recall (middle right), and F1 score (bottom middle) of individualized ML models in women from the PPD cohort with 1) no prior history of depression (None), 2) history pre-pregnancy (Pre-preg), 3) history during pregnancy (Preg), or 4) history of both pre-pregnancy and during pregnancy (Pre-preg + preg). Among women in the PPD cohort, the average sensitivity, specificity, precision, recall, and F1 score displayed no variation across those with no history of depression, history of depression prior to pregnancy, history of depression during pregnancy, or history of depression both prior to and during pregnancy. Data are expressed as mean ± SD.


Supplementary Figure 3: SHapley Additive exPlanations (SHAP) beeswarm plots were used for variable importance in individualized ML models.




An example of a beeswarm SHapley Additive exPlanations (SHAP) plot for assessing variable importance in individualized ML models.

An example SHAP beeswarm plot showcasing the ranking of digital biomarkers according to their average Absolute Shapley values within an individualized model for predicting the PPD time period. In this example, the five most predictive features for the PPD time period were calories BMR, calories out, Q1 HR, lightly active minutes, and minimum HR.

Supplementary Figure 4: An example of SHAP dependence plots assessing the relationship between digital biomarkers and PPD.





A: An example of a SHAP dependence plot during pre-pregnancy/PPD time periods.


B: An example of a SHAP dependence plot during pregnancy/PPD time periods.

C: An example of a SHAP dependence plot during postpartum/PPD time periods.

Example SHAP dependence dependence plots from individualized models demonstrated a correlation between Shapley values and actual values of calories BMR between the

pre-pregnancy/PPD time periods in addition to a negative correlation during the pregnancy/PPD and postpartum/PPD time periods. This process was repeated for each individual to calculate the percentage of women with a significant correlation. Of those with a significant correlation, the percentage of women with a positive or negative correlation between Shapley values and actual values of the digital biomarker of interest was calculated.

Supplementary Figure 5: The relationship between digital biomarkers provided insights into PPD classification in individualized N-of-1 ML models.



The ratio of lightly active minutes to sedentary minutes, fairly active minutes, and very active minutes across all individuals during the pregnancy and PPD time periods. The ratio of lightly active minutes to very active minutes surpassed that of lightly active minutes to fairly active minutes, which in turn is greater than the ratio of lightly active minutes to sedentary minutes. Data are expressed as mean \pm SD.