

Table 2. Proportion of participant scores for “overall taste” of active and placebo samples

Hedonic Scores for Participant Liking	Proportion of Participants (n)		
	S1	S2	S3
Active Samples			
Dislike (Scores 1-4)	9% (3)	34% (12)	74% (26)
Neutral (Score of 5)	9% (3)	9% (3)	11% (4)
Like (Scores 6-9)	82% (29)	57% (20)	15% (5)
Placebo Samples	S4	S5	S6
Dislike (Scores 1-4)	29% (10)	74% (26)	94% (33)
Neutral (Score of 5)	11% (4)	3% (1)	0% (0)
Like (Scores 6-9)	60% (21)	23% (8)	6% (2)

Participants' (N=35) “overall liking” of each sample (S1-S6) using 9-point hedonic scale. Hedonic scores range from 1-9, where a score of 1=Disliked extremely, 9=Liked extremely, and 5=Neither like nor dislike. Active samples S1, S2, S3 contain the mineral-enriched powder at concentrations of 1g/L, 2g/L, and 3g/L, respectively. Placebo samples S4, S5, S6 contain the placebo powder at concentrations of 1g/L, 2g/L, and 3g/L, respectively. Proportion reporting overall disliking of each active and placebo sample include participants who gave hedonic scores between 1-4. Proportion reporting of overall liking of each active and placebo sample include participants who gave the samples hedonic scores between 6-9.