



Figure S1. Cumulative number of participants.

Table S1. Spearman's correlation among understanding of, interest in, relief regarding, and intention for preventive behavior against COVID-19 after providing information.

		Upper right: control					
		Understanding of infection status (post)	Interest in infection status (post)	Relief regarding infection status (post)	Intent to engage in overall preventive behavior (post)	Intent to wear masks (post)	Intent to receive COVID-19 vaccine (post)
Lower left: intervention	Understanding of infection status (post)	-	0.461**	0.139**	0.339**	0.265**	0.269**
	Interest in infection status (post)	0.523**	-	0.009	0.692**	0.592**	0.509**
	Relief regarding infection status (post)	0.111**	0.044	-	-0.056	-0.060	0.030
	Intent to engage in overall preventive behavior (post)	0.404**	0.639**	-0.027	-	0.786**	0.574**
	Intent to wear masks (post)	0.275**	0.581**	-0.057	0.784**	-	0.524**
	Intent to receive COVID-19 vaccine (post)	0.295**	0.500**	0.076*	0.502**	0.491**	-

** $P < 0.01$, * $P < 0.05$

Table S2. Differences in proportions of keyword searches before providing information. N: number of participants.

	N (%)		ϕ	<i>P</i>
	Control	Intervention		
“Bullet train”	15 (1.5%)	15 (1.5%)	0.000	1.000
“Highway”	≤5 (≤0.5%)	≤5 (≤0.5%)	-	
“Airplane”	37 (3.7%)	29 (2.9%)	-0.022	0.345
“COVID-19”	18 (1.8%)	18 (1.8%)	0.000	1.000
“Wastewater”	≤5 (0.5%)	≤5 (0.5%)	-	-