

Supporting Information S1

RECOMMENDED INTERPRETATION AND MANAGEMENT FOR POSITIVE TESTS

Positive multiplex LF-RDT component	Recommended interpretation	Recommended management
Dengue	Patient has dengue	Referral to hospital for admission
Enteric fever	Patient has enteric fever	Ciprofloxacin
CRP (>40 mg/L)	Patient has a bacterial infection (not enteric fever if enteric fever test is negative, otherwise enteric fever if enteric fever test also positive)	Amoxicillin unless enteric fever test also positive, in which case ciprofloxacin
None	Patient has a viral infection	No antibiotics

CAMBODIA

Model Settings

Reset all model inputs

Introduction

Settings

Results

SA Settings

DSA Results

PSA Results

Model settings

Time horizon
DSA/PSA default variation
Number of PSA iterations
Willingness-to-pay threshold
Note: Adjust if changing country
Perspective
Country

Lifetime

20.00%

1,000

\$357

Societal

Cambodia

Woods et al. Inflated to 2022 values - Bangladesh: 51-723 (avg 388). Cambodia: 56-658 (avg 357). Original values - Bangladesh: 30-427 (avg 229). Cambodia: 44-518 (avg 281). 2013 data.

Population characteristics

	Value	Source
Average age	28	SEACTN data (21/03/2022-21/03/2023 - Bangladesh: 28.34 ;Cambodia: 34.21)
Proportion of adults	79.05%	SEACTN data (21/03/2022-21/03/2023)
Proportion of children 5-15 years	17.14%	SEACTN data (21/03/2022-21/03/2023)
Proportion of children <5 years	3.81%	SEACTN data (21/03/2022-21/03/2023)

Scenario analysis inputs (in place of the above)

Fever of unknown source

Proportion of adults	82.84%	SEACTN data (21/03/2022-21/03/2023)
Proportion of children 5-15 years	13.64%	SEACTN data (21/03/2022-21/03/2023)
Proportion of children <5 years	3.52%	SEACTN data (21/03/2022-21/03/2023)

Decision Tree

Introduction

Settings

Results

SA Settings

DSA Results

PSA Results

Decision tree calculations

Intervention: Clinical assessment only

Branch	True disease	Diagnosis	Outcome	Probability	Diagnostic costs	Hospitalisation costs	Treatment costs	Societal costs	Total costs	YLD	YLL	DALYs
1	Enteric fever	Enteric fever	Survive	1.27%	\$0.00	\$0.23	\$0.02	\$0.06	\$0.31	0.0094	0.0000	0.0094
2	Enteric fever	Enteric fever	Die	0.01%	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0.0001	0.0038	0.0039
3	Enteric fever	Other	Survive	1.26%	\$0.00	\$0.37	\$0.03	\$0.02	\$0.42	0.0098	0.0000	0.0098
4	Enteric fever	Other	Die	0.01%	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0.0001	0.0051	0.0052
5	Dengue	Dengue	Survive - observed in hospital	11.56%	\$0.00	\$1.20	\$0.00	\$0.00	\$1.20	0.0000	0.0000	0.0000
6	Dengue	Other	Survive - not observed in hospital	0.87%	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0.0000	0.0000	0.0000
7	Other viral	Enteric fever	Survive	17.28%	\$0.00	\$1.19	\$0.29	\$0.80	\$2.28	0.0000	0.0000	0.0000
8	Other viral	Dengue	Survive	47.69%	\$0.00	\$4.94	\$0.00	\$0.00	\$4.94	0.0000	0.0000	0.0000
9	Other viral	Other bacterial	Survive - antibiotic prescribed	1.79%	\$0.00	\$0.00	\$0.06	\$0.04	\$0.10	0.0000	0.0000	0.0000
10	Other viral	Other viral	Survive - no antibiotic prescribed	2.36%	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0.0000	0.0000	0.0000
11	Other bacterial cause	Other bacterial	Survive - antibiotic prescribed	11.16%	\$0.00	\$0.00	\$0.37	\$0.28	\$0.64	0.0000	0.0000	0.0000
12	Other bacterial cause	Other viral	Survive - no antibiotic prescribed	4.74%	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0.0000	0.0000	0.0000
				100.00%	\$0.00	\$7.93	\$0.76	\$1.21	\$9.90	0.0194	0.0089	0.0282

Percentage receiving antibiotics 31.51%
Inappropriate antibiotics 20.02%

Intervention: Novel multiplex + clinical assessment

Branch	True disease	Diagnosis	Outcome	Probability	Diagnostic costs	Hospitalisation costs	Treatment costs	Societal costs	Total costs	YLD	YLL	DALYs
1	Enteric fever	Enteric fever	Survive	2.15%	\$0.11	\$0.39	\$0.04	\$0.10	\$0.63	0.0160	0.0000	0.0160
2	Enteric fever	Enteric fever	Die	0.02%	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0.0001	0.0065	0.0066
3	Enteric fever	Other	Survive	0.38%	\$0.02	\$0.11	\$0.01	\$0.01	\$0.15	0.0029	0.0000	0.0029
4	Enteric fever	Other	Die	0.00%	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0.0000	0.0015	0.0016
5	Dengue	Dengue	Survive - observed in hospital	10.56%	\$0.53	\$1.09	\$0.00	\$0.00	\$1.62	0.0000	0.0000	0.0000
6	Dengue	Other	Survive - not observed in hospital	1.86%	\$0.09	\$0.00	\$0.00	\$0.00	\$0.09	0.0000	0.0000	0.0000
7	Other viral	Enteric fever	Survive	3.46%	\$0.17	\$0.24	\$0.06	\$0.16	\$0.63	0.0000	0.0000	0.0000
8	Other viral	Dengue	Survive	3.46%	\$0.17	\$0.36	\$0.00	\$0.00	\$0.53	0.0000	0.0000	0.0000
9	Other viral	Other bacterial	Survive - antibiotic prescribed	9.95%	\$0.50	\$0.00	\$0.33	\$0.25	\$1.07	0.0000	0.0000	0.0000
10	Other viral	Other viral	Survive - no antibiotic prescribed	52.25%	\$2.61	\$0.00	\$0.00	\$0.00	\$2.61	0.0000	0.0000	0.0000
11	Other bacterial cause	Other bacterial	Survive - antibiotic prescribed	11.77%	\$0.59	\$0.00	\$0.39	\$0.29	\$1.27	0.0000	0.0000	0.0000
12	Other bacterial cause	Other viral	Survive - no antibiotic prescribed	4.13%	\$0.21	\$0.00	\$0.00	\$0.00	\$0.21	0.0000	0.0000	0.0000
				100.00%	\$5.00	\$2.20	\$0.81	\$0.81	\$8.82	0.0191	0.0080	0.0271

Percentage receiving antibiotics 27.34%
Inappropriate antibiotics 13.69%

Model Results

Introduction

Settings

Results

SA Settings

DSA Results

PSA Results

Cost-Effectiveness Results

	Diagnostic costs	Hospitalisation costs	Treatment costs	Societal costs	Total Costs	YLD	YLL	DALYs	% of cases correctly diagnosed	% of patients prescribed antibiotics
Clinical assessment	\$0.00	\$7.93	\$0.76	\$1.21	\$9.90	0.0194	0.0089	0.0282	32.88%	31.51%
Multiplex LF-RDT	\$5.00	\$2.20	\$0.81	\$0.81	\$8.82	0.0191	0.0080	0.0271	90.84%	27.34%

Incremental Results

	Diagnostic costs	Hospitalisation costs	Treatment costs	Societal costs	Total Costs	YLD	YLL	DALYs averted	% of cases correctly diagnosed	% of patients prescribed antibiotics	ICER (\$/DALY averted)
Multiplex LF-RDT vs. Clinical assessment	\$5.00	-\$5.74	\$0.05	-\$0.40	-\$1.08	0.0003	0.0009	0.0012	57.96%	-4.16%	-\$940.95

I

Scenario Analyses

Run Scenario

Introduction

Settings

Results

SA Settings

DSA Results

PSA Results

Sensitivity and Specificity Scenario Analyses

Dengue multiplex			
Sensitivity	Specificity	NMB	Threshold cost-effective price
0.9	0.6	\$1.42	\$6.42
0.8	0.7	\$2.05	\$7.05
0.7	0.8	\$2.69	\$7.69
0.6	0.9	\$3.33	\$8.33

NMB \$1.49

Enteric fever multiplex			
Sensitivity	Specificity	NMB	Threshold cost-effective price
0.9	0.6	-\$5.08	-\$0.08
0.8	0.7	-\$2.71	\$2.29
0.7	0.8	-\$0.34	\$4.66
0.6	0.9	\$2.03	\$7.03

CRP multiplex			
Sensitivity	Specificity	NMB	Threshold cost-effective price
0.9	0.6	-\$0.04	\$4.96
0.8	0.7	\$1.44	\$6.44
0.7	0.8	\$2.91	\$7.91
0.6	0.9	\$4.39	\$9.39

All 3 tests			
Sensitivity	Specificity	NMB	Threshold cost-effective price
0.9	0.6	-\$8.03	-\$3.03
0.8	0.7	-\$4.83	\$0.17
0.7	0.8	-\$1.09	\$3.91
0.6	0.9	\$3.17	\$8.17

BANGLADESH

Model Settings

Reset all model inputs

Introduction

Settings

Results

SA Settings

DSA Results

PSA Results

Model settings

Time horizon
DSA/PSA default variation
Number of PSA iterations
Willingness-to-pay threshold
Note: Adjust if changing country
Perspective
Country

Lifetime

20.00%

1,000

\$388

Societal

Bangladesh

Woods et al. Inflated to 2022 values - Bangladesh: 51-723 (avg 388). Cambodia: 56-658 (avg 357). Original values - Bangladesh: 30-427 (avg 229). Cambodia: 44-518 (avg 281). 2013 data.

Population characteristics

	Value	Source
Average age	28	SEACTN data (21/03/2022-21/03/2023 - Bangladesh: 28.34 ;Cambodia: 34.21)
Proportion of adults	79.05%	SEACTN data (21/03/2022-21/03/2023)
Proportion of children 5-15 years	17.14%	SEACTN data (21/03/2022-21/03/2023)
Proportion of children <5 years	3.81%	SEACTN data (21/03/2022-21/03/2023)

Scenario analysis inputs (in place of the above)

Fever of unknown source

Proportion of adults	82.84%	SEACTN data (21/03/2022-21/03/2023)
Proportion of children 5-15 years	13.64%	SEACTN data (21/03/2022-21/03/2023)
Proportion of children <5 years	3.52%	SEACTN data (21/03/2022-21/03/2023)

Decision Tree

Introduction

Settings

Results

SA Settings

DSA Results

PSA Results

Decision tree calculations

Intervention: Clinical assessment only

Branch	True disease	Diagnosis	Outcome	Probability	Diagnostic costs	Hospitalisation costs	Treatment costs	Societal costs	Total costs	YLD	YLL	DALYs
1	Enteric fever	Enteric fever	Survive	1.27%	\$0.00	\$0.23	\$0.02	\$0.06	\$0.31	0.0094	0.0000	0.0094
2	Enteric fever	Enteric fever	Die	0.01%	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0.0001	0.0038	0.0039
3	Enteric fever	Other	Survive	1.26%	\$0.00	\$0.37	\$0.03	\$0.02	\$0.42	0.0098	0.0000	0.0098
4	Enteric fever	Other	Die	0.01%	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0.0001	0.0051	0.0052
5	Dengue	Dengue	Survive - observed in hospital	11.56%	\$0.00	\$1.20	\$0.00	\$0.00	\$1.20	0.0000	0.0000	0.0000
6	Dengue	Other	Survive - not observed in hospital	0.87%	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0.0000	0.0000	0.0000
7	Other viral	Enteric fever	Survive	17.28%	\$0.00	\$1.19	\$0.29	\$0.80	\$2.28	0.0000	0.0000	0.0000
8	Other viral	Dengue	Survive	47.69%	\$0.00	\$4.94	\$0.00	\$0.00	\$4.94	0.0000	0.0000	0.0000
9	Other viral	Other bacterial	Survive - antibiotic prescribed	1.79%	\$0.00	\$0.00	\$0.06	\$0.04	\$0.10	0.0000	0.0000	0.0000
10	Other viral	Other viral	Survive - no antibiotic prescribed	2.36%	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0.0000	0.0000	0.0000
11	Other bacterial cause	Other bacterial	Survive - antibiotic prescribed	11.16%	\$0.00	\$0.00	\$0.37	\$0.28	\$0.64	0.0000	0.0000	0.0000
12	Other bacterial cause	Other viral	Survive - no antibiotic prescribed	4.74%	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0.0000	0.0000	0.0000
				100.00%	\$0.00	\$7.93	\$0.76	\$1.21	\$9.90	0.0194	0.0089	0.0282

Percentage receiving antibiotics 31.51%
Inappropriate antibiotics 20.02%

Intervention: Novel multiplex + clinical assessment

Branch	True disease	Diagnosis	Outcome	Probability	Diagnostic costs	Hospitalisation costs	Treatment costs	Societal costs	Total costs	YLD	YLL	DALYs
1	Enteric fever	Enteric fever	Survive	2.15%	\$0.11	\$0.39	\$0.04	\$0.10	\$0.63	0.0160	0.0000	0.0160
2	Enteric fever	Enteric fever	Die	0.02%	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0.0001	0.0065	0.0066
3	Enteric fever	Other	Survive	0.38%	\$0.02	\$0.11	\$0.01	\$0.01	\$0.15	0.0029	0.0000	0.0029
4	Enteric fever	Other	Die	0.00%	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	0.0000	0.0015	0.0016
5	Dengue	Dengue	Survive - observed in hospital	10.56%	\$0.53	\$1.09	\$0.00	\$0.00	\$1.62	0.0000	0.0000	0.0000
6	Dengue	Other	Survive - not observed in hospital	1.86%	\$0.09	\$0.00	\$0.00	\$0.00	\$0.09	0.0000	0.0000	0.0000
7	Other viral	Enteric fever	Survive	3.46%	\$0.17	\$0.24	\$0.06	\$0.16	\$0.63	0.0000	0.0000	0.0000
8	Other viral	Dengue	Survive	3.46%	\$0.17	\$0.36	\$0.00	\$0.00	\$0.53	0.0000	0.0000	0.0000
9	Other viral	Other bacterial	Survive - antibiotic prescribed	9.95%	\$0.50	\$0.00	\$0.33	\$0.25	\$1.07	0.0000	0.0000	0.0000
10	Other viral	Other viral	Survive - no antibiotic prescribed	52.25%	\$2.61	\$0.00	\$0.00	\$0.00	\$2.61	0.0000	0.0000	0.0000
11	Other bacterial cause	Other bacterial	Survive - antibiotic prescribed	11.77%	\$0.59	\$0.00	\$0.39	\$0.29	\$1.27	0.0000	0.0000	0.0000
12	Other bacterial cause	Other viral	Survive - no antibiotic prescribed	4.13%	\$0.21	\$0.00	\$0.00	\$0.00	\$0.21	0.0000	0.0000	0.0000
				100.00%	\$5.00	\$2.20	\$0.81	\$0.81	\$8.82	0.0191	0.0080	0.0271

Percentage receiving antibiotics 27.34%
Inappropriate antibiotics 13.69%

Model Results

Introduction

Settings

Results

SA Settings

DSA Results

PSA Results

Cost-Effectiveness Results

	Diagnostic costs	Hospitalisation costs	Treatment costs	Societal costs	Total Costs	YLD	YLL	DALYs	% of cases correctly diagnosed	% of patients prescribed antibiotics
Clinical assessment	\$0.00	\$7.93	\$0.76	\$1.21	\$9.90	0.0194	0.0089	0.0282	32.88%	31.51%
Multiplex LF-RDT	\$5.00	\$2.20	\$0.81	\$0.81	\$8.82	0.0191	0.0080	0.0271	90.84%	27.34%

Incremental Results

	Diagnostic costs	Hospitalisation costs	Treatment costs	Societal costs	Total Costs	YLD	YLL	DALYs averted	% of cases correctly diagnosed	% of patients prescribed antibiotics	ICER (\$/DALY averted)
Multiplex LF-RDT vs. Clinical assessment	\$5.00	-\$5.74	\$0.05	-\$0.40	-\$1.08	0.0003	0.0009	0.0012	57.96%	-4.16%	-\$940.95

I

Scenario Analyses

Run Scenario

Introduction

Settings

Results

SA Settings

DSA Results

PSA Results

Sensitivity and Specificity Scenario Analyses

Dengue multiplex			
Sensitivity	Specificity	NMB	Threshold cost-effective price
0.9	0.6	\$1.42	\$6.42
0.8	0.7	\$2.05	\$7.05
0.7	0.8	\$2.69	\$7.69
0.6	0.9	\$3.33	\$8.33

NMB \$1.49

Enteric fever multiplex			
Sensitivity	Specificity	NMB	Threshold cost-effective price
0.9	0.6	-\$5.08	-\$0.08
0.8	0.7	-\$2.71	\$2.29
0.7	0.8	-\$0.34	\$4.66
0.6	0.9	\$2.03	\$7.03

CRP multiplex			
Sensitivity	Specificity	NMB	Threshold cost-effective price
0.9	0.6	-\$0.04	\$4.96
0.8	0.7	\$1.44	\$6.44
0.7	0.8	\$2.91	\$7.91
0.6	0.9	\$4.39	\$9.39

All 3 tests			
Sensitivity	Specificity	NMB	Threshold cost-effective price
0.9	0.6	-\$8.03	-\$3.03
0.8	0.7	-\$4.83	\$0.17
0.7	0.8	-\$1.09	\$3.91
0.6	0.9	\$3.17	\$8.17