

Appendix 1 Summary of database search strategy (last reviewed 15th September 2023)

Syntax used for NMS and QoL in PD search
PubMed search (Search 1)
("Parkinson disease"[MeSH Terms] OR "Parkinson"[tw] OR "Parkinson's"[tw] OR "Parkinsons"[tw]) AND ("quality of life"[MeSH Terms] OR "quality of life") AND ("questionnaire" OR "questionnaires" OR "rating" OR "PDQ-39" OR "HADS-P" OR "UPDRS" OR "NMSS")
Search yielded (1808) results
Ovid search (search 2)
<p>1 exp Parkinson disease/ or (Parkinson or Parkinson s or Parkinson's).ti,ab.</p> <p>2 exp "quality of life"/ or quality of life.ti,ab.</p> <p>3 (questionnaire or questionnaires or rating or PDQ-39 or HADS-P or UPDRS or NMSS).ti,ab.</p> <p>4 1 and 2 and 3</p>
Search yielded (4264)results
Scopus search (search 3)
(TITLE-ABS-KEY (parkinson OR parkinsons OR parkinson's) AND TITLE-ABS-KEY ("quality of life") AND TITLE-ABS-KEY (questionnaire OR questionnaires OR rating OR "PDQ-39" OR "HADS-P" OR "UPDRS" OR "NMSS")
Search yielded (2910) results
Total search results (8982)

APPENDIX 2 QUALITY ASSESSMENT OF INCLUDED STUDIES.

No.	Criteria	Maximum score	(Liu et al., 2015)	(Duncan et al., 2014)	(Rodriguez-Violante et al., 2013)	(Salar et al., 2017)	(Berganzo et al., 2016)	(Shalash et al., 2018)	(Kwon et al., 2016)	(Arabambi, Oshinaike and Ogun., 2019)	(Prakash, 2016)	(Li et al., 2010)	(Song et al., 2014)	(Wu et al., 2016)	(Azmin et al., 2014)	(Hu et al., 2018)	(Lee et al., 2015)	(L. Kadastik-Eerme et al., 2016)	(Eerme, 2015)	(Skorvanek, 2015)	(Pappala et al., 2019)	(Gulunay et al., 2020)	(Karri, Ramasamy and Kalidoss, 2020)
1	Study objectives	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2	Study design	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
3	Cognition of studied population	2	0	1	0	1	0	1	1	0	1	2	2	2	1	2	2	2	2	1	0	2	2
4	Characteristics of studied population	2	1	2	2	2	2	2	2	1	2	2	2	2	1	2	2	2	2	2	1	2	2
5	Sampling method for recruitment of study population	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
6	Sample size	2	2	1	1	0	1	0	2	1	2	0	2	2	1	2	1	2	2	0	0	0	1
7	Definition of the concept of HRQoL	1	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0
8	Justified choice of HRQoL-assessing instrument	2	2	2	2	2	1	1	1	2	2	1	2	2	2	1	1	2	2	2	2	2	2
9	Justified choice of NMS-assessing instrument	2	2	2	2	2	1	1	1	2	2	1	2	2	2	1	1	2	2	2	2	2	2
10	Comprehensible statistical methods	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
11	Main factors associated with HRQoL	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
12	Main NMS features associated with HRQoL	1	1	1	1	0	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	1
13	Agreement / disagreement with other studies	2	2	2	2	2	2	2	2	2	1	2	2	2	2	2	2	2	2	2	2	2	2
14	Limitations	1	1	1	1	1	1	1	1	1	1	1	0	1	1	1	1	1	1	1	1	1	1
Total score		21	17	18	17	17	15	15	17	16	18	17	20	20	17	18	17	20	19	14	18	19	
Comment		Good	Good	Good	Good	Good	Good	Good	Good	Good					Good		Good	Good		Fair	Good	Good	

Ethnicity	Study	CVS	Sleep/ Fatigue	Mood/ Cognition	Perception	Attention Memory	GIT	Urinary	Sexual function	Other
East Asian	(Li et al., 2010)	0.109	0.34	0.69	0.212	0.202	0.384	0.248	0.006	0.323
	(Song et al., 2014)	0.28	0.6	0.55	0.3	0.42	0.44	0.33	0.12	0.46
	(Wu et al., 2016)	0.258	0.561	0.659	0.19	0.46	0.333	0.119	0.075	0.321
	(Hu et al., 2018)	0.206	0.527	0.573	0.19	0.333	0.277	0.193	0.078	0.298
	(Kwon et al., 2016)	0.457	0.528	0.573	0.343	0.425	0.43	0.363	0.26	
	(Lee et al., 2015)	0.305	0.559	0.669	0.313	0.557	0.383	0.435	0.335	0.735
	(Liu et al., 2015)	0.403	0.461	0.607	0.371	0.411	0.383	0.172	0.253	0.258
	(Prakash, 2016)		0.30*	0.32*		0.63*				
	(Azmin et al., 2014)	0.563	0.469	0.588	0.336	0.281	0.412	0.154	0.173	0.258
South Asian	(Pappala et al., 2019)	0.24	0.54	0.49	0.49	0.28	0.35	0.25	0.4	0.26
Caucasian	(Duncan et al., 2014)		0.438	0.307**		0.2**	0.15**			
	(Skorvanek, 2015)		0.18**							0.25**
Mediterranean	(Berganzo et al., 2016)		0.44	0.54		0.24		0.24	0.24	0.17
Hispanic	(Rodriguez-Violante et al., 2013)		0.51	0.52		0.53				
Middle Eastern	(Gulunay et al., 2020)			0.66	0.72		0.247		0.472	0.232
	(Salar et al., 2017)	0.11	0.363	0.377	0.392	0.395	0.11	0.158	0.12	0.116
North African	(Shalash et al., 2018)	0.198	0.659	0.681	0.263	0.421	0.452	0.414	0.151	-
West African	(Arabambi, Oshinaike and Ogun, 2019)	0.556	0.713	0.74	0.417	0.353	0.533	0.621	0.494	0.539