

# **Supplementary Methods**

## **Surgical procedure**

Bilateral SCC-DBS implantation was performed at the University Health Network-Toronto Western Hospital (Toronto, ON, Canada). Electrode coordinates were based on 3T structural T1- and T2-weighted magnetic resonance imaging (MRI). Routine microelectrode recording procedures preceded the insertion of electrodes (4-contact lead, Abbott (formerly St. Jude Medical), Illinois, USA) in the SCC under local anesthesia. As per the standard of care, all patients underwent a postoperative MRI for electrode localization. All electrode locations were confirmed to be within normal limits in all subjects, and no abnormalities were noted.

## **Postoperative lead localization**

DBS electrode placement was estimated on the basis of patient-specific structural imaging using Lead-DBS [1], as previously described [2–4]. Briefly, each patient’s pre-operative T1-weighted MR image was rigidly coregistered with a corresponding post-operative structural image (either MRI or CT). Post-operative brain shift was corrected for as needed using an additional affine transformation. The coregistered images were then normalized to MNI space (MNI152 NLIN 2009b, Montreal Neurological Institute) [5, 6] using the nonlinear ‘effective low variance’ ANTs SyN algorithm with subcortical refinement (<http://stnava.github.io/ANTs/> [7]). Finally, DBS leads were localized on the post-operative images by way of semiautomated trajectory reconstruction with additional manual refinement, before being transformed to MNI space via the nonlinear warp field generated earlier.

## **MEG recordings & paradigm**

Data were recorded using a 306 channel MEG unit (Elekta Neuromag TRIUX™, Helsinki, Finland) at a frequency sampling rate of 1,000 Hz with an online bandpass filter between 0.1 and 330 Hz.

Recording occurred while participants were supine with their eyes closed at rest. To determine the effect of SCC-DBS on cortical activity, patients underwent three-minute recordings with DBS OFF and DBS ON. Bipolar DBS settings were used to avoid sensor saturation. The remaining SCC-DBS parameters were configured as follows: 130 Hz frequency, 90  $\mu$ s pulse width, 1.5 mA amplitude, and central contacts (1-2+) configuration. Artifacts from nearby sources in the MEG data were removed using a temporal signal space separation (tSSS) algorithm (Elekta Neuromag MaxFilter software version 2.2.12, Elekta, Helsinki, Finland) [8–10] with the default 10 second time window and subspace correlation limit of 0.980.

## **Data pre-processing**

The raw data were filtered using a finite impulse response filter. This filter notched line noise at 60 Hz and its harmonic at 120 Hz. Spectral content above 120 Hz was also removed to (1) avoid subsequent harmonics of line noise, (2) avoid DBS artifacts at 130 Hz, and (3) support downsampling the signal to 240 Hz to increase data processing speeds.

## **Source reconstruction**

Before extracting features from the data, recordings were transformed from sensor to source space. Each subject's source space was also transformed into a common source space, enabling comparison across subjects. Head models were computed and coregistered with the recorded data as the first step. For TRD patients, individual MRI scans were available. Cortical source space and boundary element models (BEM) models were extracted using FreeSurfer (v7.2.0, [11]). The validity of this extraction process was visually confirmed. For healthy controls, MRI scans were unavailable. Therefore, fs-average (an experimentally derived standard head model provided within FreeSurfer) was used as a head model. Recordings were coregistered (using MNE [12]) to the extracted models (TRD subjects) or fs-average (for HC subjects). After visually verifying the success of the coregistration for every recording, an inverse operator was calculated and

subsequently applied to transform the data from sensor to source space. All data were then morphed into the source space of fs-average. To conserve statistical power and to maintain reasonable processing speed, all channels within individual cortical regions outlined by the Desikan-Killiany atlas were averaged to represent their respective regions (Desikan-Killiany atlas [13], see Supplementary Figure 1). Afterwards, the data were further sub-epoched into 15 s and then 30 s to investigate the impact of different epoching on the evaluation results. Finally, relevant data were transformed [14] and exported into Blender (v3.1.2; [15]) for visualization.

## **Power analyses**

Spectral power estimates were extracted from common source space transformed data, the delta (2-4 Hz), theta (4-8 Hz), alpha (8-12 Hz), beta (12-32 Hz), and gamma bands (32-116 Hz) were explored. Although activity within these frequency bands is commonly associated with specific neurological processes, peaks within these bands do not commonly span the entire respective frequency band. We leveraged this characteristic to reduce the signal to noise ratio in our data by having a sub-band represent peak activity for the overall frequency band. To this end, each frequency band was subdivided into a several of different sub-bands. Delta activity was divided into  $\text{delta}_1$  (2-3 Hz),  $\text{delta}_2$  (2.5-3.5 Hz), and  $\text{delta}_3$  (3-4 Hz) sub-bands. Theta was divided into  $\text{theta}_1$  (4-6 Hz),  $\text{theta}_2$  (5-7 Hz), and  $\text{theta}_3$  (6-8 Hz) sub-bands. Alpha was divided into  $\text{alpha}_1$  (8-10 Hz),  $\text{alpha}_2$  (9-11 Hz), and  $\text{alpha}_3$  (10-12Hz) sub-bands. Beta was divided into  $\text{beta}_1$  (12-16 Hz),  $\text{beta}_2$  (14-18 Hz),  $\text{beta}_3$  (16-20 Hz),  $\text{beta}_4$  (18-22 Hz),  $\text{beta}_5$  (20-24 Hz),  $\text{beta}_6$  (22-26 Hz),  $\text{beta}_7$  (24-28 Hz),  $\text{beta}_8$  (26-30 Hz), and  $\text{beta}_9$  (28-32 Hz). Gamma activity was divided into 8 Hz wide sub-bands, starting with  $\text{gamma}_1$  (32-40 Hz) until  $\text{gamma}_{20}$  (108-116 Hz) sub-bands. Smaller step sizes were chosen for low-frequency bands compared to higher frequency bands as a 1 Hz change in a low-frequency band (e.g., theta) is relatively much wider than in a high-frequency band (e.g., gamma). Power in each sub-band was estimated as the ratio of the absolute sum of all activity within a sub-band, divided by the absolute sum of all activity in the broad-band (2-120 Hz). Normalizing power


estimates towards the overall power compensated for different recording sensitivities across channels within and across patients. Finally, to derive power estimates for non-sub-bands (e.g., theta), the sub-band with the highest power (e.g., theta<sub>2</sub>) was chosen as the power estimate of this frequency band. Discriminative nodes were statistically identified as described in the main text of the manuscript.

## References

1. Horn A, Kühn AA. Lead-DBS: A toolbox for deep brain stimulation electrode localizations and visualizations. *NeuroImage*. 2015;107:127–135.
2. Elias GJB, Boutet A, Joel SE, Germann J, Gwun D, Neudorfer C, et al. Probabilistic Mapping of Deep Brain Stimulation: Insights from 15 Years of Therapy. *Annals of Neurology*. 2021;89:426–443.
3. Elias GJB, Germann J, Boutet A, Pancholi A, Beyn ME, Bhatia K, et al. Structuro-functional surrogates of response to subcallosal cingulate deep brain stimulation for depression. *Brain*. 2022;145:362–377.
4. Germann J, Elias GJB, Neudorfer C, Boutet A, Chow CT, Wong EHY, et al. Potential optimization of focused ultrasound capsulotomy for obsessive compulsive disorder. *Brain*. 2021;144:3529–3540.
5. Fonov V, Evans A, McKinstry R, Almli C, Collins D. Unbiased nonlinear average age-appropriate brain templates from birth to adulthood. *NeuroImage*. 2009;47:S102.
6. Fonov V, Evans AC, Botteron K, Almli CR, McKinstry RC, Collins DL. Unbiased average age-appropriate atlases for pediatric studies. *NeuroImage*. 2011;54:313–327.
7. Avants BB, Epstein CL, Grossman M, Gee JC. Symmetric diffeomorphic image registration with cross-correlation: Evaluating automated labeling of elderly and neurodegenerative brain. *Medical Image Analysis*. 2008;12:26–41.
8. Kandemir AL, Litvak V, Florin E. The comparative performance of DBS artefact rejection methods for MEG recordings. *NeuroImage*. 2020;219:117057.
9. Taulu S, Hari R. Removal of magnetoencephalographic artifacts with temporal signal-space separation: demonstration with single-trial auditory-evoked responses. *Hum Brain Mapp*. 2009;30:1524–1534.
10. Wennberg R, del Campo JM, Shampur N, Rowland NC, Valiante T, Lozano AM, et al. Feasibility of magnetoencephalographic source imaging in patients with thalamic deep brain stimulation for epilepsy. *Epilepsia Open*. 2017;2:101–106.
11. Fischl B. FreeSurfer. *Neuroimage*. 2012;62:774–781.
12. Gramfort A, Luessi M, Larson E, Engemann DA, Strohmeier D, Brodbeck C, et al. MEG and EEG data analysis with MNE-Python. *Front Neurosci*. 2013;7.
13. Desikan RS, Ségonne F, Fischl B, Quinn BT, Dickerson BC, Blacker D, et al. An automated labeling system for subdividing the human cerebral cortex on MRI scans into gyral based regions of interest. *NeuroImage*. 2006;31:968–980.
14. Winkler AM, Sabuncu MR, Yeo BTT, Fischl B, Greve DN, Kochunov P, et al. Measuring and comparing brain cortical surface area and other areal quantities. *Neuroimage*. 2012;61:1428–1443.
1. Horn A, Kühn AA. Lead-DBS: A toolbox for deep brain stimulation electrode localizations and visualizations. *NeuroImage*. 2015;107:127–135.
2. Elias GJB, Boutet A, Joel SE, Germann J, Gwun D, Neudorfer C, et al. Probabilistic Mapping of Deep Brain Stimulation: Insights from 15 Years of Therapy. *Annals of Neurology*. 2021;89:426–443.
3. Elias GJB, Germann J, Boutet A, Pancholi A, Beyn ME, Bhatia K, et al. Structuro-functional surrogates of response to subcallosal cingulate deep brain stimulation for depression. *Brain*. 2022;145:362–377.
4. Germann J, Elias GJB, Neudorfer C, Boutet A, Chow CT, Wong EHY, et al. Potential optimization of focused ultrasound capsulotomy for obsessive compulsive disorder. *Brain*. 2021;144:3529–3540.
5. Fonov V, Evans A, McKinstry R, Almli C, Collins D. Unbiased nonlinear average age-appropriate brain templates from birth to adulthood. *NeuroImage*. 2009;47:S102.

6. Fonov V, Evans AC, Botteron K, Almli CR, McKinstry RC, Collins DL. Unbiased average age-appropriate atlases for pediatric studies. *NeuroImage*. 2011;54:313–327.
7. Avants BB, Epstein CL, Grossman M, Gee JC. Symmetric diffeomorphic image registration with cross-correlation: Evaluating automated labeling of elderly and neurodegenerative brain. *Medical Image Analysis*. 2008;12:26–41.
8. Kandemir AL, Litvak V, Florin E. The comparative performance of DBS artefact rejection methods for MEG recordings. *NeuroImage*. 2020;219:117057.
9. Taulu S, Hari R. Removal of magnetoencephalographic artifacts with temporal signal-space separation: demonstration with single-trial auditory-evoked responses. *Hum Brain Mapp*. 2009;30:1524–1534.
10. Wennberg R, del Campo JM, Shampur N, Rowland NC, Valiante T, Lozano AM, et al. Feasibility of magnetoencephalographic source imaging in patients with thalamic deep brain stimulation for epilepsy. *Epilepsia Open*. 2017;2:101–106.
11. Fischl B. FreeSurfer. *Neuroimage*. 2012;62:774–781.
12. Gramfort A, Luessi M, Larson E, Engemann DA, Strohmeier D, Brodbeck C, et al. MEG and EEG data analysis with MNE-Python. *Front Neurosci*. 2013;7.
13. Desikan RS, Ségonne F, Fischl B, Quinn BT, Dickerson BC, Blacker D, et al. An automated labeling system for subdividing the human cerebral cortex on MRI scans into gyral based regions of interest. *NeuroImage*. 2006;31:968–980.
14. Winkler AM, Sabuncu MR, Yeo BTT, Fischl B, Greve DN, Kochunov P, et al. Measuring and comparing brain cortical surface area and other areal quantities. *Neuroimage*. 2012;61:1428–1443.
15. Community BO. Blender - a 3D modelling and rendering package. Stichting Blender Foundation, Amsterdam: Blender Foundation; 2018.





**Supplementary Figure 3 – Effect of SCC-DBS parameter changes on gamma-band activity.** The figure depicts detailed statistical results on a region-by-region basis; whereas the effects are summarized within Figure 5 of the main text.



## Supplementary Table 1 – Additional clinical information

Subject	# Suicide attempts	# Family members history of MDD	Past therapies		
			Psychotherapy	ECT	rTMS
1	0-3	0-3	yes	yes	yes
2	0-3	0-3	yes	yes	no
3	0-3	0-3	yes	yes	yes
4	0-3	0-3	yes	no	yes
5	0-3	0-3	yes	yes	no
6	0-3	4-6	yes	no	no
7	0-3	4-6	yes	no	yes
8	0-3	0-3	yes	yes	no
9	0-3	0-3	yes	yes	no
10	0-3	0-3	yes	yes	no
11	0-3	0-3	yes	no	yes
12	0-3	0-3	yes	yes	yes
13	0-3	0-3	yes	yes	no
14	*	*	yes	*	*
15	4-6	0-3	yes	yes	yes

**DBS, deep brain stimulation; ECT, electroconvulsive therapy; HAM-D17, 17-item Hamilton Depression Rating Scale; MDD, major depressive disorder; rTMS, repetitive transcranial magnetic stimulation; SCC, subcallosal cingulate gyrus; SNRI, serotonin and norepinephrine reuptake inhibitor; SSRI, selective serotonin reuptake inhibitor; TRD, treatment-resistant depression.**

## Supplementary Table 2 – Additional statistical information

Retrosplenial – left hemisphere – alpha band								
Compared factor phenotypes		epoch size [s]	values		variance		significance	
phenotype A	phenotype B	-	phen. A	phen. B	phen. A	phen. B	phen. A	intercept
resp_dbs_off	resp_dbs_bilat	15	0.266	0.248	0.011	0.004	1.02E-04	7.63E-128
resp_dbs_off	resp_dbs_bilat	30	0.265	0.247	0.011	0.006	3.29E-03	7.85E-134
nresp_dbs_off	nresp_dbs_bilat	15	0.273	0.257	0.010	0.004	3.11E-05	3.59E-149
nresp_dbs_off	nresp_dbs_bilat	30	0.272	0.256	0.011	0.005	4.63E-04	3.38E-140
hc	resp_dbs_bilat	15	0.250	0.248	0.001	0.004	5.24E-01	0.00E+00
hc	resp_dbs_bilat	30	0.248	0.247	0.002	0.005	7.82E-01	3.69E-304
hc	nresp_dbs_bilat	15	0.250	0.260	0.001	0.004	8.31E-03	0.00E+00
hc	nresp_dbs_bilat	30	0.248	0.259	0.002	0.005	2.95E-02	0.00E+00
resp	nresp_dbs_bilat	15	0.260	0.248	0.005	0.006	6.57E-02	9.11E-108
resp	nresp_dbs_bilat	30	0.259	0.247	0.006	0.009	1.85E-01	2.88E-57
hc	resp_dbs_off	15	0.250	0.265	0.001	0.003	1.03E-05	0.00E+00
hc	resp_dbs_off	30	0.248	0.266	0.002	0.004	1.23E-04	0.00E+00
hc	nresp_dbs_off	15	0.250	0.275	0.001	0.003	1.55E-12	0.00E+00
hc	nresp_dbs_off	30	0.248	0.275	0.002	0.004	4.12E-09	0.00E+00
resp	nresp_dbs_off	15	0.275	0.265	0.003	0.005	6.33E-02	8.60E-145
resp	nresp_dbs_off	30	0.275	0.266	0.005	0.007	1.72E-01	5.68E-78
Triangularis – left hemisphere – alpha band								
Compared factor phenotypes		epoch size [s]	values		variance		significance	
phenotype A	phenotype B	-	phen. A	phen. B	phen. A	phen. B	phen. A	intercept
resp_dbs_off	resp_dbs_bilat	15	0.261	0.251	0.008	0.004	1.91E-02	1.81E-263
resp_dbs_off	resp_dbs_bilat	30	0.260	0.248	0.008	0.005	1.51E-02	9.93E-253
nresp_dbs_off	nresp_dbs_bilat	15	0.273	0.265	0.009	0.004	4.70E-02	5.66E-196
nresp_dbs_off	nresp_dbs_bilat	30	0.269	0.262	0.009	0.004	6.36E-02	5.13E-192
hc	resp_dbs_bilat	15	0.253	0.252	0.001	0.004	7.63E-01	0.00E+00
hc	resp_dbs_bilat	30	0.250	0.248	0.002	0.005	6.71E-01	1.04E-297
hc	nresp_dbs_bilat	15	0.253	0.263	0.001	0.004	1.29E-02	0.00E+00
hc	nresp_dbs_bilat	30	0.250	0.261	0.002	0.005	4.55E-02	8.84E-294
resp	nresp_dbs_bilat	15	0.263	0.252	0.004	0.005	2.58E-02	1.10E-123
resp	nresp_dbs_bilat	30	0.261	0.248	0.005	0.007	5.57E-02	1.23E-66
hc	resp_dbs_off	15	0.253	0.261	0.001	0.004	4.21E-02	0.00E+00
hc	resp_dbs_off	30	0.250	0.260	0.002	0.005	4.23E-02	5.64E-299
hc	nresp_dbs_off	15	0.253	0.275	0.001	0.004	1.24E-08	0.00E+00
hc	nresp_dbs_off	30	0.250	0.271	0.002	0.005	1.58E-05	3.63E-304
resp	nresp_dbs_off	15	0.275	0.261	0.003	0.005	6.02E-03	7.96E-149
resp	nresp_dbs_off	30	0.271	0.260	0.004	0.006	7.32E-02	4.56E-83
Postcentral – left hemisphere – alpha band								
Compared factor phenotypes		epoch size [s]	values		variance		significance	
phenotype A	phenotype B	-	phen. A	phen. B	phen. A	phen. B	phen. A	intercept
resp_dbs_off	resp_dbs_bilat	15	0.274	0.254	0.011	0.004	3.44E-06	1.26E-135
resp_dbs_off	resp_dbs_bilat	30	0.271	0.253	0.011	0.005	5.89E-04	1.86E-146
nresp_dbs_off	nresp_dbs_bilat	15	0.278	0.274	0.007	0.004	3.82E-01	0.00E+00
nresp_dbs_off	nresp_dbs_bilat	30	0.277	0.274	0.008	0.005	5.84E-01	1.04E-260
hc	resp_dbs_bilat	15	0.259	0.254	0.002	0.004	2.86E-01	0.00E+00
hc	resp_dbs_bilat	30	0.257	0.253	0.002	0.006	4.30E-01	7.72E-290
hc	nresp_dbs_bilat	15	0.259	0.271	0.002	0.004	4.69E-03	0.00E+00
hc	nresp_dbs_bilat	30	0.257	0.272	0.002	0.006	1.30E-02	5.46E-289
resp	nresp_dbs_bilat	15	0.271	0.254	0.004	0.006	3.43E-03	4.02E-115
resp	nresp_dbs_bilat	30	0.272	0.253	0.006	0.008	1.91E-02	1.45E-62
hc	resp_dbs_off	15	0.259	0.275	0.002	0.004	2.11E-04	0.00E+00
hc	resp_dbs_off	30	0.257	0.271	0.002	0.005	1.11E-02	8.36E-293

hc	nresp_dbs_off		15	0.259	0.278	0.002	0.004	1.34E-06	0.00E+00
hc	nresp_dbs_off		30	0.257	0.278	0.002	0.005	3.92E-05	1.14E-300
resp	nresp_dbs_off		15	0.278	0.275	0.003	0.005	4.37E-01	1.72E-147
resp	nresp_dbs_off		30	0.278	0.271	0.004	0.006	2.63E-01	2.61E-81
Precentral – left hemisphere – alpha band									
Compared factor phenotypes			epoch size [s]	values		variance		significance	
phenotype A	phenotype B	-		phen. A	phen. B	phen. A	phen. B	phen. A	intercept
resp_dbs_off	resp_dbs_bilat		15	0.271	0.255	0.010	0.004	2.50E-04	2.13E-160
resp_dbs_off	resp_dbs_bilat		30	0.268	0.255	0.010	0.005	1.74E-02	1.47E-165
nresp_dbs_off	nresp_dbs_bilat		15	0.280	0.277	0.007	0.004	5.13E-01	0.00E+00
nresp_dbs_off	nresp_dbs_bilat		30	0.279	0.275	0.008	0.005	3.69E-01	4.39E-275
hc	resp_dbs_bilat		15	0.257	0.255	0.001	0.004	6.00E-01	0.00E+00
hc	resp_dbs_bilat		30	0.255	0.255	0.002	0.005	9.85E-01	9.77E-299
hc	nresp_dbs_bilat		15	0.257	0.277	0.001	0.004	3.99E-06	0.00E+00
hc	nresp_dbs_bilat		30	0.255	0.273	0.002	0.005	8.29E-04	2.64E-298
resp	nresp_dbs_bilat		15	0.277	0.255	0.004	0.006	2.89E-04	9.06E-117
resp	nresp_dbs_bilat		30	0.273	0.255	0.005	0.008	2.26E-02	3.67E-63
hc	resp_dbs_off		15	0.257	0.271	0.001	0.004	3.01E-04	0.00E+00
hc	resp_dbs_off		30	0.255	0.268	0.002	0.005	1.26E-02	1.00E-303
hc	nresp_dbs_off		15	0.257	0.281	0.001	0.004	3.07E-10	0.00E+00
hc	nresp_dbs_off		30	0.255	0.280	0.002	0.005	1.14E-07	0.00E+00
resp	nresp_dbs_off		15	0.281	0.271	0.003	0.005	4.15E-02	6.73E-154
resp	nresp_dbs_off		30	0.280	0.268	0.004	0.006	3.22E-02	1.83E-84
Supramarginal – left hemisphere – alpha band									
Compared factor phenotypes			epoch size [s]	values		variance		significance	
phenotype A	phenotype B	-		phen. A	phen. B	phen. A	phen. B	phen. A	intercept
resp_dbs_off	resp_dbs_bilat		15	0.270	0.249	0.011	0.004	4.69E-07	1.55E-131
resp_dbs_off	resp_dbs_bilat		30	0.269	0.251	0.011	0.006	1.15E-03	2.06E-136
nresp_dbs_off	nresp_dbs_bilat		15	0.281	0.270	0.010	0.004	1.14E-02	3.69E-189
nresp_dbs_off	nresp_dbs_bilat		30	0.277	0.268	0.009	0.005	8.18E-02	9.07E-190
hc	resp_dbs_bilat		15	0.256	0.249	0.001	0.004	1.18E-01	0.00E+00
hc	resp_dbs_bilat		30	0.254	0.251	0.002	0.005	5.10E-01	1.04E-296
hc	nresp_dbs_bilat		15	0.256	0.268	0.001	0.004	2.59E-03	0.00E+00
hc	nresp_dbs_bilat		30	0.254	0.266	0.002	0.005	2.78E-02	1.03E-296
resp	nresp_dbs_bilat		15	0.268	0.249	0.005	0.007	4.34E-03	1.26E-107
resp	nresp_dbs_bilat		30	0.266	0.251	0.006	0.009	8.20E-02	3.04E-58
hc	resp_dbs_off		15	0.256	0.271	0.001	0.004	1.56E-04	0.00E+00
hc	resp_dbs_off		30	0.254	0.269	0.002	0.005	2.74E-03	2.16E-304
hc	nresp_dbs_off		15	0.256	0.282	0.001	0.004	3.79E-12	0.00E+00
hc	nresp_dbs_off		30	0.254	0.279	0.002	0.005	1.50E-07	0.00E+00
resp	nresp_dbs_off		15	0.282	0.271	0.003	0.005	2.04E-02	1.32E-149
resp	nresp_dbs_off		30	0.279	0.269	0.004	0.006	1.09E-01	6.90E-82
Paracentral – right hemisphere – alpha band									
Compared factor phenotypes			epoch size [s]	values		variance		significance	
phenotype A	phenotype B	-		phen. A	phen. B	phen. A	phen. B	phen. A	intercept
resp_dbs_off	resp_dbs_bilat		15	0.266	0.254	0.012	0.005	9.35E-03	1.05E-105
resp_dbs_off	resp_dbs_bilat		30	0.267	0.254	0.011	0.006	4.00E-02	4.84E-126
nresp_dbs_off	nresp_dbs_bilat		15	0.271	0.268	0.011	0.004	3.86E-01	4.21E-133
nresp_dbs_off	nresp_dbs_bilat		30	0.270	0.266	0.011	0.004	3.16E-01	4.59E-137
hc	resp_dbs_bilat		15	0.255	0.254	0.001	0.004	7.47E-01	0.00E+00
hc	resp_dbs_bilat		30	0.254	0.254	0.002	0.005	9.69E-01	1.84E-299
hc	nresp_dbs_bilat		15	0.255	0.268	0.001	0.004	1.38E-03	0.00E+00
hc	nresp_dbs_bilat		30	0.254	0.267	0.002	0.005	1.25E-02	2.05E-303
resp	nresp_dbs_bilat		15	0.268	0.254	0.004	0.006	1.87E-02	7.36E-115
resp	nresp_dbs_bilat		30	0.267	0.254	0.005	0.007	8.54E-02	1.30E-63
hc	resp_dbs_off		15	0.255	0.266	0.001	0.004	7.06E-03	0.00E+00

hc	resp_dbs_off		30	0.254	0.267	0.002	0.005	1.03E-02	2.04E-300
hc	nresp_dbs_off		15	0.255	0.275	0.001	0.004	4.83E-07	0.00E+00
hc	nresp_dbs_off		30	0.254	0.273	0.002	0.005	9.18E-05	7.61E-304
resp	nresp_dbs_off		15	0.275	0.266	0.004	0.006	1.37E-01	7.89E-133
resp	nresp_dbs_off		30	0.273	0.267	0.005	0.008	4.47E-01	7.97E-71
bankssts - left hemisphere - gamma band									
Compared factor phenotypes		epoch size [s]	values		variance		significance		
phenotype A	phenotype B	-	phen. A	phen. B	phen. A	phen. B	phen. A	intercept	
resp_dbs_off	resp_dbs_bilat	15	0.188	0.223	0.019	0.006	3.08E-09	3.33E-22	
resp_dbs_off	resp_dbs_bilat	30	0.186	0.220	0.020	0.008	1.17E-05	1.66E-21	
nresp_dbs_off	nresp_dbs_bilat	15	0.180	0.188	0.015	0.003	6.30E-03	4.67E-33	
nresp_dbs_off	nresp_dbs_bilat	30	0.179	0.185	0.015	0.004	1.62E-01	3.23E-33	
hc	resp_dbs_bilat	15	0.203	0.222	0.002	0.005	2.69E-04	0.00E+00	
hc	resp_dbs_bilat	30	0.202	0.220	0.002	0.007	6.99E-03	5.81E-231	
hc	nresp_dbs_bilat	15	0.203	0.187	0.001	0.004	9.98E-05	0.00E+00	
hc	nresp_dbs_bilat	30	0.202	0.184	0.002	0.006	1.85E-03	1.68E-255	
resp	nresp_dbs_bilat	15	0.187	0.222	0.007	0.010	1.09E-03	3.07E-57	
resp	nresp_dbs_bilat	30	0.184	0.220	0.010	0.014	1.29E-02	7.28E-31	
hc	resp_dbs_off	15	0.203	0.184	0.001	0.004	5.93E-07	0.00E+00	
hc	resp_dbs_off	30	0.202	0.182	0.002	0.005	1.63E-04	9.95E-268	
hc	nresp_dbs_off	15	0.203	0.180	0.001	0.004	2.72E-09	0.00E+00	
hc	nresp_dbs_off	30	0.202	0.180	0.002	0.005	2.88E-05	5.84E-264	
resp	nresp_dbs_off	15	0.180	0.184	0.004	0.006	4.56E-01	1.25E-103	
resp	nresp_dbs_off	30	0.180	0.182	0.005	0.007	7.79E-01	2.39E-57	
caudalmiddlefrontal - left hemisphere - gamma band									
Compared factor phenotypes		epoch size [s]	values		variance		significance		
phenotype A	phenotype B	-	phen. A	phen. B	phen. A	phen. B	phen. A	intercept	
resp_dbs_off	resp_dbs_bilat	15	0.187	0.223	0.018	0.007	6.64E-08	2.21E-26	
resp_dbs_off	resp_dbs_bilat	30	0.187	0.222	0.018	0.009	7.72E-05	2.84E-25	
nresp_dbs_off	nresp_dbs_bilat	15	0.171	0.174	0.015	0.003	4.38E-01	1.26E-28	
nresp_dbs_off	nresp_dbs_bilat	30	0.171	0.172	0.015	0.004	7.18E-01	1.54E-28	
hc	resp_dbs_bilat	15	0.198	0.223	0.002	0.005	1.34E-06	0.00E+00	
hc	resp_dbs_bilat	30	0.197	0.222	0.002	0.007	5.74E-04	2.88E-222	
hc	nresp_dbs_bilat	15	0.198	0.175	0.002	0.004	8.62E-08	0.00E+00	
hc	nresp_dbs_bilat	30	0.197	0.173	0.002	0.006	4.35E-05	2.95E-246	
resp	nresp_dbs_bilat	15	0.175	0.223	0.007	0.010	3.32E-06	1.26E-56	
resp	nresp_dbs_bilat	30	0.173	0.222	0.010	0.014	7.27E-04	1.27E-29	
hc	resp_dbs_off	15	0.198	0.184	0.001	0.004	4.67E-04	0.00E+00	
hc	resp_dbs_off	30	0.197	0.184	0.002	0.005	1.14E-02	1.92E-255	
hc	nresp_dbs_off	15	0.198	0.172	0.002	0.004	1.21E-10	0.00E+00	
hc	nresp_dbs_off	30	0.197	0.171	0.002	0.005	2.11E-06	1.89E-248	
resp	nresp_dbs_off	15	0.172	0.184	0.004	0.006	3.60E-02	2.83E-97	
resp	nresp_dbs_off	30	0.171	0.184	0.005	0.008	1.15E-01	5.61E-52	
retrosplenial - left hemisphere - gamma band									
Compared factor phenotypes		epoch size [s]	values		variance		significance		
phenotype A	phenotype B	-	phen. A	phen. B	phen. A	phen. B	phen. A	intercept	
resp_dbs_off	resp_dbs_bilat	15	0.184	0.219	0.026	0.007	1.53E-06	7.80E-13	
resp_dbs_off	resp_dbs_bilat	30	0.183	0.221	0.027	0.011	4.44E-04	6.50E-12	
nresp_dbs_off	nresp_dbs_bilat	15	0.191	0.196	0.014	0.003	9.14E-02	9.93E-41	
nresp_dbs_off	nresp_dbs_bilat	30	0.190	0.196	0.014	0.003	9.30E-02	1.49E-41	
hc	resp_dbs_bilat	15	0.206	0.218	0.002	0.006	3.61E-02	0.00E+00	
hc	resp_dbs_bilat	30	0.204	0.221	0.003	0.008	4.30E-02	3.46E-206	
hc	nresp_dbs_bilat	15	0.206	0.193	0.001	0.004	2.38E-03	0.00E+00	
hc	nresp_dbs_bilat	30	0.204	0.192	0.002	0.006	3.29E-02	1.80E-258	
resp	nresp_dbs_bilat	15	0.193	0.218	0.009	0.013	4.98E-02	6.03E-49	
resp	nresp_dbs_bilat	30	0.192	0.221	0.013	0.018	1.18E-01	2.46E-25	

hc	resp_dbs_off		15	0.206	0.181	0.001	0.004	1.58E-09	0.00E+00
hc	resp_dbs_off		30	0.204	0.180	0.002	0.005	5.04E-06	1.32E-263
hc	nresp_dbs_off		15	0.206	0.192	0.001	0.004	7.57E-04	0.00E+00
hc	nresp_dbs_off		30	0.204	0.190	0.002	0.005	6.60E-03	1.91E-262
resp	nresp_dbs_off		15	0.192	0.181	0.004	0.006	6.35E-02	1.72E-103
resp	nresp_dbs_off		30	0.190	0.180	0.005	0.008	1.80E-01	9.86E-58
lingual – left hemisphere – gamma band									
Compared factor phenotypes		epoch size [s]	values		variance		significance		
phenotype A	phenotype B	-	phen. A	phen. B	phen. A	phen. B	phen. A	intercept	
resp_dbs_off	resp_dbs_bilat	15	0.186	0.200	0.019	0.005	2.42E-03	1.47E-23	
resp_dbs_off	resp_dbs_bilat	30	0.184	0.199	0.020	0.006	9.83E-03	6.54E-21	
nresp_dbs_off	nresp_dbs_bilat	15	0.180	0.190	0.014	0.002	5.16E-05	1.53E-39	
nresp_dbs_off	nresp_dbs_bilat	30	0.179	0.188	0.014	0.003	6.91E-03	3.65E-40	
hc	resp_dbs_bilat	15	0.200	0.199	0.002	0.005	6.92E-01	0.00E+00	
hc	resp_dbs_bilat	30	0.199	0.199	0.002	0.006	9.83E-01	3.87E-238	
hc	nresp_dbs_bilat	15	0.200	0.187	0.001	0.004	1.62E-03	0.00E+00	
hc	nresp_dbs_bilat	30	0.199	0.187	0.002	0.005	2.71E-02	9.36E-258	
resp	nresp_dbs_bilat	15	0.187	0.199	0.006	0.008	1.80E-01	9.30E-70	
resp	nresp_dbs_bilat	30	0.187	0.199	0.008	0.012	3.07E-01	2.85E-36	
hc	resp_dbs_off	15	0.200	0.182	0.001	0.004	3.36E-06	0.00E+00	
hc	resp_dbs_off	30	0.199	0.180	0.002	0.005	3.22E-04	3.35E-258	
hc	nresp_dbs_off	15	0.200	0.180	0.001	0.004	5.10E-08	0.00E+00	
hc	nresp_dbs_off	30	0.199	0.179	0.002	0.005	5.94E-05	7.36E-263	
resp	nresp_dbs_off	15	0.180	0.182	0.004	0.006	7.39E-01	3.51E-101	
resp	nresp_dbs_off	30	0.179	0.180	0.006	0.008	9.03E-01	2.94E-53	
paracentral – left hemisphere – gamma band									
Compared factor phenotypes		epoch size [s]	values		variance		significance		
phenotype A	phenotype B	-	phen. A	phen. B	phen. A	phen. B	phen. A	intercept	
resp_dbs_off	resp_dbs_bilat	15	0.179	0.200	0.020	0.005	9.85E-06	2.89E-19	
resp_dbs_off	resp_dbs_bilat	30	0.177	0.198	0.020	0.006	3.50E-04	8.47E-19	
nresp_dbs_off	nresp_dbs_bilat	15	0.185	0.189	0.012	0.003	1.87E-01	2.80E-53	
nresp_dbs_off	nresp_dbs_bilat	30	0.183	0.188	0.012	0.004	2.20E-01	2.41E-55	
hc	resp_dbs_bilat	15	0.204	0.200	0.002	0.005	4.33E-01	0.00E+00	
hc	resp_dbs_bilat	30	0.202	0.198	0.002	0.006	6.20E-01	1.14E-239	
hc	nresp_dbs_bilat	15	0.204	0.190	0.001	0.004	5.26E-04	0.00E+00	
hc	nresp_dbs_bilat	30	0.202	0.189	0.002	0.005	1.61E-02	1.52E-263	
resp	nresp_dbs_bilat	15	0.190	0.200	0.006	0.009	2.47E-01	8.17E-70	
resp	nresp_dbs_bilat	30	0.189	0.198	0.008	0.012	4.10E-01	4.71E-37	
hc	resp_dbs_off	15	0.204	0.174	0.001	0.004	1.36E-13	0.00E+00	
hc	resp_dbs_off	30	0.202	0.174	0.002	0.005	2.23E-07	2.21E-261	
hc	nresp_dbs_off	15	0.204	0.186	0.001	0.004	9.27E-07	0.00E+00	
hc	nresp_dbs_off	30	0.202	0.184	0.002	0.005	4.97E-04	3.59E-267	
resp	nresp_dbs_off	15	0.186	0.174	0.004	0.006	5.49E-02	3.51E-104	
resp	nresp_dbs_off	30	0.184	0.174	0.005	0.008	1.80E-01	1.29E-55	
opercularis – left hemisphere – gamma band									
Compared factor phenotypes		epoch size [s]	values		variance		significance		
phenotype A	phenotype B	-	phen. A	phen. B	phen. A	phen. B	phen. A	intercept	
resp_dbs_off	resp_dbs_bilat	15	0.185	0.196	0.010	0.003	1.95E-03	3.35E-74	
resp_dbs_off	resp_dbs_bilat	30	0.183	0.194	0.011	0.004	1.45E-02	6.52E-67	
nresp_dbs_off	nresp_dbs_bilat	15	0.182	0.181	0.017	0.003	8.78E-01	2.60E-25	
nresp_dbs_off	nresp_dbs_bilat	30	0.181	0.182	0.017	0.004	8.82E-01	2.53E-25	
hc	resp_dbs_bilat	15	0.199	0.196	0.001	0.004	5.03E-01	0.00E+00	
hc	resp_dbs_bilat	30	0.197	0.194	0.002	0.005	4.85E-01	4.11E-265	
hc	nresp_dbs_bilat	15	0.199	0.181	0.001	0.004	1.88E-05	0.00E+00	
hc	nresp_dbs_bilat	30	0.197	0.180	0.002	0.006	2.55E-03	2.49E-252	
resp	nresp_dbs_bilat	15	0.181	0.196	0.005	0.007	2.29E-02	3.17E-81	

resp	nresp_dbs_bilat		30	0.180	0.194	0.007	0.009	1.50E-01	6.57E-43
hc	resp_dbs_off		15	0.199	0.184	0.001	0.004	5.87E-05	0.00E+00
hc	resp_dbs_off		30	0.197	0.181	0.002	0.005	1.34E-03	2.28E-267
hc	nresp_dbs_off		15	0.199	0.182	0.001	0.004	1.09E-05	0.00E+00
hc	nresp_dbs_off		30	0.197	0.182	0.002	0.005	3.51E-03	1.30E-257
resp	nresp_dbs_off		15	0.182	0.184	0.004	0.006	7.51E-01	1.73E-98
resp	nresp_dbs_off		30	0.182	0.181	0.006	0.008	9.14E-01	1.50E-52
triangularis - left hemisphere - gamma band									
Compared factor phenotypes		epoch size [s]	values		variance		significance		
phenotype A	phenotype B	-	phen. A	phen. B	phen. A	phen. B	phen. A	intercept	
resp_dbs_off	resp_dbs_bilat	15	0.189	0.201	0.012	0.003	3.03E-05	7.73E-55	
resp_dbs_off	resp_dbs_bilat	30	0.188	0.201	0.012	0.004	6.82E-04	2.62E-55	
nresp_dbs_off	nresp_dbs_bilat	15	0.185	0.190	0.016	0.002	5.50E-02	1.31E-30	
nresp_dbs_off	nresp_dbs_bilat	30	0.185	0.188	0.016	0.003	2.50E-01	4.07E-31	
hc	resp_dbs_bilat	15	0.205	0.201	0.001	0.004	3.27E-01	0.00E+00	
hc	resp_dbs_bilat	30	0.204	0.201	0.002	0.005	6.11E-01	3.82E-271	
hc	nresp_dbs_bilat	15	0.205	0.189	0.001	0.004	2.50E-04	0.00E+00	
hc	nresp_dbs_bilat	30	0.204	0.188	0.002	0.005	3.77E-03	2.07E-261	
resp	nresp_dbs_bilat	15	0.189	0.201	0.005	0.006	7.85E-02	7.08E-87	
resp	nresp_dbs_bilat	30	0.188	0.201	0.006	0.009	1.33E-01	3.44E-46	
hc	resp_dbs_off	15	0.205	0.186	0.001	0.004	6.98E-07	0.00E+00	
hc	resp_dbs_off	30	0.204	0.185	0.002	0.005	1.81E-04	8.30E-271	
hc	nresp_dbs_off	15	0.205	0.186	0.001	0.004	6.20E-07	0.00E+00	
hc	nresp_dbs_off	30	0.204	0.186	0.002	0.005	4.64E-04	2.35E-267	
resp	nresp_dbs_off	15	0.186	0.186	0.004	0.006	9.81E-01	1.21E-100	
resp	nresp_dbs_off	30	0.186	0.185	0.006	0.008	8.69E-01	2.94E-54	
postcentral - left hemisphere - gamma band									
Compared factor phenotypes		epoch size [s]	values		variance		significance		
phenotype A	phenotype B	-	phen. A	phen. B	phen. A	phen. B	phen. A	intercept	
resp_dbs_off	resp_dbs_bilat	15	0.181	0.228	0.022	0.007	9.00E-11	4.71E-16	
resp_dbs_off	resp_dbs_bilat	30	0.179	0.226	0.023	0.010	2.33E-06	1.92E-15	
nresp_dbs_off	nresp_dbs_bilat	15	0.176	0.180	0.017	0.003	1.23E-01	8.45E-26	
nresp_dbs_off	nresp_dbs_bilat	30	0.174	0.179	0.017	0.004	2.27E-01	2.20E-25	
hc	resp_dbs_bilat	15	0.197	0.229	0.002	0.006	2.75E-08	0.00E+00	
hc	resp_dbs_bilat	30	0.195	0.226	0.003	0.008	6.19E-05	3.07E-205	
hc	nresp_dbs_bilat	15	0.197	0.181	0.002	0.005	5.73E-04	0.00E+00	
hc	nresp_dbs_bilat	30	0.195	0.180	0.002	0.006	2.21E-02	4.65E-236	
resp	nresp_dbs_bilat	15	0.181	0.229	0.009	0.012	1.19E-04	1.07E-47	
resp	nresp_dbs_bilat	30	0.180	0.226	0.012	0.017	7.57E-03	1.54E-25	
hc	resp_dbs_off	15	0.197	0.179	0.002	0.004	3.28E-05	0.00E+00	
hc	resp_dbs_off	30	0.195	0.176	0.002	0.006	9.35E-04	1.28E-248	
hc	nresp_dbs_off	15	0.197	0.176	0.002	0.004	1.95E-06	0.00E+00	
hc	nresp_dbs_off	30	0.195	0.176	0.002	0.006	9.04E-04	1.81E-243	
resp	nresp_dbs_off	15	0.176	0.179	0.004	0.006	6.74E-01	5.94E-98	
resp	nresp_dbs_off	30	0.176	0.176	0.005	0.008	9.88E-01	3.82E-53	
posteriorcingulat - left hemisphere - gamma band									
compared factors		epoch size [s]	values		variance		significance		
phenotype A	phenotype B	-	phen. A	phen. B	phen. A	phen. B	phen. A	intercept	
resp_dbs_off	resp_dbs_bilat	15	0.183	0.202	0.019	0.005	1.13E-04	3.23E-21	
resp_dbs_off	resp_dbs_bilat	30	0.180	0.200	0.019	0.006	1.30E-03	1.08E-20	
nresp_dbs_off	nresp_dbs_bilat	15	0.191	0.190	0.010	0.003	6.70E-01	3.15E-74	
nresp_dbs_off	nresp_dbs_bilat	30	0.191	0.188	0.010	0.004	5.76E-01	6.83E-77	
hc	resp_dbs_bilat	15	0.204	0.202	0.002	0.004	6.52E-01	0.00E+00	
hc	resp_dbs_bilat	30	0.202	0.200	0.002	0.006	7.75E-01	1.09E-244	
hc	nresp_dbs_bilat	15	0.204	0.191	0.001	0.004	8.10E-04	0.00E+00	
hc	nresp_dbs_bilat	30	0.202	0.190	0.002	0.005	1.64E-02	3.68E-270	

resp	nresp_dbs_bilat	15	0.191	0.202	0.006	0.008	2.01E-01	2.35E-72
resp	nresp_dbs_bilat	30	0.190	0.200	0.008	0.012	3.64E-01	8.90E-38
hc	resp_dbs_off	15	0.204	0.178	0.001	0.004	1.38E-11	0.00E+00
hc	resp_dbs_off	30	0.202	0.176	0.002	0.005	7.73E-07	2.52E-267
hc	nresp_dbs_off	15	0.204	0.191	0.001	0.004	2.73E-04	0.00E+00
hc	nresp_dbs_off	30	0.202	0.191	0.002	0.005	1.98E-02	7.04E-276
resp	nresp_dbs_off	15	0.191	0.178	0.004	0.006	1.87E-02	5.02E-108
resp	nresp_dbs_off	30	0.191	0.176	0.005	0.007	5.06E-02	3.04E-59
precentral – left hemisphere – gamma band								
compared factors		epoch size [s]	values		variance		significance	
phenotype A	phenotype B	-	phen. A	phen. B	phen. A	phen. B	phen. A	intercept
resp_dbs_off	resp_dbs_bilat	15	0.177	0.224	0.021	0.007	1.48E-12	1.89E-17
resp_dbs_off	resp_dbs_bilat	30	0.176	0.222	0.021	0.009	5.88E-07	4.06E-17
nresp_dbs_off	nresp_dbs_bilat	15	0.174	0.179	0.017	0.003	6.61E-02	1.21E-25
nresp_dbs_off	nresp_dbs_bilat	30	0.173	0.177	0.016	0.003	2.17E-01	4.39E-26
hc	resp_dbs_bilat	15	0.197	0.224	0.002	0.006	1.70E-06	0.00E+00
hc	resp_dbs_bilat	30	0.195	0.222	0.003	0.008	5.99E-04	7.55E-206
hc	nresp_dbs_bilat	15	0.197	0.180	0.002	0.005	6.58E-04	0.00E+00
hc	nresp_dbs_bilat	30	0.195	0.178	0.002	0.007	1.32E-02	3.57E-229
resp	nresp_dbs_bilat	15	0.180	0.224	0.008	0.011	1.40E-04	5.99E-51
resp	nresp_dbs_bilat	30	0.178	0.222	0.011	0.015	6.49E-03	1.98E-27
hc	resp_dbs_off	15	0.197	0.175	0.002	0.004	7.22E-07	0.00E+00
hc	resp_dbs_off	30	0.195	0.174	0.002	0.006	5.36E-04	1.79E-239
hc	nresp_dbs_off	15	0.197	0.176	0.002	0.004	2.40E-06	0.00E+00
hc	nresp_dbs_off	30	0.195	0.175	0.002	0.006	7.71E-04	1.39E-235
resp	nresp_dbs_off	15	0.176	0.175	0.004	0.006	8.57E-01	1.61E-98
resp	nresp_dbs_off	30	0.175	0.174	0.005	0.008	9.28E-01	3.05E-53
rostralmiddlefrontal – left hemisphere – gamma band								
compared factors		epoch size [s]	values		variance		significance	
phenotype A	phenotype B	-	phen. A	phen. B	phen. A	phen. B	phen. A	intercept
resp_dbs_off	resp_dbs_bilat	15	0.187	0.204	0.014	0.004	1.02E-05	3.35E-41
resp_dbs_off	resp_dbs_bilat	30	0.186	0.203	0.014	0.005	4.19E-04	9.93E-41
nresp_dbs_off	nresp_dbs_bilat	15	0.173	0.183	0.013	0.003	6.60E-04	4.69E-43
nresp_dbs_off	nresp_dbs_bilat	30	0.173	0.180	0.012	0.004	4.93E-02	8.68E-44
hc	resp_dbs_bilat	15	0.200	0.204	0.001	0.004	2.57E-01	0.00E+00
hc	resp_dbs_bilat	30	0.199	0.203	0.002	0.005	3.93E-01	4.40E-261
hc	nresp_dbs_bilat	15	0.200	0.183	0.001	0.004	4.37E-05	0.00E+00
hc	nresp_dbs_bilat	30	0.199	0.182	0.002	0.005	1.59E-03	6.10E-265
resp	nresp_dbs_bilat	15	0.183	0.204	0.005	0.007	1.79E-03	2.55E-84
resp	nresp_dbs_bilat	30	0.182	0.203	0.006	0.009	1.81E-02	2.56E-45
hc	resp_dbs_off	15	0.200	0.183	0.001	0.004	1.35E-05	0.00E+00
hc	resp_dbs_off	30	0.199	0.182	0.002	0.005	1.09E-03	1.76E-265
hc	nresp_dbs_off	15	0.200	0.173	0.001	0.004	3.42E-13	0.00E+00
hc	nresp_dbs_off	30	0.199	0.173	0.002	0.005	9.15E-08	1.40E-269
resp	nresp_dbs_off	15	0.173	0.183	0.004	0.006	8.06E-02	4.44E-97
resp	nresp_dbs_off	30	0.173	0.182	0.005	0.008	2.28E-01	1.15E-53
supramarginal – left hemisphere – gamma band								
compared factors		epoch size [s]	values		variance		significance	
phenotype A	phenotype B	-	phen. A	phen. B	phen. A	phen. B	phen. A	intercept
resp_dbs_off	resp_dbs_bilat	15	0.184	0.231	0.024	0.008	2.30E-09	4.28E-14
resp_dbs_off	resp_dbs_bilat	30	0.181	0.228	0.025	0.011	1.83E-05	2.37E-13
nresp_dbs_off	nresp_dbs_bilat	15	0.176	0.181	0.015	0.003	5.42E-02	3.52E-30
nresp_dbs_off	nresp_dbs_bilat	30	0.176	0.180	0.015	0.004	2.37E-01	2.58E-30
hc	resp_dbs_bilat	15	0.199	0.231	0.002	0.006	5.71E-08	0.00E+00
hc	resp_dbs_bilat	30	0.197	0.228	0.003	0.008	1.46E-04	5.99E-204
hc	nresp_dbs_bilat	15	0.199	0.182	0.002	0.004	4.70E-05	0.00E+00

hc	nresp_dbs_bilat		30	0.197	0.181	0.002	0.006	7.36E-03	5.48E-247
resp	nresp_dbs_bilat		15	0.182	0.231	0.009	0.013	2.01E-04	7.42E-45
resp	nresp_dbs_bilat		30	0.181	0.228	0.013	0.018	1.13E-02	4.87E-24
hc	resp_dbs_off		15	0.199	0.180	0.001	0.004	6.40E-07	0.00E+00
hc	resp_dbs_off		30	0.197	0.177	0.002	0.005	2.20E-04	1.34E-257
hc	nresp_dbs_off		15	0.199	0.178	0.001	0.004	1.94E-08	0.00E+00
hc	nresp_dbs_off		30	0.197	0.177	0.002	0.005	1.04E-04	1.70E-255
resp	nresp_dbs_off		15	0.178	0.180	0.004	0.006	7.06E-01	7.28E-103
resp	nresp_dbs_off		30	0.177	0.177	0.005	0.008	9.29E-01	5.45E-55