<u>Inclusion criteria:</u>

- > Date of publication: up to 10 years ago
- ➤ Language: English
- Study design: ALL
- ➤ Population: primarily focused on key populations (e.g., young individuals, migrants, sex workers, MSM, transgender people, gender diverse people, bisexual and homosexual men, swingers, PWID, PLWHIV)
- ➤ Intervention: home-based comprehensive sexual health care with (online) self-sampling for HIV and/or STI testing and AT LEAST one of these care elements:
 - o Results provision
 - o Treatment
 - o Partner notification
 - o Health promotion/prevention
 - o Retesting/repeat testing
- Studies should report AT LEAST one of these outcomes and/or constructs* (Following RE-AIM)

Exclusion criteria:

- Non-human studies
- ➤ Validation studies with only test related results (sensitivity, specificity)
- ➤ Intervention has <u>no HIV testing component</u>
 - o Unless key population is HIV positive

*Table of constructs related to reach, effectiveness, adoption, implementation, and maintenance.

RE-AIM	Answer to	Signal words
Reach	"How do I reach the targeted population?"	Reach
		Target
		Number of
		Proportion of
		Represent
Effectiveness	"How do I know my intervention is effective?"	Efficacy
		Impact
		Effects /Affect
		Effective(ness)
		Influence
		Outcome
		Factors
		Predictors
Adoption	"How do I develop organizational support to deliver	Adoption
	my intervention?"	Setting
	•	Deliver
		Support
		Barriers
		Facilitators

Implementation	"How do I ensure the intervention is delivered	Implementation
	properly?"	Fidelity
		Protocols
Maintenance	"How do I incorporate the intervention so that it is	Maintenance
	delivered over the long term?"	Policy
		Incorporation
		Long term
		Follow-up