

Supplementary Material (EA Tables)

Posterior probability of resistance (Mid) with upper and lower 95% credible intervals

Initial.Antibiotic	Mid	Meropenem			Pip.Taz.			Ceftazidime			Cefotaxime.			Cefuroxime		
		Upper	Lower	Mid	Upper	Lower	Mid	Upper	Lower	Mid	Upper	Lower	Mid	Upper	Lower	
Meropenem	NA	NA	NA	0.67	0.83	0.47	0.62	0.78	0.43	0.89	0.99	0.62	0.95	1.00	0.82	
Pip.Taz		0.12	0.18	0.07 NA	0.34	0.44	0.24	0.47	0.56	0.38	0.44	0.78	0.86	0.67	0.99	
Ceftazidime		0.13	0.21	0.07	0.57	0.68	0.43 NA	NA	NA	NA	0.78	0.86	0.67	0.97	0.99	
Cefotaxime		0.12	0.18	0.08	0.34	0.44	0.24	0.51	0.59	0.44 NA	NA	NA	0.99	1.00	0.98	
Cefuroxime		0.07	0.11	0.05	0.29	0.36	0.22	0.36	0.42	0.31	0.57	0.62	0.52 NA	NA	NA	
Gentamicin		0.15	0.28	0.07	0.46	0.58	0.33	0.45	0.59	0.35	0.45	0.59	0.35	0.58	0.71	
Amikacin		0.24	0.46	0.11	0.65	0.89	0.44	0.67	0.88	0.47	0.74	0.90	0.58	0.81	0.94	
Coamoxiclav		0.05	0.07	0.03	0.26	0.32	0.21	0.20	0.24	0.17	0.32	0.37	0.27	0.53	0.59	
Ciprofloxacin		0.03	0.07	0.01	0.34	0.45	0.23	0.41	0.50	0.33	0.42	0.52	0.33	0.63	0.74	
Seprin		0.04	0.07	0.02	0.18	0.23	0.13	0.18	0.22	0.14	0.42	0.49	0.34	0.50	0.57	

Initial.Antibiotic	Mid	Gentamicin			Amikacin			Coamoxiclav			Ciprofloxacin			Seprin.		
		Upper	Lower	Mid	Upper	Lower	Mid	Upper	Lower	Mid	Upper	Lower	Mid	Upper	Lower	
Meropenem		0.45	0.64	0.28	0.41	0.62	0.23	0.99	1.00	0.94	0.23	0.45	0.09	0.58	0.75	
Pip.Taz		0.27	0.34	0.18	0.18	0.25	0.11	0.91	0.96	0.84	0.31	0.40	0.21	0.37	0.45	
Ceftazidime		0.33	0.41	0.25	0.20	0.30	0.12	0.87	0.92	0.80	0.45	0.54	0.35	0.43	0.53	
Cefotaxime		0.21	0.27	0.16	0.16	0.23	0.10	0.90	0.94	0.83	0.29	0.38	0.22	0.67	0.75	
Cefuroxime		0.15	0.20	0.12	0.10	0.15	0.06	0.85	0.89	0.80	0.24	0.31	0.19	0.46	0.52	
Gentamicin	NA	NA	NA	NA	0.23	0.37	0.11	0.82	0.89	0.73	0.55	0.66	0.43	0.58	0.71	
Amikacin		0.61	0.78	0.41 NA	NA	NA	NA	0.85	0.94	0.71	0.66	0.86	0.41	0.45	0.64	
Coamoxiclav		0.13	0.17	0.10	0.06	0.09	0.03 NA	NA	NA	NA	0.17	0.21	0.13	0.44	0.48	
Ciprofloxacin		0.35	0.43	0.27	0.16	0.25	0.08	0.72	0.80	0.64 NA	NA	NA	NA	0.58	0.67	
Seprin		0.17	0.22	0.12	0.05	0.09	0.02	0.78	0.82	0.73	0.24	0.30	0.19 NA	NA	NA	

All Patients

Initial.Antibiotic	Mid	Meropenem			Pip.Taz.			Ceftazidime			Cefotaxime.			Cefuroxime		
		Upper	Lower	Mid	Upper	Lower	Mid	Upper	Lower	Mid	Upper	Lower	Mid	Upper	Lower	
Meropenem	NA	NA	NA	0.86	1.00	0.43	0.84	1.00	0.40	0.95	1.00	0.51	0.95	1.00	0.52	
Pip.Taz		0.10	0.23	0.02 NA	NA	NA	0.43	0.62	0.83	0.36	0.65	0.83	0.41	0.82	0.94	
Ceftazidime		0.13	0.32	0.03	0.86	0.98	0.65 NA	NA	NA	NA	0.89	0.98	0.72	0.97	1.00	
Cefotaxime		0.13	0.27	0.04	0.65	0.80	0.44	0.66	0.82	0.43 NA	NA	NA	1.00	1.00	0.97	
Cefuroxime		0.09	0.20	0.03	0.55	0.69	0.38	0.49	0.64	0.33	0.68	0.82	0.53 NA	NA	NA	
Gentamicin		0.05	0.22	0.00	0.42	0.74	0.13	0.36	0.68	0.06	0.34	0.64	0.06	0.45	0.75	
Amikacin		0.19	0.64	0.01	0.64	0.96	0.20	0.46	0.90	0.05	0.66	0.97	0.19	0.62	0.97	
Coamoxiclav		0.06	0.13	0.02	0.41	0.53	0.29	0.30	0.42	0.18	0.43	0.57	0.29	0.63	0.76	
Ciprofloxacin		0.02	0.10	0.00	0.43	0.75	0.16	0.55	0.85	0.25	0.43	0.74	0.14	0.53	0.82	
Seprin		0.09	0.23	0.02	0.23	0.42	0.08	0.20	0.37	0.07	0.56	0.76	0.37	0.59	0.78	

Initial.Antibiotic	Mid	Gentamicin			Amikacin			Coamoxiclav			Ciprofloxacin			Seprin.		
		Upper	Lower	Mid	Upper	Lower	Mid	Upper	Lower	Mid	Upper	Lower	Mid	Upper	Lower	
Meropenem		0.26	0.76	0.01	0.24	0.86	0.00	0.95	1.00	0.53	0.04	0.38	0.00	0.18	0.68	
Pip.Taz		0.19	0.36	0.07	0.14	0.31	0.04	0.94	1.00	0.79	0.17	0.34	0.06	0.23	0.42	
Ceftazidime		0.24	0.45	0.06	0.17	0.40	0.04	0.98	1.00	0.88	0.28	0.53	0.11	0.30	0.70	
Cefotaxime		0.17	0.32	0.05	0.14	0.31	0.04	0.98	1.00	0.91	0.18	0.33	0.06	0.50	0.70	
Cefuroxime		0.14	0.26	0.04	0.10	0.22	0.03	0.99	1.00	0.94	0.14	0.35	0.05	0.37	0.55	
Gentamicin	NA	NA	NA	NA	0.24	0.59	0.03	0.80	0.97	0.46	0.43	0.72	0.16	0.50	0.81	
Amikacin		0.93	1.00	0.60 NA	NA	NA	0.62	0.62	0.97	0.13	0.23	0.69	0.01	0.25	0.72	
Coamoxiclav		0.15	0.24	0.07	0.07	0.15	0.02 NA	NA	NA	NA	0.11	0.20	0.04	0.37	0.52	
Ciprofloxacin		0.57	0.85	0.26	0.18	0.52	0.02	0.74	0.97	0.40 NA	NA	NA	NA	0.37	0.70	
Seprin		0.27	0.45	0.12	0.07	0.21	0.01	0.86	0.96	0.71	0.13	0.30	0.03 NA	NA	NA	

ICU Patients

Initial.Antibiotic	Mid	Meropenem			Pip.Taz.			Ceftazidime			Cefotaxime.			Cefuroxime		
		Upper	Lower	Mid	Upper	Lower	Mid	Upper	Lower	Mid	Upper	Lower	Mid	Upper	Lower	
Meropenem	NA	NA	NA	0.93	1.00	0.71	0.93	1.00	0.72	0.97	1.00	0.71	0.97	1.00	0.72	
Pip.Taz		0.37	0.66	0.16 NA	NA	NA	0.71	0.62	0.82	0.38	0.58	0.81	0.33	0.72	0.91	
Ceftazidime		0.42	0.66	0.21	0.77	0.92	0.54 NA	NA	NA	NA	0.88	0.98	0.70	0.99	1.00	
Cefotaxime		0.42	0.68	0.21	0.62	0.82	0.40	0.71	0.90	0.45 NA	NA	NA	0.99	1.00	0.95	
Cefuroxime		0.26	0.46	0.11	0.46	0.64	0.24	0.52	0.72	0.30	0.63	0.81	0.44 NA	NA	NA	
Gentamicin		0.56	0.84	0.20	0.80	0.97	0.50	0.72	0.95	0.42	0.68	0.92	0.37	0.74	0.95	
Amikacin		0.41	0.80	0.11	0.73	0.95	0.39	0.66	0.93	0.32	0.64	0.91	0.31	0.75	0.97	
Coamoxiclav		0.21	0.41	0.09	0.48	0.67	0.30	0.36	0.56	0.19	0.46	0.66	0.30	0.66	0.82	
Ciprofloxacin		0.14	0.43	0.01	0.40	0.67	0.14	0.39	0.68	0.13	0.44	0.71	0.17	0.49	0.79	
Seprin		0.24	0.52	0.07	0.36	0.60	0.15	0.35	0.61	0.14	0.59	0.79	0.39	0.61	0.80	

Initial.Antibiotic	Mid	Gentamicin			Amikacin			Coamoxiclav			Ciprofloxacin			Seprin.		
		Upper	Lower	Mid	Upper	Lower	Mid	Upper	Lower	Mid	Upper	Lower	Mid	Upper	Lower	
Meropenem		0.70	0.94	0.36	0.54	0.87	0.19	0.97	1.00	0.69	0.37	0.85	0.03	0.39	0.74	
Pip.Taz		0.32	0.55	0.12	0.30	0.56	0.09	0.87	0.98	0.62	0.31	0.64	0.09	0.42	0.75	
Ceftazidime		0.39	0.64	0.18	0.38	0.62	0.16	0.92	0.99	0.75	0.35	0.62	0.13	0.39	0.64	
Cefotaxime		0.28	0.54	0.11	0.29	0.52	0.09	0.91	0.99	0.72	0.27	0.52	0.07	0.59	0.82	
Cefuroxime		0.17	0.34	0.07	0.21	0.39	0.07	0.76	0.93	0.52	0.17	0.35	0.04	0.40	0.59	
Gentamicin	NA	NA	NA	NA	0.72	0.93	0.41	0.90	1.00	0.63	0.45	0.82	0.09	0.32	0.55	
Amikacin		0.71	0.96	0.36 NA	NA	NA	0.69	0.97	0.25	0.68	0.96	0.18	0.03	0.22	0.00	
Coamoxiclav		0.18	0.35	0.08	0.19	0.36	0.07 NA	NA	NA	NA	0.29	0.62	0.12	0.44	0.64	
Ciprofloxacin		0.22	0.50	0.05	0.19	0.53	0.01	0.71	0.92	0.38 NA	NA	NA	NA	0.80	1.00	
Seprin		0.11	0.26	0.02	0.02	0.12	0.00	0.86	0.97	0.66	0.40	0.71	0.18 NA	NA	NA	

Haemato-oncology Patients

Initial_Antibiotic	Mid	Meropenem			Pip.Taz.			Ceftazidime			Cefotaxime.			Cefuroxime		
		Upper	Lower	Mid	Upper	Lower	Mid	Upper	Lower	Mid	Upper	Lower	Mid	Upper	Lower	
Meropenem	NA	NA	NA	x	x	x	x	x	x	x	x	x	x	x	x	
Pip.Taz		0.01	0.07	0.00	NA	NA	NA	0.36	0.57	0.20	0.29	0.48	0.14	0.48	0.68	
Ceftazidime		0.01	0.06	0.00	0.69	0.72	0.29	NA	NA	NA	0.79	0.94	0.56	0.98	1.00	
Cefotaxime		0.06	0.20	0.00	0.26	0.44	0.13	0.50	0.69	0.34	NA	NA	NA	1.00	0.97	
Cefuroxime		0.03	0.13	0.00	0.26	0.41	0.14	0.37	0.54	0.24	0.56	0.70	0.40	NA	NA	
Gentamicin		0.01	0.09	0.00	0.41	0.63	0.21	0.34	0.58	0.17	0.32	0.53	0.15	0.51	0.73	
Amikacin		0.02	0.18	0.00	0.44	0.79	0.14	0.57	0.88	0.26	0.63	0.89	0.31	0.72	0.93	
Coamoxiclav		0.02	0.07	0.00	0.23	0.32	0.14	0.14	0.22	0.08	0.25	0.35	0.16	0.41	0.51	
Ciprofloxacin		0.02	0.12	0.00	0.30	0.51	0.14	0.38	0.56	0.22	0.38	0.55	0.22	0.58	0.76	
Septin		0.03	0.10	0.00	0.16	0.26	0.08	0.14	0.23	0.08	0.31	0.42	0.20	0.39	0.50	

Initial_Antibiotic	Mid	Gentamicin			Amikacin			Coamoxiclav			Ciprofloxacin			Septin.		
		Upper	Lower	Mid	Upper	Lower	Mid	Upper	Lower	Mid	Upper	Lower	Mid	Upper	Lower	
Meropenem	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
Pip.Taz		0.29	0.47	0.12	0.13	0.28	0.03	0.77	0.91	0.55	0.33	0.53	0.16	0.40	0.59	
Ceftazidime		0.34	0.55	0.16	0.14	0.34	0.02	0.70	0.87	0.46	0.57	0.78	0.33	0.48	0.73	
Cefotaxime		0.21	0.36	0.08	0.10	0.24	0.01	0.78	0.90	0.59	0.36	0.53	0.20	0.66	0.84	
Cefuroxime		0.19	0.30	0.09	0.08	0.18	0.02	0.74	0.85	0.57	0.33	0.47	0.21	0.49	0.65	
Gentamicin	NA	NA	NA	0.13	0.30	0.02	0.73	0.90	0.51	0.58	0.32	0.37	0.68	0.90		
Amikacin		0.56	0.85	0.27	NA	NA	NA	0.66	0.93	0.24	0.63	0.91	0.23	0.38	0.75	
Coamoxiclav		0.14	0.22	0.07	0.04	0.09	0.01	NA	NA	NA	0.19	0.27	0.11	0.57	0.71	
Ciprofloxacin		0.42	0.61	0.26	0.11	0.26	0.01	0.58	0.78	0.35	NA	NA	NA	0.48	0.68	
Septin		0.18	0.27	0.10	0.05	0.11	0.01	0.74	0.85	0.62	0.23	0.34	0.14	NA	NA	

Urine Source

Initial_Antibiotic	Mid	Meropenem			Pip.Taz.			Ceftazidime			Cefotaxime.			Cefuroxime		
		Upper	Lower	Mid	Upper	Lower	Mid	Upper	Lower	Mid	Upper	Lower	Mid	Upper	Lower	
Meropenem	NA	NA	NA	0.00	NA	0.05	0.51	0.00	0.11	0.72	0.00	0.59	1.00	0.35	1.00	
Pip.Taz		0.05	0.16	0.00	NA	NA	NA	0.49	0.70	0.23	0.41	0.63	0.17	0.60	0.80	
Ceftazidime		0.04	0.15	0.00	0.47	0.68	0.23	NA	NA	NA	0.61	0.80	0.39	0.92	0.99	
Cefotaxime		0.11	0.25	0.02	0.38	0.59	0.17	0.64	0.82	0.44	NA	NA	0.99	1.00	0.93	
Cefuroxime		0.06	0.16	0.01	0.32	0.48	0.17	0.54	0.71	0.38	0.60	0.79	0.44	NA	NA	
Gentamicin		0.02	0.17	0.00	0.35	0.71	0.04	0.41	0.75	0.12	0.34	0.69	0.07	0.45	0.77	
Amikacin		0.02	0.18	0.00	0.65	0.99	0.19	0.49	0.91	0.06	0.82	1.00	0.31	0.83	1.00	
Coamoxiclav		0.04	0.09	0.01	0.28	0.39	0.18	0.29	0.40	0.19	0.29	0.41	0.19	0.46	0.57	
Ciprofloxacin		0.02	0.09	0.00	0.38	0.61	0.18	0.44	0.66	0.24	0.60	0.93	0.32	0.71	0.94	
Septin		0.08	0.22	0.02	0.26	0.44	0.10	0.28	0.46	0.14	0.45	0.65	0.28	0.56	0.76	

Initial_Antibiotic	Mid	Gentamicin			Amikacin			Coamoxiclav			Ciprofloxacin			Septin.		
		Upper	Lower	Mid	Upper	Lower	Mid	Upper	Lower	Mid	Upper	Lower	Mid	Upper	Lower	
Meropenem		0.10	0.73	0.00	0.01	0.06	0.00	0.94	1.00	0.36	0.17	0.65	0.00	0.96	1.00	
Pip.Taz		0.14	0.32	0.02	0.18	0.40	0.05	0.94	1.00	0.77	0.32	0.52	0.13	0.37	0.60	
Ceftazidime		0.11	0.16	0.01	0.32	0.48	0.17	0.54	0.71	0.38	0.60	0.79	0.44	NA	NA	
Cefotaxime		0.18	0.36	0.05	0.19	0.37	0.06	0.88	0.97	0.72	0.43	0.67	0.24	0.56	0.77	
Cefuroxime		0.12	0.23	0.04	0.11	0.22	0.03	0.81	0.91	0.67	0.30	0.49	0.16	0.44	0.68	
Gentamicin	NA	NA	NA	0.14	0.42	0.00	0.95	1.00	0.75	0.41	0.77	0.08	0.68	0.94		
Amikacin		0.29	0.74	0.01	NA	NA	0.85	1.00	0.33	0.81	1.00	0.28	0.73	1.00		
Coamoxiclav		0.12	0.21	0.05	0.06	0.13	0.02	NA	NA	0.22	0.44	0.11	0.34	0.46		
Ciprofloxacin		0.25	0.50	0.07	0.25	0.47	0.09	0.88	0.98	0.73	NA	NA	NA	0.54		
Septin		0.17	0.32	0.06	0.07	0.18	0.01	0.81	0.92	0.64	0.32	0.49	0.17	NA		

GI source

Initial_Antibiotic	Mid	Meropenem			Pip.Taz.			Ceftazidime			Cefotaxime.			Cefuroxime		
		Upper	Lower	Mid	Upper	Lower	Mid	Upper	Lower	Mid	Upper	Lower	Mid	Upper	Lower	
Meropenem	NA	NA	NA	0.90	NA	0.59	0.88	1.00	0.57	0.88	1.00	0.78	0.98	1.00		
Pip.Taz		0.34	0.58	0.14	NA	NA	0.52	0.81	1.00	0.18	0.65	0.86	0.33	0.74		
Ceftazidime		0.58	0.90	0.25	0.92	1.00	0.65	NA	NA	0.92	1.00	0.69	0.90	1.00		
Cefotaxime		0.37	0.67	0.15	0.67	0.89	0.40	0.57	0.82	0.34	NA	NA	0.95	1.00		
Cefuroxime		0.28	0.54	0.11	0.61	0.86	0.35	0.42	0.66	0.23	0.71	0.87	0.52	NA		
Gentamicin		0.48	0.84	0.17	0.92	1.00	0.66	0.91	1.00	0.64	0.89	1.00	0.91	1.00		
Amikacin		0.15	0.93	0.12	0.96	1.00	0.68	0.96	1.00	0.73	0.95	1.00	0.66	0.95		
Coamoxiclav		0.16	0.31	0.06	0.49	0.68	0.30	0.28	0.44	0.15	0.44	0.61	0.26	0.54		
Ciprofloxacin		0.44	0.86	0.06	0.86	1.00	0.42	0.83	1.00	0.41	0.91	1.00	0.53	0.94		
Septin		0.22	0.47	0.06	0.36	0.66	0.13	0.30	0.56	0.12	0.61	0.83	0.32	0.66		

Initial_Antibiotic	Mid	Gentamicin			Amikacin			Coamoxiclav			Ciprofloxacin			Septin.		
		Upper	Lower	Mid	Upper	Lower	Mid	Upper	Lower	Mid	Upper	Lower	Mid	Upper	Lower	
Pip.Taz		0.45	0.70	0.22	0.28	0.55	0.09	0.99	1.00	0.95	0.26	0.50	0.09	0.31		
Ceftazidime		0.82	0.99	0.46	0.66	0.96	0.23	0.99	1.00	0.90	0.44	0.89	0.13	0.43		
Cefotaxime		0.52	0.83	0.22	0.39	0.74	0.10	0.99	1.00	0.96	0.24	0.52	0.07	0.51		
Cefuroxime		0.41	0.71	0.16	0.27	0.57	0.07	0.98	1.00	0.89	0.17	0.39	0.05	0.42		
Gentamicin	NA	NA	NA	0.47	0.87	0.12	0.86	1.00	0.51	0.37	0.84	0.06	0.49			
Amikacin		0.99	1.00	0.85	NA	NA	0.97	1.00	0.72	x	x	0.23	0.69			
Coamoxiclav		0.19	0.35	0.09	0.14	0.31	0.03	NA	NA	0.09	0.20	0.03	0.39			
Ciprofloxacin		0.73	0.99	0.27	0.30	0.92	0.00	0.92	1.00	0.54	NA	NA	0.67			
Septin		0.21	0.45	0.06	0.04	0.20	0.00	0.93	0.99	0.79	0.13	0.34	0.03			

Patients over 80 years

Initial.Antibioti	Mid	Meropenem			Pip.Taz.			Ceftazidime			Cefotaxime.			Cefuroxime			
		Upper	Lower	Mid	Upper	Lower	Mid	Upper	Lower	Mid	Upper	Lower	Mid	Upper	Lower		
Meropenem	NA	0.34	0.58	0.14	NA	0.90	1.00	0.59	0.88	1.00	0.57	0.98	1.00	0.78	0.98	1.00	0.78
Pip.Taz	NA	0.58	0.90	0.25	0.92	1.00	0.65	NA	0.52	0.81	0.18	0.65	0.86	0.33	0.74	0.91	0.50
Ceftazidime		0.37	0.67	0.15	0.67	0.89	0.40	0.57	0.82	0.34	NA	NA	NA	0.95	1.00	0.81	0.81
Cefotaxime		0.28	0.54	0.11	0.61	0.86	0.35	0.42	0.66	0.23	0.71	0.87	0.52	NA	NA	NA	NA
Cefuroxime		0.48	0.84	0.17	0.92	1.00	0.66	0.91	1.00	0.64	0.89	1.00	0.59	0.91	1.00	0.64	0.64
Gentamicin		0.55	0.93	0.12	0.96	1.00	0.68	0.96	1.00	0.73	0.95	1.00	0.66	0.95	1.00	0.62	0.62
Amikacin		0.16	0.31	0.06	0.49	0.68	0.30	0.28	0.44	0.15	0.44	0.61	0.26	0.54	0.73	0.32	0.32
Coamoxiclav		0.44	0.86	0.06	0.86	1.00	0.42	0.83	1.00	0.41	0.91	1.00	0.53	0.94	1.00	0.60	0.60
Ciprofloxacin		0.22	0.47	0.06	0.36	0.66	0.13	0.30	0.56	0.12	0.61	0.83	0.32	0.66	0.87	0.36	0.36
Seprin																	
Initial.Antibioti	Mid	Gentamicin			Amikacin			Coamoxiclav			Ciprofloxacin			Seprin.			
		Upper	Lower	Mid	Upper	Lower	Mid	Upper	Lower	Mid	Upper	Lower	Mid	Upper	Lower		
Pip.Taz		0.45	0.70	0.22	0.28	0.55	0.09	0.99	1.00	0.95	0.26	0.50	0.09	0.31	0.54	0.11	
Ceftazidime		0.82	0.99	0.46	0.66	0.96	0.23	0.99	1.00	0.90	0.44	0.89	0.13	0.43	0.72	0.14	
Cefotaxime		0.52	0.83	0.22	0.39	0.74	0.10	0.99	1.00	0.96	0.24	0.52	0.07	0.51	0.77	0.22	
Cefuroxime		0.41	0.71	0.16	0.27	0.57	0.07	0.98	1.00	0.89	0.17	0.39	0.05	0.42	0.64	0.18	
Gentamicin	NA	NA	NA	0.47	0.87	0.12	0.86	1.00	0.51	0.37	0.84	0.06	0.49	0.80	0.15		
Amikacin		0.99	1.00	0.85	NA	NA	NA	0.97	1.00	0.72	x	x	x	0.23	0.69	0.01	
Coamoxiclav		0.19	0.35	0.09	0.14	0.31	0.03	NA	NA	0.09	0.20	0.03	0.39	0.55	0.22		
Ciprofloxacin		0.73	0.99	0.27	0.30	0.92	0.00	0.92	1.00	0.54	NA	NA	NA	0.67	0.97	0.22	
Seprin		0.21	0.45	0.06	0.04	0.20	0.00	0.93	0.99	0.79	0.13	0.34	0.03	NA	NA	NA	

Patients Under 18