


TABLE OF CONTENTS
Supplemental Figures and Tables


Supplemental Document	Page
Supplemental Figure 1. Sample selection.....	2
Supplemental Figure 2. Survey completion time.....	3
Supplemental Figure 3. Cumulative distribution of days between index vaccination and onset of (A) any symptoms and (B) severe symptoms	4
Supplemental Figure 4. Self-reported health status	5
Supplemental Figure 5. Distribution of symptom severity	6
Supplemental Figure 6. Symptom prevalence among 241 participants who reported PVS.....	7
Supplemental Table 1. Participant pre-pandemic comorbidity frequencies (N = 240).....	9
Supplemental Table 2. Participant experience (N = 241).....	11
Supplemental Table 3. Health status.....	16
Supplemental Table 4. Symptom frequency of PVS.....	17
Supplemental Table 5. Participant new-onset conditions (N = 240).....	20
Supplemental Table 6. Frequency of treatments tried by participants with PVS.....	22

Supplemental Figure 1. Sample selection.




LISTEN, Listen to Immune, Symptom and Treatment Experiences Now; PVS, Post-vaccination Syndrome

Supplemental Figure 2. Survey completion time.



Supplemental Figure 3. Cumulative distribution of days between index vaccination and onset of (A) any symptoms and (B) severe symptoms.



The red line indicates the median and the blue line indicates the 90% percentile.


Half of PVS participants developed any symptoms 3 days after their index vaccination and 90% developed any symptoms after 21 days of their index vaccination.

Half of PVS participants developed severe symptoms 6 days after their index vaccination and 90% developed severe symptoms 45 days after their index vaccination.

The black dotted line represents a cumulative probability of 0.5 and 0.9.

PVS, Post-vaccination Syndrome


Supplemental Figure 4. Self-reported health status.



For (A) all participants reporting PVS, (B) all participants reporting PVS stratified by gender, (C) all participants reporting PVS stratified by age group, and (D) all participants reporting PVS stratified by index vaccination type. Assessed by the question, “Would you say your health in general is...” followed by six options: excellent, very good, good, fair, poor, or don’t know. The 15 respondents answering “don’t know” are excluded from the calculations used to produce these figures.







PVS, Post-vaccination Syndrome





Supplemental Figure 5. Distribution of symptom severity.



For (A) all participants who reported PVS, (B) all participants who reported PVS stratified by gender, (C) all participants who reported PVS stratified by age group, and (D) all participants who reported PVS stratified by index vaccination type. Median values are indicated with dashed lines. Assessed by the question, “We are trying to get a sense of how bad your PVS symptoms are when you feel them the most. On the slider below, with 0 being a trivial illness and 100 being unbearable, please let us know what the worst days are like.” (Supplemental Appendix [Health status questions]). PVS, Post-vaccination Syndrome

Supplemental Figure 6. Symptom prevalence among 241 participants who reported PVS.





“All” row means participants who reported any of the symptoms in the corresponding symptom group.
 HEENT, Head, Eyes, Ears, Nose, Throat; PVS, Post-vaccination Syndrome

Supplemental Table 1. Participant pre-pandemic comorbidity frequencies (N = 240).*

Comorbidity	n	%
Any allergies	116	48
Arthritis (including rheumatoid arthritis, gout, lupus, or fibromyalgia)	31	13
Asthma	49	20
Autoimmune disease (including lupus, scleroderma, etc.)	26	11
Bleeding disorder (including sickle cell disease or Thalassemia)	3	1
Blood clots	2	1
Cancer or malignancy of any kind	13	5
Cerebrovascular conditions affecting blood vessels to or in the brain (including stroke)	2	1
Chronic lung disease (including emphysema, chronic bronchitis, COPD, or pulmonary fibrosis)	3	1
Cystic fibrosis	0	0
Diabetes	6	3
Ehlers Danlos Syndrome (hypermobile joints)	8	3
Gastrointestinal issues (including IBS or acid reflux)	67	28
Heart attack, also called myocardial infarction	2	1
Heart conditions (including coronary artery disease or cardiomyopathies)	8	3
Heart failure	0	0
High cholesterol	34	14
History of organ transplant (including kidney, liver, heart, or lung)	0	0
Hypertension or high blood pressure	31	13
Immunocompromised state (including weakened immune system from blood or bone marrow transplant, immune deficiencies, HIV, use of corticosteroids, or use of other immune-weakening medicines)	6	3
Kidney disease	1	0.4
Liver disease	0	0
Lyme disease	7	3
MCAS or other mast cell disorders	3	1
ME/CFS	9	4

Migraines	46	19
Neurologic conditions (including seizures, dementia, multiple sclerosis, Parkinson's, neuropathy, small fiber neuropathy, etc.)	9	4
POTS or dysautonomia	8	3
Spinal disorder(s)	9	4
Tremors/Internal vibrations	6	3
Depressive disorders	49	20
Anxiety disorders	61	25
Schizophrenia spectrum and other psychotic disorders	0	0
Bipolar and related disorders	1	0.4
Obsessive-Compulsive and related disorders	6	3
Trauma- and stressor-related disorders	17	7
Feeding and eating disorders	5	2
Somatic symptoms (excessive thoughts, feelings and behaviors relating to the physical symptoms) and related disorders	2	1

*One participant did not have a response for the pre-pandemic comorbidities. After excluding any allergies, high cholesterol, and hypertension, 59 out of 240 (25%) participants were found without any listed comorbidities.

COPD, chronic obstructive pulmonary disease; HIV, human immunodeficiency virus; IBS, irritable bowel syndrome; MCAS, mast cell activation syndrome; ME/CFS, myalgic encephalomyelitis/chronic fatigue syndrome; POTS, postural orthostatic hypotension

Supplemental Table 2. Participant experience (N = 241).

Characteristic	n	%
Felt fearful		
Always	14	6
Often	46	19
Sometimes	89	37
Rarely	45	19
Never	44	18
Missing	3	–
Felt anxious		
Always	8	3
Often	24	10
Sometimes	74	31
Rarely	74	31
Never	58	24
Missing	3	–
Felt worried		
Always	9	4
Often	38	16
Sometimes	77	32
Rarely	68	29
Never	46	19
Missing	3	–
Felt unease		
Always	14	6
Often	62	26
Sometimes	102	43
Rarely	43	18
Never	17	7
Missing	3	–
Felt worthless		
Always	4	2
Often	17	7

Sometimes	48	20
Rarely	47	20
Never	122	51
Missing	3	–
Felt helpless		
Always	10	4
Often	63	26
Sometimes	80	34
Rarely	37	16
Never	48	20
Missing	3	–
Felt depressed		
Always	12	5
Often	34	14
Sometimes	82	34
Rarely	54	23
Never	56	24
Missing	3	–
Felt hopeless		
Always	6	3
Often	44	18
Sometimes	67	28
Rarely	54	23
Never	67	28
Missing	3	–
Felt fatigued		
Always	63	26
Often	93	39
Sometimes	58	24
Rarely	21	9
Never	3	1
Missing	3	–
Felt tired		
Always	32	13

Often	94	39
Sometimes	69	29
Rarely	33	14
Never	10	4
Missing	3	–
Felt rundown		
Very much	55	23
Quite a bit	90	38
Somewhat	49	21
A little bit	39	16
Not at all	5	2
Missing	3	–
Had difficulty falling asleep		
Very much	43	18
Quite a bit	46	19
Somewhat	64	27
A little bit	63	26
Not at all	22	9
Missing	3	–
Pain interfered with activities		
Very much	34	14
Quite a bit	58	24
Somewhat	62	26
A little bit	50	21
Not at all	34	14
Missing	3	–
Number of close people to rely on for help		
1-2	98	41
3-5	98	41
5+	39	16
None	3	1
Missing	3	–
Had neighbors willing to help		
Difficult	46	19

Easy	32	13
Possible	106	45
Very difficult	40	17
Very easy	14	6
Missing	3	–
Had someone to help		
Always	78	33
Usually	92	39
Sometimes	44	18
Rarely	15	6
Never	9	4
Missing	3	–
Lacked companionship		
Hardly ever or never	103	43
Often	47	20
Some of the time	88	37
Missing	3	–
Felt left out		
Hardly ever or never	70	30
Often	55	23
Some of the time	112	47
Missing	4	–
Felt isolated		
Hardly ever or never	52	22
Often	77	32
Some of the time	109	46
Missing	3	–
Felt lonely		
Hardly ever	53	22
Never	27	11
Occasionally	77	32
Often/Always	28	12
Some of the time	53	22
Missing	3	–

Living situation		
I do not have a steady place to live	1	0.4
I have a place to live today, but I am worried about losing it in the future	16	7
I have a steady place to live	221	93
Missing	3	–
Food insecurity		
Never true	217	91
Often true	4	2
Sometimes true	17	7
Missing	3	–
Unmet medical transport		
No	231	96
Yes	10	4
Unmet non-medical transport		
No	228	95
Yes	13	5

Supplemental Table 3. Health status.

Characteristic	n	%
Euro-QoL visual analogue scale (0-100)^{1, 2}	50 (39-70)	–
How bad are your PVS or other symptoms (0-100) on your worst days?^{1, 3}	80 (69-89)	–
Missing	3	–
Self-reported health status¹		
Don't know	15	6
Excellent	17	7
Fair	48	20
Good	56	23
Poor	58	24
Very good	47	20

¹Median (IQR) EQ-VAS and symptom severity; n/N, % for self-reported health status

²The Euro-QoL visual analogue scale is measured from 0 (worst imaginable health) to 100 (best imaginable health).

³Symptom severity is measured from 0 (trivial illness) to 100 (unbearable).

PVS, Post-vaccination Syndrome

Supplemental Table 4. Symptom frequency of PVS.

Symptom	n	%
Abdominal pain	80	33
Acid reflux or heartburn	61	25
Anxiety	104	43
Bilateral neck throbbing around lymph nodes	35	15
Bone aches	81	34
Brain fog	151	63
Burning sensations	121	50
Calf cramps	71	29
Change in nails	37	15
Changed sense of smell	20	8
Changed sense of taste	28	12
Changes in voice	30	12
Chilblains	11	5
Chills (no fever)	68	28
Clogged ears	59	24
Cold intolerance	85	35
Cold or burning feeling in lungs	16	7
Confusion	71	29
Congested or runny nose	44	18
Constant thirst	37	15
Constipation	60	25
Costochondritis	49	20
Cough	18	7
Coughing up blood	1	0.4
Cracked or dry lips	35	15
Dental problems	20	8
Diarrhea	59	24
Difficulty speaking properly	67	28
Difficulty swallowing	38	16
Discoloration of the skin	52	22
Dizziness	121	50
Dry eyes	67	28
Dry or peeling skin	32	13
Dry scalp or dandruff	11	5
Excessive fatigue	167	69
Exercise intolerance	170	71
Fainting	20	8

Fatigue	165	68
Feelings of impending doom	77	32
Fevers	33	14
Floaters or flashes of light in vision	77	32
Hair loss	74	31
Hallucinations	21	9
Headache	128	53
Heat intolerance	104	43
Hypersomnia	72	30
Inability to eat or tolerate food	58	24
Insomnia	148	61
Internal tremors or buzzing/vibration	118	49
Irregular or skipped menstrual cycles	49	20
Itchiness	57	24
Jaw pain	53	22
Joint pain	108	45
Kidney pain	20	8
Loss of appetite	74	31
Loss of hearing	35	15
Loss or decrease in quality of vision	86	36
Low temperature	23	10
Lump in throat	31	13
Memory problems	113	47
Menstrual cycles that are heavier or lighter than normal	49	20
Migraine	68	28
Mouth sores or sore tongue	46	19
Muscle or body aches	132	55
Nausea/vomiting	76	32
Neuropathy	151	63
New allergies	51	21
Night sweats	74	31
Nightmares	32	13
Numbness	153	63
Painful scalp	37	15
Palpitations	145	60
Persistent chest pain or pressure	63	26
Phantom smells	26	11
Phantom tastes	11	5
Phlegm in back of throat	30	12
Postnasal drip	35	15
Pressure at base of head	90	37

Runny nose	17	7
Seizures	7	3
Sharp or sudden chest pain	68	28
Shortness of breath or difficulty breathing	88	37
Skin bruising	53	22
Sore throat	28	12
Suicidal thoughts	50	21
Swollen hands or feet	30	12
Swollen lymph nodes	55	23
Tachycardia after standing up	103	43
Tachycardia at rest	94	39
Tender or itchy rash not on foot	28	12
Tender or itchy rash or chilblains on the toes or foot	16	7
Throat pain or discomfort	36	15
Tinnitus or humming in ears	131	54
Tremors or shakiness	91	38
Weakened neck	43	18
Wheezing	13	5

PVS, Post-vaccination Syndrome

Supplemental Table 5. Participant new-onset conditions (N = 240).¹

New-onset Condition	n (%)
Any allergies	108 (45)
Arthritis (including rheumatoid arthritis, gout, lupus, or fibromyalgia)	42 (17)
Asthma	37 (15)
Autoimmune disease (including lupus, scleroderma, etc.)	47 (20)
Bleeding disorder (including sickle cell disease or Thalassemia)	2 (1)
Blood clots	10 (4)
Cancer or malignancy of any kind	7 (3)
Cerebrovascular conditions affecting blood vessels to or in the brain (including stroke)	13 (5)
Chronic lung disease (including emphysema, chronic bronchitis, COPD, or pulmonary fibrosis)	5 (2)
Cystic fibrosis	0 (0)
Diabetes	6 (3)
Ehlers Danlos Syndrome (hypermobile joints)	15 (6)
Gastrointestinal issues (including IBS or acid reflux)	73 (30)
Heart attack/myocardial infarction	3 (1)
Heart conditions (including coronary artery disease or cardiomyopathies)	31 (13)
Heart failure	3 (1)
High cholesterol	52 (22)
History of organ transplant (including kidney, liver, heart, or lung)	0 (0)
Hypertension or high blood pressure	45 (19)
Immunocompromised state (including weakened immune system from blood or bone marrow transplant, immune deficiencies, HIV, use of corticosteroids, or use of other immune-weakening medicines)	22 (9)
Kidney disease	2 (1)
Liver disease	6 (3)
Long COVID	21 (9)
Lyme disease	9 (4)
MCAS or other mast cell disorders	28 (12)
ME/CFS	28 (12)
Migraines	53 (22)
Neurological conditions (including seizures, dementia, multiple sclerosis, Parkinson's, neuropathy, small fiber neuropathy, etc.)	79 (33)
POTS or dysautonomia	70 (29)
Spinal disorder(s)	13 (5)
Vaccine injury	133 (55)
Depressive disorders	49 (20)
Anxiety disorders	86 (36)
Schizophrenia spectrum and other psychotic disorders	0 (0)

Bipolar and related disorders	1 (0.4)
Obsessive-Compulsive and related disorders	6 (3)
Trauma- and stressor-related disorders	25 (10)
Feeding and eating disorders	4 (2)
Somatic symptom and related disorders	4 (2)

¹One participant did not provide a response for new onset medical conditions.
 COPD, chronic obstructive pulmonary disease; HIV, human immunodeficiency virus; IBS, irritable bowel syndrome; MCAS, mast cell activation syndrome; ME/CFS, myalgic encephalomyelitis/chronic fatigue syndrome; POTS, postural orthostatic hypotension

Supplemental Table 6. Frequency of treatments tried by participants with PVS.

Category	Treatment	n (%)
Vitamins and Supplements	Vitamin B1 (Thiamine)	52 (22)
	Vitamin B2 (Riboflavin)	42 (17)
	Vitamin B3 (Niacin)	36 (15)
	Vitamin B6 (Pyridoxine)	39 (16)
	Vitamin B complex	102 (42)
	Vitamin B12 (hydroxocobalamin, cyanocobalamin)	103 (43)
	Vitamin C (ascorbic acid)	128 (53)
	Vitamin D (calciferol)	157 (65)
	Vitamin E (alpha-tocopherol)	22 (9)
	Vitamin K2 (menaquinone)	52 (22)
	Zinc	86 (36)
	Copper	12 (5)
	CoQ10	74 (31)
	Magnesium	135 (56)
	Alpha lipoic acid	62 (26)
	Flavonoids (Quercetin, Luteolin, BrainGain)	71 (29)
	NAC (N-Acetyl Cysteine)/Glycine	79 (33)
	Glutathione	47 (20)
	Glutamine	10 (4)
	PEA (Palmitoylethanolamide)	17 (7)
H1 Antihistamines	Turmeric (Curcumin)	96 (40)
	Omega 3s/Fish oil	97 (40)
	Acetyl-L-Carnitine	30 (12)
	L-Lysine	25 (10)
	Loratadine (Claritin)	84 (35)
	Cetirizine (Zyrtec)	87 (36)
	Fexofenadine (Allegra)	39 (16)
H2 Antihistamines	Diphenhydramine (Benadryl)	67 (28)
	Chlorpheniramine (Chlor-Trimeton)	3 (1)
	Hydroxyzine (Atarax) (Rx)	22 (9)
	Famotidine (Pepcid)	91 (38)

	Cimetidine (Tagamet)	4 (2)
Motion Sickness Drugs	Dimenhydrinate (Dramamine)	11 (5)
	Meclizine (Bonine)	17 (7)
	Scopolamine	2 (1)
NSAIDs	Ibuprofen (Advil, Motrin, Provil)	129 (54)
	Naproxen (Aleve, Mediproxen, All Day Pain Relief)	58 (24)
	Aspirin [Acetylsalicylic acid] (Ascriptin, Aspercin, Aspirin, Buffasal, Bufferin, Buffinol, Easprin, Ecotrin, Vazalore), 81 mg (baby aspirin), 325 mg (regular aspirin)	84 (35)
Non-NSAID Painkillers	Acetaminophen [Paracetamol] (Tylenol, Panadol, Apra, FeverAll, Mapap, Pharbetol)	111 (46)
Herbal and Natural Supplements	Black seed oil	43 (18)
	Milk thistle	27 (11)
	Astaxanthin	7 (3)
	Nattokinase	32 (13)
	Moringa	9 (4)
	Melatonin	79 (33)
	Reishi, Lion's Mane, Cordyceps (mushrooms)	28 (12)
	CBD (oral, topical, inhaled)	68 (28)
	Cannabis	33 (14)
	Eastern white pine needle	19 (8)
	Nettles	13 (5)
	Dandelion	32 (13)
	St. John's Wort (hypericum perforatum)	4 (2)
Probiotics		238 (99)
Mast Cell Stabilizers	Cromoglicic acid (Cromolyn) oral, nasal spray	20 (8)
	Ketotifen (Zaditor)	12 (5)
	Montelukast (Singulair)	22 (9)
	Omalizumab (Xolair)	1 (0.4)
	DAO enzyme supplement (OTC)	19 (8)
Antibiotics	Macrolides (Azithromycin, Clarithromycin, Erythromycin)	7 (3)
	Fluoroquinolones (Ciprofloxacin, Levofloxacin, other)	2 (1)
	Cephalosporins (Cephalexin, Ceftriaxone, other)	2 (1)
	Penicillin (Penicillin, Amoxicillin, other)	10 (4)
	Doxycycline	17 (7)

Antiparasitic and Antimalarial Treatments	Ivermectin (Stromectol)	44 (18)
	Hydroxychloroquine (Plaquenil)	19 (8)
	Chloroquine (Aralen)	0 (0)
Steroids	Oral (Prednisone, Dexamethasone, Hydrocortisone, Methylprednisolone, other)	116 (48)
	IV steroids (Hydrocortisone, Methylprednisolone, other)	12 (5)
	Inhaled steroids (Mometasone [Asmanex], Fluticasone [Flovent], Budesonide [Pulmicort], other)	24 (10)
	Other steroid injections (intratympanic, spinal)	9 (4)
Anticoagulants	Heparin	3 (1)
	Warfarin (Coumadin)	0 (0)
	Direct oral anticoagulant: Apixaban (Eliquis)	2 (1)
	Direct oral anticoagulant: Dabigatran (Pradaxa)	1 (0.4)
	Direct oral anticoagulant: Rivaroxaban (Xarelto)	4 (2)
	Direct oral anticoagulant: Edoxaban (Savaysa)	0 (0)
	Direct oral anticoagulant: Betrixaban (Bevyxxa)	0 (0)
Anti-Platelet Therapies	Clopidogrel (Plavix)	7 (3)
Anti-Inflammatory Drugs	Colchicine (Colcrys, Mitigare, Gloperba)	14 (6)
Antiviral Drugs for COVID-19	Nirmatrelvir/Ritonavir (Paxlovid)	4 (2)
	Molnupiravir (Lagevrio)	0 (0)
	Remdesivir (Veklury)	0 (0)
Antivirals for Herpesvirus	Valacyclovir (Valtrex)	23 (10)
	Famciclovir (Famvir)	3 (1)
	Acyclovir (Zovirax)	10 (4)
Monoclonal Antibody Therapies	Casirivimab/Imdevimab (Regeneron)	7 (3)
	Bamlanivimab and etesevimab	2 (1)
	Sotrovimab (Xevudy)	0 (0)
	Bebtelovimab	0 (0)
	Tixagevimab and cilgavimab (Evusheld)	4 (2)
Blood Derived Treatments	Intravenous Immunoglobulin (IVIG)	17 (7)
	Subcutaneous Immunoglobulin (SCIG)	2 (1)
	Convalescent plasma	0 (0)
Immunomodulatory Drugs	Eculizumab (Soliris)	0 (0)
	IL-1 antagonist (Anakinra [Kineret], Canakinumab [Ilaris], other)	2 (1)

	IL-6 antagonist (Siltuximab [Sylvant], Sarilumab [Kevzara], Tocilizumab [Actemra], other)	0 (0)
	Kinase inhibitors (Acalabrutinib [Calquence], Ibrutinib [Imbruvica], Zanubrutinib [Brukinsa], Baricitinib [Olumiant], Ruxolitinib [Jakafi], Tofacitinib [Xeljanz], other)	1 (0.4)
	T-Cell and B-Cell inhibitors (mycophenolate mofetil [CellCept])	2 (1)
	Monoclonal immunosuppressives: CD-20/B-Cell modulator	1 (0.4)
	Monoclonal immunosuppressives: Rituximab (Riabni, Rituxan, Ruxience, Truxima)	0 (0)
	Monoclonal immunosuppressives: Leronlimab	0 (0)
	CCR5 entry inhibitors: Maraviroc (Selzentry)	11 (5)
G-Protein Coupled Receptor Medications	BC 007	0 (0)
Anticonvulsant	Gabapentin (Neurontin, Gralise)	61 (25)
	Pregabalin (Lyrica)	13 (5)
	Lamotrigine (Lamictal)	2 (1)
	Carbamazepine (Tegretol)	2 (1)
Antidepressants	Duloxetine (Cymbalta)	22 (9)
	Doxepin (Sinequan)	2 (1)
	Amitriptyline (Elavil)	15 (6)
	Nortriptyline (Pamelor)	7 (3)
	Fluvoxamine (Luvox)	16 (7)
	Mirtazapine (Remeron)	2 (1)
	Fluoxetine (Prozac)	8 (3)
	Escitalopram (Lexapro)	18 (7)
	Citalopram (Celexa)	5 (2)
	Paroxetine (Brisdelle, Paxil, Pexeva)	1 (0.4)
	Sertraline (Zoloft)	11 (5)
	Desvenlafaxine (Pristiq)	1 (0.4)
	Venlafaxine (Effexor)	8 (3)
Benzodiazepines	Alprazolam (Xanax)	15 (6)
	Clonazepam (Klonopin)	19 (8)
	Lorazepam (Ativan)	21 (9)
	Diazepam (Valium)	6 (2)
	Triazolam (Halcion)	0 (0)

	Temazepam (Restoril)	1 (0.4)
Muscle Relaxants	Baclofen (Lioresal)	8 (3)
	Methocarbamol (Robaxin)	5 (2)
	Cyclobenzaprine (Flexeril)	22 (9)
	Metaxalone (Skelaxin)	1 (0.4)
	Tizanidine (Zanaflex)	13 (5)
Sleep Medications	Zolpidem (Ambien)	13 (5)
	Zaleplon (Sonata)	0 (0)
	Trazodone (Desyrel)	12 (5)
Opioid Antagonists	Low dose Naltrexone	48 (20)
Beta Blockers	Propranolol (Inderal)	27 (11)
	Metoprolol (Lopressor)	24 (10)
	Nebivolol (Bystolic)	2 (1)
Other Blood Pressure Medications	Lisinopril (Prinivil, Zestril)	7 (3)
	Enalapril (Epaned)	0 (0)
	Candesartan (Atacand)	4 (2)
	Losartan (Cozaar)	4 (2)
	Amlodipine (Norvasc)	5 (2)
	Verapamil (Calan, Isoptin)	4 (2)
	Diltiazem (Cardizem)	5 (2)
Diuretics	Furosemide (Lasix)	2 (1)
	Bumetanide (Bumex)	0 (0)
	Hydrochlorothiazide (Microzide)	3 (1)
	Chlorthalidone (Thalitone)	0 (0)
	Acetazolamide (Diamox)	3 (1)
	Spirolactone (Aldactone, CaroSpir)	7 (3)
Salt Supplements	SaltStick	11 (5)
Anti-Hypotensive Treatments	Midodrine (Proamatine)	7 (3)
Antiarrhythmics	Amiodarone (Nexterone)	0 (0)
	Flecainide (Tambocor)	2 (1)
Lipid Lowering Medications	Pravastatin (Pravachol)	11 (5)
	Atorvastatin (Lipitor)	17 (7)
	Rosuvastatin (Crestor)	7 (3)

Other Respiratory Treatments	Bronchodilators (Albuterol, Salmeterol, Formoterol, Ipratropium, Tiotropium, other)	26 (11)
	Nasal spray (Flonase [Fluticasone], Nasocort [Triamcinolone], Afrin [Oxymetazoline], other)	59 (24)
Other Gastrointestinal Treatments	Proton pump inhibitors (Omeprazole [Prilosec], Esomeprazole [Nexium])	43 (18)
	Anti-nausea medication (Ondansetron [Zofran], Prochlorperazine [Compazine], Promethazine [Phenergan], Metoclopramide [Reglan])	25 (10)
	Antispasmodics (Hyoscyamine [Levsin], Dicyclomine [Bentyl], Clidinium and chlordiazepoxide [Librax], atropine, scopolamine, and phenobarbital [Donnatal])	7 (3)
	Laxatives, stool softeners	32 (13)
	Antidiarrheal (Diphenoxylate [Lomotil], Loperamide [Imodium], Bismuth subsalicylate [Kaopectate, Pepto Bismol])	10 (4)
	Treatment for SIBO (Rifaximin [Xifaxan], other)	4 (2)
	Simethicone (Gas-X)	16 (7)
Psychedelics	Lysergic Acid Diethylamide (LSD)	0 (0)
	Psilocin (4-HO-DMT)	3 (1)
	3, 4-Methylenedioxymethamphetamine (MDMA)	0 (0)
	Ayahuasca	0 (0)
Pain Medications	Lidocaine	16 (7)
	Capsaicin	8 (3)
	Tramadol (ConZip, Qdolo, Ultram)	4 (2)
	Ketorolac (Toradol)	6 (2)
	Celecoxib (Celebrex, Elyxyb)	8 (3)
	Opioid analgesics (Morphine, Buprenorphine, Codeine, Fentanyl, Oxycodone, Hydrocodone, Hydromorphone, other)	10 (4)
Other Medications	Ketamine (Ketalar)	2 (1)
	Botulinum toxin injection (Botox)	9 (4)
Non-Pharmacological Agents	Enhanced External Counterpulsation (EECP)	1 (0.4)
	Diets: Low histamine diet	83 (34)
	Diets: Low salt diet	18 (7)
	Diets: Intermittent fasting	95 (39)
	Diets: Other (please describe)	55 (23)
	Plasmapheresis/Apheresis	2 (1)
	Hyperbaric Oxygen Therapy (HBOT)	15 (6)

	Red light therapy	27 (11)
	Lymphatic massage	37 (15)
	Cranio-sacral massage	24 (10)
	Home oxygen	6 (2)
	Physical therapy: Vestibular	15 (6)
	Physical therapy: Vestibular-ocular	6 (2)
	Physical therapy: Speech	4 (2)
	Physical therapy: Strengthening, stamina	36 (15)
	Physical therapy: Rehabilitation	35 (15)
	Vision therapy	6 (2)
	Cognitive behavioral therapy (e.g. for tinnitus, hearing disorders)	13 (5)
	Hearing devices/maskers for tinnitus	11 (5)
	Integrative medicine treatments: IV ozone	7 (3)
	Integrative medicine treatments: IV vitamins	25 (10)
	Integrative medicine treatments: Treatment for EBV, CMV, herpes, Lymes disease	9 (4)
	Chinese medicine treatments: Herbs	25 (10)
	Chinese medicine treatments: Acupuncture	60 (25)
	Ayurveda medicine	7 (3)
	Lifestyle changes: Diet change	95 (39)
	Lifestyle changes: No alcohol or caffeine	105 (44)
	Lifestyle changes: Hydration, increase or decrease salt intake	105 (44)
	Lifestyle changes: Limiting exercise or exertion	124 (51)
	Chiropractic treatment	44 (18)

NSAID, Non-steroidal Anti-inflammatory Drug; PVS, Post-vaccination Syndrome