

Supplementary Materials

These supplementary materials present additional details about the results.

LOGISTIC REGRESSION RESULTS

The full model

We analysed the association between PRS and severe COVID-19 using a multivariate logistic regression model adjusted for sex, age, and the first 10 principal components of genetic variation.

Table 1: Logistic regression results for the full model.

	coef	std err	z	P> z 	[0.025	0.975]
intercept	-0.0495	0.219	-0.226	0.821	-0.478	0.379
age	0.5637	0.078	7.187	0.000	0.410	0.717
sex	-0.5737	0.145	-3.952	0.000	-0.858	-0.289
PRS	0.4135	0.073	5.651	0.000	0.270	0.557
PC1	-0.0025	0.095	-0.026	0.979	-0.189	0.184
PC2	0.2154	1.240	0.174	0.862	-2.216	2.647
PC3	-0.5792	1.203	-0.481	0.630	-2.938	1.779
PC4	0.3239	0.599	0.541	0.589	-0.850	1.498
PC5	0.3810	0.409	0.931	0.352	-0.421	1.183
PC6	0.2982	0.296	1.009	0.313	-0.281	0.878
PC7	-0.1118	0.109	-1.022	0.307	-0.326	0.103
PC8	-0.0367	0.072	-0.510	0.610	-0.178	0.104
PC9	0.0875	0.085	1.031	0.303	-0.079	0.254
PC10	0.0153	0.072	0.212	0.832	-0.127	0.157

- **coef**: the coefficient of the variable (log[odd ratio]);
- **std err**: the standard error of the coefficient;
- **Z**: the z value for the estimated coefficient and the standard error;
- **P>|z|**: the p-value associated with the value in the z value column;
- **[0.025, 0.975]**: 95% confident interval (CI) for the coefficient.

The covariates-only model

The base model contains only the demographic predictors (sex, age, and the first 10 principal components of genetic variation).

Table 2: Logistic regression results for the covariates-only model.

	coef	std err	z	P> z 	[0.025	0.975]

intercept	-0.0549	0.214	-0.257	0.797	-0.474	0.364
age	0.5321	0.076	6.982	0.000	0.383	0.681
sex	-0.5383	0.143	-3.775	0.000	-0.818	-0.259
PC1	-0.0284	0.093	-0.305	0.760	-0.211	0.154
PC2	0.8426	1.226	0.687	0.492	-1.561	3.246
PC3	-1.0866	1.186	-0.916	0.360	-3.412	1.238
PC4	0.2649	0.513	0.516	0.606	-0.741	1.271
PC5	0.3364	0.354	0.950	0.342	-0.357	1.030
PC6	0.2184	0.250	0.874	0.382	-0.271	0.708
PC7	-0.0971	0.117	-0.832	0.405	-0.326	0.132
PC8	-0.0362	0.071	-0.508	0.612	-0.176	0.104
PC9	0.1146	0.083	1.377	0.169	-0.049	0.278
PC10	0.0180	0.071	0.255	0.799	-0.121	0.157

The PRS-only model

The base model contains only PRS predictor.

Table 3: Logistic regression results for the PRS-only model.

	coef	std err	z	P> z 	[0.025	0.975]
intercept	-0.8025	0.081	-9.923	0.000	-0.961	-0.644
PRS	0.3727	0.071	5.278	0.000	0.234	0.511
PC1	-0.0165	0.092	-0.178	0.858	-0.197	0.164
PC2	0.4333	1.177	0.368	0.713	-1.874	2.740
PC3	-0.8196	1.152	-0.711	0.477	-3.078	1.439
PC4	0.2147	0.525	0.409	0.683	-0.815	1.244
PC5	0.3026	0.358	0.845	0.398	-0.399	1.005
PC6	0.2557	0.263	0.972	0.331	-0.260	0.771
PC7	-0.1390	0.111	-1.254	0.210	-0.356	0.078
PC8	-0.0669	0.077	-0.869	0.385	-0.218	0.084
PC9	0.0808	0.083	0.977	0.328	-0.081	0.243
PC10	-0.0271	0.070	-0.387	0.699	-0.164	0.110

The full model with PRS as a binary predictor

We analysed the association between PRS and severe COVID-19 using a multivariate logistic regression model adjusted for sex, age, and the first 10 principal components of genetic variation. PRS values were considered as a binary predictor, where the highest 10% of PRS were taken as 1, others as 0.

Table 4: Logistic regression results for the full model with PRS as a binary predictor.

	coef	std err	z	P> z	[0.025]	0.975]
intercept	-0.0781	0.223	-0.350	0.726	-0.515	0.359
10% with the highest PRS values	0.9143	0.225	4.069	0.000	0.474	1.355
10% with the lowest PRS values	-1.0727	0.290	-3.703	0.000	-1.640	-0.505
age	0.5789	0.079	7.342	0.000	0.424	0.733
sex	-0.5430	0.145	-3.746	0.000	-0.827	-0.259
PC1	-0.0078	0.095	-0.082	0.935	-0.195	0.179
PC2	0.5737	1.249	0.459	0.646	-1.875	3.023
PC3	-0.8886	1.208	-0.736	0.462	-3.256	1.479
PC4	0.3058	0.612	0.500	0.617	-0.893	1.505
PC5	0.3584	0.417	0.859	0.390	-0.459	1.176
PC6	0.3072	0.300	1.023	0.306	-0.281	0.896
PC7	-0.0974	0.112	-0.871	0.384	-0.317	0.122
PC8	-0.0315	0.072	-0.436	0.663	-0.173	0.110
PC9	0.0818	0.085	0.959	0.338	-0.085	0.249
PC10	0.0190	0.073	0.261	0.794	-0.123	0.161