

Additional file

Additional file includes:

Table S1 Coding for relationship between migrant and non-migrant.

Figure S1 Sankey diagram of potential types of migration and inclusion/exclusion in analysis.

Table S2 Sexual behaviors and sexually transmitted infections for 14,599 non-migrants in HIV prevalence analytic dataset stratified for men and women and by type of migration in the household.

Table S3 Crude and adjusted prevalence ratios for HIV prevalence and HIV viremia with household migration stratified by the relationship between migrant and non-migrant.

Table S4 Prevalence of HIV and viremia among spouses restricted to currently married only.

Table S5 Crude and adjusted prevalence ratios for HIV and viremia regressions for relationship between migrant and non-migrant stratified by fishing and inland community.

Table S6 Crude and adjusted prevalence ratios for HIV and HIV viremia by relationship between migrant and non-migrant stratified by direction of migration (into or out).

Table S1 Coding for relationship between migrant and non-migrant.

Relationship code	Migrant	Non-migrant and migrant relationships based on HH roster		Number of unique non-migrants
		n	%	n
1	Child is the migrant, parent is the non-migrant	1,407	21.87%	1,102
2	Parent moves, child is the non-migrant	127	1.97%	113
3	Partner/spouse migrates, partner/spouse is the non-migrant	1111	17.27%	972
4	Sibling moves, sibling non-migrant	1083	16.83%	875
5	Grandchild moves, grandparent non-migrant	20	0.31%	17
6	Grandparent moves, grandchild non-migrant	3	0.05%	3
8	Migrant is related but not captured in the categories above e.g., uncle or aunt	1,308	20.33%	1,043
9	Migrant is unrelated to non-migrant	1,020	15.85%	783
99	It is unclear if the migrant and non-migrant are related	355	5.52%	187
Total		6,434		5,095

Coding

To determine the relationship between migrant and non-migrant, census household rosters listing the relationship of each member to the head of household were used in conjunction with spousal relationships from the questionnaire. We collapsed some relationship categories (e.g. biological child, stepchild) assuming some relationships had the similar roles. We reclassified relationships as follows:


- Co-wives were reclassified as spouses to the head of household;
- Parents and parents-in-law as parents;
- Biological son or daughter, son or daughter-in-law, and adopted, foster or stepchild as children.

The table above summarizes the nine different relationships coded between migrant and non-migrant. Relationships were classified based on the current household roster where the relationship was listed. If that was not possible, then the prior household roster was used to classify the relationship between the migrant and non-migrant. All relationships that were classified based on the previous round were outmigrant relationships

Summary of relationships between migrant and non-migrants

In total there were 6,434 unique migrant and non-migrant pairs. Parent migration may be more common than presented in the table above as those under 15 years were not eligible for the survey.

Figure S1 Sankey diagram of potential types of migration and inclusion/exclusion in analysis.



Note: HH - Household

19,018 migration events were recorded in the survey and census. Of these 73% (13,842/19,018) were migrants who moved into or out of households where all members were migrants and so were excluded from the study. An additional 5.85% (1,112/19,018) of migration events were excluded as the migrant moved into a home with census-eligible RCCS residents but the residents in those household did not participate in the RCCS. Overall, 21.4% (4,064/19,018) of migration events were captured in our analysis.

Table S2 Sexual behaviors and sexually transmitted infection symptoms for 14,599 non-migrants in HIV prevalence analytic dataset stratified for men and women and by type of migration in the household.

	No migration ^a	In-migration only ^a	Out-migration only ^a	Bidirectional migration ^a	p-value ^b
Women (n=7,654)					
<i>Number of sexual partners in past year</i>					0.047
0-1 partners	5,094/5,462 (93)	535/578 (93)	1,288/1,356 (95)	236/258 (91)	
2+ partners	368/5,462 (6.7)	43/578 (7.4)	68/1,356 (5.0)	22/258 (8.5)	
<i>Genital ulcer in past year</i>	485/5,451 (8.9)	49/578 (8.5)	85/1,352 (6.3)	12/258 (4.7)	0.002
(Missing)	11	0	4	0	
<i>Sexually active</i>	4,421/5,462 (81)	454/578 (79)	905/1,356 (67)	183/258 (71)	<0.001
<i>Casual partners, condom use^c</i>					<0.001
Stable partners only	3,210/4,421 (73)	321/454 (71)	551/905 (61)	124/183 (68)	
Casual partners, consistent condom use	267/4,421 (6.0)	25/454 (5.5)	91/905 (10)	13/183 (7.1)	
Casual partners, inconsistent condom use	944/4,421 (21)	108/454 (24)	263/905 (29)	46/183 (25)	
Men (n=6,945)					
<i>Number of sexual partners in past year</i>					<0.001
0-1 partners	2,839/4,722 (60)	430/693 (62)	794/1,202 (66)	178/328 (54)	
2+ partners	1,883/4,722 (40)	263/693 (38)	408/1,202 (34)	150/328 (46)	
<i>Genital ulcer symptoms in past year</i>	140/4,722 (3.0)	21/693 (3.0)	32/1,202 (2.7)	19/328 (5.8)	0.028
(Missing)					
<i>Sexually active</i>	3,828/4,722 (81)	577/693 (83)	833/1,202 (69)	269/328 (82)	<0.001
<i>Casual partners, condom use^c</i>					<0.001
Stable partners only	1,644/3,828 (43)	301/577 (52)	302/833 (36)	124/269 (46)	
Casual partners, consistent condom use	661/3,828 (17)	79/577 (14)	165/833 (20)	42/269 (16)	
Casual partners, inconsistent condom use	1,523/3,828 (40)	197/577 (34)	366/833 (44)	103/269 (38)	
<i>Circumcised man</i>	2,992/4,722 (63)	469/693 (68)	793/1,202 (66)	226/328 (69)	0.022

Note:

^a Statistics presented: n/N (%)

^b Statistical tests performed: chi-square test of independence

^c Amongst sexually active (had sex in the past year) participants only.

^d Amongst HIV seropositive individuals only.

Table S3 Crude and adjusted prevalence ratios for HIV prevalence and HIV viremia with household migration stratified by the relationship between migrant and non-migrant.

	Exposed n/N	Reference n/N	Crude PR [95%CI]	p	Adjusted PR [95%CI]	p
<u>HIV prevalence</u>						
Men						
Spouse with migrant spouse ^a	158/706	482/2754	1.28 [1.09, 1.50]	<0.01	0.90 [0.75, 1.07]	0.22
Parent with migrant child ^b	65/346	487/3972	1.53 [1.21, 1.94]	<0.01	0.90 [0.70, 1.16]	0.40
Sibling with migrant sibling ^c	14/490	29/1067	1.05 [0.56, 1.97]	0.88	0.60 [0.34, 1.05]	0.07
Women						
Spouse with migrant spouse ^a	95/266	690/3991	2.07 [1.73, 2.46]	<0.01	1.44 [1.21, 1.71]	<0.01
Parent with migrant child ^b	193/756	1030/5690	1.41 [1.23, 1.61]	<0.01	0.96 [0.84, 1.10]	0.60
Sibling with migrant sibling ^c	33/385	53/935	1.51 [1.00, 2.30]	0.05	0.99 [0.66, 1.48]	0.95
<u>HIV viremia</u>						
Men						
Spouse with migrant spouse ^a	44/156	86/480	1.57 [1.15, 2.16]	<0.01	1.37 [0.94, 1.99]	0.10
Parent with migrant child ^b	9/63	105/484	0.66 [0.35, 1.23]	0.19	1.00 [0.52, 1.90]	1.00
Sibling with migrant sibling ^c	4/14	12/29	0.69 [0.27, 1.78]	0.44	1.47 [0.33, 6.51]	0.61
Women						
Spouse with migrant spouse ^a	9/94	75/690	0.88 [0.46, 1.70]	0.71	0.93 [0.48, 1.82]	0.83
Parent with migrant child ^b	5/192	130/1027	0.21 [0.09, 0.50]	<0.01	0.34 [0.13, 0.86]	0.02
Sibling with migrant sibling ^c	6/33	10/53	0.96 [0.38, 2.42]	0.94	0.99 [0.41, 2.40]	0.99

^aCompared to spouses with non-migrating spouses

^bCompared to parents with non-migrating children

^cCompared to siblings with non-migrating siblings

Note: Prevalence ratios (PR) presented with 95% confidence intervals (CI), spouse regressions adjusted for demographics except for marital status; parent and sibling regressions adjusted for demographics including marital status.

Table S4 Prevalence of HIV and viremia among spouses restricted to currently married only.

		HIV seropositive			HIV viremia >1000 copies/mL			HIV viremia >400 copies/mL				
		PR	95% CI	p-value	N	PR	95% CI	p-value	PR	95% CI	p-value	N
Men												
Crude	All spouses ^a	1.28	[1.09 ,1.50]	0.003	3460	1.57	[1.15 ,2.16]	0.005	1.15	[1.12 ,2.07]	0.008	636
Crude	Currently married only ^a	1.25	[1.05 ,1.50]	0.014	3286	1.46	[1.01 ,2.09]	0.042	1.01	[1.00 ,2.02]	0.051	595
Adjusted	All spouses ^a	0.90	[0.75 ,1.07]	0.223	3460	1.37	[0.94 ,1.99]	0.104	0.94	[0.93 ,1.92]	0.118	636
Adjusted	Currently married only ^a	0.91	[0.75 ,1.09]	0.307	3286	1.27	[0.85 ,1.89]	0.252	0.85	[0.84 ,1.82]	0.281	595
Women												
Crude	All spouses ^a	2.07	[1.73 ,2.46]	<0.01	4257	0.88	[0.46 ,1.70]	0.705	0.97	[0.54 ,1.76]	0.927	784
Crude	Currently married only ^a	1.86	[1.46 ,2.36]	<0.01	4138	0.76	[0.29 ,2.00]	0.583	0.69	[0.26 ,1.80]	0.448	735
Adjusted	All spouses ^a	1.44	[1.21 ,1.71]	<0.01	4257	0.93	[0.48 ,1.82]	0.833	1.02	[0.56 ,1.88]	0.946	784
Adjusted	Currently married only ^a	1.25	[0.98 ,1.59]	0.07	4138	0.84	[0.32 ,2.18]	0.714	0.74	[0.29 ,1.93]	0.543	735

^aCompared to spouses with non-migrating spouses

Note: Prevalence ratios (PR) presented with 95% confidence intervals (CI), spouse regressions adjusted for demographics except for marital status.

Table S5 Crude and adjusted prevalence ratios for HIV and viremia regressions for relationship between migrant and non-migrant stratified by fishing and inland community.

	HIV prevalence				HIV viremia (>1000 copies/mL)			
	Fishing		Inland		Fishing		Inland	
	Crude PR [95% CI]	Adjusted PR [95% CI]	Crude PR [95% CI]	Adjusted PR [95% CI]	Crude PR [95% CI]	Adjusted PR [95% CI]	Crude PR [95% CI]	Adjusted PR [95% CI]
Men								
Spouse with migrant spouse ^a	0.99 [0.83, 1.18]	0.86 [0.71, 1.04]	0.95 [0.71, 1.27]	0.99 [0.71, 1.39]	1.52 [0.99, 2.32]	1.46 [0.87, 2.46]	1.79 [1.10, 2.92]	1.23 [0.71, 2.14]
Parent with migrant child ^b	1.16 [0.79, 1.71]	0.73 [0.48, 1.10]	1.91 [1.43, 2.54]	0.95 [0.70, 1.30]	0.62 [0.16, 2.38]	1.02 [0.27, 3.91]	0.63 [0.31, 1.28]	1.00 [0.47, 2.13]
Sibling with migrant sibling ^c	1.85 [0.59, 5.80]	0.92 [0.37, 2.29]	0.85 [0.40, 1.82]	0.51 [0.26, 1.02]
Women								
Spouse with migrant spouse ^a	1.33 [1.08, 1.63]	1.20 [0.97, 1.47]	2.17 [1.66, 2.85]	1.79 [1.37, 2.33]	0.74 [0.28, 2.01]	0.70 [0.25, 1.93]	1.04 [0.43, 2.48]	1.15 [0.47, 2.82]
Parent with migrant child ^b	1.35 [1.10, 1.65]	0.97 [0.79, 1.20]	1.57 [1.33, 1.84]	0.96 [0.81, 1.13]	0.16 [0.02, 1.15]	0.27 [0.04, 2.00]	0.22 [0.08, 0.59]	0.34 [0.12, 1.01]
Sibling with migrant sibling ^c	2.10 [1.12, 3.92]	1.53 [0.79, 2.96]	1.30 [0.77, 2.21]	0.84 [0.51, 1.39]

^aCompared to spouses with non-migrating spouses

^bCompared to parents with non-migrating children

^cCompared to siblings with non-migrating siblings

Note: Prevalence ratios (PR) presented with 95% confidence intervals [95% CI], spouse regressions adjusted for except for marital status; parent regressions adjusted for demographics including marital status. Sibling regressions excluded due to limited sample size.

Table S6 Crude and adjusted prevalence ratios for HIV and HIV viremia by relationship between migrant and non-migrant stratified by direction of migration (into or out).

	Exposed n/N	Reference n/N	Crude PR [95%CI]	p	Adjusted PR [95%CI]	p
HIV prevalence						
Men						
Spouse with in-migrant spouse ^a	91/452	482/2754	1.15 [0.94, 1.41]	0.17	0.94 [0.76, 1.15]	0.53
Spouse with out-migrant spouse ^a	95/372	482/2754	1.46 [1.20, 1.77]	<0.01	0.89 [0.53, 0.76]	1.15
Parent with in-migrant child ^b	24/76	487/3972	2.58 [1.83, 3.62]	<0.01	1.16 [0.79, 1.70]	0.45
Parent with out-migrant child ^b	45/278	487/3972	1.32 [1.00, 1.75]	0.05	0.83 [0.61, 1.11]	0.21
Sibling with in-migrant sibling ^c	5/81	29/1067	2.27 [0.90, 5.71]	0.08	0.69 [0.30, 1.61]	0.39
Sibling with out-migrant sibling ^c	9/422	29/1067	0.78 [0.37, 1.64]	0.52	0.54 [0.27, 1.06]	0.07
Women						
Spouse with in-migrant spouse ^a	44/138	690/3991	1.84 [1.43, 2.38]	<0.01	1.22 [0.94, 1.57]	0.13
Spouse with out-migrant spouse ^a	55/147	690/3991	2.16 [1.74, 2.70]	<0.01	1.57 [1.27, 1.95]	<0.01
Parent with in-migrant child ^b	59/172	1030/5690	1.89 [1.53, 2.35]	<0.01	1.06 [0.85, 1.32]	0.61
Parent with out-migrant child ^b	139/605	1030/5690	1.27 [1.09, 1.48]	<0.01	0.93 [0.79, 1.08]	0.34
Sibling with in-migrant sibling ^c	12/76	53/935	2.79 [1.56, 4.98]	<0.01	0.84 [0.50, 1.41]	0.51
Sibling with out-migrant sibling ^c	22/316	53/935	1.23 [0.76, 1.99]	0.40	0.99 [0.62, 1.59]	0.97
HIV viremia						
Men						
Spouse with in-migrant spouse ^a	26/89	86/480	1.63 [1.12, 2.38]	0.01	1.32 [0.87, 2.00]	0.19
Spouse with out-migrant spouse ^a	26/94	86/480	1.54 [1.06, 2.26]	0.02	1.46 [0.91, 2.35]	0.12
Parent with in-migrant child ^b	5/23	105/484	1.00 [0.45, 2.22]	1.00	1.50 [0.73, 3.11]	0.27
Parent with out-migrant child ^b	6/44	105/484	0.63 [0.29, 1.35]	0.23	1.00 [0.43, 2.31]	0.99
Sibling with in-migrant sibling ^c	1/5	12/29
Sibling with out-migrant sibling ^c	3/9	12/29
Women						
Spouse with in-migrant spouse ^a	2/43	75/690	0.43 [0.11, 1.69]	0.22	0.48 [0.12, 1.88]	0.29
Spouse with out-migrant spouse ^a	7/55	75/690	1.17 [0.57, 2.42]	0.67	1.15 [0.54, 2.47]	0.71
Parent with in-migrant child ^b	1/58	130/1027	0.14 [0.02, 0.96]	0.05	0.19 [0.03, 1.32]	0.09
Parent with out-migrant child ^b	4/139	130/1027	0.23 [0.09, 0.61]	<0.01	0.40 [0.14, 1.16]	0.09
Sibling with in-migrant sibling ^c	1/12	10/53
Sibling with out-migrant sibling ^c	6/22	10/53

^aCompared to spouses with non-migrating spouses; ^bCompared to parents with non-migrating children; ^cCompared to siblings with non-migrating siblings

Note: Prevalence ratios (PR) presented with 95% confidence intervals (CI), spouse regressions adjusted for demographics except for marital status; parent and sibling regressions adjusted for demographics including marital status. Sibling regressions for HIV viremia were excluded due to limited sample size. Bolded p-values <0.05